

Jurgen Engelberth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5675567/publications.pdf>

Version: 2024-02-01

36
papers

3,711
citations

279798

23
h-index

315739

38
g-index

38
all docs

38
docs citations

38
times ranked

3408
citing authors

#	ARTICLE	IF	CITATIONS
1	Herbivorous Caterpillars and the Green Leaf Volatile (GLV) Quandary. <i>Journal of Chemical Ecology</i> , 2022, 48, 337-345.	1.8	11
2	Developmental Stages Affect the Capacity to Produce Aldehyde Green Leaf Volatiles in <i>Zea mays</i> and <i>Vigna radiata</i> . <i>Plants</i> , 2022, 11, 526.	3.5	1
3	Primed to grow: a new role for green leaf volatiles in plant stress responses. <i>Plant Signaling and Behavior</i> , 2020, 15, 1701240.	2.4	6
4	Variability in the Capacity to Produce Damage-Induced Aldehyde Green Leaf Volatiles among Different Plant Species Provides Novel Insights into Biosynthetic Diversity. <i>Plants</i> , 2020, 9, 213.	3.5	20
5	Green Leaf Volatiles: Airborne Signals That Protect against Biotic and Abiotic Stresses. <i>Biology and Life Sciences Forum</i> , 2020, 4, .	0.6	1
6	Herbivorous Caterpillars Can Utilize Three Mechanisms to Alter Green Leaf Volatile Emission. <i>Environmental Entomology</i> , 2019, 48, 419-425.	1.4	21
7	In-Cold Exposure to Z-3-Hexenal Provides Protection Against Ongoing Cold Stress in <i>Zea mays</i> . <i>Plants</i> , 2019, 8, 165.	3.5	12
8	The Costs of Green Leaf Volatile-Induced Defense Priming: Temporal Diversity in Growth Responses to Mechanical Wounding and Insect Herbivory. <i>Plants</i> , 2019, 8, 23.	3.5	28
9	Green leaf volatiles protect maize (<i>Zea mays</i>) seedlings against damage from cold stress. <i>Plant, Cell and Environment</i> , 2018, 41, 1673-1682.	5.7	56
10	Defense Priming and Jasmonates: A Role for Free Fatty Acids in Insect Elicitor-Induced Long Distance Signaling. <i>Plants</i> , 2016, 5, 5.	3.5	20
11	Defense priming by non-jasmonate producing fatty acids in maize (<i>Zea mays</i>). <i>Plant Signaling and Behavior</i> , 2016, 11, e1243635.	2.4	6
12	The maize lipoxygenase, <i>ZmLOX10</i> , mediates green leaf volatile, jasmonate and herbivore-induced plant volatile production for defense against insect attack. <i>Plant Journal</i> , 2013, 74, 59-73.	5.7	217
13	Early Transcriptome Analyses of Z-3-Hexenol-Treated <i>Zea mays</i> Revealed Distinct Transcriptional Networks and Anti-Herbivore Defense Potential of Green Leaf Volatiles. <i>PLoS ONE</i> , 2013, 8, e77465.	2.5	70
14	Disruption of <i>OPR7</i> and <i>OPR8</i> Reveals the Versatile Functions of Jasmonic Acid in Maize Development and Defense. <i>Plant Cell</i> , 2012, 24, 1420-1436.	6.6	222
15	Transcriptional Analysis of Distant Signaling Induced by Insect Elicitors and Mechanical Wounding in <i>Zea mays</i> . <i>PLoS ONE</i> , 2012, 7, e34855.	2.5	34
16	Low Concentrations of Salicylic Acid Stimulate Insect Elicitor Responses in <i>Zea mays</i> Seedlings. <i>Journal of Chemical Ecology</i> , 2011, 37, 263-266.	1.8	27
17	Selective inhibition of jasmonic acid accumulation by a small α, β -unsaturated carbonyl and phenidone reveals different modes of octadecanoid signalling activation in response to insect elicitors and green leaf volatiles in <i>Zea mays</i> . <i>BMC Research Notes</i> , 2011, 4, 377.	1.4	15
18	Plants on Constant Alert: Elevated Levels of Jasmonic Acid and Jasmonate-Induced Transcripts in Caterpillar-Resistant Maize. <i>Journal of Chemical Ecology</i> , 2010, 36, 179-191.	1.8	112

#	ARTICLE	IF	CITATIONS
19	Interaction between polygalacturonase-inhibiting protein and jasmonic acid during defense activation in tomato against <i>Botrytis cinerea</i> . <i>European Journal of Plant Pathology</i> , 2010, 128, 423-428.	1.7	9
20	Phytohormone-based activity mapping of insect herbivore-produced elicitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 653-657.	7.1	229
21	Monitoring Plant Hormones During Stress Responses. <i>Journal of Visualized Experiments</i> , 2009, , .	0.3	7
22	Maize 9-Lipoxygenase ZmLOX3 Controls Development, Root-Specific Expression of Defense Genes, and Resistance to Root-Knot Nematodes. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 98-109.	2.6	157
23	Insect Elicitors and Exposure to Green Leafy Volatiles Differentially Upregulate Major Octadecanoids and Transcripts of 12-Oxo Phytodienoic Acid Reductases in <i>Zea mays</i> . <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 707-716.	2.6	111
24	Phytohormones Mediate Volatile Emissions During The Interaction Of Compatible and Incompatible Pathogens: The Role Of Ethylene In <i>Pseudomonas syringae</i> Infected Tobacco. <i>Journal of Chemical Ecology</i> , 2005, 31, 439-459.	1.8	21
25	Airborne signals prime plants against insect herbivore attack. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 1781-1785.	7.1	745
26	The use of vapor phase extraction in metabolic profiling of phytohormones and other metabolites. <i>Plant Journal</i> , 2004, 39, 790-808.	5.7	247
27	Differential volatile emissions and salicylic acid levels from tobacco plants in response to different strains of <i>Pseudomonas syringae</i> . <i>Planta</i> , 2003, 217, 767-775.	3.2	124
28	Simultaneous quantification of jasmonic acid and salicylic acid in plants by vapor-phase extraction and gas chromatography-chemical ionization-mass spectrometry. <i>Analytical Biochemistry</i> , 2003, 312, 242-250.	2.4	138
29	Mechanosensing and signaltransduction in tendrils. <i>Advances in Space Research</i> , 2003, 32, 1611-1619.	2.6	25
30	Nitrogen Deficiency Increases Volicitin-Induced Volatile Emission, Jasmonic Acid Accumulation, and Ethylene Sensitivity in Maize. <i>Plant Physiology</i> , 2003, 133, 295-306.	4.8	128
31	Simultaneous analysis of phytohormones, phytotoxins, and volatile organic compounds in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10552-10557.	7.1	311
32	Ion Channel-Forming Alamethicin Is a Potent Elicitor of Volatile Biosynthesis and Tendril Coiling. Cross Talk between Jasmonate and Salicylate Signaling in Lima Bean. <i>Plant Physiology</i> , 2001, 125, 369-377.	4.8	224
33	Channel-Forming Peptaibols Are Potent Elicitors of Plant Secondary Metabolism and Tendril Coiling. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1860-1862.	13.8	44
34	Differential Induction of Plant Volatile Biosynthesis in the Lima Bean by Early and Late Intermediates of the Octadecanoid-Signaling Pathway. <i>Plant Physiology</i> , 1999, 121, 153-162.	4.8	242
35	Functional anatomy of the mechanoreceptor cells in tendrils of <i>Bryonia dioica</i> Jacq.. <i>Planta</i> , 1995, 196, 539.	3.2	30
36	Touch- and Methyl Jasmonate-Induced Lignification in Tendrils of <i>Bryonia dioica</i> Jacq.. <i>Botanica Acta</i> , 1994, 107, 24-29.	1.6	24