

Alain P G Trentesaux

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/567617/alain-p-g-trentesaux-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

2,163
citations

26
h-index

46
g-index

55
ext. papers

2,416
ext. citations

3.3
avg, IF

4.27
L-index

#	Paper	IF	Citations
54	Late Mississippian limestone sedimentary environment in southern Pembrokeshire (Bullslaughter Bay, Wales): evidence of meteoric diagenesis and hypersaline features. <i>Geological Magazine</i> , 2021 , 158, 759-786	2	
53	Organism motility in an oxygenated shallow-marine environment 2.1 billion years ago. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 3431-3436	11.5	25
52	Reply to the Discussion by B. Pratt on Depositional setting of the 2.1 Ga Francevillian macrobiota (Gabon): Rapid mud settling in a shallow basin swept by high-density sand flows by Reynaud et al. (2018) <i>Sedimentology</i> , 65, 670-701. <i>Sedimentology</i> , 2019 , 66, 777-779	3.3	
51	Middle-Late Pleistocene landscape evolution of the Dover Strait inferred from buried and submerged erosional landforms. <i>Quaternary Science Reviews</i> , 2019 , 203, 209-232	3.9	6
50	Depositional setting of the 2.1 Ga Francevillian macrobiota (Gabon): Rapid mud settling in a shallow basin swept by high-density sand flows. <i>Sedimentology</i> , 2018 , 65, 670-701	3.3	9
49	Unusual microbial mat-related structural diversity 2.1 billion years ago and implications for the Francevillian biota. <i>Geobiology</i> , 2018 , 16, 476-497	4.3	11
48	Infilling of the Canche Estuary (eastern English Channel, France): Insight from benthic foraminifera and historical pictures. <i>Marine Micropaleontology</i> , 2018 , 142, 1-12	1.7	11
47	Does elevation matter? Living foraminiferal distribution in a hyper tidal salt marsh (Canche Estuary, Northern France). <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 194, 192-204	2.9	14
46	Two-stage opening of the Dover Strait and the origin of island Britain. <i>Nature Communications</i> , 2017 , 8, 15101	17.4	32
45	Nanoscale analysis of preservation of ca. 2.1 Ga old Francevillian microfossils, Gabon. <i>Precambrian Research</i> , 2017 , 301, 1-18	3.9	18
44	Small-scaled lateral variations of an organic-rich formation in a ramp-type depositional environment (the Late Jurassic of the Boulonnais, France): impact of the clastic supply. <i>Bulletin - Societe Geologique De France</i> , 2017 , 188, 31	2.3	4
43	Environmental control on a land-sea transitional setting: integrated sedimentological, geochemical and faunal approaches. <i>Environmental Earth Sciences</i> , 2016 , 75, 1	2.9	14
42	The role of the early diagenetic dolomitic concretions in the preservation of the 2.1-Ga paleoenvironmental signal: The Paleoproterozoic of the Franceville Basin, Gabon. <i>Comptes Rendus - Geoscience</i> , 2016 , 348, 609-618	1.4	7
41	Palaeo-ecological quality status based on foraminifera of Boulogne-sur-Mer harbour (Pas-de-Calais, Northeastern France) over the last 200 years. <i>Marine Environmental Research</i> , 2016 , 117, 32-43	3.3	29
40	Tidally-modulated infilling of a large coastal plain during the Holocene; the case of the French Flemish Coastal plain 2016 , 243-260		
39	Iron availability as a dominant control on the primary composition and diagenetic overprint of organic-matter-rich rocks. <i>Chemical Geology</i> , 2015 , 401, 67-82	4.2	47
38	Multiproxy approach for Holocene paleoenvironmental reconstructions from microorganisms (testate amoebae and foraminifera) and sediment analyses: The infilling of the Loire Valley in Nantes (France). <i>Holocene</i> , 2015 , 25, 407-420	2.6	11

37	Fault activity in the epicentral area of the 1580 Dover Strait (Pas-de-Calais) earthquake (northwestern Europe). <i>Geophysical Journal International</i> , 2015 , 201, 528-542	2.6	14
36	Streamlined islands and the English Channel megaflood hypothesis. <i>Global and Planetary Change</i> , 2015 , 135, 190-206	4.2	20
35	3D architecture of Quaternary sediment along the NW Atlantic Moroccan Rharb continental shelf: A stratal pattern under the dual control of tectonics and climatic variations. <i>Marine and Petroleum Geology</i> , 2014 , 49, 129-142	4.7	9
34	The 2.1 Ga old Francevillian biota: biogenicity, taphonomy and biodiversity. <i>PLoS ONE</i> , 2014 , 9, e99438	3.7	33
33	Environmental control on shell structure and composition of agglutinated foraminifera along a proximal-distal transect in the Marmara Sea. <i>Marine Geology</i> , 2013 , 335, 114-128	3.3	26
32	Early diagenetic carbonate bed formation at the sediment-water interface triggered by syndimentary faults. <i>Chemical Geology</i> , 2012 , 300-301, 1-13	4.2	11
31	Controls on Organic Accumulation in Upper Jurassic Shales of Northwestern Europe as Inferred from Trace-Metal Geochemistry 2011 , 145-164		6
30	Bacterial calcification as a possible trigger for francolite precipitation under sulfidic conditions. <i>Comptes Rendus - Geoscience</i> , 2010 , 342, 27-35	1.4	16
29	North western Alps Holocene paleohydrology recorded by flooding activity in Lake Le Bourget, France. <i>Quaternary Science Reviews</i> , 2010 , 29, 2185-2200	3.9	62
28	Paleoclimate Changes during the Early Oligocene in the Hoh Xil Region, Northern Tibetan Plateau. <i>Acta Geologica Sinica</i> , 2010 , 77, 504-513	0.7	3
27	Sediment (grain size and clay mineralogy) and organic matter quality control on living benthic foraminifera. <i>Revue De Micropaleontologie</i> , 2009 , 52, 75-84	1.4	64
26	Short-term (2 yrs) estuarine mudflat and saltmarsh sedimentation: High-resolution data from ultrasonic altimetry, rod surface-elevation table, and filter traps. <i>Estuarine, Coastal and Shelf Science</i> , 2009 , 83, 475-484	2.9	48
25	Traceurs sédimentaires des variations du niveau marin et de la mousson sud-est asiatique depuis 450 ka en mer de Chine du Sud. <i>Comptes Rendus - Geoscience</i> , 2008 , 340, 367-378	1.4	1
24	Climatic and tectonic controls on weathering in south China and Indochina Peninsula: Clay mineralogical and geochemical investigations from the Pearl, Red, and Mekong drainage basins. <i>Geochemistry, Geophysics, Geosystems</i> , 2007 , 8, n/a-n/a	3.6	159
23	The origin of the 1500-year climate cycles in Holocene North-Atlantic records. <i>Climate of the Past</i> , 2007 , 3, 569-575	3.9	118
22	Sedimentary responses to the Pleistocene climatic variations recorded in the South China Sea. <i>Quaternary Research</i> , 2007 , 68, 162-172	1.9	66
21	Clay minerals in surface sediments of the Pearl River drainage basin and their contribution to the South China Sea. <i>Science Bulletin</i> , 2007 , 52, 1101-1111		61
20	Internal architecture and mobility of tidal sand ridges in the East China Sea. <i>Continental Shelf Research</i> , 2007 , 27, 1820-1834	2.4	63

19	Major element geochemistry of glass shards and minerals of the Youngest Toba Tephra in the southwestern South China Sea. <i>Journal of Asian Earth Sciences</i> , 2006 , 27, 99-107	2.8	33
18	Sediment sources and East Asian monsoon intensity over the last 450 ky. Mineralogical and geochemical investigations on South China Sea sediments. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005 , 228, 260-277	2.9	100
17	Clay mineral records of East Asian monsoon evolution during late Quaternary in the southern South China Sea. <i>Science in China Series D: Earth Sciences</i> , 2005 , 48, 84-92		21
16	Late Quaternary climatic control on erosion and weathering in the eastern Tibetan Plateau and the Mekong Basin. <i>Quaternary Research</i> , 2005 , 63, 316-328	1.9	78
15	Controls on organic accumulation in late Jurassic shales of northwestern Europe as inferred from trace-metal geochemistry. <i>Bulletin - Societe Geologique De France</i> , 2004 , 175, 491-506	2.3	21
14	Erosional history of the eastern Tibetan Plateau since 190 kyr ago: clay mineralogical and geochemical investigations from the southwestern South China Sea. <i>Marine Geology</i> , 2004 , 209, 1-18	3.3	113
13	Types of internal structure and external morphology of submarine dunes under the influence of tide- and wind-driven processes (Dover Strait, northern France). <i>Marine Geology</i> , 2004 , 211, 143-168	3.3	52
12	Clay mineral assemblages in the northern South China Sea: implications for East Asian monsoon evolution over the past 2 million years. <i>Marine Geology</i> , 2003 , 201, 133-146	3.3	184
11	Quaternary clay mineralogy in the northern South China Sea (ODP Site 1146). <i>Science in China Series D: Earth Sciences</i> , 2003 , 46, 1223-1235		21
10	Flood and earthquake disturbance of ²¹⁰ Pb geochronology (Lake Anterne, NW Alps). <i>Terra Nova</i> , 2002 , 14, 225-232	3	115
9	Pleistocene forced regressions and tidal sand ridges in the East China Sea. <i>Marine Geology</i> , 2002 , 188, 293-315	3.3	150
8	Carbonate Grain-Size Distribution in Hemipelagic Sediments from a Laser Particle Sizer. <i>Journal of Sedimentary Research</i> , 2001 , 71, 858-862	2.1	34
7	Influence des tempêtes sur la mobilité des dunes tidales dans le détroit du Pas-de-Calais. <i>Oceanologica Acta: European Journal of Oceanology - Revue Europeenne De Oceanologie</i> , 2000 , 23, 129-141		24
6	A Jurassic counterpart for modern kopara of the Pacific atolls. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000 , 156, 277-288	2.9	13
5	Sedimentology and stratigraphy of a tidal sand bank in the southern North Sea. <i>Marine Geology</i> , 1999 , 159, 253-272	3.3	48
4	Jurassic lagoonal environments and quasi-abiotic platy limestone accumulation: microbial interventions. <i>Sedimentology</i> , 1999 , 46, 1183-1197	3.3	10
3	Storm influences on a tidal sandbank's surface (Middelkerke Bank, southern North Sea). <i>Marine Geology</i> , 1994 , 121, 23-41	3.3	44
2	Surficial sedimentology of the Middelkerke Bank (southern North Sea). <i>Marine Geology</i> , 1994 , 121, 43-55	3.3	28

- 1 Architecture and long term evolution of a tidal sandbank: The Middelkerke Bank (southern North Sea). *Marine Geology*, **1994**, 121, 57-72 33 56