Cesare Lorenzetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5676645/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	MXD6 in film manufacturing: State of the art and recent advances in the synthesis and characterization of new copolyamides. Journal of Plastic Film and Sheeting, 2020, 36, 16-37.	2.2	2
2	Polymorphism and Multiple Melting Behavior of Bio-Based Poly(propylene 2,5-furandicarboxylate). Biomacromolecules, 2020, 21, 2622-2634.	5.4	32
3	Insights into the Synthesis of Poly(ethylene 2,5-Furandicarboxylate) from 2,5-Furandicarboxylic Acid: Steps toward Environmental and Food Safety Excellence in Packaging Applications. Industrial & Engineering Chemistry Research, 2019, 58, 8955-8962.	3.7	45
4	Temperature-induced polymorphism in bio-based poly(propylene 2,5-furandicarboxylate). Thermochimica Acta, 2019, 677, 186-193.	2.7	17
5	Strategy to improve PA6 performances by melt compounding. Polymer Testing, 2018, 67, 84-91.	4.8	11
6	Effects of random defect distributions in the barrier coating on the gas permeability of multilayer films. Surface and Coatings Technology, 2016, 302, 65-74.	4.8	6
7	Strategy To Modify the Crystallization Behavior of EVOH32 through Interactions with Low-Molecular-Weight Molecules. Industrial & Engineering Chemistry Research, 2016, 55, 3517-3524.	3.7	13
8	Synergistic effect of dipentaerythritol and montmorillonite in EVOHâ€based nanocomposites. Journal of Applied Polymer Science, 2015, 132, .	2.6	7
9	Block and random copolyamides of poly(<i>m</i> â€xylylene adipamide) and poly(hexamethylene) Tj ETQq1 1 (molecular structure and phase behavior. Polymer Engineering and Science, 2015, 55, 1475-1484.).784314 rg 3.1	gBT /Overloc 8
10	Fully biobased poly(propylene 2,5-furandicarboxylate) for packaging applications: excellent barrier properties as a function of crystallinity. Green Chemistry, 2015, 17, 4162-4166.	9.0	153
11	Transamidations in melt-mixed MXD6 and PA6I-6T polyamides: 1. Determination of the degree of randomness and block length by 1H-NMR analysis. European Polymer Journal, 2012, 48, 1923-1931.	5.4	15
12	Thermal properties of poly(alkylene dicarboxylate)s derived from 1,12-dodecanedioic acid and even aliphatic diols. Journal of Polymer Science, Part B: Polymer Physics, 2007, 45, 1053-1067.	2.1	21
13	Chemical Recovery of Useful Chemicals from Polyester (PET) Waste for Resource Conservation: A Survey of State of the Art. Journal of Polymers and the Environment, 2006, 14, 89-101.	5.0	85
14	Comparison between titanium tetrabutoxide and a new commercial titanium dioxide based catalyst used for the synthesis of poly(ethylene terephthalate). Journal of Applied Polymer Science, 2004, 92, 1887-1892.	2.6	38
15	Poly(propylene terephthalate) Modified with 2,2-Bis[4-(ethylenoxy)-1,4-phenylene]propane Chemistry and Physics, 2004, 205, 2473-2485.	2.2	10
16	Chemical Modification of Terephthalate Polyesters by Reaction with Bis(hydroxyethyl ether) of Bisphenol A. Macromolecular Materials and Engineering, 2004, 289, 49-55.	3.6	33
17	Chemical Modification of Bisphenol A Polycarbonate by Reactive Blending with Cyclic Anhydrides. Polymer Bulletin, 2003, 51, 111-118.	3.3	6
18	Polyethylene like polymers. Aliphatic polyesters of dodecanedioic acid. European Polymer Journal, 2003, 39, 655-661	5.4	36

#	Article	IF	CITATIONS
19	Synthesis and Characterization of Novel Water-Soluble Polyamides with Enhanced Gas Barrier Properties. Industrial & Engineering Chemistry Research, 0, , .	3.7	1