

Giuseppe De Vito

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5676858/giuseppe-de-vito-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

4,219
citations

35
h-index

59
g-index

148
ext. papers

4,959
ext. citations

3.8
avg, IF

5.53
L-index

#	Paper	IF	Citations
137	Effects of a vitamin D and leucine-enriched whey protein nutritional supplement on measures of sarcopenia in older adults, the PROVIDE study: a randomized, double-blind, placebo-controlled trial. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 740-7	5.9	350
136	Muscle strength, power and adaptations to resistance training in older people. <i>European Journal of Applied Physiology</i> , 2004 , 91, 450-72	3.4	349
135	Contractile muscle volume and agonist-antagonist coactivation account for differences in torque between young and older women. <i>Muscle and Nerve</i> , 2002 , 25, 858-63	3.4	239
134	Impact of sedentarism due to the COVID-19 home confinement on neuromuscular, cardiovascular and metabolic health: Physiological and pathophysiological implications and recommendations for physical and nutritional countermeasures. <i>European Journal of Sport Science</i> , 2021 , 21, 614-635	3.9	161
133	Muscle function in elite master weightlifters. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 1199-206	2.6	126
132	Enhancing cognitive functioning in the elderly: multicomponent vs resistance training. <i>Clinical Interventions in Aging</i> , 2013 , 8, 19-27	4	100
131	Determinants of maximal instantaneous muscle power in women aged 50-75 years. <i>European Journal of Applied Physiology</i> , 1998 , 78, 59-64	3.4	82
130	The effectiveness of two novel techniques in establishing the mechanical and contractile responses of biceps femoris. <i>Physiological Measurement</i> , 2011 , 32, 1315-26	2.9	80
129	Skeletal muscle ATP turnover and muscle fiber conduction velocity are elevated at higher muscle temperatures during maximal power output development in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006 , 290, R376-82	3.2	79
128	Divergence of intracellular and extracellular HSP72 in type 2 diabetes: does fat matter?. <i>Cell Stress and Chaperones</i> , 2012 , 17, 293-302	4	74
127	The effects of aerobic exercise training at two different intensities in obesity and type 2 diabetes: implications for oxidative stress, low-grade inflammation and nitric oxide production. <i>European Journal of Applied Physiology</i> , 2014 , 114, 251-60	3.4	72
126	Exercise prescription in the treatment of type 2 diabetes mellitus : current practices, existing guidelines and future directions. <i>Sports Medicine</i> , 2013 , 43, 39-49	10.6	70
125	Exercise and possible molecular mechanisms of protection from vascular disease and diabetes: the central role of ROS and nitric oxide. <i>Clinical Science</i> , 2009 , 118, 341-9	6.5	70
124	Effect of power, pedal rate, and force on average muscle fiber conduction velocity during cycling. <i>Journal of Applied Physiology</i> , 2004 , 97, 2035-41	3.7	68
123	Comparison between young and older women in explosive power output and its determinants during a single leg-press action after optimisation of load. <i>European Journal of Applied Physiology</i> , 2003 , 90, 458-63	3.4	67
122	The effect of an active warm-up on surface EMG and muscle performance in healthy humans. <i>European Journal of Applied Physiology</i> , 2003 , 89, 509-13	3.4	66
121	Cycling as a novel approach to resistance training increases muscle strength, power, and selected functional abilities in healthy older women. <i>Journal of Applied Physiology</i> , 2003 , 95, 2544-53	3.7	65

120	Six weeks of a polarized training-intensity distribution leads to greater physiological and performance adaptations than a threshold model in trained cyclists. <i>Journal of Applied Physiology</i> , 2013 , 114, 461-71	3.7	62
119	Differences between young and older women in maximal force, force fluctuations, and surface EMG during isometric knee extension and elbow flexion. <i>Muscle and Nerve</i> , 2004 , 30, 626-35	3.4	57
118	Effects of age and limb dominance on upper and lower limb muscle function in healthy males and females aged 40-80 years. <i>Journal of Sports Sciences</i> , 2010 , 28, 667-77	3.6	55
117	Temperature dependence of soleus H-reflex and M wave in young and older women. <i>European Journal of Applied Physiology</i> , 2005 , 94, 491-9	3.4	53
116	Effects of central sympathetic inhibition on heart rate variability during steady-state exercise in healthy humans. <i>Clinical Physiology and Functional Imaging</i> , 2002 , 22, 32-8	2.4	52
115	Amplitude and spectral characteristics of biceps Brachii sEMG depend upon speed of isometric force generation. <i>Journal of Electromyography and Kinesiology</i> , 2003 , 13, 139-47	2.5	52
114	Nordic hamstring exercise training alters knee joint kinematics and hamstring activation patterns in young men. <i>European Journal of Applied Physiology</i> , 2016 , 116, 663-72	3.4	47
113	Elevated levels of extracellular heat-shock protein 72 (eHSP72) are positively correlated with insulin resistance in vivo and cause pancreatic β cell dysfunction and death in vitro. <i>Clinical Science</i> , 2014 , 126, 739-52	6.5	47
112	Effects of aldosterone receptor blockade in patients with mild-moderate heart failure taking a beta-blocker. <i>European Journal of Heart Failure</i> , 2007 , 9, 429-34	12.3	47
111	Kinematic and electromyographic analysis of the Nordic Hamstring Exercise. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 1111-8	2.5	45
110	Differential nitric oxide levels in the blood and skeletal muscle of type 2 diabetic subjects may be consequence of adiposity: a preliminary study. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 1528-37	12.7	44
109	Anthropometric and strength variables to predict freestyle performance times in elite master swimmers. <i>Journal of Strength and Conditioning Research</i> , 2008 , 22, 1298-307	3.2	44
108	Coupling between skeletal muscle fiber size and capillarization is maintained during healthy aging. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 647-659	10.3	41
107	Electromyogram changes during sustained contraction after resistance training in women in their 3rd and 8th decades. <i>European Journal of Applied Physiology</i> , 2000 , 82, 418-24	3.4	40
106	Structure and function of human muscle fibres and muscle proteome in physically active older men. <i>Journal of Physiology</i> , 2017 , 595, 4823-4844	3.9	38
105	The relationship between aerobic fitness level and metabolic profiles in healthy adults. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 1246-54	5.9	38
104	Correlation of average muscle fiber conduction velocity measured during cycling exercise with myosin heavy chain composition, lactate threshold, and VO ₂ max. <i>Journal of Electromyography and Kinesiology</i> , 2007 , 17, 393-400	2.5	38
103	The Role of Mineral and Trace Element Supplementation in Exercise and Athletic Performance: A Systematic Review. <i>Nutrients</i> , 2019 , 11,	6.7	36

102	Decrease of endurance performance during Olympic Triathlon. <i>International Journal of Sports Medicine</i> , 1995 , 16, 24-8	3.6	34
101	Effects of age and sex on neuromuscular-mechanical determinants of muscle strength. <i>Age</i> , 2016 , 38, 57		33
100	Effects of altered muscle temperature on neuromuscular properties in young and older women. <i>European Journal of Applied Physiology</i> , 2010 , 108, 451-8	3.4	30
99	Physiological responses to fitness activities: a comparison between land-based and water aerobics exercise. <i>Journal of Strength and Conditioning Research</i> , 2004 , 18, 719-22	3.2	30
98	Speed training with body weight unloading improves walking energy cost and maximal speed in 75- to 85-year-old healthy women. <i>Journal of Applied Physiology</i> , 2007 , 103, 1598-603	3.7	29
97	The physiological demands of sail pumping in Olympic level windsurfers. <i>European Journal of Applied Physiology</i> , 2002 , 86, 450-4	3.4	29
96	The effects of a combined bodyweight-based and elastic bands resistance training, with or without protein supplementation, on muscle mass, signaling and heat shock response in healthy older people. <i>Experimental Gerontology</i> , 2019 , 115, 104-113	4.5	28
95	Health and Quality of Life Perception in Older Adults: The Joint Role of Cognitive Efficiency and Functional Mobility. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 11328-44	4.6	27
94	A comparison of muscle stiffness and musculoarticular stiffness of the knee joint in young athletic males and females. <i>Journal of Electromyography and Kinesiology</i> , 2015 , 25, 495-500	2.5	26
93	Measures of static postural control moderate the association of strength and power with functional dynamic balance. <i>Aging Clinical and Experimental Research</i> , 2014 , 26, 645-53	4.8	26
92	Long-term resistance training improves force and unloaded shortening velocity of single muscle fibres of elderly women. <i>European Journal of Applied Physiology</i> , 2008 , 104, 885-93	3.4	25
91	Effects of dynamic resistance training on heart rate variability in healthy older women. <i>European Journal of Applied Physiology</i> , 2003 , 89, 85-9	3.4	24
90	Human skeletal muscle fibre contractile properties and proteomic profile: adaptations to 3 weeks of unilateral lower limb suspension and active recovery. <i>Journal of Physiology</i> , 2015 , 593, 5361-85	3.9	23
89	Muscle temperature has a different effect on force fluctuations in young and older women. <i>Clinical Neurophysiology</i> , 2007 , 118, 762-9	4.3	23
88	Cardiovascular autonomic control in endurance-trained and sedentary young women. <i>Clinical Physiology and Functional Imaging</i> , 2005 , 25, 83-9	2.4	23
87	Effect of active warm-up on metabolism prior to and during intense dynamic exercise. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 2091-6	1.2	23
86	Non-invasive assessment of muscle fiber conduction velocity during an incremental maximal cycling test. <i>Journal of Electromyography and Kinesiology</i> , 2009 , 19, e380-6	2.5	22
85	Physiological costs and temporo-spatial parameters of walking on a treadmill vary with body weight unloading and speed in both healthy young and older women. <i>European Journal of Applied Physiology</i> , 2007 , 100, 293-9	3.4	22

84	Intra- and inter-session reliability of vertical jump performance in healthy middle-aged and older men and women. <i>Journal of Sports Sciences</i> , 2011 , 29, 1675-82	3.6	21
83	Different effect of cadence on cycling efficiency between young and older cyclists. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 2128-33	1.2	21
82	Effects of a low-intensity conditioning programme on VO ₂ max and maximal instantaneous peak power in elderly women. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1999 , 80, 227-32		21
81	Age-related changes in the function and structure of the peripheral sensory pathway in mice. <i>Neurobiology of Aging</i> , 2016 , 45, 136-148	5.6	21
80	Low dosage monophasic oral contraceptive use and intermittent exercise performance and metabolism in humans. <i>European Journal of Applied Physiology</i> , 2001 , 84, 296-301	3.4	20
79	Genetic Associations with Aging Muscle: A Systematic Review. <i>Cells</i> , 2019 , 9,	7.9	20
78	Developing a toolkit for the assessment and monitoring of musculoskeletal ageing. <i>Age and Ageing</i> , 2018 , 47, iv1-iv19	3	20
77	Effect of Knee Joint Angle and Contraction Intensity on Hamstrings Coactivation. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 1668-1676	1.2	19
76	The acute effect of Quercetin on muscle performance following a single resistance training session. <i>European Journal of Applied Physiology</i> , 2018 , 118, 1021-1031	3.4	19
75	Effects of Self-directed Exercise Programmes on Individuals with Type 2 Diabetes Mellitus: A Systematic Review Evaluating Their Effect on HbA and Other Metabolic Outcomes, Physical Characteristics, Cardiorespiratory Fitness and Functional Outcomes. <i>Sports Medicine</i> , 2017 , 47, 717-733	10.6	19
74	Assessment of post-competition peak blood lactate in male and female master swimmers aged 40-79 years and its relationship with swimming performance. <i>European Journal of Applied Physiology</i> , 2007 , 99, 685-93	3.4	19
73	Is the coactivation of biceps femoris during isometric knee extension affected by adiposity in healthy young humans?. <i>Journal of Electromyography and Kinesiology</i> , 2003 , 13, 425-31	2.5	19
72	Nutrition, Behavior Change and Physical Activity Outcomes From the PEARS RCT-An mHealth-Supported, Lifestyle Intervention Among Pregnant Women With Overweight and Obesity. <i>Frontiers in Endocrinology</i> , 2019 , 10, 938	5.7	18
71	Assessment of musculo-articular and muscle stiffness in young and older men. <i>Muscle and Nerve</i> , 2012 , 46, 559-65	3.4	18
70	Effects of fatigue on muscle stiffness and intermittent sprinting during cycling. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 837-45	1.2	18
69	Effects of a Six-Month Multi-Ingredient Nutrition Supplement Intervention of Omega-3 Polyunsaturated Fatty Acids, vitamin D, Resveratrol, and Whey Protein on Cognitive Function in Older Adults: A Randomised, Double-Blind, Controlled Trial. <i>Journal of Prevention of Alzheimer's Disease</i> , 2018 , 5, 175-183	3.8	18
68	The influence of skeletal muscle on appetite regulation. <i>Expert Review of Endocrinology and Metabolism</i> , 2019 , 14, 267-282	4.1	17
67	Is the Olympic boardsailor an endurance athlete?. <i>International Journal of Sports Medicine</i> , 1997 , 18, 281-46		17

66	Moderate alterations in lower limbs muscle temperature do not affect postural stability during quiet standing in both young and older women. <i>Journal of Electromyography and Kinesiology</i> , 2007 , 17, 292-8	2.5	17
65	PHYSIOLOGICAL RESPONSES TO FITNESS ACTIVITIES. <i>Journal of Strength and Conditioning Research</i> , 2004 , 18, 719-722	3.2	17
64	Assessing musculo-articular stiffness using free oscillations: theory, measurement and analysis. <i>Sports Medicine</i> , 2011 , 41, 1019-32	10.6	16
63	Heat-induced extracellular HSP72 release is blunted in elderly diabetic people compared with healthy middle-aged and older adults, but it is partially restored by resistance training. <i>Experimental Gerontology</i> , 2018 , 111, 180-187	4.5	15
62	Effect of mental fatigue on induced tremor in human knee extensors. <i>Journal of Electromyography and Kinesiology</i> , 2014 , 24, 412-8	2.5	15
61	Executive function moderates the role of muscular fitness in determining functional mobility in older adults. <i>Aging Clinical and Experimental Research</i> , 2013 , 25, 291-8	4.8	15
60	Neuromuscular electrical stimulation can elicit aerobic exercise response without undue discomfort in healthy physically active adults. <i>Journal of Strength and Conditioning Research</i> , 2013 , 27, 208-15	3.2	15
59	Analysis and Biophysics of Surface EMG for Physiotherapists and Kinesiologists: Toward a Common Language With Rehabilitation Engineers. <i>Frontiers in Neurology</i> , 2020 , 11, 576729	4.1	15
58	Effect of exercise training on neuromuscular function of elbow flexors and knee extensors of type 2 diabetic patients. <i>Journal of Electromyography and Kinesiology</i> , 2015 , 25, 815-23	2.5	14
57	Effects of Hippic acid on mtDNA damage after isolated muscle contractions. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1469-77	1.2	14
56	Muscle fibre conduction velocity and cardiorespiratory response during incremental cycling exercise in young and older individuals with different training status. <i>Journal of Electromyography and Kinesiology</i> , 2010 , 20, 566-71	2.5	14
55	The effect of induced alkalosis and submaximal cycling on neuromuscular response during sustained isometric contraction. <i>Journal of Sports Sciences</i> , 2009 , 27, 1261-9	3.6	14
54	Alpha band cortico-muscular coherence occurs in healthy individuals during mechanically-induced tremor. <i>PLoS ONE</i> , 2014 , 9, e115012	3.7	13
53	Comparison of the effect of multicomponent and resistance training programs on metabolic health parameters in the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 60, 412-7	4	11
52	Comparative effect of a 1 h session of electrical muscle stimulation and walking activity on energy expenditure and substrate oxidation in obese subjects. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 57-65	3	11
51	Effects of repeated ankle plantar-flexions on H-reflex and body sway during standing. <i>Journal of Electromyography and Kinesiology</i> , 2009 , 19, 85-92	2.5	11
50	The Body Fat-Cognition Relationship in Healthy Older Individuals: Does Gynoid vs Android Distribution Matter?. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 284-291	5.2	10
49	Dexterity training improves manual precision in patients affected by essential tremor. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 705-10	2.8	10

48	Validity and inter-day reliability of a free-oscillation test to measure knee extensor and knee flexor musculo-articular stiffness. <i>Journal of Electromyography and Kinesiology</i> , 2011 , 21, 492-8	2.5	10
47	Reliability of quantitative TUG measures of mobility for use in falls risk assessment. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 466-9	0.9	10
46	Age-related Changes in Motor Function (I). Mechanical and Neuromuscular Factors. <i>International Journal of Sports Medicine</i> , 2020 , 41, 709-719	3.6	10
45	Neuromuscular Junction Aging: A Role for Biomarkers and Exercise. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 576-585	6.4	10
44	Neuromechanics of repeated stepping with external loading in young and older women. <i>European Journal of Applied Physiology</i> , 2014 , 114, 983-94	3.4	9
43	Benefits of a worksite or home-based bench stepping intervention for sedentary middle-aged adults - a pilot study. <i>Clinical Physiology and Functional Imaging</i> , 2014 , 34, 10-7	2.4	9
42	Effects of aging and training status on ventilatory response during incremental cycling exercise. <i>Journal of Strength and Conditioning Research</i> , 2011 , 25, 1326-32	3.2	9
41	Neuro-muscular electrical stimulation training enhances maximal aerobic capacity in healthy physically active adults. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 466-9	0.9	9
40	Does supplementation with leucine-enriched protein alone and in combination with fish-oil-derived n-3 PUFA affect muscle mass, strength, physical performance, and muscle protein synthesis in well-nourished older adults? A randomized, double-blind, placebo-controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1411-1427	7	8
39	Physiological assessment of Olympic windsurfers. <i>European Journal of Sport Science</i> , 2015 , 15, 228-34	3.9	7
38	Effect of sex and fatigue on muscle stiffness and musculoarticular stiffness of the knee joint in a young active population. <i>Journal of Sports Sciences</i> , 2017 , 35, 1582-1591	3.6	7
37	Self-directed exercise programmes in sedentary middle-aged individuals in good overall health; a systematic review. <i>Preventive Medicine</i> , 2018 , 114, 156-163	4.3	6
36	Co-ingestion of protein or a protein hydrolysate with carbohydrate enhances anabolic signaling, but not glycogen resynthesis, following recovery from prolonged aerobic exercise in trained cyclists. <i>European Journal of Applied Physiology</i> , 2018 , 118, 349-359	3.4	6
35	Effects of a low-volume, vigorous intensity step exercise program on functional mobility in middle-aged adults. <i>Annals of Biomedical Engineering</i> , 2013 , 41, 1748-57	4.7	5
34	Analysis of the effects of mechanically induced tremor on EEG-EMG coherence using wavelet and partial directed coherence 2013 ,		5
33	Low Volume, Home-Based Weighted Step Exercise Training Can Improve Lower Limb Muscle Power and Functional Ability in Community-Dwelling Older Women. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
32	An investigation into the relationship between heart rate variability and the ventilatory threshold in healthy moderately trained males. <i>Clinical Physiology and Functional Imaging</i> , 2018 , 38, 455-461	2.4	4
31	Different Effect of Local and General Fatigue on Knee Joint Stiffness. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 173-182	1.2	4

30	Influence of angular velocity on vastus lateralis and rectus femoris oxygenation dynamics during knee extension exercises. <i>Clinical Physiology and Functional Imaging</i> , 2011 , 31, 352-7	2.4	4
29	Cardiovascular response during low-intensity step-aerobic dance in middle-aged subjects. <i>European Journal of Sport Science</i> , 2001 , 1, 1-7	3.9	4
28	Physiological profile comparison between high intensity functional training, endurance and power athletes. <i>European Journal of Applied Physiology</i> , 2021 , 122, 531	3.4	4
27	Effects of acute aerobic, resistance and combined exercises on 24-h glucose variability and skeletal muscle signalling responses in type 1 diabetics. <i>European Journal of Applied Physiology</i> , 2020 , 120, 2677-2691	3.4	4
26	Plasma C-Terminal Agrin Fragment as an Early Biomarker for Sarcopenia: Results From the GenoFit Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 2090-2096	6.4	4
25	Personalised Prescription of Scalable High Intensity Interval Training to Inactive Female Adults of Different Ages. <i>PLoS ONE</i> , 2016 , 11, e0148702	3.7	4
24	Torque steadiness and neuromuscular responses following fatiguing concentric exercise of the knee extensor and flexor muscles in young and older individuals. <i>Experimental Gerontology</i> , 2019 , 124, 110636	4.5	3
23	Mineral rich algae with pine bark improved pain, physical function and analgesic use in mild-knee joint osteoarthritis, compared to Glucosamine: A randomized controlled pilot trial. <i>Complementary Therapies in Medicine</i> , 2020 , 50, 102349	3.5	3
22	Assessment of aerobic endurance: a comparison between CD-ROM and laboratory-based instruction. <i>British Journal of Educational Technology</i> , 2002 , 33, 159-172	4.3	3
21	Effects of central sympathetic inhibition on heart rate variability during steady-state exercise in healthy humans. <i>Clinical Physiology</i> , 2002 , 22, 32-38		3
20	Grip strength performance from 9431 participants of the GenoFit study: normative data and associated factors. <i>GeroScience</i> , 2021 , 43, 2533-2546	8.9	3
19	Reliability of walking speed in basic and complex conditions in healthy, older community-dwelling individuals. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 311-317	4.8	3
18	Age Related Changes in Motor Function (II). Decline in Motor Performance Outcomes. <i>International Journal of Sports Medicine</i> , 2021 , 42, 215-226	3.6	3
17	Low intensity physical training in older subjects. <i>Journal of Sports Medicine and Physical Fitness</i> , 1997 , 37, 72-7	1.4	3
16	Changes in knee joint angle affect torque steadiness differently in young and older individuals. <i>Journal of Electromyography and Kinesiology</i> , 2019 , 47, 49-56	2.5	2
15	Sources of variability in musculo-articular stiffness measurement. <i>PLoS ONE</i> , 2013 , 8, e63719	3.7	2
14	Strength training and gross-motor skill exercise as interventions to improve postural control, dynamic functional balance and strength in older individuals. <i>Journal of Sports Medicine and Physical Fitness</i> , 2021 , 61, 1570-1577	1.4	2
13	Effects of a Long Chain n-3 Polyunsaturated Fatty Acid-rich Multi-ingredient Nutrition Supplement on Body Composition and Physical Function in Older Adults with Low Skeletal Muscle Mass. <i>Journal of Dietary Supplements</i> , 2021 , 1-16	2.3	2

12	Effects of acute exercise on glucose control in type 1 diabetes: A systematic review. <i>Translational Sports Medicine</i> , 2019 , 2, 49-57	1.3	2
11	SUN-LB651: Prevalence of Sarcopenia in Community-Dwelling Older Adults in Ireland: Comparison of EWGSOP1 and EWGSOP2 Definitions. <i>Clinical Nutrition</i> , 2019 , 38, S301	5.9	1
10	Physical Activity and Glycemic Control Status in Chinese Patients with Type 2 Diabetes: A Secondary Analysis of a Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
9	NEUROMUSCULAR TRAINING EFFECTS ON THE STIFFNESS PROPERTIES OF THE KNEE JOINT AND LANDING BIOMECHANICS OF YOUNG FEMALE RECREATIONAL ATHLETES. <i>British Journal of Sports Medicine</i> , 2017 , 51, 405.2-405	10.3	0
8	Innovative plAnt Protein fibre and Physical activity solutions to address poor appEtite and prevenT undernutrITion in oldEr adults [APPETITE. <i>Nutrition Bulletin</i> , 2021 , 46, 486-496	3.5	0
7	Age-related fatigability in knee extensors and knee flexors during dynamic fatiguing contractions.. <i>Journal of Electromyography and Kinesiology</i> , 2021 , 62, 102626	2.5	0
6	Plasma Creatine Kinetics After Ingestion of Microencapsulated Creatine Monohydrate with Enhanced Stability in Aqueous Solutions. <i>Journal of Dietary Supplements</i> , 2017 , 14, 433-445	2.3	
5	Effect of oral glucose supplementation on surface EMG during fatiguing dynamic exercise. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 3498-3502	0.9	
4	Comparison of Neuromotor and Progressive Resistance Exercise Training to Improve Mobility and Fitness in Community-Dwelling Older Women. <i>Journal of Science in Sport and Exercise</i> , 2019 , 1, 124-131	1	
3	THE EFFECTS OF FATIGUE ON PEAK TORQUE, MUSCLE STIFFNESS, AND MUSCULOARTICULAR STIFFNESS OF THE KNEE JOINT IN YOUNG MALE ATHLETES. <i>British Journal of Sports Medicine</i> , 2014 , 48, 670.2-670	10.3	
2	Corrigendum to Effects of aldosterone receptor blockade in patients with mild-moderate heart failure taking a beta-blocker [European Journal of Heart Failure 9/4 (2007) 429-434]. <i>European Journal of Heart Failure</i> , 2007 , 9, 1074-1074	12.3	
1	Effects of sympathetic inhibition on exertional dyspnoea, ventilatory and metabolic responses to exercise in normotensive humans. <i>Clinical Science</i> , 2000 , 99, 223	6.5	