

Raghvendra Kumar Chaudhary

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/567758/raghvendra-kumar-chaudhary-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

1,444
citations

19
h-index

27
g-index

222
ext. papers

2,090
ext. citations

1.7
avg, IF

5.86
L-index

#	Paper	IF	Citations
170	Resistor loaded wideband conformal metamaterial absorber for curved surfaces application. <i>AEU - International Journal of Electronics and Communications</i> , 2022 , 143, 154033	2.8	0
169	A reconfigurable active microstrip antenna for agile switching: Pattern, beamwidth, and multibeam. <i>AEU - International Journal of Electronics and Communications</i> , 2022 , 149, 154181	2.8	
168	Wideband Circularly Polarized Cavity-backed Dielectric Resonator Antenna with Low RCS for Aerial Vehicle Communications. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2022 , 1-1	3.8	1
167	Compact Multiband Metamaterial Filter. <i>Metamaterials Science and Technology</i> , 2021 , 1-34		
166	Pattern-reconfigurable antenna in azimuth plane using SP3T reconfigurable switching network. <i>IET Microwaves, Antennas and Propagation</i> , 2021 , 15, 62-68	1.6	1
165	Design and analysis of multiple input multiple output antenna for wideband applications using cylindrical dielectric resonator. <i>AEU - International Journal of Electronics and Communications</i> , 2021 , 131, 153598	2.8	3
164	Compact open-ended SIW antenna based on CRLH-TL and U-shaped slots for Ku-band application. <i>AEU - International Journal of Electronics and Communications</i> , 2021 , 131, 153595	2.8	0
163	Multilayered and Low-Volume Cavity Resonator Antenna Using Metasurface Reflector and Superstrate for Airborne Application 2021 , 6, 491		1
162	Sinusoidal-slotted aperture-coupled wide-band circularly polarized cylindrical dielectric resonator antenna. <i>Microwave and Optical Technology Letters</i> , 2021 , 63, 2400-2407	1.2	
161	Compact radiator antenna: A new approach to enhance the bandwidth using ENG-TL and C-CSRR mushroom meta-resonator. <i>AEU - International Journal of Electronics and Communications</i> , 2021 , 134, 153697	2.8	1
160	Polarization independent triple band ultrathin conformal metamaterial absorber for C- and X-frequency bands. <i>AEU - International Journal of Electronics and Communications</i> , 2021 , 135, 153752	2.8	6
159	Dual-band CRLH-TL inspired antenna loaded with metasurface for airborne applications. <i>Microwave and Optical Technology Letters</i> , 2021 , 63, 1249-1256	1.2	3
158	Improved Multifunctional MIMO Cognitive Radio System for Integrated Interweave-Underlay Operations. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 1-1	4.1	0
157	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 145-149	3.8	5
156	Miniaturized quad-band filter with improved selectivity using split ring resonators and metallic strips. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2021 , 31, e22809	1.5	2
155	Utilization of a triple hexagonal split ring resonator (SRR) based metamaterial sensor for the improved detection of fuel adulteration. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 24258-24272	2.1	3
154	Investigation on Rotated Rectangular Slots to Improve the Circular Polarization in Cylindrical Dielectric Resonator Antenna. <i>IEEE Access</i> , 2021 , 9, 97327-97336	3.5	0

153	Eight-port Octagonal-shaped Metasurface-based MIMO Antenna with Radar Cross Section Reduction 2021 ,		2
152	INVESTIGATION OF NEW SECTORED HEMISPHERICAL DIELECTRIC RESONATOR ANTENNAS OPERATING AT TM ₁₀₁ AND TE ₁₁₁ MODE FOR CIRCULAR POLARIZATION. <i>Progress in Electromagnetics Research</i> , 2020 , 167, 95-109	3.8	1
151	DESIGN AND ANALYSIS OF A COMPACT AND EXCELLENT OUT OF BAND REJECTION E-CRLH INSPIRED BANDPASS FILTER. <i>Progress in Electromagnetics Research M</i> , 2020 , 90, 117-125	0.6	
150	A compact circularly polarized antenna using CRLH inspired transmission line and coupled ring resonator. <i>AEU - International Journal of Electronics and Communications</i> , 2020 , 121, 153238	2.8	5
149	Single split-ring resonator loaded self-decoupled dual-polarized MIMO antenna for mid-band 5G and C-band applications. <i>AEU - International Journal of Electronics and Communications</i> , 2020 , 124, 153336	2.8	13
148	Asymmetric CPW-fed electrically small metamaterial- inspired wideband antenna for 3.3/3.5/5.5GHz WiMAX and 5.2/5.8GHz WLAN applications. <i>AEU - International Journal of Electronics and Communications</i> , 2020 , 119, 153177	2.8	9
147	Bandwidth and gain enhancement of triple-band MIMO antenna incorporating metasurface-based reflector for WLAN/WiMAX applications. <i>IET Microwaves, Antennas and Propagation</i> , 2020 , 14, 1493-1503	1.6	5
146	Dual-layer and dual-polarized metamaterial inspired antenna using circular-complementary split ring resonator mushroom and metasurface for wireless applications. <i>AEU - International Journal of Electronics and Communications</i> , 2020 , 113, 152977	2.8	19
145	Metamaterial Circularly Polarized Antennas: Integrating an epsilon negative transmission line and single split ring-type resonator. <i>IEEE Antennas and Propagation Magazine</i> , 2020 , 0-0	1.7	8
144	Electrically small circularly polarized antenna using vialess CRLH-TL and fractals for L-band mobile satellite applications. <i>Microwave and Optical Technology Letters</i> , 2020 , 62, 1686-1696	1.2	5
143	A compact reconfigurable bandpass/lowpass filter with independent transmission zeros based on generalized NRI metamaterial. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020 , 30, e22074	1.5	4
142	Hybrid wideband dual-cylindrical circularly polarized dielectric resonator antennas excited with S-shaped microstrip feed for sub-6 GHz frequency range. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020 , 30, e22054	1.5	0
141	Compact filtering antenna using asymmetric CPW-fed based CRLH structure. <i>AEU - International Journal of Electronics and Communications</i> , 2020 , 126, 153462	2.8	6
140	COMPACT D-CRLH STRUCTURE FOR FILTERING POWER DIVIDER. <i>Progress in Electromagnetics Research Letters</i> , 2020 , 94, 93-101	0.5	3
139	. <i>IEEE Access</i> , 2020 , 8, 139658-139669	3.5	5
138	Compact Lowpass and Dual-Band Bandpass Filter With Controllable Transmission Zero/Center Frequencies/Passband Bandwidth. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2020 , 67, 1044-1048	3.5	19
137	Structural investigation of metamaterial unit-cells: development of incident angle insensitive metamaterial absorbers. <i>Materials Research Express</i> , 2019 , 6, 055804	1.7	
136	Four-Port MIMO Cognitive Radio System for Midband 5G Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 5634-5645	4.9	17

135	A New Bidirectional Wideband Circularly Polarized Cylindrical Dielectric Resonator Antenna using Modified J-shaped Ground Plane for WiMAX/LTE Applications. <i>Radioengineering</i> , 2019 , 27, 391-398	0.8	1
134	Wideband circularly polarized hybrid dielectric resonator antenna with bi-directional radiation characteristics for various wireless applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21826	1.5	5
133	A Short-Ended Compact Metastructure Antenna with Interdigital Capacitor and U-shaped Strip. <i>Wireless Personal Communications</i> , 2019 , 108, 2149-2158	1.9	2
132	Metamaterial-based wideband circularly polarised antenna with rotated V-shaped metasurface for small satellite applications. <i>Electronics Letters</i> , 2019 , 55, 365-366	1.1	24
131	Triple band omnidirectional miniaturized metamaterial inspired antenna using flipped rectangular stub for LTE, WiMAX, and WLAN applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21721	1.5	10
130	CPW-fed electrically small open-ended zeroth order resonating metamaterial antenna with dual-band features for GPS/WiMAX/WLAN applications. <i>AEU - International Journal of Electronics and Communications</i> , 2019 , 104, 99-107	2.8	22
129	A Metamaterial Inspired ZOR Antenna Using IDC and Spiral Inductor with Partial Ground Plane for WLAN Application. <i>Wireless Personal Communications</i> , 2019 , 107, 137-147	1.9	2
128	Isolation and frequency reconfigurable compact MIMO antenna for wireless local area network applications. <i>IET Microwaves, Antennas and Propagation</i> , 2019 , 13, 519-525	1.6	18
127	Design and analysis of polarization independent conformal wideband metamaterial absorber using resistor loaded sector shaped resonators. <i>Journal of Applied Physics</i> , 2019 , 125, 134904	2.5	22
126	Compact asymmetric cross-shaped rectangular dielectric resonator antenna for wideband circular polarization. <i>Microwave and Optical Technology Letters</i> , 2019 , 61, 1863-1873	1.2	3
125	Flexible metamaterial absorber with wide incident angle insensitivity for conformal applications. <i>Electronics Letters</i> , 2019 , 55, 133-134	1.1	13
124	Electrically coupled dual semicylindrical dielectric resonator antenna with inverted arrangement for wideband applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21928	1.5	1
123	Compact ultrathin conformal metamaterial dual-band absorber for curved surfaces. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21929	1.5	3
122	DESIGN AND DEVELOPMENT OF AN ULTRATHIN TRIPLE BAND MICROWAVE ABSORBER USING MINIATURIZED METAMATERIAL STRUCTURE FOR NEAR-UNITY ABSORPTION CHARACTERISTICS. <i>Progress in Electromagnetics Research C</i> , 2019 , 94, 89-101	0.9	4
121	Wideband circularly-polarised high-gain diversity antenna loaded with metasurface reflector for small satellite applications. <i>Electronics Letters</i> , 2019 , 55, 829-831	1.1	18
120	Integration of MIMO and Cognitive Radio for Sub-6 GHz 5G Applications. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 2021-2025	3.8	10
119	Compact metamaterial inspired structure with bandpass characteristics for penta-band applications using virtual ground concept. <i>Microwave and Optical Technology Letters</i> , 2019 , 61, 2628-2634	1.2	5
118	Reducing the RCS of MIMO Antenna using Angularly Stable FSS 2019 ,		3

117	Quad-Band Electrically Small Dual-Polarized ZOR Antenna with Improved Bandwidth using Single-Split Ring Resonators and Spiral Slots Enabled with Reflector for GPS/UMTS/WLAN/WiMAX Applications 2019 ,		1
116	2019 ,		2
115	Polarisation independent dual-band conformal metamaterial absorber for X-band microwave application. <i>Electronics Letters</i> , 2019 , 55, 546-548	1.1	6
114	Coplanar waveguide-fed electrically small dual-polarized short-ended zeroth-order resonating antenna using E-shaped capacitor and single-split ring resonator for GPS/WiMAX/WLAN/C-band applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21946	1.5	7
113	Compact quad-band polarization independent metamaterial absorber using circular/square metallic ring resonator. <i>Materials Research Express</i> , 2019 , 6, 055812	1.7	18
112	High gain dual-band open-ended metamaterial antenna utilizing CRR with broadside radiation characteristics based on left-handed AMC and PEC. <i>Materials Research Express</i> , 2019 , 6, 055811	1.7	4
111	Compact Wideband Circularly Polarized Rectangular DRA with Right Angled Conformal Strip Feed 2019 ,		1
110	Reducing the RCS of a MIMO antenna using an angularly stable FSS. <i>URSI Radio Science Bulletin</i> , 2019 , 2019, 42-52	0.1	1
109	A dual resonator-based polarisation-independent dual-band metamaterial absorber. <i>International Journal of Electronics Letters</i> , 2019 , 7, 338-351	0.6	0
108	A new dual C-shaped rectangular dielectric resonator based antenna for wideband circularly polarized radiation. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21672	1.5	2
107	Improvements in Wi-MAX Reception: A New Dual-Mode Wideband Circularly Polarized Dielectric Resonator Antenna. <i>IEEE Antennas and Propagation Magazine</i> , 2019 , 61, 41-49	1.7	18
106	Stacked rectangular dielectric resonator antenna with different volumes for wideband circular polarization coupled with step-shaped conformal strip. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21667	1.5	2
105	Polarization and incident angle independent metasurface absorber for X-Band application. <i>Materials Research Express</i> , 2019 , 6, 045802	1.7	10
104	Miniaturized open-ended dual-band band-pass filter with series stepped capacitance and shunt meandered line inductance for microwave frequency applications. <i>International Journal of Microwave and Wireless Technologies</i> , 2019 , 11, 237-243	0.8	3
103	Compact D-CRLH resonator for low-pass filter with wide rejection band, high roll-off, and transmission zeros. <i>International Journal of Microwave and Wireless Technologies</i> , 2019 , 11, 509-516	0.8	12
102	A dual-band dual-polarized cubical DRA coupled with new modified cross-shaped slot for ISM (2.4 GHz) and Wi-MAX (3.3-3.6 GHz) band applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019 , 29, e21449	1.5	6
101	A miniaturised directive high gain metamaterial antenna using ELC ground for WiMAX application. <i>International Journal of Electronics Letters</i> , 2019 , 7, 68-76	0.6	6
100	CRLH-based compact wideband antenna for mobile applications using U-shaped feed. <i>International Journal of Electronics Letters</i> , 2019 , 7, 50-58	0.6	

99	An ultra-thin polarization independent quad-band microwave absorber-based on compact metamaterial structures for EMI/EMC applications. <i>International Journal of Microwave and Wireless Technologies</i> , 2018 , 10, 422-429	0.8	13
98	Reduced size dual band pass filters for RFID applications with excellent bandpass/bandstop characteristics. <i>Journal of Instrumentation</i> , 2018 , 13, P02005-P02005	1	3
97	Isolation Enhancement and Radar Cross Section Reduction of MIMO Antenna With Frequency Selective Surface. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 1595-1600	4.9	55
96	A compact CPW-based dual-band filter using modified complementary split ring resonator. <i>AEU - International Journal of Electronics and Communications</i> , 2018 , 89, 110-115	2.8	18
95	Investigation of higher order modes excitation through F-shaped slot in rectangular dielectric resonator antenna for wideband circular polarization with broadside radiation characteristics. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2018 , 28, e21281	1.5	9
94	The Metamaterial Antenna: A Novel Miniaturized Dual-Band Coplanar Waveguide-Fed Antenna with Backed Ground Plane. <i>IEEE Antennas and Propagation Magazine</i> , 2018 , 60, 41-48	1.7	11
93	Investigation on Different Forms of Circular Sectored-Dielectric Resonator Antenna for Improvement in Circular Polarization Performance. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 5596-5601	4.9	14
92	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 1727-1731	3.8	20
91	Metamaterial-based circularly polarised antenna employing ENG-TL with enhanced bandwidth for WLAN applications. <i>Electronics Letters</i> , 2018 , 54, 1152-1154	1.1	31
90	A Compact Triple Band Metamaterial Inspired Bandpass Filter Using Inverted S-shape Resonator. <i>Radioengineering</i> , 2018 , 27, 373-378	0.8	7
89	COMPACT TRIPLE-BAND METAMATERIAL INSPIRED BANDPASS FILTER WITH CONTROLLABLE TRANSMISSION ZERO POSITION. <i>Progress in Electromagnetics Research M</i> , 2018 , 73, 111-118	0.6	4
88	A coaxial probe fed wideband circularly polarized antenna using unequal and adjacent-slided rectangular dielectric resonators for WLAN applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2018 , 28, e21210	1.5	2
87	Circularly polarized rectangular DRA coupled through orthogonal slot excited with microstrip circular ring feeding structure for Wi-MAX applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2018 , 28, e21153	1.5	10
86	SRR BASED COMPACT WIDEBAND METAMATERIAL INSPIRED ANTENNA FOR WIMAX (2.5-2.7)/WLAN (2.4-2.48)/BLUETOOTH (2.4-2.48)/LTE (2.3-2.4) APPLICATIONS. <i>Progress in Electromagnetics Research Letters</i> , 2018 , 80, 109-116	0.5	
85	2018 ,		1
84	Array Antenna for Indian Deep Space Network 2018 ,		1
83	Flexible Ultrathin Incident-Angle Insensitive Metamaterial Absorber for Curved Surfaces 2018 ,		3
82	Polarization controllable and wide-angle frequency tunable metamaterial absorber. <i>Journal of Applied Physics</i> , 2018 , 124, 204901	2.5	13

81	A COMPACT VIA-LESS METAMATERIAL WIDEBAND BANDPASS FILTER USING SPLIT CIRCULAR RINGS AND RECTANGULAR STUB. <i>Progress in Electromagnetics Research Letters</i> , 2018 , 72, 99-106	0.5	10
80	Miniaturised triple-band antenna loaded with complementary concentric closed ring resonators with asymmetric coplanar waveguide-fed based on epsilon negative transmission line. <i>IET Microwaves, Antennas and Propagation</i> , 2018 , 12, 2073-2079	1.6	8
79	Polarization-angle insensitive metamaterial absorber for wide incident angles 2018 ,		1
78	A wideband plus shaped split dielectric resonator antenna for wireless applications 2018 ,		1
77	Compact antenna based on SRR using radial stub as virtual ground for wireless applications 2018 ,		3
76	A Compact Coplanar Waveguide (CPW)-Fed Zeroth-Order Resonant Filter for Bandpass Applications. <i>Frequenz</i> , 2017 , 71,	0.6	4
75	An electrically small sicrr metamaterial-inspired dual-band antenna for WLAN and WiMAX applications. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 573-578	1.2	12
74	A Compact Via-free Composite Right/Left Handed Low-pass Filter with Improved Selectivity. <i>Frequenz</i> , 2017 , 71,	0.6	2
73	CPW fed miniaturized dual-band short-ended metamaterial antenna using modified split-ring resonator for wireless application. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2017 , 27, e21123	1.5	17
72	A miniaturized dual-band ZOR antenna using epsilon negative transmission line loading. <i>International Journal of Microwave and Wireless Technologies</i> , 2017 , 9, 1735-1739	0.8	8
71	Mu-negative metamaterial filter-based isolation technique for MIMO antennas. <i>Electronics Letters</i> , 2017 , 53, 644-646	1.1	36
70	Circularly polarized rectangular dielectric resonator antenna fed with unequal parallel microstrip lines for Wi-MAX applications. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 1182-1188	1.2	5
69	An Investigation on Compact Ultra-Thin Triple Band Polarization Independent Metamaterial Absorber for Microwave Frequency Applications. <i>IEEE Access</i> , 2017 , 5, 4370-4376	3.5	51
68	Wideband circularly polarized dielectric resonator antenna coupled with meandered-line inductor for ISM/WLAN applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2017 , 27, e21108	1.5	4
67	Design and analysis of an ultrathin triple-band polarization independent metamaterial absorber. <i>AEU - International Journal of Electronics and Communications</i> , 2017 , 82, 508-515	2.8	30
66	A broadside circularly polarized semi-cylindrical dielectric resonator antenna excited with unequal pair of vertical microstrip line 2017 ,		2
65	A COMPACT WIDEBAND SHORT-ENDED METAMATERIAL ANTENNA FOR WIRELESS APPLICATIONS. <i>Progress in Electromagnetics Research Letters</i> , 2017 , 66, 93-98	0.5	2
64	METAMATERIAL TRI-BAND BANDPASS FILTER USING MEANDER-LINE WITH RECTANGULAR-STUB. <i>Progress in Electromagnetics Research Letters</i> , 2017 , 66, 121-126	0.5	6

63	A COMPACT CPW FED CRR LOADED FOUR ELEMENT METAMATERIAL ARRAY ANTENNA FOR WIRELESS APPLICATION. <i>Progress in Electromagnetics Research</i> , 2017 , 159, 15-26	3.8	4
62	TRIPLE-BAND COMPOSITE RIGHT/LEFT HANDED BANDPASS FILTER USING A NEW CIRCULAR INTER-DIGITAL CAPACITOR FOR WIRELESS APPLICATIONS. <i>Progress in Electromagnetics Research C</i> , 2017 , 71, 133-140	0.9	7
61	WIDE-ANGLE POLARIZATION INDEPENDENT TRIPLE BAND ABSORBER BASED ON METAMATERIAL STRUCTURE FOR MICROWAVE FREQUENCY APPLICATIONS. <i>Progress in Electromagnetics Research C</i> , 2017 , 76, 119-127	0.9	3
60	A new dual-mode wideband circularly polarized rectangular dielectric resonator antenna coupled with stubs and asymmetric ground plane for WiMAX applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2017 , 27, e21150	1.5	3
59	An ultra-thin compact polarization insensitive dual band absorber based on metamaterial for X-band applications. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 2664-2669	1.2	18
58	Analysis of a Wideband Circularly Polarized Cylindrical Dielectric Resonator Antenna With Broadside Radiation Coupled With Simple Microstrip Feeding. <i>IEEE Access</i> , 2017 , 5, 19478-19485	3.5	30
57	A new modified CPW-fed wideband circularly polarized half-split cylindrical dielectric resonator antenna with different permittivity of two layers in radial direction. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2017 , 27, e21068	1.5	7
56	A compact CPW-fed wideband metamaterial-inspired antenna for GSM, WLAN/Wi-Fi, and WiMAX applications. <i>International Journal of Microwave and Wireless Technologies</i> , 2017 , 9, 567-571	0.8	2
55	A compact SIW based filtering power divider with improved selectivity using CSRR 2017 ,		5
54	Compact two pole metamaterial bandpass filter using inverted IDC, meander line and rectangular stub for WiMAX application 2017 ,		2
53	Study of a compact dual-band ultrathin polarization independent metamaterial absorber for C- and X-band applications 2017 ,		1
52	Three-element homogeneous layer of cylindrical dielectric resonator antenna for wideband applications 2017 ,		1
51	A wideband circularly polarized cylindrical DRA loaded with SRR and excited with a question shaped microstrip feed line 2017 ,		1
50	Dual-band C-shaped circular slot SIW antenna 2017 ,		4
49	A Compact Planar Metamaterial Triple-Band Antenna with Complementary Closed-Ring Resonator. <i>Wireless Personal Communications</i> , 2016 , 88, 203-210	1.9	12
48	An Edge Tapered Rectangular Patch Antenna with Parasitic Stubs and Slot for Wideband Applications. <i>Wireless Personal Communications</i> , 2016 , 86, 1213-1220	1.9	6
47	Dual Arm Patch Antenna for Wideband Applications Using Metamaterial. <i>Wireless Personal Communications</i> , 2016 , 86, 1087-1094	1.9	2
46	Design and analysis of an ultrathin X-band polarization-insensitive metamaterial absorber. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 2481-2485	1.2	17

45	A wideband circularly polarized dielectric resonator antenna excited with conformal-strip and inverted L-shaped microstrip-feed-line for WLAN/WI-MAX applications. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 2525-2531	1.2	9
44	Wideband circularly polarized rectangular DRA fed with dual pair of right-angled microstrip line. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2016 , 26, 713-723	1.5	8
43	2016 ,		1
42	A new technique to enhance the impedance bandwidth of CDRA using drilling holes 2016 ,		2
41	Design of double-negative ultrathin metamaterial absorber using array of electric field resonators 2016 ,		1
40	A compact dual band short ended metamaterial antenna with extended bandwidth. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2016 , 26, 435-441	1.5	15
39	A Wideband Circularly Polarized Cubic Dielectric Resonator Antenna Excited With Modified Microstrip Feed. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2016 , 15, 1285-1288	3.8	47
38	Modified microstrip-line-fed rectangular dielectric resonator antenna coupled with slotted ground plane for wideband circular polarization. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 206-210	1.2	10
37	A compact short-ended zor antenna with gain enhancement using EBG loading. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 1194-1197	1.2	10
36	A Miniaturized ZOR antenna with enhanced bandwidth for WiMAX applications. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 71-75	1.2	24
35	Circularly polarized bowtie-shaped dielectric resonator antenna excited with asymmetric cross slot. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 1723-1727	1.2	13
34	Triple-band metamaterial-inspired antenna using FDTD technique for WLAN/WiMAX applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2015 , 25, 688-695	1.5	24
33	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1670-1672	3.8	45
32	Dual-band metamaterial-inspired antenna for mobile applications. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 1444-1447	1.2	13
31	. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 5197-5203	4.9	44
30	Metamaterial inspired dual-band antenna with modified CSRR and EBG loading 2015 ,		2
29	Variation of permittivity in radial direction in concentric half-split cylindrical dielectric resonator antenna for wideband application. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2015 , 25, 321-329	1.5	6
28	Rounded bevel shaped fed cylindrical dielectric resonator antenna for wideband applications. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 2364-2368	1.2	1

27	A compact CPW-fed wideband metamaterial antenna using Φ -shaped interdigital capacitor for mobile applications. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 2558-2562	1.2	10
26	A compact CPW-FED wideband metamaterial antenna with EBG loading. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 2632-2636	1.2	8
25	MULTI-BAND CYLINDRICAL DIELECTRIC RESONATOR ANTENNA USING PERMITTIVITY VARIATION IN AZIMUTH DIRECTION. <i>Progress in Electromagnetics Research C</i> , 2015 , 59, 11-20	0.9	6
24	A COMPACT DUAL-MODE METAMATERIAL-INSPIRED ANTENNA USING RECTANGULAR TYPE CSRR. <i>Progress in Electromagnetics Research C</i> , 2015 , 57, 35-42	0.9	16
23	A DUMBBELL-SHAPED DUAL-BAND METAMATERIAL ANTENNA USING FDTD TECHNIQUE. <i>Progress in Electromagnetics Research Letters</i> , 2015 , 56, 25-30	0.5	2
22	Investigation on SRR-loaded metamaterial antenna with different feeding methods 2015 ,		2
21	UWB ring-shaped metamaterial antenna with modified phi-shaped SRR 2015 ,		3
20	Compact novel coaxial fed planar metamaterial antenna 2014 ,		7
19	2014 ,		1
18	A broadband dumbbell-shaped dielectric resonator antenna. <i>Microwave and Optical Technology Letters</i> , 2014 , 56, 2944-2947	1.2	5
17	Dual-band L-shaped SIW Slot antenna 2013 ,		9
16	Wideband Ring Dielectric Resonator Antenna With Annular-Shaped Microstrip Feed. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2013 , 12, 595-598	3.8	40
15	Broadband four-element multi-layer multi-permittivity cylindrical dielectric resonator antenna. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 932-937	1.2	9
14	A Practical Approach: Design of Wideband Cylindrical Dielectric Resonator Antenna With Permittivity Variation in Axial Direction and its Fabrication Using Microwave Laminates. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 2282-2288	1.2	11
13	Hybrid mode splitting in elliptical dielectric resonator. <i>International Journal of Electronics Letters</i> , 2013 , 1, 225-232	0.6	1
12	Wideband cylindrical dielectric resonator antenna excited by a rounded bevel shaped patch 2013 ,		1
11	Synthesis and microwave characterisation of $(\text{Zr}_{0.8}\text{Sn}_{0.2})\text{TiO}_4$ -epoxy composite and its application in wideband stacked rectangular dielectric resonator antenna. <i>IET Microwaves, Antennas and Propagation</i> , 2012 , 6, 740	1.6	12
10	Wideband multilayer multi-permittivity half-split cylindrical dielectric resonator antenna. <i>Microwave and Optical Technology Letters</i> , 2012 , 54, 2587-2590	1.2	21

9	Two-layer embedded half-split cylindrical dielectric resonator antenna for wideband applications 2012 ,		3
8	Three-element multilayer multipermittivity cylindrical dielectric resonator antenna for wideband applications with omnidirectional radiation pattern and low cross-polarization. <i>Microwave and Optical Technology Letters</i> , 2012 , 54, 2011-2016	1.2	9
7	A novel dual-band hexagonal patch antenna coupled with complementary split ring resonator 2012 ,		3
6	A COMPACT ZEROth ORDER RESONATING ANTENNA USING COMPLEMENTARY SPLIT RING RESONATOR WITH MUSHROOM TYPE OF STRUCTURE. <i>Progress in Electromagnetics Research Letters</i> , 2012 , 28, 139-148	0.5	17
5	Four element multilayer cylindrical dielectric resonator antenna excited by a coaxial probe for wideband applications 2011 ,		2
4	IMPROVED SPURIOUS FREE PERFORMANCE OF MULTI-LAYER MULTIPERMITTIVITY DIELECTRIC RESONATOR IN MIC ENVIRONMENT. <i>Progress in Electromagnetics Research B</i> , 2011 , 30, 135-156	0.7	5
3	Wideband two-layer rectangular dielectric resonator antenna with (Zr _{0.8} Sn _{0.2})TiO ₄ -epoxy composite system 2011 ,		1
2	Compact two pole bandpass filter using symmetrical composite right/left handed transmission line with vias 2010 ,		1
1	An investigation on three element multilayer cylindrical dielectric resonator antenna excited by a coaxial probe for wideband applications 2010 ,		3