

Weimin Ye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5678558/publications.pdf>

Version: 2024-02-01

327
papers

18,040
citations

13068

68
h-index

19690

117
g-index

338
all docs

338
docs citations

338
times ranked

21237
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | ALS patients with concurrent neuroinflammatory disorders; a nationwide clinical records study. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2022, 23, 209-219. | 1.1 | 5 |
| 2 | Association of <i>Helicobacter pylori</i> and gastric atrophy with adenocarcinoma of the esophagogastric junction in Taixing, China. International Journal of Cancer, 2022, 150, 243-252. | 2.3 | 2 |
| 3 | Poor oral hygiene behavior is associated with an increased risk of gastric cancer: A population-based case-control study in China. Journal of Periodontology, 2022, 93, 988-1002. | 1.7 | 9 |
| 4 | Sleep duration and mortality, influence of age, retirement, and occupational group. Journal of Sleep Research, 2022, 31, e13512. | 1.7 | 6 |
| 5 | Identifying the Profile of <i>Helicobacter pylori</i> "Negative Gastric Cancers: A Case-Only Analysis within the Stomach Cancer Pooling (StoP) Project. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 200-209. | 1.1 | 7 |
| 6 | Esophageal abnormalities and the risk for gastroesophageal cancers—a histopathology-register-based study in Sweden. European Journal of Epidemiology, 2022, , 1. | 2.5 | 2 |
| 7 | Genomic analyses reveal SCN7A is associated with the prognosis of esophageal squamous cell carcinoma. Esophagus, 2022, 19, 303-315. | 1.0 | 1 |
| 8 | Risk of hepatopancreatobiliary cancer is increased by primary sclerosing cholangitis in patients with inflammatory bowel disease: A population-based cohort study. United European Gastroenterology Journal, 2022, 10, 212-224. | 1.6 | 14 |
| 9 | True <i>Helicobacter pylori</i> infection and non-cardia gastric cancer: A pooled analysis within the Stomach Cancer Pooling (StoP) Project. Helicobacter, 2022, 27, e12883. | 1.6 | 7 |
| 10 | Inflammatory bowel disease and risk of adenocarcinoma and neuroendocrine tumors in the small bowel. Annals of Oncology, 2022, 33, 649-656. | 0.6 | 17 |
| 11 | Effect of <i>Helicobacter pylori</i> Eradication on Gastric Cancer Prevention: Updated Report From a Randomized Controlled Trial With 26.5 Years of Follow-up. Gastroenterology, 2022, 163, 154-162.e3. | 0.6 | 80 |
| 12 | Association between total and leisure time physical activity and risk of myocardial infarction and stroke—a Swedish cohort study. BMC Public Health, 2022, 22, 532. | 1.2 | 5 |
| 13 | Influence of Pre-treatment Saliva Microbial Diversity and Composition on Nasopharyngeal Carcinoma Prognosis. Frontiers in Cellular and Infection Microbiology, 2022, 12, 831409. | 1.8 | 4 |
| 14 | Environmental Factors for Epstein-Barr Virus Reactivation in a High-Risk Area of Nasopharyngeal Carcinoma: A Population-Based Study. Open Forum Infectious Diseases, 2022, 9, ofac128. | 0.4 | 8 |
| 15 | Knowledge of COVID-19 and its prevention among rural residents in Fuqing, China. International Journal of Nursing Sciences, 2022, 9, 196-202. | 0.5 | 0 |
| 16 | A polygenic risk score for nasopharyngeal carcinoma shows potential for risk stratification and personalized screening. Nature Communications, 2022, 13, 1966. | 5.8 | 19 |
| 17 | Dietary fat intake and risk of Parkinson disease: results from the Swedish National March Cohort. European Journal of Epidemiology, 2022, 37, 603-613. | 2.5 | 10 |
| 18 | A novel causal model for nasopharyngeal carcinoma. Cancer Causes and Control, 2022, 33, 1013-1018. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Poor Oral Health and Esophageal Cancer Risk: A Nationwide Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1418-1425. | 1.1 | 4 |
| 20 | Biomarkers and Disease Trajectories Influencing Women's Health: Results from the UK Biobank Cohort. <i>Phenomics</i> , 2022, 2, 184-193. | 0.9 | 9 |
| 21 | Transcriptome-wide association analysis identified candidate susceptibility genes for nasopharyngeal carcinoma. <i>Cancer Communications</i> , 2022, 42, 887-891. | 3.7 | 1 |
| 22 | Association of Esophageal Squamous Cell Carcinoma With the Interaction Between Poor Oral Health and Single Nucleotide Polymorphisms in Regulating Cell Cycles and Angiogenesis: A Case-Control Study in High-Incidence Chinese. <i>Cancer Control</i> , 2022, 29, 107327482210758. | 0.7 | 2 |
| 23 | Peptic ulcer as mediator of the association between risk of gastric cancer and socioeconomic status, tobacco smoking, alcohol drinking and salt intake. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 861-866. | 2.0 | 6 |
| 24 | Deciphering the complex interplay between pancreatic cancer, diabetes mellitus subtypes and obesity/BMI through causal inference and mediation analyses. <i>Gut</i> , 2021, 70, gutjnl-2019-319990. | 6.1 | 36 |
| 25 | No association between moist oral snuff (snus) use and oral cancer: pooled analysis of nine prospective observational studies. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 833-840. | 1.2 | 7 |
| 26 | Dietary antioxidants, non-enzymatic antioxidant capacity and the risk of osteoarthritis in the Swedish National March Cohort. <i>European Journal of Nutrition</i> , 2021, 60, 169-178. | 1.8 | 10 |
| 27 | Radiation Therapy-Induced Changes of the Nasopharyngeal Commensal Microbiome in Nasopharyngeal Carcinoma Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 109, 145-150. | 0.4 | 9 |
| 28 | Insomnia in the context of short sleep increases suicide risk. <i>Sleep</i> , 2021, 44, . | 0.6 | 17 |
| 29 | The relationship between nightmares, depression and suicide. <i>Sleep Medicine</i> , 2021, 77, 1-6. | 0.8 | 18 |
| 30 | Germline variation in the insulin-like growth factor pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2021, 42, 369-377. | 1.3 | 11 |
| 31 | Swedish snus use is associated with mortality: a pooled analysis of eight prospective studies. <i>International Journal of Epidemiology</i> , 2021, 49, 2041-2050. | 0.9 | 15 |
| 32 | Effects of alcohol consumption and smoking on risk for RA: results from a Swedish prospective cohort study. <i>RMD Open</i> , 2021, 7, e001379. | 1.8 | 10 |
| 33 | A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. <i>Genome Medicine</i> , 2021, 13, 15. | 3.6 | 15 |
| 34 | Targeted proteomics-derived biomarker profile develops a multi-protein classifier in liquid biopsies for early detection of esophageal squamous cell carcinoma from a population-based case-control study. <i>Biomarker Research</i> , 2021, 9, 12. | 2.8 | 7 |
| 35 | A nomogram for screening esophageal squamous cell carcinoma based on environmental risk factors in a high-incidence area of China: a population-based case-control study. <i>BMC Cancer</i> , 2021, 21, 343. | 1.1 | 11 |
| 36 | The gut microbiome in subclinical atherosclerosis: a population-based multiphenotype analysis. <i>Rheumatology</i> , 2021, 61, 258-269. | 0.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Occupational exposures and risk of nasopharyngeal carcinoma in a high-risk area: A population-based case-control study. <i>Cancer</i> , 2021, 127, 2724-2735. | 2.0 | 10 |
| 38 | The Evolving Epidemiology of Nasopharyngeal Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1035-1047. | 1.1 | 140 |
| 39 | Burden of pancreatic cancer along with attributable risk factors in Europe between 1990 and 2019, and projections until 2039. <i>International Journal of Cancer</i> , 2021, 149, 993-1001. | 2.3 | 66 |
| 40 | Dietary patterns and risk of nasopharyngeal carcinoma: a population-based case-control study in southern China. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 462-471. | 2.2 | 12 |
| 41 | Association of Gut Microbiota during Early Pregnancy with Risk of Incident Gestational Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e4128-e4141. | 1.8 | 21 |
| 42 | Clinical indications of premenstrual disorders and subsequent risk of injury: a population-based cohort study in Sweden. <i>BMC Medicine</i> , 2021, 19, 119. | 2.3 | 9 |
| 43 | Risk of esophageal and gastric adenocarcinoma in men receiving androgen deprivation therapy for prostate cancer. <i>Scientific Reports</i> , 2021, 11, 13486. | 1.6 | 3 |
| 44 | Residence characteristics and risk of nasopharyngeal carcinoma in southern China: A population-based case-control study. <i>Environment International</i> , 2021, 151, 106455. | 4.8 | 11 |
| 45 | Family History and Gastric Cancer Risk: A Pooled Investigation in the Stomach Cancer Pooling (STOP) Project Consortium. <i>Cancers</i> , 2021, 13, 3844. | 1.7 | 13 |
| 46 | Efficacy of Loop-Mediated Isothermal Amplification for <i>H. pylori</i> Detection as Point-of-Care Testing by Noninvasive Sampling. <i>Diagnostics</i> , 2021, 11, 1538. | 1.3 | 4 |
| 47 | A comprehensive risk score for effective risk stratification and screening of nasopharyngeal carcinoma. <i>Nature Communications</i> , 2021, 12, 5189. | 5.8 | 24 |
| 48 | 658 BETTER SURVIVAL IN FEMALES THAN MALES AFTER RESECTION OF OESOPHAGEAL OR GASTROESOPHAGEAL JUNCTION CANCER: A COHORT STUDY IN SWEDEN. <i>Ecological Management and Restoration</i> , 2021, 34, . | 0.2 | 0 |
| 49 | Gastric mucosal abnormality and risk of pancreatic cancer: a population-based gastric biopsy cohort study in Sweden. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, cebp.0580.2021. | 1.1 | 0 |
| 50 | Gallbladder disease and pancreatic cancer risk: a multicentric case-control European study. <i>European Journal of Cancer Prevention</i> , 2021, 30, 423-430. | 0.6 | 0 |
| 51 | Dietary Antioxidants and the Risk of Parkinson Disease. <i>Neurology</i> , 2021, 96, e895-e903. | 1.5 | 36 |
| 52 | Plasma protein biomarkers for early detection of pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2021, 148, 2048-2058. | 2.3 | 12 |
| 53 | Migration effects on the intestinal microbiota of Tibetans. <i>PeerJ</i> , 2021, 9, e12036. | 0.9 | 4 |
| 54 | Intake of Alcohol and Tea and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in Southern China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 545-553. | 1.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Healthy Lifestyle Factors, Cancer Family History, and Gastric Cancer Risk: A Population-Based Case-Control Study in China. <i>Frontiers in Nutrition</i> , 2021, 8, 774530. | 1.6 | 3 |
| 56 | The disparities in gastrointestinal cancer incidence among Chinese populations in Shanghai compared to Chinese immigrants and indigenous non-Hispanic white populations in Los Angeles, USA. <i>International Journal of Cancer</i> , 2020, 146, 329-340. | 2.3 | 10 |
| 57 | Education and gastric cancer risk—An individual participant data meta-analysis in the StoP project consortium. <i>International Journal of Cancer</i> , 2020, 146, 671-681. | 2.3 | 36 |
| 58 | Associations Between Gastric Atrophy and Its Interaction With Poor Oral Health and the Risk for Esophageal Squamous Cell Carcinoma in a High-Risk Region of China: A Population-Based Case-Control Study. <i>American Journal of Epidemiology</i> , 2020, 189, 931-941. | 1.6 | 12 |
| 59 | Non-invasive early detection of cancer four years before conventional diagnosis using a blood test. <i>Nature Communications</i> , 2020, 11, 3475. | 5.8 | 341 |
| 60 | Gastric Microbiota in a Low-Helicobacter pylori Prevalence General Population and Their Associations With Gastric Lesions. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00191. | 1.3 | 29 |
| 61 | Sex-Specific Genetic Associations for Barrett's Esophagus and Esophageal Adenocarcinoma. <i>Gastroenterology</i> , 2020, 159, 2065-2076.e1. | 0.6 | 16 |
| 62 | Survival of esophageal and gastric cancer patients with adjuvant and palliative chemotherapy—a retrospective analysis of a register-based patient cohort. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1029-1041. | 0.8 | 3 |
| 63 | Appendectomy, Tonsillectomy and Parkinson's Disease Risk: A Swedish Register-Based Study. <i>Frontiers in Neurology</i> , 2020, 11, 510. | 1.1 | 19 |
| 64 | Subspecies Niche Specialization in the Oral Microbiome Is Associated with Nasopharyngeal Carcinoma Risk. <i>MSystems</i> , 2020, 5, . | 1.7 | 21 |
| 65 | Antidiabetics, statins and the risk of amyotrophic lateral sclerosis. <i>European Journal of Neurology</i> , 2020, 27, 1010-1016. | 1.7 | 19 |
| 66 | The progress of gut microbiome research related to brain disorders. <i>Journal of Neuroinflammation</i> , 2020, 17, 25. | 3.1 | 252 |
| 67 | Vagotomy and subsequent risk of inflammatory bowel disease: a nationwide register-based matched cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 1022-1030. | 1.9 | 19 |
| 68 | Pancreatic Cancer Risk in Relation to Lifetime Smoking Patterns, Tobacco Type, and Dose-Response Relationships. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1009-1018. | 1.1 | 39 |
| 69 | Mortality and major disease risk among migrants of the 1991-2001 Balkan wars to Sweden: A register-based cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003392. | 3.9 | 10 |
| 70 | Ambulatory end-stage liver disease in Ghana; patient profile and utility of alpha fetoprotein and aspartate aminotransferase: platelet ratio index. <i>BMC Gastroenterology</i> , 2020, 20, 428. | 0.8 | 6 |
| 71 | Title is missing!. , 2020, 17, e1003392. | | 0 |
| 72 | Title is missing!. , 2020, 17, e1003392. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Title is missing!. , 2020, 17, e1003392. | | 0 |
| 74 | Title is missing!. , 2020, 17, e1003392. | | 0 |
| 75 | Adult height, body mass index change, and body shape change in relation to esophageal squamous cell carcinoma risk: A populationâ€based caseâ€control study in China. <i>Cancer Medicine</i> , 2019, 8, 5769-5778. | 1.3 | 10 |
| 76 | Obesity and risk of infections: results from men and women in the Swedish National March Cohort. <i>International Journal of Epidemiology</i> , 2019, 48, 1783-1794. | 0.9 | 31 |
| 77 | Nutritional management of cirrhosis patients: A qualitative study exploring perceptions of patients and health workers in Ghana. <i>Clinical Nutrition ESPEN</i> , 2019, 34, 18-22. | 0.5 | 2 |
| 78 | Chinese nonmedicinal herbal diet and risk of nasopharyngeal carcinoma: A populationâ€based caseâ€control study. <i>Cancer</i> , 2019, 125, 4462-4470. | 2.0 | 21 |
| 79 | Multilaboratory Assessment of Epstein-Barr Virus Serologic Assays: the Case for Standardization. <i>Journal of Clinical Microbiology</i> , 2019, 57, . | 1.8 | 8 |
| 80 | Incidental findings on brain MRI among Chinese at the age of 55â€65 years: the Taizhou Imaging Study. <i>Scientific Reports</i> , 2019, 9, 464. | 1.6 | 24 |
| 81 | Carcinogenic risk of <i>N</i> -Nitrosamines in Shanghai Drinking Water: Indications for the Use of Ozone Pretreatment. <i>Environmental Science & Technology</i> , 2019, 53, 7007-7018. | 4.6 | 31 |
| 82 | Genome sequencing analysis identifies Epsteinâ€Barr virus subtypes associated with high risk of nasopharyngeal carcinoma. <i>Nature Genetics</i> , 2019, 51, 1131-1136. | 9.4 | 133 |
| 83 | Past and Recent Salted Fish and Preserved Food Intakes Are Weakly Associated with Nasopharyngeal Carcinoma Risk in Adults in Southern China. <i>Journal of Nutrition</i> , 2019, 149, 1596-1605. | 1.3 | 25 |
| 84 | Total Cerebral Small Vessel Disease Burden Is Related to Worse Performance on the Mini-Mental State Examination and Incident Dementia: A Prospective 5-Year Follow-Up. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 253-262. | 1.2 | 28 |
| 85 | Future of cancer incidence in Shanghai, China: Predicting the burden upon the ageing population. <i>Cancer Epidemiology</i> , 2019, 60, 8-15. | 0.8 | 28 |
| 86 | Deep/mixed cerebral microbleeds are associated with cognitive dysfunction through thalamocortical connectivity disruption: The Taizhou Imaging Study. <i>NeuroImage: Clinical</i> , 2019, 22, 101749. | 1.4 | 16 |
| 87 | No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2227-2235.e1. | 2.4 | 16 |
| 88 | Body mass index, body shape, and risk of nasopharyngeal carcinoma: A populationâ€based caseâ€control study in Southern China. <i>Cancer Medicine</i> , 2019, 8, 1835-1844. | 1.3 | 15 |
| 89 | Alcohol Intake Interacts with Functional Genetic Polymorphisms of Aldehyde Dehydrogenase (ALDH2) and Alcohol Dehydrogenase (ADH) to Increase Esophageal Squamous Cell Cancer Risk. <i>Journal of Thoracic Oncology</i> , 2019, 14, 712-725. | 0.5 | 37 |
| 90 | Differential Cumulative Risk of Genetic Polymorphisms in Familial and Nonfamilial Esophageal Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 2014-2021. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | <p>Association Between Insomnia And Mortality Is Only Evident Among Long Sleepers</p>. Nature and Science of Sleep, 2019, Volume 11, 333-342. | 1.4 | 10 |
| 92 | Smoking and Helicobacter pylori infection: an individual participant pooled analysis (Stomach Cancer) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 0.8 | 16 |
| 93 | Pancreatic cancer and autoimmune diseases: An association sustained by computational and epidemiological caseâ€“control approaches. International Journal of Cancer, 2019, 144, 1540-1549. | 2.3 | 11 |
| 94 | Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. Environmental Research, 2019, 169, 417-433. | 3.7 | 16 |
| 95 | Changes in incidence and prevalence of human papillomavirus in tonsillar and base of tongue cancer during 2000â€“2016 in the Stockholm region and Sweden. Head and Neck, 2019, 41, 1583-1590. | 0.9 | 59 |
| 96 | Association Between Polycystic Ovary Syndrome and Cancer Risk. JAMA Oncology, 2019, 5, 106. | 3.4 | 59 |
| 97 | Reproductive history and risk of nasopharyngeal carcinoma: A population-based caseâ€“control study in southern China. Oral Oncology, 2019, 88, 102-108. | 0.8 | 8 |
| 98 | FIVE AUTHORS REPLY. American Journal of Epidemiology, 2018, 187, 399-399. | 1.6 | 0 |
| 99 | Family history of gastric mucosal abnormality and the risk of gastric cancer: a population-based observational study. International Journal of Epidemiology, 2018, 47, 440-449. | 0.9 | 19 |
| 100 | Risk of pancreatic cancer associated with family history of cancer and other medical conditions by accounting for smoking among relatives. International Journal of Epidemiology, 2018, 47, 473-483. | 0.9 | 29 |
| 101 | Cancer Risk After Midurethral Sling Surgery Using Polypropylene Mesh. Obstetrics and Gynecology, 2018, 131, 469-474. | 1.2 | 15 |
| 102 | Determining Risk of Barrettâ€™s Esophagus and Esophageal Adenocarcinoma Based on Epidemiologic Factors and Genetic Variants. Gastroenterology, 2018, 154, 1273-1281.e3. | 0.6 | 67 |
| 103 | Medical History, Medication Use, and Risk of Nasopharyngeal Carcinoma. American Journal of Epidemiology, 2018, 187, 2117-2125. | 1.6 | 20 |
| 104 | Interactions Between Genetic Variants and Environmental Factors Affect Risk of Esophageal Adenocarcinoma and Barrettâ€™s Esophagus. Clinical Gastroenterology and Hepatology, 2018, 16, 1598-1606.e4. | 2.4 | 16 |
| 105 | Body mass index, sitting time, and risk of Parkinson disease. Neurology, 2018, 90, e1413-e1417. | 1.5 | 22 |
| 106 | Cigarette smoking and gastric cancer in the Stomach Cancer Pooling (StoP) Project. European Journal of Cancer Prevention, 2018, 27, 124-133. | 0.6 | 134 |
| 107 | Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. International Journal of Cancer, 2018, 142, 1189-1201. | 2.3 | 16 |
| 108 | Dietary non-enzymatic antioxidant capacity and the risk of myocardial infarction: the Swedish National March Cohort. International Journal of Epidemiology, 2018, 47, 1947-1955. | 0.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Very hot tea drinking increases esophageal squamous cell carcinoma risk in a high-risk area of China: a population-based case–control study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1307-1320. | 1.5 | 26 |
| 110 | Diagnosis, treatment and long-term outcome of autoimmune pancreatitis in Sweden. <i>Pancreatology</i> , 2018, 18, 900-904. | 0.5 | 46 |
| 111 | The epidemiology of hepatitis B and hepatitis C infections in China from 2004 to 2014: An observational population&Ebased study. <i>Journal of Viral Hepatitis</i> , 2018, 25, 1543-1554. | 1.0 | 54 |
| 112 | Heavy Exposure of Waste Collectors to Polycyclic Aromatic Hydrocarbons in a Poor Rural Area of Middle China. <i>Environmental Science & Technology</i> , 2018, 52, 8866-8875. | 4.6 | 17 |
| 113 | Poor oral health and risk of incident myocardial infarction: A prospective cohort study of Swedish adults, 1973&E2012. <i>Scientific Reports</i> , 2018, 8, 11479. | 1.6 | 6 |
| 114 | Uterine morcellation and survival in uterine sarcomas. <i>European Journal of Cancer</i> , 2018, 101, 62-68. | 1.3 | 22 |
| 115 | Lack of association between cigarette smoking and Epstein Barr virus reactivation in the nasopharynx in people with elevated EBV IgA antibody titres. <i>BMC Cancer</i> , 2018, 18, 190. | 1.1 | 5 |
| 116 | Mass screening for liver cancer: results from a demonstration screening project in Zhongshan City, China. <i>Scientific Reports</i> , 2018, 8, 12787. | 1.6 | 17 |
| 117 | Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. <i>International Journal of Cancer</i> , 2018, 143, 2437-2448. | 2.3 | 27 |
| 118 | Association between poor oral health and gastric cancer: A prospective cohort study. <i>International Journal of Cancer</i> , 2018, 143, 2281-2288. | 2.3 | 29 |
| 119 | Alcohol intake and gastric cancer: Meta-analyses of published data versus individual participant data pooled analyses (StoP Project). <i>Cancer Epidemiology</i> , 2018, 54, 125-132. | 0.8 | 16 |
| 120 | Socioeconomic status is inversely associated with esophageal squamous cell carcinoma risk: results from a population-based case-control study in China. <i>Oncotarget</i> , 2018, 9, 6911-6923. | 0.8 | 16 |
| 121 | Moist smokeless tobacco (Snus) use and risk of Parkinson&E2019s disease. <i>International Journal of Epidemiology</i> , 2017, 46, dyw294. | 0.9 | 14 |
| 122 | Cohort Profile: The Swedish National March Cohort. <i>International Journal of Epidemiology</i> , 2017, 46, dyw193. | 0.9 | 22 |
| 123 | Inverse Association Between Poor Oral Health and Inflammatory Bowel Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 525-531. | 2.4 | 21 |
| 124 | Waiting time for cancer treatment and mental health among patients with newly diagnosed esophageal or gastric cancer: a nationwide cohort study. <i>BMC Cancer</i> , 2017, 17, 2. | 1.1 | 27 |
| 125 | Quantification of familial risk of nasopharyngeal carcinoma in a high&Eincidence area. <i>Cancer</i> , 2017, 123, 2716-2725. | 2.0 | 54 |
| 126 | Occupational exposures and the risk of amyotrophic lateral sclerosis. <i>Occupational and Environmental Medicine</i> , 2017, 74, 87-92. | 1.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820. | 2.9 | 27 |
| 128 | Active and Passive Smoking and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in Southern China. <i>American Journal of Epidemiology</i> , 2017, 185, 1272-1280. | 1.6 | 68 |
| 129 | Blood biomarkers of carbohydrate, lipid, and apolipoprotein metabolisms and risk of amyotrophic lateral sclerosis: A more than 20-year follow-up of the Swedish AMORIS cohort. <i>Annals of Neurology</i> , 2017, 81, 718-728. | 2.8 | 111 |
| 130 | Tobacco Use, Oral Health, and Risk of Parkinson's Disease. <i>American Journal of Epidemiology</i> , 2017, 185, 538-545. | 1.6 | 20 |
| 131 | Association of fractures with the incidence of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017, 18, 419-425. | 1.1 | 12 |
| 132 | Germline variation in inflammation-related pathways and risk of Barrett's oesophagus and oesophageal adenocarcinoma. <i>Gut</i> , 2017, 66, 1739-1747. | 6.1 | 38 |
| 133 | <i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. <i>International Journal of Cancer</i> , 2017, 140, 1727-1735. | 2.3 | 23 |
| 134 | Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722. | 2.9 | 14 |
| 135 | Smokeless tobacco (snus) use and colorectal cancer incidence and survival: Results from nine pooled cohorts. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 741-748. | 1.2 | 7 |
| 136 | Physical activity and the risk of hip fracture in the elderly: a prospective cohort study. <i>European Journal of Epidemiology</i> , 2017, 32, 983-991. | 2.5 | 22 |
| 137 | Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964. | 1.6 | 34 |
| 138 | Alcohol consumption and gastric cancer risk—A pooled analysis within the StoP project consortium. <i>International Journal of Cancer</i> , 2017, 141, 1950-1962. | 2.3 | 85 |
| 139 | Maximum-likelihood estimation and presentation for the interaction between treatments in observational studies with a dichotomous outcome. <i>Communications in Statistics Part B: Simulation and Computation</i> , 2017, 46, 7138-7153. | 0.6 | 1 |
| 140 | Smoking and alcohol drinking in relation to the risk of esophageal squamous cell carcinoma: A population-based case-control study in China. <i>Scientific Reports</i> , 2017, 7, 17249. | 1.6 | 59 |
| 141 | Neurodegenerative and psychiatric diseases among families with amyotrophic lateral sclerosis. <i>Neurology</i> , 2017, 89, 578-585. | 1.5 | 36 |
| 142 | Physical and cognitive fitness in young adulthood and risk of amyotrophic lateral sclerosis at an early age. <i>European Journal of Neurology</i> , 2017, 24, 137-142. | 1.7 | 17 |
| 143 | Poor oral health is associated with an increased risk of esophageal squamous cell carcinoma - a population-based case-control study in China. <i>International Journal of Cancer</i> , 2017, 140, 626-635. | 2.3 | 76 |
| 144 | Incidence of IP and risk of malignant transformation in the Swedish population 1960–2010. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 1445-1448. | 0.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Dietary antioxidant capacity and risk for stroke in a prospective cohort study of Swedish men and women. <i>Nutrition</i> , 2017, 33, 234-239. | 1.1 | 36 |
| 146 | Measuring and estimating the interaction between exposures on a dichotomous outcome for observational studies. <i>Journal of Applied Statistics</i> , 2017, 44, 2483-2498. | 0.6 | 0 |
| 147 | Nasopharyngeal carcinoma risk prediction <i>via</i> salivary detection of host and Epstein-Barr virus genetic variants. <i>Oncotarget</i> , 2017, 8, 95066-95074. | 0.8 | 13 |
| 148 | Psychiatric morbidity and its impact on surgical outcomes for esophageal and gastric cancer patients: A nationwide cohort study. <i>Oncotarget</i> , 2017, 8, 81305-81314. | 0.8 | 7 |
| 149 | Development of a population-based cancer case-control study in southern china. <i>Oncotarget</i> , 2017, 8, 87073-87085. | 0.8 | 29 |
| 150 | Polymorphisms in genes in the androgen pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2016, 138, 1146-1152. | 2.3 | 10 |
| 151 | Oral Hygiene and Risk of Nasopharyngeal Carcinoma—A Population-Based Case—Control Study in China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1201-1207. | 1.1 | 46 |
| 152 | Blood levels of trace metals and amyotrophic lateral sclerosis. <i>NeuroToxicology</i> , 2016, 54, 119-126. | 1.4 | 46 |
| 153 | Tonsillectomy and Incidence of Oropharyngeal Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 944-950. | 1.1 | 25 |
| 154 | Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1841-1842. | 2.4 | 0 |
| 155 | Snus use, smoking and survival among prostate cancer patients. <i>International Journal of Cancer</i> , 2016, 139, 2753-2759. | 2.3 | 27 |
| 156 | Leukocyte telomere length in relation to the risk of Barrett's esophagus and esophageal adenocarcinoma. <i>Cancer Medicine</i> , 2016, 5, 2657-2665. | 1.3 | 6 |
| 157 | Age-specific risk factor profiles of adenocarcinomas of the esophagus: A pooled analysis from the international BEACON consortium. <i>International Journal of Cancer</i> , 2016, 138, 55-64. | 2.3 | 31 |
| 158 | Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016, 139, 1480-1492. | 2.3 | 19 |
| 159 | Birth order and risk of nasopharyngeal carcinoma in multiplex families from <sc>Taiwan</sc>. <i>International Journal of Cancer</i> , 2016, 139, 2467-2473. | 2.3 | 1 |
| 160 | A systematic review and meta-analysis comparing partial stomach partitioning gastrojejunostomy versus conventional gastrojejunostomy for malignant gastroduodenal obstruction. <i>Langenbeck's Archives of Surgery</i> , 2016, 401, 777-785. | 0.8 | 21 |
| 161 | Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. <i>Lancet Oncology</i> , The, 2016, 17, 1363-1373. | 5.1 | 133 |
| 162 | Endoscopic sphincterotomy and risk of cholangiocarcinoma: a population-based cohort study in Finland and Sweden. <i>Endoscopy International Open</i> , 2016, 04, E1096-E1100. | 0.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | A prospective cohort study on poor oral hygiene and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2016, 138, 340-347. | 2.3 | 46 |
| 164 | Systematic review and meta-analysis on the significance of salvage esophagectomy for persistent or recurrent esophageal squamous cell carcinoma after definitive chemoradiotherapy. <i>Ecological Management and Restoration</i> , 2016, 29, 734-739. | 0.2 | 42 |
| 165 | Prospective study of dietary Non Enzymatic Antioxidant Capacity on the risk of hip fracture in the elderly. <i>Bone</i> , 2016, 90, 31-36. | 1.4 | 5 |
| 166 | A new prognostic histopathologic classification of nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2016, 35, 41. | 4.9 | 83 |
| 167 | Prevalence of gastro-esophageal reflux disease and its risk factors in a community-based population in southern India. <i>BMC Gastroenterology</i> , 2016, 16, 36. | 0.8 | 52 |
| 168 | Registers of the Swedish total population and their use in medical research. <i>European Journal of Epidemiology</i> , 2016, 31, 125-136. | 2.5 | 998 |
| 169 | Severity of Acute Cholecystitis and Risk of Iatrogenic Bile Duct Injury During Cholecystectomy, a Population-Based Case-Control Study. <i>World Journal of Surgery</i> , 2016, 40, 1060-1067. | 0.8 | 81 |
| 170 | Risk of lymphoid neoplasms in a Swedish population-based cohort of 337,437 patients undergoing appendectomy. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 583-589. | 0.6 | 7 |
| 171 | A prospective cohort study of the combined effects of physical activity and anthropometric measures on the risk of post-menopausal breast cancer. <i>European Journal of Epidemiology</i> , 2016, 31, 395-404. | 2.5 | 28 |
| 172 | Sibship size, birth order and risk of nasopharyngeal carcinoma and infectious mononucleosis: a nationwide study in Sweden. <i>International Journal of Epidemiology</i> , 2016, 45, 825-834. | 0.9 | 19 |
| 173 | Risk of Gastrointestinal Cancers among Patients with Appendectomy: A Large-Scale Swedish Register-Based Cohort Study during 1970-2009. <i>PLoS ONE</i> , 2016, 11, e0151262. | 1.1 | 24 |
| 174 | Antibiotic Treatment and Length of Hospital Stay in Relation to Delivery Mode and Prematurity. <i>PLoS ONE</i> , 2016, 11, e0164126. | 1.1 | 4 |
| 175 | Variations of gastric corpus microbiota are associated with early esophageal squamous cell carcinoma and squamous dysplasia. <i>Scientific Reports</i> , 2015, 5, 8820. | 1.6 | 85 |
| 176 | Family history of esophageal cancer increases the risk of esophageal squamous cell carcinoma. <i>Scientific Reports</i> , 2015, 5, 16038. | 1.6 | 53 |
| 177 | Occupational Exposure to Electric Shocks and Magnetic Fields and Amyotrophic Lateral Sclerosis in Sweden. <i>Epidemiology</i> , 2015, 26, 824-830. | 1.2 | 21 |
| 178 | MiRNA-Related SNPs and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: Post Genome-Wide Association Analysis in the BEACON Consortium. <i>PLoS ONE</i> , 2015, 10, e0128617. | 1.1 | 21 |
| 179 | Nasopharyngeal Epstein-Barr Virus Load: An Efficient Supplementary Method for Population-Based Nasopharyngeal Carcinoma Screening. <i>PLoS ONE</i> , 2015, 10, e0132669. | 1.1 | 35 |
| 180 | Reducing Antibiotic Use for Young Children with Intussusception following Successful Air Enema Reduction. <i>PLoS ONE</i> , 2015, 10, e0142999. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Oral Microbiota and Risk for Esophageal Squamous Cell Carcinoma in a High-Risk Area of China. PLoS ONE, 2015, 10, e0143603. | 1.1 | 146 |
| 182 | Variation at <i>ABO</i> blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. International Journal of Cancer, 2015, 136, 880-893. | 2.3 | 28 |
| 183 | A Newly Identified Susceptibility Locus near <i>FOXP1</i> Modifies the Association of Gastroesophageal Reflux with Barrett's Esophagus. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1739-1747. | 1.1 | 24 |
| 184 | Polymorphisms Near <i>TBX5</i> and <i>GDF7</i> Are Associated With Increased Risk for Barrett's Esophagus. Gastroenterology, 2015, 148, 367-378. | 0.6 | 93 |
| 185 | Parental cancer diagnosis and child mortality—A population-based cohort study in Sweden. Cancer Epidemiology, 2015, 39, 79-85. | 0.8 | 8 |
| 186 | No difference in small bowel microbiota between patients with irritable bowel syndrome and healthy controls. Scientific Reports, 2015, 5, 8508. | 1.6 | 66 |
| 187 | Association between diabetes and amyotrophic lateral sclerosis in Sweden. European Journal of Neurology, 2015, 22, 1436-1442. | 1.7 | 102 |
| 188 | Survival benefit and additional value of preoperative chemoradiotherapy in resectable gastric and gastro-oesophageal junction cancer: A direct and adjusted indirect comparison meta-analysis. European Journal of Surgical Oncology, 2015, 41, 282-294. | 0.5 | 33 |
| 189 | Physical activity and body mass index as predictors of prostate cancer risk. World Journal of Urology, 2015, 33, 1495-1502. | 1.2 | 27 |
| 190 | IgA Deficiency and Risk of Cancer: A Population-Based Matched Cohort Study. Journal of Clinical Immunology, 2015, 35, 182-188. | 2.0 | 47 |
| 191 | Increase in the Prevalence of Atrophic Gastritis Among Adults Age 35 to 44 Years Old in Northern Sweden Between 1990 and 2009. Clinical Gastroenterology and Hepatology, 2015, 13, 1592-1600.e1. | 2.4 | 56 |
| 192 | Cancer risk in the relatives of patients with nasopharyngeal carcinoma—a register-based cohort study in Sweden. British Journal of Cancer, 2015, 112, 1827-1831. | 2.9 | 16 |
| 193 | The stomach cancer pooling (StoP) project. European Journal of Cancer Prevention, 2015, 24, 16-23. | 0.6 | 59 |
| 194 | Individual maternal and child exposure to antibiotics in hospital - a national population-based validation study. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 392-395. | 0.7 | 6 |
| 195 | Incidence of gastric cancer among patients with gastric precancerous lesions: observational cohort study in a low risk Western population. BMJ, The, 2015, 351, h3867. | 3.0 | 198 |
| 196 | Pleiotropic Analysis of Cancer Risk Loci on Esophageal Adenocarcinoma Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1801-1803. | 1.1 | 7 |
| 197 | Hepatitis B Virus Infection and Risk of Nasopharyngeal Carcinoma in Southern China. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1766-1773. | 1.1 | 30 |
| 198 | Variant Profiling of Candidate Genes in Pancreatic Ductal Adenocarcinoma. Clinical Chemistry, 2015, 61, 1408-1416. | 1.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Reliability and relative validity of three physical activity questionnaires in Taizhou population of China: the Taizhou Longitudinal Study. <i>Public Health</i> , 2015, 129, 1211-1217. | 1.4 | 23 |
| 200 | Childhood injury after a parental cancer diagnosis. <i>ELife</i> , 2015, 4, . | 2.8 | 12 |
| 201 | Dose-Response Relationship of Total and Leisure Time Physical Activity to Risk of Heart Failure. <i>Circulation: Heart Failure</i> , 2014, 7, 701-708. | 1.6 | 41 |
| 202 | Antibiotics in fetal and early life and subsequent childhood asthma: nationwide population based study with sibling analysis. <i>BMJ</i> , The, 2014, 349, g6979-g6979. | 3.0 | 122 |
| 203 | A CagA-independent cluster of antigens related to the risk of noncardia gastric cancer: Associations between <i>Helicobacter pylori</i> antibodies and gastric adenocarcinoma explored by multiplex serology. <i>International Journal of Cancer</i> , 2014, 134, 2942-2950. | 2.3 | 49 |
| 204 | Evaluation of plasma Epstein-Barr virus DNA load to distinguish nasopharyngeal carcinoma patients from healthy high-risk populations in Southern China. <i>Cancer</i> , 2014, 120, 1353-1360. | 2.0 | 62 |
| 205 | Obesity and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus: A Mendelian Randomization Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, . | 3.0 | 132 |
| 206 | Risk of Esophageal Adenocarcinoma Decreases With Height, Based on Consortium Analysis and Confirmed by Mendelian Randomization. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1667-1676.e1. | 2.4 | 30 |
| 207 | Parkinson's Disease and Cancer: A Register-based Family Study. <i>American Journal of Epidemiology</i> , 2014, 179, 85-94. | 1.6 | 58 |
| 208 | Meta-analysis of postoperative morbidity and perioperative mortality in patients receiving neoadjuvant chemotherapy or chemoradiotherapy for resectable oesophageal and gastro-oesophageal junctional cancers. <i>British Journal of Surgery</i> , 2014, 101, 321-338. | 0.1 | 189 |
| 209 | Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2447-2454. | 1.1 | 36 |
| 210 | Integrative post-genome-wide association analysis of CDKN2A and TP53 SNPs and risk of esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2014, 35, 2740-2747. | 1.3 | 31 |
| 211 | Gastroesophageal Reflux in Relation to Adenocarcinomas of the Esophagus: A Pooled Analysis from the Barrett's and Esophageal Adenocarcinoma Consortium (BEACON). <i>PLoS ONE</i> , 2014, 9, e103508. | 1.1 | 134 |
| 212 | Tobacco use and cancer survival: A cohort study of 40,230 Swedish male construction workers with incident cancer. <i>International Journal of Cancer</i> , 2013, 132, 155-161. | 2.3 | 21 |
| 213 | Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , 2013, 24, 2645-2651. | 0.6 | 24 |
| 214 | Validation of asthma and eczema in population-based Swedish drug and patient registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 850-860. | 0.9 | 101 |
| 215 | Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175. | 2.3 | 20 |
| 216 | Germline Genetic Contributions to Risk for Esophageal Adenocarcinoma, Barrett's Esophagus, and Gastroesophageal Reflux. <i>Journal of the National Cancer Institute</i> , 2013, 105, 1711-1718. | 3.0 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013, 62, 1764-1770. | 6.1 | 330 |
| 218 | Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1486-1492. | 2.4 | 21 |
| 219 | A genome-wide association study identifies new susceptibility loci for esophageal adenocarcinoma and Barrett's esophagus. <i>Nature Genetics</i> , 2013, 45, 1487-1493. | 9.4 | 174 |
| 220 | Severe head injury and amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 267-272. | 1.1 | 35 |
| 221 | Amyotrophic lateral sclerosis and cancer: A register-based study in Sweden. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013, 14, 362-368. | 1.1 | 37 |
| 222 | Suicide and suicide attempt after a cancer diagnosis among young individuals. <i>Annals of Oncology</i> , 2013, 24, 3112-3117. | 0.6 | 61 |
| 223 | Two Epstein-Barr Virus-Related Serologic Antibody Tests in Nasopharyngeal Carcinoma Screening: Results From the Initial Phase of a Cluster Randomized Controlled Trial in Southern China. <i>American Journal of Epidemiology</i> , 2013, 177, 242-250. | 1.6 | 108 |
| 224 | Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012, 106, 1866-1874. | 2.9 | 58 |
| 225 | Smokeless tobacco (snus) and risk of heart failure: results from two Swedish cohorts. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 1120-1127. | 0.8 | 40 |
| 226 | Body mass index in relation to oesophageal and oesophagogastric junction adenocarcinomas: a pooled analysis from the International BEACON Consortium. <i>International Journal of Epidemiology</i> , 2012, 41, 1706-1718. | 0.9 | 237 |
| 227 | Gastric atrophy and oesophageal squamous cell carcinoma: possible interaction with dental health and oral hygiene habit. <i>British Journal of Cancer</i> , 2012, 107, 888-894. | 2.9 | 27 |
| 228 | Common variants at the MHC locus and at chromosome 16q24.1 predispose to Barrett's esophagus. <i>Nature Genetics</i> , 2012, 44, 1131-1136. | 9.4 | 162 |
| 229 | Suicide and Cardiovascular Death after a Cancer Diagnosis. <i>New England Journal of Medicine</i> , 2012, 366, 1310-1318. | 13.9 | 357 |
| 230 | Interval Cancers in Nasopharyngeal Carcinoma Screening: Comparing Two Screening Intervals after a Negative Initial Screening Result. <i>Journal of Medical Screening</i> , 2012, 19, 195-200. | 1.1 | 3 |
| 231 | Low Risk of Gastrointestinal Cancer Among Patients With Celiac Disease, Inflammation, or Latent Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012, 10, 30-36. | 2.4 | 81 |
| 232 | The importance of exposure rate on odds ratios by cigarette smoking and alcohol consumption for esophageal adenocarcinoma and squamous cell carcinoma in the Barrett's Esophagus and Esophageal Adenocarcinoma Consortium. <i>Cancer Epidemiology</i> , 2012, 36, 306-316. | 0.8 | 65 |
| 233 | Prevalence and risk factors of gastroesophageal reflux symptoms in a Chinese retiree cohort. <i>BMC Gastroenterology</i> , 2012, 12, 161. | 0.8 | 26 |
| 234 | Reproducibility and Relative Validity of a Food Frequency Questionnaire Developed for Adults in Taizhou, China. <i>PLoS ONE</i> , 2012, 7, e48341. | 1.1 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Establishment of VCA and EBNA1 IgA-based combination by enzyme-linked immunosorbent assay as preferred screening method for nasopharyngeal carcinoma: a two-stage design with a preliminary performance study and a mass screening in southern China. <i>International Journal of Cancer</i> , 2012, 131, 406-416. | 2.3 | 116 |
| 236 | Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002. | 2.3 | 10 |
| 237 | Antibiotics and asthma medication in a large register-based cohort study – confounding, cause and effect. <i>Clinical and Experimental Allergy</i> , 2012, 42, 104-111. | 1.4 | 47 |
| 238 | Titration-free 454 sequencing using Y adapters. <i>Nature Protocols</i> , 2011, 6, 1367-1376. | 5.5 | 24 |
| 239 | A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011, 47, 1808-1816. | 1.3 | 45 |
| 240 | Fluctuations of Epstein-Barr Virus Serological Antibodies and Risk for Nasopharyngeal Carcinoma: A Prospective Screening Study with a 20-Year Follow-Up. <i>PLoS ONE</i> , 2011, 6, e19100. | 1.1 | 129 |
| 241 | A Method for Metagenomics of <i>Helicobacter pylori</i> from Archived Formalin-Fixed Gastric Biopsies Permitting Longitudinal Studies of Carcinogenic Risk. <i>PLoS ONE</i> , 2011, 6, e26442. | 1.1 | 14 |
| 242 | Hospitalisation of and mortality from bleeding peptic ulcer in Sweden: a nationwide time-trend analysis. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 578-584. | 1.9 | 46 |
| 243 | Plasma pepsinogens, antibodies against <i>Helicobacter pylori</i> , and risk of gastric cancer in the Shanghai Women's Health Study Cohort. <i>British Journal of Cancer</i> , 2011, 104, 1511-1516. | 2.9 | 35 |
| 244 | Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011, 54, 3037-3046. | 2.9 | 85 |
| 245 | Smoking, snus use and risk of right- and left-sided colon, rectal and anal cancer: A 37-year follow-up study. <i>International Journal of Cancer</i> , 2011, 128, 157-165. | 2.3 | 41 |
| 246 | Accuracy and Cut-Off Values of Pepsinogens I, II and Gastrin 17 for Diagnosis of Gastric Fundic Atrophy: Influence of Gastritis. <i>PLoS ONE</i> , 2011, 6, e26957. | 1.1 | 46 |
| 247 | Eight-Signature Classifier for Prediction of Nasopharyngeal Carcinoma Survival. <i>Journal of Clinical Oncology</i> , 2011, 29, 4516-4525. | 0.8 | 131 |
| 248 | Alcohol intake and risk of oesophageal adenocarcinoma: a pooled analysis from the BEACON Consortium. <i>Gut</i> , 2011, 60, 1029-1037. | 6.1 | 95 |
| 249 | <i>H. pylori</i> Seropositivity before Age 40 and Subsequent Risk of Stomach Cancer: A Glimpse of the True Relationship?. <i>PLoS ONE</i> , 2011, 6, e17404. | 1.1 | 26 |
| 250 | Infection of the Central Nervous System, Sepsis and Amyotrophic Lateral Sclerosis. <i>PLoS ONE</i> , 2011, 6, e29749. | 1.1 | 15 |
| 251 | A comprehensive analysis of common genetic variation in MUC1, MUC5AC, MUC6 genes and risk of stomach cancer. <i>Cancer Causes and Control</i> , 2010, 21, 313-321. | 0.8 | 76 |
| 252 | Effects of physical activity, body mass index, waist-to-hip ratio and waist circumference on total mortality risk in the Swedish National March Cohort. <i>European Journal of Epidemiology</i> , 2010, 25, 777-788. | 2.5 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403. | 2.3 | 118 |
| 254 | No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010, 34, 696-701. | 0.8 | 8 |
| 255 | Cigarette Smoking and Adenocarcinomas of the Esophagus and Esophagogastric Junction: A Pooled Analysis From the International BEACON Consortium. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1344-1353. | 3.0 | 259 |
| 256 | An estimate of amyotrophic lateral sclerosis heritability using twin data. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010, 81, 1324-1326. | 0.9 | 270 |
| 257 | Titration-free massively parallel pyrosequencing using trace amounts of starting material. <i>Nucleic Acids Research</i> , 2010, 38, e137-e137. | 6.5 | 28 |
| 258 | Amyotrophic Lateral Sclerosis in Sweden, 1991-2005. <i>Archives of Neurology</i> , 2009, 66, 515-9. | 4.9 | 100 |
| 259 | Immediate Risk for Cardiovascular Events and Suicide Following a Prostate Cancer Diagnosis: Prospective Cohort Study. <i>PLoS Medicine</i> , 2009, 6, e1000197. | 3.9 | 103 |
| 260 | Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2009, 170, 403-413. | 1.6 | 298 |
| 261 | Rationales, design and recruitment of the Taizhou Longitudinal Study. <i>BMC Public Health</i> , 2009, 9, 223. | 1.2 | 101 |
| 262 | Familial aggregation of amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 2009, 66, 94-99. | 2.8 | 52 |
| 263 | Cancer among Scandinavian women with cosmetic breast implants: A pooled long-term follow-up study. <i>International Journal of Cancer</i> , 2009, 124, 490-493. | 2.3 | 78 |
| 264 | Incidence of human papillomavirus (HPV) positive tonsillar carcinoma in Stockholm, Sweden: An epidemic of viral-induced carcinoma?. <i>International Journal of Cancer</i> , 2009, 125, 362-366. | 2.3 | 645 |
| 265 | Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794. | 0.8 | 48 |
| 266 | Genetic polymorphisms of glutathione S-transferase genes GSTP1, GSTM1, and GSTT1 and risk of esophageal and gastric cardia cancers. <i>Cancer Causes and Control</i> , 2009, 20, 2031-2038. | 0.8 | 51 |
| 267 | Snuff Use and Stroke. <i>Epidemiology</i> , 2009, 20, 469-470. | 1.2 | 0 |
| 268 | A prospective study of gout and cancer. <i>European Journal of Cancer Prevention</i> , 2009, 18, 127-132. | 0.6 | 79 |
| 269 | Risk of gastroesophageal cancer among smokers and users of Scandinavian moist snuff. <i>International Journal of Cancer</i> , 2008, 122, 1095-1099. | 2.3 | 67 |
| 270 | Interpreting trends of pancreatic cancer incidence and mortality: a nation-wide study in Sweden (1960-2003). <i>Cancer Causes and Control</i> , 2008, 19, 89-96. | 0.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Dietary fiber intake and risk of postmenopausal breast cancer defined by estrogen and progesterone receptor status—A prospective cohort study among Swedish women. <i>International Journal of Cancer</i> , 2008, 122, 403-412. | 2.3 | 55 |
| 272 | Parity and risk of stomach cancer by sub-site: a national Swedish study. <i>British Journal of Cancer</i> , 2008, 98, 1295-1300. | 2.9 | 14 |
| 273 | Obesity and risk of pancreatic cancer among postmenopausal women: the Women's Health Initiative (United States). <i>British Journal of Cancer</i> , 2008, 99, 527-531. | 2.9 | 52 |
| 274 | Risk of hypertension amongst Swedish male snuff users: a prospective study. <i>Journal of Internal Medicine</i> , 2008, 264, 187-194. | 2.7 | 51 |
| 275 | Stroke Incidence in Women under 60 Years of Age Related to Alcohol Intake and Smoking Habit. <i>Cerebrovascular Diseases</i> , 2008, 25, 517-525. | 0.8 | 45 |
| 276 | A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1653-1662. | 2.2 | 43 |
| 277 | Smokeless Tobacco and the Risk of Stroke. <i>Epidemiology</i> , 2008, 19, 794-799. | 1.2 | 66 |
| 278 | Opium, tobacco, and alcohol use in relation to oesophageal squamous cell carcinoma in a high-risk area of Iran. <i>British Journal of Cancer</i> , 2008, 98, 1857-1863. | 2.9 | 240 |
| 279 | Suicide among patients with amyotrophic lateral sclerosis. <i>Brain</i> , 2008, 131, 2729-2733. | 3.7 | 74 |
| 280 | Risk for Gastric Cancer After Cholecystectomy. <i>American Journal of Gastroenterology</i> , 2007, 102, 1180-1184. | 0.2 | 34 |
| 281 | Long-Term Risk of Gastric Cancer by Subsite in Operated and Unoperated Patients Hospitalized for Peptic Ulcer. <i>American Journal of Gastroenterology</i> , 2007, 102, 1185-1191. | 0.2 | 31 |
| 282 | Green tea and coffee intake and risk of pancreatic cancer in a large-scale, population-based cohort study in Japan (JPHC study). <i>European Journal of Cancer Prevention</i> , 2007, 16, 542-548. | 0.6 | 75 |
| 283 | Oral use of Swedish moist snuff (snus) and risk for cancer of the mouth, lung, and pancreas in male construction workers: a retrospective cohort study. <i>Lancet</i> , The, 2007, 369, 2015-2020. | 6.3 | 199 |
| 284 | Risk of oesophageal cancer by histology among patients hospitalised for gastroduodenal ulcers. <i>Gut</i> , 2007, 56, 464-468. | 6.1 | 28 |
| 285 | Lifestyle Factors and Risk for Symptomatic Gastroesophageal Reflux in Monozygotic Twins. <i>Gastroenterology</i> , 2007, 132, 87-95. | 0.6 | 139 |
| 286 | The risk of pancreatic cancer in patients with gastric or duodenal ulcer disease. <i>International Journal of Cancer</i> , 2007, 120, 368-372. | 2.3 | 44 |
| 287 | Long-term use of Swedish moist snuff and the risk of myocardial infarction amongst men. <i>Journal of Internal Medicine</i> , 2007, 262, 351-359. | 2.7 | 104 |
| 288 | Dietary Patterns and Risk of Squamous-Cell Carcinoma and Adenocarcinoma of the Esophagus and Adenocarcinoma of the Gastric Cardia: A Population-Based Case-Control Study in Sweden. <i>Nutrition and Cancer</i> , 2006, 54, 171-178. | 0.9 | 87 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Disparities in the Classification of Esophageal and Cardia Adenocarcinomas and Their Influence on Reported Incidence Rates. <i>Annals of Surgery</i> , 2006, 243, 479-485. | 2.1 | 121 |
| 290 | Prospective study of body size and risk for stroke amongst women below age 60. <i>Journal of Internal Medicine</i> , 2006, 260, 442-450. | 2.7 | 68 |
| 291 | Trends in incidence and mortality of nasopharyngeal carcinoma over a 20-year period (1978/1983-2002) in Sihui and Cangwu counties in southern China. <i>BMC Cancer</i> , 2006, 6, 178. | 1.1 | 199 |
| 292 | Body weight and postmenopausal breast cancer risk defined by estrogen and progesterone receptor status among Swedish women: A prospective cohort study. <i>International Journal of Cancer</i> , 2006, 119, 1683-1689. | 2.3 | 91 |
| 293 | Human papillomavirus as a risk factor for the increase in incidence of tonsillar cancer. <i>International Journal of Cancer</i> , 2006, 119, 2620-2623. | 2.3 | 396 |
| 294 | The XPD 751Gln allele is associated with an increased risk for esophageal adenocarcinoma: a population-based case-control study in Sweden. <i>Carcinogenesis</i> , 2006, 27, 1835-1841. | 1.3 | 72 |
| 295 | Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 879-885. | 1.1 | 106 |
| 296 | Tamoxifen exposure and risk of oesophageal and gastric adenocarcinoma: a population-based cohort study of breast cancer patients in Sweden. <i>British Journal of Cancer</i> , 2006, 95, 118-122. | 2.9 | 44 |
| 297 | No Association between Gastroesophageal Reflux and Cancers of the Larynx and Pharynx. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1194-1197. | 1.1 | 29 |
| 298 | Alcohol and Postmenopausal Breast Cancer Risk Defined by Estrogen and Progesterone Receptor Status: A Prospective Cohort Study. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1601-1608. | 3.0 | 115 |
| 299 | Incidence of Cancer Among Patients With Atopic Dermatitis. <i>Archives of Dermatology</i> , 2005, 141, 1123-7. | 1.7 | 86 |
| 300 | Histology and culture results among subjects with antibodies to CagA but no evidence of <i>Helicobacter pylori</i> infection with IgG ELISA. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 312-318. | 0.6 | 19 |
| 301 | <i>Helicobacter pylori</i> Infection and Gastric Atrophy: Risk of Adenocarcinoma and Squamous-Cell Carcinoma of the Esophagus and Adenocarcinoma of the Gastric Cardia. <i>Journal of the National Cancer Institute</i> , 2004, 96, 388-396. | 3.0 | 318 |
| 302 | Reproducibility and Validity of Major Dietary Patterns among Swedish Women Assessed with a Food-Frequency Questionnaire. <i>Journal of Nutrition</i> , 2004, 134, 1541-1545. | 1.3 | 215 |
| 303 | Estrogen and risk of gastric cancer: a protective effect in a nationwide cohort study of patients with prostate cancer in Sweden. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 2203-7. | 1.1 | 48 |
| 304 | Risk of cancers of the oesophagus and stomach by histology or subsite in patients hospitalised for pernicious anaemia. <i>Gut</i> , 2003, 52, 938-941. | 6.1 | 95 |
| 305 | Obesity and Estrogen as Risk Factors for Gastroesophageal Reflux Symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2003, 290, 66. | 3.8 | 392 |
| 306 | No excess risk of colorectal cancer among alcoholics followed for up to 25 years. <i>British Journal of Cancer</i> , 2003, 88, 1044-1046. | 2.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Alcohol abuse and the risk of pancreatic cancer. <i>Gut</i> , 2002, 51, 236-239. | 6.1 | 75 |
| 308 | Risk of adenocarcinomas of the esophagus and gastric cardia in patients with gastroesophageal reflux diseases and after antireflux surgery. <i>Gastroenterology</i> , 2001, 121, 1286-1293. | 0.6 | 248 |
| 309 | Incidence of ovarian cancer among alcoholic women: A cohort study in Sweden. <i>International Journal of Cancer</i> , 2001, 91, 264-266. | 2.3 | 3 |
| 310 | Alcoholism and risk for endometrial cancer. <i>International Journal of Cancer</i> , 2001, 93, 299-301. | 2.3 | 13 |
| 311 | Breast cancer risk in male alcoholics in Sweden. <i>Cancer Causes and Control</i> , 2001, 12, 661-664. | 0.8 | 19 |
| 312 | Primary brain tumors following traumatic brain injury--a population-based cohort study in Sweden. <i>Cancer Causes and Control</i> , 2001, 12, 733-737. | 0.8 | 46 |
| 313 | The risk of liver and bile duct cancer in patients with chronic viral hepatitis, alcoholism, or cirrhosis. <i>Hepatology</i> , 2001, 34, 714-718. | 3.6 | 105 |
| 314 | Risk of pancreatic cancer after cholecystectomy: a cohort study in Sweden. <i>Gut</i> , 2001, 49, 678-681. | 6.1 | 31 |
| 315 | Risk of adenocarcinomas of the oesophagus and gastric cardia in patients hospitalized for asthma. <i>British Journal of Cancer</i> , 2001, 85, 1317-1321. | 2.9 | 23 |
| 316 | Risk of cancers of the lung, head and neck in patients hospitalized for alcoholism in Sweden. <i>British Journal of Cancer</i> , 2001, 85, 678-682. | 2.9 | 31 |
| 317 | Incidence of ovarian cancer among alcoholic women: A cohort study in Sweden. <i>International Journal of Cancer</i> , 2001, 91, 264-266. | 2.3 | 17 |
| 318 | Dietary antioxidant intake and the risk of cardia cancer and noncardia cancer of the intestinal and diffuse types: A population-based case-control study in Sweden. <i>International Journal of Cancer</i> , 2000, 87, 133-140. | 2.3 | 153 |
| 319 | Antioxidants and cancers of the esophagus and gastric cardia. <i>International Journal of Cancer</i> , 2000, 87, 750-754. | 2.3 | 155 |
| 320 | No increased risk of breast cancer after cholecystectomy. <i>International Journal of Cancer</i> , 2000, 88, 679-681. | 2.3 | 1 |
| 321 | Dietary antioxidant intake and the risk of cardia cancer and noncardia cancer of the intestinal and diffuse types: A population-based case-control study in Sweden. , 2000, 87, 133. | | 7 |
| 322 | Antioxidants and cancers of the esophagus and gastric cardia. , 2000, 87, 750. | | 7 |
| 323 | Heredity and risk of cancer of the esophagus and gastric cardia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2000, 9, 757-60. | 1.1 | 27 |
| 324 | Tobacco, alcohol and the risk of gastric cancer by sub-site and histologic type. , 1999, 83, 223-229. | | 106 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Mortality and Cancer Incidence in Misasa, Japan, a Spa Area with Elevated Radon Levels. Japanese Journal of Cancer Research, 1998, 89, 789-796. | 1.7 | 26 |
| 326 | Atrophic gastritis is inversely associated with gastroesophageal reflux disease in a twin register based study. United European Gastroenterology Journal, 0, , . | 1.6 | 1 |
| 327 | eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. Cancer Epidemiology Biomarkers and Prevention, 0, , . | 1.1 | 1 |