## Maria Teresa Fiorillo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5678622/publications.pdf

Version: 2024-02-01

58 papers

2,190 citations

236925 25 h-index 233421 45 g-index

58 all docs 58 docs citations

58 times ranked 1933 citing authors

#	Article	IF	CITATIONS
1	Astrocytes and Inflammatory T Helper Cells: A Dangerous Liaison in Multiple Sclerosis. Frontiers in Immunology, 2022, 13, 824411.	4.8	14
2	CD8+ T Cell Senescence: Lights and Shadows in Viral Infections, Autoimmune Disorders and Cancer. International Journal of Molecular Sciences, 2022, 23, 3374.	4.1	25
3	Binding of Staphylococcal Enterotoxin B (SEB) to B7 Receptors Triggers TCR- and CD28-Mediated Inflammatory Signals in the Absence of MHC Class II Molecules. Frontiers in Immunology, 2021, 12, 723689.	4.8	10
4	The Multifaceted Nature of Aminopeptidases ERAP1, ERAP2, and LNPEP: From Evolution to Disease. Frontiers in Immunology, 2020, 11, 1576.	4.8	30
5	The Impact of the â€~Mis-Peptidome' on HLA Class I-Mediated Diseases: Contribution of ERAP1 and ERAP2 and Effects on the Immune Response. International Journal of Molecular Sciences, 2020, 21, 9608.	4.1	22
6	The rs75862629 minor allele in the endoplasmic reticulum aminopeptidases intergenic region affects human leucocyte antigen B27 expression and protects from ankylosing spondylitis in Sardinia. Rheumatology, 2019, 58, 2315-2324.	1.9	11
7	Editorial: Ankylosing Spondylitis and Related Immune-Mediated Disorders. Frontiers in Immunology, 2019, 10, 1232.	4.8	18
8	Unusual Placement of an EBV Epitope into the Groove of the Ankylosing Spondylitis-Associated HLA-B27 Allele Allows CD8+ T Cell Activation. Cells, 2019, 8, 572.	4.1	11
9	Ankylosing Spondylitis: A Trade Off of HLA-B27, ERAP, and Pathogen Interconnections? Focus on Sardinia. Frontiers in Immunology, 2019, 10, 35.	4.8	17
10	The Peptide Repertoire of HLAâ€B27 may include Ligands with Lysine at P2 Anchor Position. Proteomics, 2018, 18, e1700249.	2.2	17
11	AIF-1 gene does not confer susceptibility to Behçet's disease: Analysis of extended haplotypes in Sardinian population. PLoS ONE, 2018, 13, e0204250.	2.5	4
12	An allelic variant in the intergenic region between ERAP1 and ERAP2 correlates with an inverse expression of the two genes. Scientific Reports, 2018, 8, 10398.	3.3	35
13	Expression analysis of HLA-E and NKG2A and NKG2C receptors points at a role for natural killer function in ankylosing spondylitis. RMD Open, 2018, 4, e000597.	3.8	9
14	The interplay between HLA-B27 and ERAP1/ERAP2 aminopeptidases: from anti-viral protection to spondyloarthritis. Clinical and Experimental Immunology, 2017, 190, 281-290.	2.6	45
15	HLA Class I or Class II and Disease Association: Catch the Difference If You Can. Frontiers in Immunology, 2017, 8, 1475.	4.8	19
16	The Ankylosing Spondylitis-Associated HLA-B*2705 Presents a B*0702-Restricted EBV Epitope and Sustains the Clonal Amplification of Cytotoxic T Cells in Patients. Molecular Medicine, 2016, 22, 215-223.	4.4	9
17	Regulation and trafficking of the HLA-E molecules during monocyte-macrophage differentiation. Journal of Leukocyte Biology, 2016, 99, 121-130.	3.3	22
18	HLA-B27 and antigen presentation: At the crossroads between immune defense and autoimmunity. Molecular Immunology, 2014, 57, 22-27.	2.2	41

#	Article	IF	CITATIONS
19	The multifaceted nature of NLRP12. Journal of Leukocyte Biology, 2014, 96, 991-1000.	3.3	66
20	Single Nucleotide Polymorphisms in the 3′UTR of VPAC-1 Cooperate in Modulating Gene Expression and Impact Differently on the Interaction with miR525-5p. PLoS ONE, 2014, 9, e112646.	2.5	4
21	OP0240â€Higher Expression of TNFR1 and IL-1R2 on Cell Surface of B*2705 Ankylosing Spondylitis Patients Vs B*2705 and B*2709 Healthy Subjects. Influence of Erap1 Polymorphism. Annals of the Rheumatic Diseases, 2013, 72, A133.3-A134.	0.9	0
22	Characterization of a Proteasome and TAP-independent Presentation of Intracellular Epitopes by HLA-B27 Molecules. Journal of Biological Chemistry, 2012, 287, 30358-30367.	3.4	9
23	Dynamical Characterization of Two Differentially Disease Associated MHC Class I Proteins in Complex with Viral and Self-Peptides. Journal of Molecular Biology, 2012, 415, 429-442.	4.2	70
24	Susceptibility to ankylosing spondylitis but not disease outcome is influenced by the level of HLA-B27 expression, which shows moderate variability over time. Scandinavian Journal of Rheumatology, 2012, 41, 214-218.	1.1	12
25	Interaction Pattern of Arg 62 in the A-Pocket of Differentially Disease-Associated HLA-B27 Subtypes Suggests Distinct TCR Binding Modes. PLoS ONE, 2012, 7, e32865.	2.5	16
26	Divergent Effect of Cobalt and Beryllium Salts on the Fate of Peripheral Blood Monocytes and T Lymphocytes. Toxicological Sciences, 2011, 119, 257-269.	3.1	12
27	CD8+ T-cell mediated self-reactivity in HLA-B27 context as a consequence of dual peptide conformation. Clinical Immunology, 2010, 135, 476-482.	3.2	8
28	The Expression of Vasoactive Intestinal Peptide Receptor 1 Is Negatively Modulated by MicroRNA 525-5p. PLoS ONE, 2010, 5, e12067.	2.5	13
29	The interplay between the geographic distribution of HLA-B27 alleles and their role in infectious and autoimmune diseases: A unifying hypothesis. Autoimmunity Reviews, 2009, 8, 420-425.	5 <b>.</b> 8	84
30	Ageâ€dependent association of idiopathic achalasia with vasoactive intestinal peptide receptor 1 gene. Neurogastroenterology and Motility, 2009, 21, 597-602.	3.0	47
31	T-Cell Responses Against Viral and Self-Epitopes and HLA-B27 Subtypes Differentially Associated with Ankylosing Spondylitis. Advances in Experimental Medicine and Biology, 2009, 649, 255-262.	1.6	15
32	HLA-E gene polymorphism associates with ankylosing spondylitis in Sardinia. Arthritis Research and Therapy, 2009, 11, R171.	<b>3.</b> 5	25
33	A functional polymorphism of the vasoactive intestinal peptide receptor 1 gene correlates with the presence of HLA-B *2705 in Sardinia. Genes and Immunity, 2008, 9, 659-667.	4.1	28
34	HLA-B27 and Ankylosing Spondylitis geographic distribution as the result of a genetic selection induced by malaria endemic? A review supporting the hypothesis. Autoimmunity Reviews, 2008, 7, 398-403.	5.8	41
35	Citrullination-dependent Differential Presentation of a Self-peptide by HLA-B27 Subtypes. Journal of Biological Chemistry, 2008, 283, 27189-27199.	3.4	26
36	HLA-B27 and ankylosing spondylitis geographic distribution versus malaria endemic: casual or causal liaison?. Annals of the Rheumatic Diseases, 2008, 67, 138-140.	0.9	16

#	Article	IF	CITATIONS
37	HLA-B*2709 and lack of susceptibility to sacroiliitis: further support from the clinic. Clinical and Experimental Rheumatology, 2008, 26, 1111-2.	0.8	6
38	Characterization of CD8+ T cell repertoire in identical twins discordant and concordant for multiple sclerosis. Journal of Leukocyte Biology, 2007, 81, 696-710.	3.3	23
39	A sardinian patient with ankylosing spondylitis and HLA–B*2709 coâ€occurring with HLA–B*1403. Arthritis and Rheumatism, 2007, 56, 2807-2809.	6.7	35
40	Identification of previously unrecognized predisposing factors for ankylosing spondylitis from analysis of HLA–B27 extended haplotypes in sardinia. Arthritis and Rheumatism, 2007, 56, 2640-2651.	6.7	29
41	Conformational Dimorphism of Self-peptides and Molecular Mimicry in a Disease-associated HLA-B27 Subtype. Journal of Biological Chemistry, 2006, 281, 2306-2316.	3.4	49
42	Distribution of HLA-B27 subtypes in Sardinia and continental Italy and their association with spondylarthropathies. Arthritis and Rheumatism, 2005, 52, 3319-3321.	6.7	67
43	Allele-dependent Similarity between Viral and Self-peptide Presentation by HLA-B27 Subtypes. Journal of Biological Chemistry, 2005, 280, 2962-2971.	3.4	76
44	The C Terminus of the Nucleoprotein of Influenza A Virus Delivers Antigens Transduced by Tat to the trans-Golgi Network and Promotes an Efficient Presentation through HLA Class I. Journal of Virology, 2005, 79, 15537-15546.	3.4	7
45	Dual, HLA-B27 Subtype-dependent Conformation of a Self-peptide. Journal of Experimental Medicine, 2004, 199, 271-281.	8.5	144
46	Two distinctive HLA haplotypes harbor the B27 alleles negatively or positively associated with ankylosing spondylitis in Sardinia: Implications for disease pathogenesis. Arthritis and Rheumatism, 2003, 48, 1385-1389.	6.7	56
47	Increased level of HLA-B27 expression in ankylosing spondylitis patients compared with healthy HLA-B27-positive subjects: a possible further susceptibility factor for the development of disease. British Journal of Rheumatology, 2002, 41, 1375-1379.	2.3	82
48	T cell response to N-formylated peptides in humans. European Journal of Immunology, 2001, 31, 2762-2770.	2.9	4
49	HLA-DP Allele-Specific T Cell Responses to Beryllium Account for DP-Associated Susceptibility to Chronic Beryllium Disease. Journal of Immunology, 2001, 166, 3549-3555.	0.8	102
50	CD8+ T-cell autoreactivity to an HLA-B27–restricted self-epitope correlates with ankylosing spondylitis. Journal of Clinical Investigation, 2000, 106, 47-53.	8.2	162
51	The naturally occurring polymorphism Asp116 → His116 , differentiating the ankylosing spondylitis-associated HLA-B*2705 from the non-associated HLA-B*2709 subtype, influences peptide-specific CD8 T cell recognition. European Journal of Immunology, 1998, 28, 2508-2516.	2.9	57
52	Susceptibility to ankylosing spondylitis correlates with the C-terminal residue of peptides presented by various HLA-B27 subtypes. European Journal of Immunology, 1997, 27, 368-373.	2.9	107
53	Relevance of residue 116 of HLA-B27 in determining susceptibility to ankylosing spondylitis. European Journal of Immunology, 1995, 25, 3199-3201.	2.9	196
54	The Asp116-His116 substitution in a novel HLA-B27 subtype influences the acceptance of the peptide C-terminal anchor. Immunogenetics, 1995, 41, 38-39.	2.4	14

#	Article	IF	CITATION
55	Frequency of the New HLA-B*2709 Allele in Ankylosing Spondylitis Patients and Healthy Individuals. Disease Markers, 1994, 12, 215-217.	1.3	20
56	Identification of a novel HLA-B27 subtype by restriction analysis of a cytotoxic gamma delta T cell clone. Journal of Immunology, 1994, 153, 3093-100.	0.8	49
57	Expression of the murine interleukin 6 receptor in hepatoma cells: the intracytoplasmic domain is not required for interleukin 6 signal transduction. European Journal of Immunology, 1992, 22, 799-804.	2.9	26
58	Analysis of human/mouse interleukin-6 hybrid proteins: both amino and carboxy termini of human interleukin-6 are required forin vitro receptor binding. European Journal of Immunology, 1992, 22, 2609-2615.	2.9	28