

Soon Sun Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5679863/publications.pdf>

Version: 2024-02-01

32
papers

599
citations

623734

14
h-index

642732

23
g-index

33
all docs

33
docs citations

33
times ranked

1015
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Prediction Model Based on Magnetic Resonance Elastography-Assessed Liver Stiffness for Predicting Posthepatectomy Liver Failure in Patients with Hepatocellular Carcinoma. <i>Gut and Liver</i> , 2022, 16, 277-289.	2.9	5
2	Novel Gene Signatures as Prognostic Biomarkers for Predicting the Recurrence of Hepatocellular Carcinoma. <i>Cancers</i> , 2022, 14, 865.	3.7	9
3	Relationship between the dynamics of non-alcoholic fatty liver disease and incident diabetes mellitus. <i>Scientific Reports</i> , 2022, 12, 2538.	3.3	3
4	Hypomethylation-mediated upregulation of the WASF2 promoter region correlates with poor clinical outcomes in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 158.	8.6	6
5	Effect of direct-acting antivirals for hepatitis C virus-related hepatocellular carcinoma recurrence and death after curative treatment. <i>Journal of Liver Cancer</i> , 2022, 22, 125-135.	1.1	3
6	Liver stiffness in magnetic resonance elastography is prognostic for sorafenib-treated advanced hepatocellular carcinoma. <i>European Radiology</i> , 2021, 31, 2507-2517.	4.5	9
7	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2021, 62, 12.	2.2	6
8	Outcomes and Loop Pattern Analysis of a Road-Map Technique for ERCP with Side-Viewing Duodenoscope in Patients with Billroth II Gastrectomy (with Video). <i>Journal of Personalized Medicine</i> , 2021, 11, 404.	2.5	0
9	Independent Risk Factors for Hepatocellular Carcinoma Recurrence after Direct-Acting Antiviral Therapy in Patients with Chronic Hepatitis C. <i>Gut and Liver</i> , 2021, 15, 410-419.	2.9	7
10	Early detection of hepatocellular carcinoma via liquid biopsy: panel of small extracellular vesicle-derived long noncoding RNAs identified as markers. <i>Molecular Oncology</i> , 2021, 15, 2715-2731.	4.6	22
11	<i>HMBS</i> is the most suitable reference gene for RT-qPCR in human HCC tissues and blood samples. <i>Oncology Letters</i> , 2021, 22, 791.	1.8	6
12	Infiltrative hepatocellular carcinoma with multiple lung metastasis completely cured using nivolumab: a case report. <i>Journal of Liver Cancer</i> , 2021, 21, 169-176.	1.1	1
13	Microbiome as a potential diagnostic and predictive biomarker in severe alcoholic hepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 540-551.	3.7	22
14	Diagnostic Yield of Transabdominal Ultrasonography for Evaluation of Pancreatic Cystic Lesions Compared with Endoscopic Ultrasonography. <i>Journal of Clinical Medicine</i> , 2021, 10, 4616.	2.4	2
15	Pathway-Based Integrative Analysis of Metabolome and Microbiome Data from Hepatocellular Carcinoma and Liver Cirrhosis Patients. <i>Cancers</i> , 2020, 12, 2705.	3.7	7
16	Predictive score for hepatocellular carcinoma after hepatitis B e antigen loss in patients treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , 2020, 27, 1052-1060.	2.0	7
17	Serum small extracellular vesicle-derived <i>LINC00853</i> as a novel diagnostic marker for early hepatocellular carcinoma. <i>Molecular Oncology</i> , 2020, 14, 2646-2659.	4.6	45
18	Liver stiffness measured by MR elastography is a predictor of early HCC recurrence after treatment. <i>European Radiology</i> , 2020, 30, 4182-4192.	4.5	35

#	ARTICLE	IF	CITATIONS
19	Serum Exosomal MicroRNA, miR-10b-5p, as a Potential Diagnostic Biomarker for Early-Stage Hepatocellular Carcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 281.	2.4	83
20	Circulating Microbiota-Based Metagenomic Signature for Detection of Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2019, 9, 7536.	3.3	51
21	Analysis of endoscopic features for histologic discrepancies between biopsy and endoscopic submucosal dissection in gastric neoplasms: 10-year results. <i>Digestive and Liver Disease</i> , 2019, 51, 79-85.	0.9	15
22	Improvement of Nonalcoholic Fatty Liver Disease Reduces the Risk of Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , 2019, 13, 440-449.	2.9	40
23	Nonalcoholic fatty liver disease as a sentinel marker for the development of diabetes mellitus in non-obese subjects. <i>Digestive and Liver Disease</i> , 2018, 50, 370-377.	0.9	45
24	Cyclic Change of Sphincter of Oddi Motility and Its Relationship with Small Bowel Migrating Motor Complex in Humans. <i>Digestive Diseases and Sciences</i> , 2018, 63, 3425-3433.	2.3	0
25	Plasma MicroRNA-21, 26a, and 29a-3p as Predictive Markers for Treatment Response Following Transarterial Chemoembolization in Patients with Hepatocellular Carcinoma. <i>Journal of Korean Medical Science</i> , 2018, 33, e6.	2.5	18
26	Plasma microRNA-122 as a predictive marker for treatment response following transarterial chemoembolization in patients with hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 199-207.	2.8	23
27	Prediction of Post-Endoscopic Retrograde Cholangiopancreatography Pancreatitis Using 4-Hour Post-Endoscopic Retrograde Cholangiopancreatography Serum Amylase and Lipase Levels. <i>Journal of Korean Medical Science</i> , 2017, 32, 1814.	2.5	15
28	Endoscopic ultrasound-guided sampling of solid pancreatic masses: 22-gauge aspiration versus 25-gauge biopsy needles. <i>BMC Gastroenterology</i> , 2015, 15, 122.	2.0	40
29	Wire-guided cannulation over a pancreatic stent versus double guidewire technique in patients with difficult biliary cannulation. <i>BMC Gastroenterology</i> , 2015, 15, 150.	2.0	20
30	Interleukin-8 level as a prognostic marker in patients with hepatitis B virus-associated hepatocellular carcinoma treated with transarterial chemoembolization. <i>Cytokine</i> , 2015, 76, 449-457.	3.2	16
31	Non-neoplastic pathology results after endoscopic submucosal dissection for gastric epithelial dysplasia or early gastric cancer. <i>Endoscopy</i> , 2015, 47, 598-604.	1.8	16
32	Clinical outcomes of transjugular intrahepatic portosystemic shunt for portal hypertension: Korean multicenter real-practice data. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 18.	8.9	22