

Sydney C W Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5679866/publications.pdf>

Version: 2024-02-01

227
papers

9,248
citations

36203

51
h-index

54797

84
g-index

230
all docs

230
docs citations

230
times ranked

9840
citing authors

#	ARTICLE	IF	CITATIONS
1	De novo and relapsing glomerulonephritis after COVID-19 vaccination: how much do we know?. <i>Nephrology</i> , 2022, 27, 5-6.	0.7	11
2	Could SGLT2 inhibitors be the next "game changer" in focal segmental glomerulosclerosis?. <i>Nephrology Dialysis Transplantation</i> , 2022, , .	0.4	0
3	Personalized immunosuppression after kidney transplantation. <i>Nephrology</i> , 2022, , .	0.7	9
4	IgA Nephropathy: A Tale of 3 Continents. <i>Glomerular Diseases</i> , 2022, 2, 1-3.	0.2	0
5	Single-cell RNA Sequencing Identified Novel Nr4a1 ⁺ Ear2 ⁺ Anti-inflammatory Macrophage Phenotype under Myeloid TLR4 Dependent Regulation in Anti-glomerular Basement Membrane (GBM) Crescentic Glomerulonephritis (cGN). <i>Advanced Science</i> , 2022, 9, e2200668.	5.6	10
6	What can a thrombus in the superior vena cava (SVC) do to a jugular haemodialysis catheter?. <i>Nephrology</i> , 2022, , .	0.7	0
7	Adverse events of special interest and mortality following vaccination with mRNA (BNT162b2) and inactivated (CoronaVac) SARS-CoV-2 vaccines in Hong Kong: A retrospective study. <i>PLoS Medicine</i> , 2022, 19, e1004018.	3.9	22
8	Advances in the management of diabetic kidney disease: beyond sodium-glucose co-transporter 2 inhibitors. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 682-698.	0.9	4
9	Direct Renin Inhibition in Non-diabetic chronic Kidney disease (DRINK): a prospective randomized trial. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1648-1656.	0.4	7
10	Vaccination in patients with chronic kidney disease—Review of current recommendations and recent advances. <i>Nephrology</i> , 2021, 26, 5-11.	0.7	24
11	Aetiology, practice patterns and burden of end-stage kidney disease in South Asia and South-East Asia: A questionnaire-based survey. <i>Nephrology</i> , 2021, 26, 142-152.	0.7	7
12	Protective role of kallistatin in renal fibrosis via modulation of Wnt/ β 2-catenin signaling. <i>Clinical Science</i> , 2021, 135, 429-446.	1.8	12
13	Update on diagnosis, pathophysiology, and management of diabetic kidney disease. <i>Nephrology</i> , 2021, 26, 491-500.	0.7	63
14	Spleen Tyrosine Kinase Inhibition Ameliorates Tubular Inflammation in IgA Nephropathy. <i>Frontiers in Physiology</i> , 2021, 12, 650888.	1.3	9
15	Clinicopathological features of Chinese patients with B-cell lymphoproliferative disorders and kidney infiltration. <i>Nephrology</i> , 2021, 26, 650-658.	0.7	1
16	Conversion from Aranesp® to NESP® in dialysis patients—Exploration of dosing strategies and the feasibility of extending the dosing interval. <i>Nephrology</i> , 2021, 26, 733-741.	0.7	0
17	Impact of National Economy and Policies on End-Stage Kidney Care in South Asia and Southeast Asia. <i>International Journal of Nephrology</i> , 2021, 2021, 1-11.	0.7	5
18	Symptom-Based Stratification of Diabetes Mellitus by Renal Function Decline (SYSTEM): A Retrospective Cohort Study and Modeling Assessment. <i>Frontiers in Medicine</i> , 2021, 8, 682090.	1.2	5

#	ARTICLE	IF	CITATIONS
19	Single-Cell RNA Sequencing Reveals the Immunological Profiles of Renal Allograft Rejection in Mice. <i>Frontiers in Immunology</i> , 2021, 12, 693608.	2.2	13
20	Large Between-Patient Variability in eGFR Decline before Clinical Trial Enrollment and Impact on Atrasentan's Efficacy: A Post Hoc Analysis from the SONAR Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 2731-2734.	3.0	6
21	Regulatory role and mechanisms of myeloid TLR4 in anti-GBM glomerulonephritis. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 6721-6734.	2.4	9
22	Current treatment of IgA nephropathy. <i>Seminars in Immunopathology</i> , 2021, 43, 717-728.	2.8	52
23	Executive summary of the KDIGO 2021 Guideline for the Management of Glomerular Diseases. <i>Kidney International</i> , 2021, 100, 753-779.	2.6	325
24	Efficacy, safety and response predictors of adjuvant astragalus for diabetic kidney disease (READY): study protocol of an add-on, assessor-blind, parallel, pragmatic randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e042686.	0.8	8
25	Tubule-specific deletion of LincRNA-p21 ameliorates lipotoxic kidney injury. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 26, 1280-1290.	2.3	3
26	Acetyl-Coenzyme A carboxylase beta gene polymorphism does not predict cardiovascular risk susceptibility in Chinese type 2 diabetic individuals. <i>Nephrology</i> , 2021, , .	0.7	1
27	Vascular age is associated with the risk of dialysis or death in chronic kidney disease. <i>Nephrology</i> , 2020, 25, 314-322.	0.7	7
28	Editorial: diabetic kidney disease: an update in recent clinical and basic research. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 725-728.	0.4	0
29	Effect of non-surgical periodontal therapy on renal function in chronic kidney disease patients with periodontitis: a systematic review and meta-analysis of interventional studies. <i>Clinical Oral Investigations</i> , 2020, 24, 1607-1618.	1.4	15
30	A global perspective on the crosstalk between saturated fatty acids and Toll-like receptor 4 in the etiology of inflammation and insulin resistance. <i>Progress in Lipid Research</i> , 2020, 77, 101020.	5.3	76
31	Dialysis Care and Dialysis Funding in Asia. <i>American Journal of Kidney Diseases</i> , 2020, 75, 772-781.	2.1	43
32	Low-dose corticosteroid and mycophenolate for primary treatment of minimal change disease. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020, 113, 399-403.	0.2	2
33	Peritoneal dialysis: the ideal bridge from conservative therapy to kidney transplant. <i>Journal of Nephrology</i> , 2020, 33, 1189-1194.	0.9	12
34	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE. <i>Nephrology</i> , 2020, 25, 12-45.	0.7	17
35	ASIAN PACIFIC SOCIETY OF NEPHROLOGY CLINICAL PRACTICE GUIDELINE ON DIABETIC KIDNEY DISEASE " EXECUTIVE SUMMARY. <i>Nephrology</i> , 2020, 25, 3-11.	0.7	9
36	Asian Pacific Society of Nephrology Clinical Practice Guideline on Diabetic Kidney Disease " An Executive Summary. <i>Nephrology</i> , 2020, 25, 809-817.	0.7	12

#	ARTICLE	IF	CITATIONS
37	Blocking Connexin-43 mediated hemichannel activity protects against early tubular injury in experimental chronic kidney disease. <i>Cell Communication and Signaling</i> , 2020, 18, 79.	2.7	28
38	Blood pressure and volume management in dialysis: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2020, 97, 861-876.	2.6	126
39	COVID-19: An Update on the Epidemiological, Clinical, Preventive and Therapeutic Evidence and Guidelines of Integrative Chinese and Western Medicine for the Management of 2019 Novel Coronavirus Disease. <i>The American Journal of Chinese Medicine</i> , 2020, 48, 737-762.	1.5	273
40	Patients' and clinicians' expectations on integrative medicine Services for Diabetes: a focus group study. <i>BMC Complementary Medicine and Therapies</i> , 2020, 20, 205.	1.2	9
41	Dietary phytochemical approaches to stem cell regulation. <i>Journal of Functional Foods</i> , 2020, 66, 103822.	1.6	11
42	Innate immunity in diabetic kidney disease. <i>Nature Reviews Nephrology</i> , 2020, 16, 206-222.	4.1	273
43	Not even a peripheral role for statins in end-stage renal disease?. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1645-1647.	0.4	2
44	The PAR-1 antagonist vorapaxar ameliorates kidney injury and tubulointerstitial fibrosis. <i>Clinical Science</i> , 2020, 134, 2873-2891.	1.8	20
45	A Longitudinal Study on the Prevalence and Risk Factors for Depression and Anxiety, Quality of Life, and Clinical Outcomes in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2019, 39, 74-82.	1.1	17
46	A systematic review and meta-analysis of randomized controlled trials of cognitive behavioral therapy for hemodialysis patients with depression. <i>Journal of Psychosomatic Research</i> , 2019, 126, 109834.	1.2	26
47	Amelioration of Endoplasmic Reticulum Stress by Mesenchymal Stem Cells via Hepatocyte Growth Factor/c-Met Signaling in Obesity-Associated Kidney Injury. <i>Stem Cells Translational Medicine</i> , 2019, 8, 898-910.	1.6	31
48	Heart failure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 95, 1304-1317.	2.6	232
49	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019, 393, 1937-1947.	6.3	408
50	Clinical practice guidelines for the provision of renal service in Hong Kong: General Nephrology. <i>Nephrology</i> , 2019, 24, 9-26.	0.7	4
51	Oncology in nephrology comes of age: A focus on chronic dialysis patients. <i>Nephrology</i> , 2019, 24, 380-386.	0.7	5
52	Management and treatment of glomerular diseases (part 1): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 95, 268-280.	2.6	198
53	Management and treatment of glomerular diseases (part 2): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 95, 281-295.	2.6	135
54	An update on cancer after kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 914-920.	0.4	46

#	ARTICLE	IF	CITATIONS
55	Glomerular Filtration Rates in Asians. <i>Advances in Chronic Kidney Disease</i> , 2018, 25, 41-48.	0.6	37
56	Gout: A Disease of Kings. <i>Contributions To Nephrology</i> , 2018, 192, 77-81.	1.1	20
57	Noninvasive assessment of kidney allograft fibrosis with shear wave elastography: A radiological-pathological correlation analysis. <i>International Journal of Urology</i> , 2018, 25, 450-455.	0.5	30
58	SGLT2 inhibitor empagliflozin: finally at the latter stage of understanding?. <i>Kidney International</i> , 2018, 93, 22-24.	2.6	9
59	Complement C5a inhibition moderates lipid metabolism and reduces tubulointerstitial fibrosis in diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1323-1332.	0.4	62
60	Activated renal tubular Wnt/ β -catenin signaling triggers renal inflammation during overload proteinuria. <i>Kidney International</i> , 2018, 93, 1367-1383.	2.6	47
61	Disease burden and challenges of chronic kidney disease in North and East Asia. <i>Kidney International</i> , 2018, 94, 22-25.	2.6	43
62	N-acetylcysteine mediates the antifibrotic properties of captopril in unilateral ureteric obstructed BALB/C mice. <i>Nephrology</i> , 2018, 23, 297-307.	0.7	7
63	Posttransplant Lymphoproliferative Disorders in Chinese Kidney Transplant Recipients. <i>Transplantation</i> , 2018, 102, S321.	0.5	0
64	Downregulation of Aquaporin 9 Exacerbates Beta-amyloid-induced Neurotoxicity in Alzheimer's Disease Models In vitro and In vivo. <i>Neuroscience</i> , 2018, 394, 72-82.	1.1	10
65	CKD prevention: Perspectives in Hong Kong. <i>Nephrology</i> , 2018, 23, 72-75.	0.7	3
66	Role of Mesangial-Podocytic-Tubular Cross-Talk in IgA Nephropathy. <i>Seminars in Nephrology</i> , 2018, 38, 485-495.	0.6	28
67	Treatment of IgA Nephropathy: Evolution Over Half a Century. <i>Seminars in Nephrology</i> , 2018, 38, 531-540.	0.6	17
68	An Overview of IgA Nephropathy: 50 Years On. <i>Seminars in Nephrology</i> , 2018, 38, 433-434.	0.6	6
69	Staged Screening of BK Virus-Associated Nephropathy using Urine Cytology and Serum Quantitative Polymerase Chain Reaction. <i>Transplantation</i> , 2018, 102, S227.	0.5	0
70	An evidence-based systematic review of the off-label uses of lisinopril. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2502-2521.	1.1	9
71	Genotype 4 hepatitis E virus is a cause of chronic hepatitis in renal transplant recipients in Hong Kong. <i>Journal of Viral Hepatitis</i> , 2018, 25, 209-213.	1.0	27
72	Proteinuria reaffirmed as a risk modifier in diabetic chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1873-1874.	0.4	4

#	ARTICLE	IF	CITATIONS
73	Ellagitannins from Pomegranate Ameliorates 5-Fluorouracil-Induced Intestinal Mucositis in Rats while Enhancing Its Chemotoxicity against HT-29 Colorectal Cancer Cells through Intrinsic Apoptosis Induction. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 7054-7064.	2.4	17
74	A Rare Case of Famotidine-Induced Delirium in a Peritoneal Dialysis Patient. <i>Peritoneal Dialysis International</i> , 2017, 37, 118-120.	1.1	5
75	<i>Mycobacterium chlorophenicum</i> : An uncommon cause of peritonitis in a peritoneal dialysis patient. <i>Nephrology</i> , 2017, 22, 498-499.	0.7	3
76	Colossal renal allograft hydronephrosis causing abdominal distension. <i>Nephrology</i> , 2017, 22, 420-421.	0.7	0
77	Acute thyroiditis: An under-recognized complication of parathyroidectomy in end-stage renal failure patients with secondary hyperparathyroidism. <i>Nephrology</i> , 2017, 22, 572-572.	0.7	3
78	Ficus virens proanthocyanidins induced apoptosis in breast cancer cells concomitantly ameliorated 5-fluorouracil induced intestinal mucositis in rats. <i>Food and Chemical Toxicology</i> , 2017, 110, 49-61.	1.8	32
79	ESRD in South-East Asia. , 2017, , 149-156.		1
80	Cancer risk in patients with diabetic nephropathy. <i>Medicine (United States)</i> , 2017, 96, e8077.	0.4	10
81	Relatives in silent kidney disease screening (RISKS) study: A Chinese cohort study. <i>Nephrology</i> , 2017, 22, 35-42.	0.7	25
82	Health-related quality of life and health preference of Chinese patients with diabetes mellitus managed in primary care and secondary care setting: decrements associated with individual complication and number of complications. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 125.	1.0	23
83	Risk factors and prognosis of late acute rejection in Chinese kidney transplant recipients. <i>Nephrology</i> , 2017, 22, 985-992.	0.7	0
84	Human induced pluripotent stem cell-derived mesenchymal stem cells prevent adriamycin nephropathy in mice. <i>Oncotarget</i> , 2017, 8, 103640-103656.	0.8	17
85	Conversion to mammalian target of rapamycin inhibitors in kidney transplant recipients with de novo cancers. <i>Oncotarget</i> , 2017, 8, 44833-44841.	0.8	12
86	Posttransplant lymphoproliferative disorders in kidney transplant recipients: a retrospective cohort analysis over two decades in Hong Kong. <i>Oncotarget</i> , 2017, 8, 96903-96912.	0.8	14
87	Recent advances in managing and understanding diabetic nephropathy. <i>F1000Research</i> , 2016, 5, 1044.	0.8	29
88	Semi-individualised Chinese medicine treatment as an adjuvant management for diabetic nephropathy: a pilot add-on, randomised, controlled, multicentre, open-label pragmatic clinical trial. <i>BMJ Open</i> , 2016, 6, e010741.	0.8	7
89	Cancer Incidence and Mortality in Chronic Dialysis Population: A Multicenter Cohort Study. <i>American Journal of Nephrology</i> , 2016, 43, 153-159.	1.4	50
90	IgA nephropathy. <i>Nature Reviews Disease Primers</i> , 2016, 2, 16001.	18.1	322

#	ARTICLE	IF	CITATIONS
91	Recent Progress in Stem Cell Therapy for Diabetic Nephropathy. <i>Kidney Diseases (Basel, Switzerland)</i> , 2016, 2, 20-27.	1.2	27
92	Chinese medicines in the treatment of experimental diabetic nephropathy. <i>Chinese Medicine</i> , 2016, 11, 6.	1.6	7
93	Diabetic nephropathy: landmark clinical trials and tribulations. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 359-368.	0.4	80
94	Dendrobium officinale polysaccharides ameliorated pulmonary function while inhibiting mucin-5AC and stimulating aquaporin-5 expression. <i>Journal of Functional Foods</i> , 2016, 21, 359-371.	1.6	28
95	Proteinuria is associated with sleep apnea in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 772-779.	0.4	9
96	Downregulation of renal tubular Wnt/ β -catenin signaling by Dickkopf-3 induces tubular cell death in proteinuric nephropathy. <i>Cell Death and Disease</i> , 2016, 7, e2155-e2155.	2.7	16
97	Practical considerations for the use of sodium-glucose co-transporter type 2 inhibitors in treating hyperglycemia in type 2 diabetes. <i>Current Medical Research and Opinion</i> , 2016, 32, 1097-1108.	0.9	14
98	Kallistatin protects against diabetic nephropathy in db/db mice by suppressing AGE-RAGE-induced oxidative stress. <i>Kidney International</i> , 2016, 89, 386-398.	2.6	75
99	In a retrospective international study, circulating miR-148b and let-7b were found to be serum markers for detecting primary IgA nephropathy. <i>Kidney International</i> , 2016, 89, 683-692.	2.6	61
100	Recent advances in the understanding and management of IgA nephropathy. <i>F1000Research</i> , 2016, 5, 161.	0.8	4
101	Expression of aquaporin-5 in primary carcinoma and lymph node metastatic carcinoma of non-small cell lung cancer. <i>Oncology Letters</i> , 2015, 9, 2799-2804.	0.8	24
102	Progressive outer retinal necrosis in a renal transplant recipient: a rare treatment success. <i>Transplant Infectious Disease</i> , 2015, 17, 396-399.	0.7	1
103	Role of bone morphogenetic protein-7 in renal fibrosis. <i>Frontiers in Physiology</i> , 2015, 6, 114.	1.3	62
104	N-Acetyl-seryl-aspartyl-lysyl-proline Alleviates Renal Fibrosis Induced by Unilateral Ureteric Obstruction in BALB/C Mice. <i>Mediators of Inflammation</i> , 2015, 2015, 1-10.	1.4	10
105	Mediators of Inflammation: Inflammation in Cancer, Chronic Diseases, and Wound Healing. <i>Mediators of Inflammation</i> , 2015, 2015, 1-2.	1.4	21
106	Fibroblast Growth Factor 23 and Vascular Calcification: Is It Set in Stone?. <i>American Journal of Nephrology</i> , 2015, 42, 389-390.	1.4	0
107	Screening Algorithm for BK Virus-Associated Nephropathy Using Sequential Testing of Urinary Cytology: A Probabilistic Model Analysis. <i>American Journal of Nephrology</i> , 2015, 42, 410-417.	1.4	8
108	Edible plants from traditional Chinese medicine is a promising alternative for the management of diabetic nephropathy. <i>Journal of Functional Foods</i> , 2015, 14, 12-22.	1.6	18

#	ARTICLE	IF	CITATIONS
109	Diabetic Nephropathy and Proximal Tubular Damage. , 2015, 25, 230-233.		19
110	BMP7 reduces inflammation and oxidative stress in diabetic tubulopathy. Clinical Science, 2015, 128, 269-280.	1.8	34
111	Combined blockade of angiotensin II and prorenin receptors ameliorates podocytic apoptosis induced by IgA-activated mesangial cells. Apoptosis: an International Journal on Programmed Cell Death, 2015, 20, 907-920.	2.2	13
112	The Treatment of IgA Nephropathy. Kidney Diseases (Basel, Switzerland), 2015, 1, 19-26.	1.2	7
113	Therapeutic Effects of Herbal Chemicals in Traditional Chinese Medicine on Alzheimer's Disease. Current Medicinal Chemistry, 2015, 22, 2392-2403.	1.2	29
114	Mesenchymal Stem Cells Modulate Albumin-Induced Renal Tubular Inflammation and Fibrosis. PLoS ONE, 2014, 9, e90883.	1.1	64
115	Tissue Kallikrein Mediates Pro-Inflammatory Pathways and Activation of Protease-Activated Receptor-4 in Proximal Tubular Epithelial Cells. PLoS ONE, 2014, 9, e88894.	1.1	36
116	Crosstalk between Podocytes and Tubular Epithelial Cells. Contributions To Nephrology, 2014, , 54-63.	1.1	4
117	Albumin and glycated albumin activate KIM-1 release in tubular epithelial cells through distinct kinetics and mechanisms. Inflammation Research, 2014, 63, 831-839.	1.6	3
118	Toll-like receptor activation: from renal inflammation to fibrosis. Kidney International Supplements, 2014, 4, 20-25.	4.6	70
119	Simultaneous determination of berberine and palmatine in human plasma and in urine by capillary electrophoresis combined with polypropylene hollow fiber liquid-liquid microextraction. Analytical Methods, 2014, 6, 7928-7934.	1.3	14
120	BMP7 represses albumin-induced chemokine synthesis in kidney tubular epithelial cells through destabilization of NF- κ B-inducing kinase. Immunology and Cell Biology, 2014, 92, 427-435.	1.0	12
121	Toll-like receptors: sensing and reacting to diabetic injury in the kidney. Nephrology Dialysis Transplantation, 2014, 29, 746-754.	0.4	67
122	The TLR4 antagonist CRX-526 protects against advanced diabetic nephropathy. Kidney International, 2013, 83, 887-900.	2.6	106
123	Intestinal absorption and bioavailability of traditional Chinese medicines: a review of recent experimental progress and implication for quality control. Journal of Pharmacy and Pharmacology, 2013, 65, 621-633.	1.2	41
124	Kidney injury molecule-1: More than just an injury marker of tubular epithelial cells?. Journal of Cellular Physiology, 2013, 228, 917-924.	2.0	117
125	Hepatitis C Virus-Associated Glomerulonephritis. Contributions To Nephrology, 2013, 181, 194-206.	1.1	11
126	An ACACB Variant Implicated in Diabetic Nephropathy Associates with Body Mass Index and Gene Expression in Obese Subjects. PLoS ONE, 2013, 8, e56193.	1.1	11

#	ARTICLE	IF	CITATIONS
127	Current practices in the management of diabetic nephropathy. <i>Journal of the Royal College of Physicians of Edinburgh</i> , The, 2013, 43, 330-333.	0.2	19
128	A Study of the Clinical and Biochemical Profile of Peritoneal Dialysis Fluid Low in Glucose Degradation Products. <i>Peritoneal Dialysis International</i> , 2012, 32, 280-291.	1.1	37
129	Aliskiren combined with losartan in immunoglobulin A nephropathy: an open-labeled pilot study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 613-618.	0.4	35
130	Toll-Like Receptor 4 Promotes Tubular Inflammation in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 86-102.	3.0	313
131	Quantification of BK Viral Load in Asymptomatic Renal Allograft Recipients. <i>Renal Failure</i> , 2012, 34, 550-554.	0.8	5
132	Impact of nephrotic edema of the lower limbs on obstructive sleep apnea: gathering a unifying concept for the pathogenetic role of nocturnal rostral fluid shift. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2788-2794.	0.4	26
133	The role of leptin and its short-form receptor in inflammation in db/db mice infused with peritoneal dialysis fluid. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3119-3129.	0.4	11
134	The pathogenic role of the renal proximal tubular cell in diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3049-3056.	0.4	170
135	Comparative Analysis of Caffeoylquinic Acids and Lignans in Roots and Seeds among Various Burdock (<i>Arctium lappa</i>) Genotypes with High Antioxidant Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 4067-4075.	2.4	75
136	Distinct role of matrix metalloproteinase-3 in kidney injury molecule-1 shedding by kidney proximal tubular epithelial cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 1040-1050.	1.2	39
137	The Renin-Angiotensin System. <i>Contributions To Nephrology</i> , 2011, 170, 135-144.	1.1	22
138	Diabetic Tubulopathy: An Emerging Entity. <i>Contributions To Nephrology</i> , 2011, 170, 124-134.	1.1	100
139	Immunomodulatory Agents against IgA Nephropathy. <i>Advances in Oto-Rhino-Laryngology</i> , 2011, 72, 45-49.	1.6	0
140	GAS IN THE RENAL SHADOW OF A PLAIN ABDOMINAL X-RAY: EMPHYSEMATOUS PYELONEPHRITIS. <i>Nephrology</i> , 2011, 16, 119-120.	0.7	0
141	TRANSPLANT KIDNEY HERNIATION IN AN ELDERLY PATIENT. <i>Nephrology</i> , 2011, 16, 349-350.	0.7	4
142	PYREXIA OF UNKNOWN ORIGIN AND PROTEINURIA: AN ENIGMA SOLVED BY RENAL BIOPSY. <i>Nephrology</i> , 2011, 16, 249-250.	0.7	0
143	Differential effects of advanced glycation end-products on renal tubular cell inflammation. <i>Nephrology</i> , 2011, 16, 417-425.	0.7	29
144	Additive renoprotective effects of B2-kinin receptor blocker and PPAR- β agonist in uninephrectomized db/db mice. <i>Laboratory Investigation</i> , 2011, 91, 1351-1362.	1.7	22

#	ARTICLE	IF	CITATIONS
145	Additive effect of PPAR- β agonist and ARB in treatment of experimental IgA nephropathy. <i>Pediatric Nephrology</i> , 2011, 26, 257-266.	0.9	25
146	Oxidative damages in tubular epithelial cells in IgA nephropathy: role of crosstalk between angiotensin II and aldosterone. <i>Journal of Translational Medicine</i> , 2011, 9, 169.	1.8	29
147	Clinical Course and Outcomes of Single-Organism <i>Enterococcus</i> Peritonitis in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2011, 31, 522-528.	1.1	26
148	Recent Advances in IgA Nephropathy – The Glomerulopodocytic-Tubular Communication. <i>Advances in Oto-Rhino-Laryngology</i> , 2011, 72, 40-44.	1.6	26
149	TRANSHEPATIC PLACEMENT OF HAEMODIALYSIS CATHETER: A SOLUTION FOR VASCULAR ACCESS EXHAUSTION. <i>Nephrology</i> , 2010, 15, 661-662.	0.7	4
150	Sleep apnea is a novel risk predictor of cardiovascular morbidity and death in patients receiving peritoneal dialysis. <i>Kidney International</i> , 2010, 77, 1031-1038.	2.6	58
151	Colonic Diverticulosis as a Risk Factor for Peritonitis in Chinese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2010, 30, 187-191.	1.1	32
152	Bradykinin and high glucose promote renal tubular inflammation. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 698-710.	0.4	58
153	Renoprotection by Rosiglitazone in Accelerated Type 2 Diabetic Nephropathy: Role of STAT1 Inhibition and Neph rin Restoration. <i>American Journal of Nephrology</i> , 2010, 32, 145-155.	1.4	28
154	In vitro enhanced chemotaxis of CD25+ mononuclear cells in patients with familial IgAN through glomerulotubular interactions. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F359-F368.	1.3	8
155	Long-term study of mycophenolate mofetil treatment in IgA nephropathy. <i>Kidney International</i> , 2010, 77, 543-549.	2.6	147
156	The acetyl-coenzyme A carboxylase beta (ACACB) gene is associated with nephropathy in Chinese patients with type 2 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3931-3934.	0.4	37
157	Diabetic nephropathy: a global and growing threat. <i>Hong Kong Medical Journal</i> , 2010, 16, 244-5.	0.1	20
158	The ubiquitin-proteasome pathway and IgA nephropathy: a novel link?. <i>Kidney International</i> , 2009, 75, 457-459.	2.6	11
159	Macromolecular IgA1 taken from patients with familial IgA Nephropathy or their asymptomatic relatives have higher reactivity to mesangial cells in vitro. <i>Kidney International</i> , 2009, 75, 1330-1339.	2.6	32
160	Improvement in Sleep Apnea during Nocturnal Peritoneal Dialysis Is Associated with Reduced Airway Congestion and Better Uremic Clearance. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 410-418.	2.2	105
161	Crosstalk between peroxisome proliferator-activated receptor- β and angiotensin II in renal tubular epithelial cells in IgA nephropathy. <i>Clinical Immunology</i> , 2009, 132, 266-276.	1.4	32
162	Roles of Neutrophil Gelatinase-Associated Lipocalin in Continuous Ambulatory Peritoneal Dialysis-Related Peritonitis. <i>Journal of Clinical Immunology</i> , 2009, 29, 365-378.	2.0	24

#	ARTICLE	IF	CITATIONS
163	Other Immunomodulatory Agents. , 2009, , 339-348.		0
164	Complement Activation. , 2009, , 237-241.		0
165	Routine Investigations for Dialysis Patients. , 2009, , 301-305.		0
166	Assessment of Patients with Renal Diseases. , 2009, , 3-13.		0
167	Rhodococcus lung abscess complicating kidney transplantation: successful management by combination antibiotic therapy. <i>Transplant Infectious Disease</i> , 2008, 10, 44-47.	0.7	26
168	Activation of podocytes by mesangial-derived TNF- α : glomerulo-podocytic communication in IgA nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F945-F955.	1.3	116
169	Angiotensin converting enzyme inhibitor but not angiotensin receptor blockade or statin ameliorates murine adriamycin nephropathy. <i>Kidney International</i> , 2008, 73, 288-299.	2.6	35
170	BMP-7 protects mesangial cells from injury by polymeric IgA. <i>Kidney International</i> , 2008, 74, 1026-1039.	2.6	23
171	Podocyte injury induced by mesangial-derived cytokines in IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 62-72.	0.4	135
172	Regulation of CCN2/CTGF and related cytokines in cultured peritoneal cells under conditions simulating peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 458-469.	0.4	31
173	Does automated peritoneal dialysis provide better outcomes than continuous ambulatory peritoneal dialysis?. <i>Nature Clinical Practice Nephrology</i> , 2007, 3, 596-597.	2.0	3
174	A pilot study on tacrolimus treatment in membranous or quiescent lupus nephritis with proteinuria resistant to angiotensin inhibition or blockade. <i>Lupus</i> , 2007, 16, 46-51.	0.8	68
175	Delaying initiation of dialysis till symptomatic uraemia--is it too late?. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1926-1932.	0.4	51
176	Synthesis of TNF- α by mesangial cells cultured with polymeric anionic IgA role of MAPK and NF- κ B. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 72-81.	0.4	59
177	Interaction between proximal tubular epithelial cells and infiltrating monocytes/T cells in the proteinuric state. <i>Kidney International</i> , 2007, 71, 526-538.	2.6	49
178	Glycosylation Profile of Differently Charged IgA1 and Their Binding Characteristics to Cultured Mesangial Cells in IgA Nephropathy. <i>Nephron Experimental Nephrology</i> , 2007, 107, e107-e118.	2.4	4
179	Prospective controlled study on mycophenolate mofetil and prednisolone in the treatment of membranous nephropathy with nephrotic syndrome. <i>Nephrology</i> , 2007, 12, 576-581.	0.7	64
180	Inability to start hemodialysis after a smooth temporary hemodialysis catheter insertion procedure. <i>Hemodialysis International</i> , 2007, 11, 32-4.	0.4	0

#	ARTICLE	IF	CITATIONS
181	Tired but can't sleep. <i>Peritoneal Dialysis International</i> , 2007, 27, 647-50.	1.1	2
182	Activation of Tubular Epithelial Cells in Diabetic Nephropathy and the Role of the Peroxisome Proliferator-Activated Receptor- β Agonist. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1633-1643.	3.0	81
183	Alleviation of Sleep Apnea in Patients with Chronic Renal Failure by Nocturnal Cycler-Assisted Peritoneal Dialysis Compared with Conventional Continuous Ambulatory Peritoneal Dialysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2607-2616.	3.0	131
184	A sleep study with positional hypoxemia. <i>Sleep Medicine</i> , 2006, 7, 383-384.	0.8	0
185	Leptin induces TGF- β 2 synthesis through functional leptin receptor expressed by human peritoneal mesothelial cell. <i>Kidney International</i> , 2006, 69, 2078-2086.	2.6	45
186	Hepatitis B-related membranous nephropathy should be treated with a specific anti-viral agent. <i>Kidney International</i> , 2006, 70, 818.	2.6	6
187	Diagnosis of Patent Processus Vaginalis by Computed Tomography Peritoneography in Continuous Ambulatory Peritoneal Dialysis. <i>Hong Kong Journal of Nephrology</i> , 2006, 8, 78-79.	0.0	0
188	Quiz Page Answers August 2006. <i>American Journal of Kidney Diseases</i> , 2006, 48, e11-e12.	2.1	0
189	Ganoderma extract prevents albumin-induced oxidative damage and chemokines synthesis in cultured human proximal tubular epithelial cells. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1188-1197.	0.4	22
190	Conversion of ciclosporin A to tacrolimus in kidney transplant recipients with chronic allograft nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3243-3251.	0.4	12
191	Chronic viral hepatitis in hemodialysis patients. <i>Hemodialysis International</i> , 2005, 9, 169-179.	0.4	49
192	Minimal and optimal peritoneal Kt/V targets: Results of an anuric peritoneal dialysis patient's survival analysis. <i>Kidney International</i> , 2005, 67, 2032-2038.	2.6	52
193	Mycophenolate mofetil alleviates persistent proteinuria in IgA nephropathy. <i>Kidney International</i> , 2005, 68, 802-812.	2.6	149
194	Lamivudine in hepatitis B-associated membranous nephropathy. <i>Kidney International</i> , 2005, 68, 1750-1758.	2.6	113
195	Activation of tubular epithelial cells by mesangial-derived TNF- α : Glomerulotubular communication in IgA nephropathy. <i>Kidney International</i> , 2005, 67, 602-612.	2.6	92
196	Differential expression of aquaporins in the kidneys of streptozotocin-induced diabetic mice. <i>Nephrology</i> , 2005, 10, 63-72.	0.7	13
197	Treatment for lupus nephritis: A revisit. Review Article. <i>Nephrology</i> , 2005, 10, 180-188.	0.7	20
198	Angiotensin inhibition or blockade for the treatment of patients with quiescent lupus nephritis and persistent proteinuria. <i>Lupus</i> , 2005, 14, 947-952.	0.8	54

#	ARTICLE	IF	CITATIONS
199	Tubular Expression of Angiotensin II Receptors and Their Regulation in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2306-2317.	3.0	70
200	Glucose degradation products downregulate ZO-1 expression in human peritoneal mesothelial cells: the role of VEGF. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1336-1349.	0.4	55
201	Glomerular Pathology of Allograft Kidneys in Hong Kong. <i>Transplantation Proceedings</i> , 2005, 37, 4293-4296.	0.3	7
202	Spousal renal donor transplantation in Chinese subjects: a 10 year experience from a single centre. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 203-206.	0.4	21
203	Anti-macrophage migration inhibitory factor reduces transforming growth factor- α 1 expression in experimental IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1976-1985.	0.4	44
204	Differential expression of receptors for advanced glycation end-products in peritoneal mesothelial cells exposed to glucose degradation products. <i>Clinical and Experimental Immunology</i> , 2004, 138, 466-475.	1.1	39
205	Mesangial expression of angiotensin II receptor in IgA nephropathy and its regulation by polymeric IgA1. <i>Kidney International</i> , 2004, 66, 1403-1416.	2.6	44
206	Physiologic Inhibitors of Coagulation in Patients on Chronic Hemodialysis. <i>Hemodialysis International</i> , 2003, 7, 232-238.	0.4	0
207	Successful treatment of hepatitis C after kidney transplantation with combined interferon alpha-2b and ribavirin. <i>Journal of Hepatology</i> , 2003, 39, 875-878.	1.8	58
208	Polymeric IgA1 from Patients with IgA Nephropathy Upregulates Transforming Growth Factor- β 2 Synthesis and Signal Transduction in Human Mesangial Cells via the Renin-Angiotensin System. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 3127-3137.	3.0	80
209	Video-assisted thoracoscopic talc pleurodesis is effective for maintenance of peritoneal dialysis in acute hydrothorax complicating peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 804-808.	0.4	81
210	Polymeric IgA increases the synthesis of macrophage migration inhibitory factor by human mesangial cells in IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 36-45.	0.4	48
211	Albumin stimulates interleukin-8 expression in proximal tubular epithelial cells in vitro and in vivo. <i>Journal of Clinical Investigation</i> , 2003, 111, 515-527.	3.9	234
212	Role of Complement in Tubulointerstitial Injury from Proteinuria. <i>Kidney and Blood Pressure Research</i> , 2002, 25, 120-126.	0.9	28
213	Characteristics of Polymeric α -IgA Binding to Leukocytes in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2309-2319.	3.0	15
214	Post-transplantation Lymphoproliferative Disease in Chinese: The Queen Mary Hospital Experience in Hong Kong. <i>Leukemia and Lymphoma</i> , 2002, 43, 1403-1407.	0.6	18
215	Free-hand, ultrasound-guided percutaneous renal biopsy: experience from a single operator. <i>European Journal of Radiology</i> , 2002, 41, 65-69.	1.2	42
216	Size-dependent binding of IgA to HepG2, U937, and human mesangial cells. <i>Translational Research</i> , 2002, 140, 398-406.	2.4	27

#	ARTICLE	IF	CITATIONS
217	Real-time quantitative analysis of polyoma BK viremia and viruria in renal allograft recipients. <i>Journal of Virological Methods</i> , 2002, 103, 51-56.	1.0	78
218	Increased sialylation of polymeric ?-IgA1 in patients with IgA nephropathy. <i>Journal of Clinical Laboratory Analysis</i> , 2002, 16, 11-19.	0.9	38
219	Transferrin up-regulates chemokine synthesis by human proximal tubular epithelial cells: Implication on mechanism of tubuloglomerular communication in glomerulopathic proteinuria. <i>Kidney International</i> , 2002, 61, 1655-1665.	2.6	45
220	Transferrin but not albumin mediates stimulation of complement C3 biosynthesis in human proximal tubular epithelial cells. <i>American Journal of Kidney Diseases</i> , 2001, 37, 94-103.	2.1	45
221	Charge-dependent binding of polymeric IgA1 to human mesangial cells in IgA nephropathy. <i>Kidney International</i> , 2001, 59, 277-285.	2.6	53
222	INCREASED SURVIVAL OF MESOTHELIAL CELLS FROM THE PERITONEUM IN PERITONEAL DIALYSIS FLUID. <i>Cell Biology International</i> , 2001, 25, 445-450.	1.4	7
223	Tuberculosis infection in Chinese patients undergoing continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2001, 38, 1055-1060.	2.1	64
224	Risk factors for avascular bone necrosis after renal transplantation. <i>Transplantation Proceedings</i> , 2000, 32, 1873-1875.	0.3	48
225	Treatment of membranous lupus nephritis with nephrotic syndrome by sequential immunosuppression. <i>Lupus</i> , 1999, 8, 545-551.	0.8	66
226	Benefits of exercise training in patients on continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1998, 32, 1011-1018.	2.1	53
227	Resolution of eosinophilic peritonitis with Ketotifen. <i>American Journal of Kidney Diseases</i> , 1997, 30, 433-436.	2.1	29