

Nicholas Hart

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5680525/nicholas-hart-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

8,021
citations

48
h-index

85
g-index

227
ext. papers

9,851
ext. citations

7.4
avg, IF

5.75
L-index

#	Paper	IF	Citations
190	Non-Invasive Ventilation in Acute, Post-Acute and Stable COPD 2022 , 244-260		
189	Improving physical function of patients following intensive care unit admission (EMPRESS): protocol of a randomised controlled feasibility trial.. <i>BMJ Open</i> , 2022 , 12, e055285	3	
188	A randomised controlled trial of non-invasive ventilation compared with extracorporeal carbon dioxide removal for acute hypercapnic exacerbations of chronic obstructive pulmonary disease.. <i>Annals of Intensive Care</i> , 2022 , 12, 36	8.9	1
187	Nasal versus oronasal masks for home non-invasive ventilation in patients with chronic hypercapnia: a systematic review and individual participant data meta-analysis. <i>Thorax</i> , 2021 , 76, 1108-1116	7.3	3
186	Parasternal electromyography as a surrogate measure of neural respiratory drive: Practical application and validity of surface and implanted fine wire methods. <i>Respiratory Physiology and Neurobiology</i> , 2021 , 287, 103602	2.8	1
185	Patient-Ventilator Synchronization During Non-invasive Ventilation: A Pilot Study of an Automated Analysis System.. <i>Frontiers in Medical Technology</i> , 2021 , 3, 690442	1.9	
184	Prolonged Ventilatory Support for Patients Recovering From Guillain-Barré Syndrome. <i>Neurology: Clinical Practice</i> , 2021 , 11, 18-24	1.7	
183	The Noninvasive Ventilation Outcomes (NIVO) score: prediction of in-hospital mortality in exacerbations of COPD requiring assisted ventilation. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	1
182	Home parasternal electromyography tracks patient-reported and physiological measures of recovery from severe COPD exacerbation. <i>ERJ Open Research</i> , 2021 , 7,	3.5	1
181	Second intercostal space electromyography as a measure of neural respiratory drive: Clinical utility and validity. <i>Respiratory Physiology and Neurobiology</i> , 2021 , 290, 103683	2.8	1
180	Relationship Between Skeletal Muscle Area and Density and Clinical Outcome in Adults Receiving Venovenous Extracorporeal Membrane Oxygenation. <i>Critical Care Medicine</i> , 2021 , 49, e350-e359	1.4	1
179	Respiratory subtype of relapsing polychondritis frequently presents as difficult asthma: a descriptive study of respiratory involvement in relapsing polychondritis with 13 patients from a single UK centre. <i>ERJ Open Research</i> , 2021 , 7,	3.5	4
178	External heated humidification during non-invasive ventilation set up: results from a pilot cross-over clinical trial. <i>European Respiratory Journal</i> , 2020 , 55,	13.6	1
177	Time-to-death in chronic respiratory failure on home mechanical ventilation: A cohort study. <i>Respiratory Medicine</i> , 2020 , 162, 105877	4.6	11
176	In vivo carbon dioxide clearance of a low-flow extracorporeal carbon dioxide removal circuit in patients with acute exacerbations of chronic obstructive pulmonary disease. <i>Perfusion (United Kingdom)</i> , 2020 , 35, 436-441	1.9	6
175	Effect of Intermittent or Continuous Feed on Muscle Wasting in Critical Illness: A Phase 2 Clinical Trial. <i>Chest</i> , 2020 , 158, 183-194	5.3	28
174	Autotitrating external positive end-expiratory airway pressure to abolish expiratory flow limitation during tidal breathing in patients with severe COPD: a physiological study. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	8

173	High-flow therapy: physiological effects and clinical applications. <i>Breathe</i> , 2020 , 16, 200224	1.8	9
172	The Effect of Hospital Discharge with Empiric Noninvasive Ventilation on Mortality in Hospitalized Patients with Obesity Hypoventilation Syndrome. An Individual Patient Data Meta-Analysis. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 627-637	4.7	8
171	Step-down from non-invasive ventilation to continuous positive airway pressure: A better phenotyping is required. <i>Respirology</i> , 2020 , 25, 456	3.6	2
170	Response. <i>Chest</i> , 2020 , 158, 2708-2711	5.3	
169	Long-term adherence to home mechanical ventilation: a 10-year retrospective, single-centre cohort study. <i>Journal of Thoracic Disease</i> , 2020 , 12, S120-S128	2.6	2
168	The value of a post-polio syndrome self-management programme. <i>Journal of Thoracic Disease</i> , 2020 , 12, S153-S162	2.6	2
167	Long-term survival following initiation of home non-invasive ventilation: a European study. <i>Thorax</i> , 2020 , 75, 965-973	7.3	10
166	BPAP is an effective second-line therapy for obese patients with OSA failing regular CPAP: A prospective observational cohort study. <i>Respirology</i> , 2020 , 25, 443-448	3.6	7
165	In-vitro performance of a low flow extracorporeal carbon dioxide removal circuit. <i>Perfusion (United Kingdom)</i> , 2020 , 35, 227-235	1.9	7
164	European Respiratory Society guidelines on long-term home non-invasive ventilation for management of COPD. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	83
163	Non-invasive ventilation for obese patients with chronic respiratory failure: Are two pressures always better than one?. <i>Respirology</i> , 2019 , 24, 952-961	3.6	3
162	Neural respiratory drive predicts long-term outcome following admission for exacerbation of COPD: a post hoc analysis. <i>Thorax</i> , 2019 , 74, 910-913	7.3	7
161	Improving uptake and completion of pulmonary rehabilitation in COPD with lay health workers: feasibility of a clinical trial. <i>International Journal of COPD</i> , 2019 , 14, 631-643	3	10
160	Obesity hypoventilation syndrome: is less really more?. <i>Lancet, The</i> , 2019 , 393, 1674-1676	4.0	2
159	Pulmonary rehabilitation, physical activity, respiratory failure and palliative respiratory care. <i>Thorax</i> , 2019 , 74, 693-699	7.3	7
158	β-Hydroxy-β-methylbutyrate and its impact on skeletal muscle mass and physical function in clinical practice: a systematic review and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1119-1132	7.32	44
157	Home mechanical ventilation for chronic obstructive pulmonary disease: What next after the HOT-HMV trial?. <i>Respirology</i> , 2019 , 24, 732-739	3.6	7
156	Evaluation and Management of Obesity Hypoventilation Syndrome. An Official American Thoracic Society Clinical Practice Guideline. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, e6-e24	10.2	84

155	Domiciliary use of transcutaneous electrical stimulation for patients with obstructive sleep apnoea: a conceptual framework for the TESLA home programme. <i>Journal of Thoracic Disease</i> , 2019 , 11, 2153-2164	2.6	11
154	Prevention of Morbidity in Sickle Cell Disease (POMS2a)-overnight auto-adjusting continuous positive airway pressure compared with nocturnal oxygen therapy: a randomised crossover pilot study examining patient preference and safety in adults and children. <i>Trials</i> , 2019 , 20, 442	2.8	3
153	Extracorporeal carbon dioxide removal for acute hypercapnic exacerbations of chronic obstructive pulmonary disease: study protocol for a randomised controlled trial. <i>Trials</i> , 2019 , 20, 465	2.8	6
152	Protocolised non-invasive compared with invasive weaning from mechanical ventilation for adults in intensive care: the Breathe RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-114	4.4	2
151	Mechanisms of hypoxaemia and hypercapnia 2019 , 1-7		
150	Inhaled Corticosteroids Prescribed for COPD Patients with Mild or Moderate Airflow Limitation: Who Warrants a Trial of Withdrawal?. <i>International Journal of COPD</i> , 2019 , 14, 3063-3066	3	3
149	Patient and Family Centered Actionable Processes of Care and Performance Measures for Persistent and Chronic Critical Illness: A Systematic Review 2019 , 1, e0005		14
148	Control of Confounding and Reporting of Results in Causal Inference Studies. Guidance for Authors from Editors of Respiratory, Sleep, and Critical Care Journals. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 22-28	4.7	267
147	Low Levels of Physical Activity During Critical Illness and Weaning: The Evidence-Reality Gap. <i>Journal of Intensive Care Medicine</i> , 2019 , 34, 818-827	3.3	17
146	Polysomnography versus limited respiratory monitoring and nurse-led titration to optimise non-invasive ventilation set-up: a pilot randomised clinical trial. <i>Thorax</i> , 2019 , 74, 83-86	7.3	16
145	Home Non-Invasive Ventilation for COPD: How, Who and When?. <i>Archivos De Bronconeumologia</i> , 2018 , 54, 149-154	0.7	
144	Home Non-Invasive Ventilation for COPD: How, Who and When?. <i>Archivos De Bronconeumologia</i> , 2018 , 54, 149-154	0.7	9
143	Obesity, Respiratory Mechanics and Its Impact on the Work of Breathing, Neural Respiratory Drive, Gas Exchange and the Development of Sleep-Disordered Breathing 2018 , 15-25		
142	Nonvolitional assessment of tibialis anterior force and architecture during critical illness. <i>Muscle and Nerve</i> , 2018 , 57, 964-972	3.4	15
141	Uptake of telehealth implementation for COPD patients in a high-poverty, inner-city environment: A survey. <i>Chronic Respiratory Disease</i> , 2018 , 15, 81-84	3	2
140	Nutrition and Exercise Rehabilitation in Obesity hypoventilation syndrome (NERO): a pilot randomised controlled trial. <i>Thorax</i> , 2018 , 73, 62-69	7.3	26
139	Physical Rehabilitation Core Outcomes In Critical illness (PRACTICE): protocol for development of a core outcome set. <i>Trials</i> , 2018 , 19, 294	2.8	22
138	Metabolic phenotype of skeletal muscle in early critical illness. <i>Thorax</i> , 2018 , 73, 926-935	7.3	77

137	Overnight auto-adjusting continuous airway pressure + standard care compared with standard care alone in the prevention of morbidity in sickle cell disease phase II (POMS2b): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 55	2.8	11
136	Continuous or intermittent feeding: pros and cons. <i>Current Opinion in Critical Care</i> , 2018 , 24, 256-261	3.5	16
135	COPD Home Oxygen Therapy and Home Mechanical Ventilation: Improving Admission-Free Survival in Persistent Hypercapnic COPD. <i>Chest</i> , 2018 , 153, 1499-1500	5.3	3
134	The effect of positive and negative message framing on short term continuous positive airway pressure compliance in patients with obstructive sleep apnea. <i>Journal of Thoracic Disease</i> , 2018 , 10, S160-S169 ¹⁹	2.6	19
133	Positive airway pressure devices for the management of breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2018 , 12, 246-252	2.6	4
132	COST-EFFECTIVENESS OF HOME OXYGEN THERAPY-HOME MECHANICAL VENTILATION (HOT-HMV) FOR TREATMENT OF COPD WITH CHRONIC HYPERCAPNIC RESPIRATORY FAILURE FOLLOWING AN ACUTE EXACERBATION OF COPD IN THE US. <i>Chest</i> , 2018 , 154, 782A-783A	5.3	2
131	Effect of Protocolized Weaning With Early Extubation to Noninvasive Ventilation vs Invasive Weaning on Time to Liberation From Mechanical Ventilation Among Patients With Respiratory Failure: The Breathe Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1881-1888	27.4	30
130	Monitoring Cough Effectiveness and Use of Airway Clearance Strategies: A Canadian and UK Survey. <i>Respiratory Care</i> , 2018 , 63, 1506-1513	2.1	6
129	Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. <i>Intensive Care Medicine</i> , 2017 , 43, 531-542	14.5	82
128	Let air out of the bowel to allow more air in the lungs: surgical treatment of weaning failure. <i>Thorax</i> , 2017 , 72, 1169-1170	7.3	1
127	Understanding factors influencing physical activity and exercise in lung cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2017 , 25, 983-999	3.9	48
126	Variation in Definition of Prolonged Mechanical Ventilation. <i>Respiratory Care</i> , 2017 , 62, 1324-1332	2.1	27
125	Effect of Home Noninvasive Ventilation With Oxygen Therapy vs Oxygen Therapy Alone on Hospital Readmission or Death After an Acute COPD Exacerbation: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 2177-2186	27.4	254
124	The ICM research agenda on intensive care unit-acquired weakness. <i>Intensive Care Medicine</i> , 2017 , 43, 1270-1281	14.5	95
123	Rectus Femoris Cross-Sectional Area and Muscle Layer Thickness: Comparative Markers of Muscle Wasting and Weakness. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 136-138	10.2	53
122	Recovery after critical illness: putting the puzzle together-a consensus of 29. <i>Critical Care</i> , 2017 , 21, 296	10.8	79
121	The role of nutritional support in the physical and functional recovery of critically ill patients: a narrative review. <i>Critical Care</i> , 2017 , 21, 226	10.8	44
120	Noninvasive Respiratory Care Received by Individuals With Duchenne Muscular Dystrophy Since 1979. <i>Respiratory Care</i> , 2017 , 62, 1120-1121	2.1	1

119	Patient- and family-centered performance measures focused on actionable processes of care for persistent and chronic critical illness: protocol for a systematic review. <i>Systematic Reviews</i> , 2017 , 6, 84	3	2
118	Neuromuscular Blockade in the 21st Century Management of the Critically Ill Patient. <i>Chest</i> , 2017 , 151, 697-706	5.3	36
117	Neuromuscular electrical stimulation to improve exercise capacity in patients with severe COPD - AuthorsPreply. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, e16	35.1	2
116	Trial of Portable Continuous Positive Airway Pressure for the Management of Tracheobronchomalacia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 193, e57	10.2	8
115	Comparative study of linear and curvilinear ultrasound probes to assess quadriceps rectus femoris muscle mass in healthy subjects and in patients with chronic respiratory disease. <i>BMJ Open Respiratory Research</i> , 2016 , 3, e000103	5.6	12
114	Neuromuscular electrical stimulation to improve exercise capacity in patients with severe COPD: a randomised double-blind, placebo-controlled trial. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, 27-36	35.1	87
113	LATE-BREAKING ABSTRACT: Improving admission free survival with home mechanical ventilation (HMV) and home oxygen therapy (HOT) following life threatening COPD exacerbations: HoT-HMV UK Trial NCT00990132 2016 ,		3
112	An Exploratory Study of Long-Term Outcome Measures in Critical Illness Survivors: Construct Validity of Physical Activity, Frailty, and Health-Related Quality of Life Measures. <i>Critical Care Medicine</i> , 2016 , 44, e362-9	1.4	26
111	Correlates of obesity-related chronic ventilatory failure. <i>BMJ Open Respiratory Research</i> , 2016 , 3, e0001106	1.06	19
110	NoSAS score associated with arterial stiffness in a large cohort of healthy individuals. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, e54	35.1	6
109	Prospective observational cohort study of patients with weaning failure admitted to a specialist weaning, rehabilitation and home mechanical ventilation centre. <i>BMJ Open</i> , 2016 , 6, e010025	3	10
108	Randomised sham-controlled trial of transcutaneous electrical stimulation in obstructive sleep apnoea. <i>Thorax</i> , 2016 , 71, 923-31	7.3	28
107	Klotho and smoking--An interplay influencing the skeletal muscle function deficits that occur in COPD. <i>Respiratory Medicine</i> , 2016 , 113, 50-6	4.6	16
106	The Olympic rings of Duchenne muscular dystrophy - cardiac computed tomography wins gold. <i>Revista Portuguesa De Cardiologia</i> , 2016 , 35, 551-2	1	0
105	Barriers to Translation of Physical Activity into the Lung Cancer Model of Care. A Qualitative Study of CliniciansPPerspectives. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 2215-2222	4.7	27
104	Exercise rehabilitation following intensive care unit discharge for recovery from critical illness: executive summary of a Cochrane Collaboration systematic review. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 520-526	10.3	28
103	Ultrasound for the assessment of peripheral skeletal muscle architecture in critical illness: a systematic review. <i>Critical Care Medicine</i> , 2015 , 43, 897-905	1.4	68
102	Medium-term cost-effectiveness of an automated non-invasive ventilation outpatient set-up versus a standard fixed level non-invasive ventilation inpatient set-up in obese patients with chronic respiratory failure: a protocol description. <i>BMJ Open</i> , 2015 , 5, e007082	3	13


101	Guideline on the management of acute chest syndrome in sickle cell disease. <i>British Journal of Haematology</i> , 2015 , 169, 492-505	4.5	91
100	ANALYSIS OF AN ADULT DUCHENNE MUSCULAR DYSTROPHY POPULATION: TEN YEARS ON. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, e4.56-e4	5.5	
99	Parasternal electromyography to determine the relationship between patient-ventilator asynchrony and nocturnal gas exchange during home mechanical ventilation set-up. <i>Thorax</i> , 2015 , 70, 946-52	7.3	41
98	Air travel in chronic conditions. <i>Lancet Respiratory Medicine</i> , 2015 , 3, e36-7	35.1	
97	Is a raised bicarbonate, without hypercapnia, part of the physiologic spectrum of obesity-related hypoventilation?. <i>Chest</i> , 2015 , 147, 362-368	5.3	57
96	Neural respiratory drive predicts clinical deterioration and safe discharge in exacerbations of COPD. <i>Thorax</i> , 2015 , 70, 1123-30	7.3	43
95	A pilot study of change in fracture risk in patients with acute respiratory distress syndrome. <i>Critical Care</i> , 2015 , 19, 165	10.8	11
94	Prevention of Morbidity in sickle cell disease--qualitative outcomes, pain and quality of life in a randomised cross-over pilot trial of overnight supplementary oxygen and auto-adjusting continuous positive airways pressure (POMS2a): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 376	2.8	7
93	Exercise rehabilitation following intensive care unit discharge for recovery from critical illness. <i>The Cochrane Library</i> , 2015 , CD008632	5.2	55
92	Qualitative Ultrasound in Acute Critical Illness Muscle Wasting. <i>Critical Care Medicine</i> , 2015 , 43, 1603-11	1.4	101
91	The role of noninvasive ventilation in the management and mitigation of exacerbations and hospital admissions/readmissions for the patient with moderate to severe COPD (multimedia activity). <i>Chest</i> , 2015 , 147, 1704-1705	5.3	6
90	Exercise-based rehabilitation after hospital discharge for survivors of critical illness with intensive care unit-acquired weakness: A pilot feasibility trial. <i>Journal of Critical Care</i> , 2015 , 30, 589-98	4	30
89	The use of an online pictorial Epworth Sleepiness Scale in the assessment of age and gender specific differences in excessive daytime sleepiness. <i>Journal of Thoracic Disease</i> , 2015 , 7, 897-902	2.6	13
88	Respiratory management of the obese patient undergoing surgery. <i>Journal of Thoracic Disease</i> , 2015 , 7, 943-52	2.6	45
87	Skeletal muscle mass and mortality - but what about functional outcome?. <i>Critical Care</i> , 2014 , 18, 110	10.8	23
86	Outcomes for Obese Patients with Chronic Respiratory Failure. <i>Sleep Medicine Clinics</i> , 2014 , 9, 349-356	3.6	1
85	Observational study of the effect of obesity on lung volumes. <i>Thorax</i> , 2014 , 69, 752-9	7.3	113
84	Early feeding during critical illness. <i>Lancet Respiratory Medicine</i> , 2014 , 2, 15-7	35.1	8

83	Effect of postoperative physical training on activity after curative surgery for non-small cell lung cancer: a multicentre randomised controlled trial. <i>Physiotherapy</i> , 2014 , 100, 100-7	3	51
82	A randomized controlled trial of angiotensin-converting enzyme inhibition for skeletal muscle dysfunction in COPD. <i>Chest</i> , 2014 , 146, 932-940	5.3	22
81	Comparison of 7 versus 14 days wrist actigraphy monitoring in a sleep disorders clinic population. <i>Chronobiology International</i> , 2014 , 31, 356-62	3.6	19
80	Skeletal muscle adiposity is associated with physical activity, exercise capacity and fibre shift in COPD. <i>European Respiratory Journal</i> , 2014 , 44, 1188-98	13.6	46
79	A UK survey of rehabilitation following critical illness: implementation of NICE Clinical Guidance 83 (CG83) following hospital discharge. <i>BMJ Open</i> , 2014 , 4, e004963	3	38
78	A cohort study to identify simple clinical tests for chronic respiratory failure in obese patients with sleep-disordered breathing. <i>BMJ Open Respiratory Research</i> , 2014 , 1, e000022	5.6	18
77	An observational cohort study to determine efficacy, adherence and outcome of the early initiation of pressure support ventilation during mechanical ventilation. <i>BMJ Open Respiratory Research</i> , 2014 , 1, e000028	5.6	3
76	An official American Thoracic Society Clinical Practice guideline: the diagnosis of intensive care unit-acquired weakness in adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 1437-46	10.2	220
75	Acute muscle wasting among critically ill patients--reply. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 622-3	27.4	9
74	Rebuttal: Obesity hypoventilation syndrome (OHS): does the current definition need revisiting?P <i>Thorax</i> , 2014 , 69, 955	7.3	5
73	Obesity hypoventilation syndrome: does the current definition need revisiting?. <i>Thorax</i> , 2014 , 69, 83-4	7.3	34
72	Functional electrical stimulation with cycling in the critically ill: a pilot case-matched control study. <i>Journal of Critical Care</i> , 2014 , 29, 695.e1-7	4	45
71	Nocturnal pulse rate and symptomatic response in patients with obstructive sleep apnoea treated with continuous positive airway pressure for one year. <i>Journal of Thoracic Disease</i> , 2014 , 6, 598-605	2.6	7
70	Prolonged Weaning 2014 ,		1
69	Vitamin D and skeletal muscle strength and endurance in COPD. <i>European Respiratory Journal</i> , 2013 , 41, 309-16	13.6	33
68	Dysphagia in Duchenne muscular dystrophy assessed objectively by surface electromyography. <i>Dysphagia</i> , 2013 , 28, 188-98	3.7	15
67	Low flow nocturnal oxygen therapy does not suppress haemoglobin levels or increase painful crises in sickle cell disease. <i>British Journal of Haematology</i> , 2013 , 161, 455-6	4.5	10
66	Acute skeletal muscle wasting in critical illness. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1591-600	27.4	935

65	Tobacco industry lobbyists and their health-care clients. <i>Lancet, The</i> , 2013 , 381, 445	40	1
64	Admission prevention in COPD: non-pharmacological management. <i>BMC Medicine</i> , 2013 , 11, 247	11.4	12
63	Current opinions on non-invasive ventilation as a treatment for chronic obstructive pulmonary disease. <i>Current Opinion in Pulmonary Medicine</i> , 2013 , 19, 626-30	3	13
62	Provision of home mechanical ventilation and sleep services for England survey. <i>Thorax</i> , 2013 , 68, 880-1	7.3	24
61	Dysphagia in Duchenne muscular dystrophy assessed by validated questionnaire. <i>International Journal of Language and Communication Disorders</i> , 2013 , 48, 240-6	2.9	30
60	Economic assessment of home-based COPD management programs. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2013 , 10, 640-9	2	8
59	Clinical predictive value of manual muscle strength testing during critical illness: an observational cohort study. <i>Critical Care</i> , 2013 , 17, R229	10.8	77
58	CrossTalk proposal: training the respiratory muscles does not improve exercise tolerance. <i>Journal of Physiology</i> , 2012 , 590, 3393-5; discussion 3401	3.9	19
57	Rebuttal from Mehul S. Patel, Nicholas Hart and Michael I. Polkey. <i>Journal of Physiology</i> , 2012 , 590, 3399-3400	3.9	78
56	Obesity hypoventilation syndrome: the need for a multifaceted approach to treatment. <i>Chest</i> , 2012 , 142, 540-541	5.3	6
55	Exercise rehabilitation following hospital discharge in survivors of critical illness: an integrative review. <i>Critical Care</i> , 2012 , 16, 226	10.8	35
54	Volume targeted versus pressure support non-invasive ventilation in patients with super obesity and chronic respiratory failure: a randomised controlled trial. <i>Thorax</i> , 2012 , 67, 727-34	7.3	161
53	Early rehabilitation in critical care (eRiCC): functional electrical stimulation with cycling protocol for a randomised controlled trial. <i>BMJ Open</i> , 2012 , 2,	3	25
52	High pressure versus high intensity noninvasive ventilation in stable hypercapnic chronic obstructive pulmonary disease: a randomized crossover trial. <i>International Journal of COPD</i> , 2012 , 7, 811-8	13.8	52
51	Neuromuscular blockade and skeletal muscle weakness in critically ill patients: time to rethink the evidence?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 185, 911-7	10.2	52
50	Quadriceps wasting and physical inactivity in patients with COPD. <i>European Respiratory Journal</i> , 2012 , 40, 1115-22	13.6	218
49	Respiratory complications of obesity. <i>Clinical Medicine</i> , 2012 , 12, 75-8	1.9	22
48	Neural respiratory drive as a physiological biomarker to monitor change during acute exacerbations of COPD. <i>Thorax</i> , 2011 , 66, 602-8	7.3	73

47	Structure to function: muscle failure in critically ill patients. <i>Journal of Physiology</i> , 2010 , 588, 4641-8	3.9	55
46	Outpatient pulmonary rehabilitation following acute exacerbations of COPD. <i>Thorax</i> , 2010 , 65, 423-8	7.3	182
45	Neuromuscular blockers and ARDS. <i>New England Journal of Medicine</i> , 2010 , 363, 2563	59.2	12
44	Skeletal muscle dysfunction in critical care: wasting, weakness, and rehabilitation strategies. <i>Critical Care Medicine</i> , 2010 , 38, S676-82	1.4	68
43	Who benefits from home mechanical ventilation?. <i>Clinical Medicine</i> , 2009 , 9, 160-3	1.9	3
42	Intensive care unit acquired muscle weakness: when should we consider rehabilitation?. <i>Critical Care</i> , 2009 , 13, 167	10.8	8
41	Weakness in the ICU: a call to action. <i>Critical Care</i> , 2009 , 13, 1002	10.8	6
40	Prevalence of Nocturnal Hypoxia and Its Association with Disease Severity in Adults with Sickle Cell Disease.. <i>Blood</i> , 2009 , 114, 261-261	2.2	3
39	Sleep-disordered breathing in unilateral diaphragm paralysis or severe weakness. <i>European Respiratory Journal</i> , 2008 , 32, 1479-87	13.6	56
38	Mechanisms of improvement of respiratory failure in patients with COPD treated with NIV. <i>International Journal of COPD</i> , 2008 , 3, 453-62	3	34
37	Respiratory muscle testing: a valuable tool for children with neuromuscular disorders. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 174, 67-74	10.2	88
36	Critical care as part of respiratory medicine training in the UK. <i>Thorax</i> , 2006 , 61, 1013	7.3	1
35	Respiratory effects of combined truncal and abdominal support in patients with spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1447-51	2.8	43
34	Pump action: effect of maturation on respiratory muscle endurance. <i>Pediatric Pulmonology</i> , 2005 , 40, 181-2	3.5	
33	Mechanisms of improvement of respiratory failure in patients with restrictive thoracic disease treated with non-invasive ventilation. <i>Thorax</i> , 2005 , 60, 754-60	7.3	79
32	Inspiratory muscle load and capacity in chronic heart failure. <i>Thorax</i> , 2004 , 59, 477-82	7.3	23
31	Setting of noninvasive pressure support in young patients with cystic fibrosis. <i>European Respiratory Journal</i> , 2004 , 24, 624-30	13.6	52
30	Acute effect of oral steroids on muscle function in chronic obstructive pulmonary disease. <i>European Respiratory Journal</i> , 2004 , 24, 137-42	13.6	52

29	Depression of diaphragm motor cortex excitability during mechanical ventilation. <i>Journal of Applied Physiology</i> , 2004 , 97, 3-10	3.7	26
28	Respiratory muscle activity during REM sleep in patients with diaphragm paralysis. <i>Neurology</i> , 2004 , 62, 134-7	6.5	38
27	Burkholderia cepacia is associated with pulmonary hypertension and increased mortality among cystic fibrosis patients. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 5537-41	9.7	30
26	Effect of salmeterol on respiratory muscle activity during exercise in poorly reversible COPD. <i>Thorax</i> , 2004 , 59, 471-6	7.3	58
25	The effect of back-up rate during non-invasive ventilation in young patients with cystic fibrosis. <i>Intensive Care Medicine</i> , 2004 , 30, 673-81	14.5	35
24	Nutritional status is an important predictor of diaphragm strength in young patients with cystic fibrosis. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 1201-6	7	51
23	Cough augmentation with mechanical insufflation/exsufflation in patients with neuromuscular weakness. <i>European Respiratory Journal</i> , 2003 , 21, 502-8	13.6	249
22	Air leaks during mechanical ventilation as a cause of persistent hypercapnia in neuromuscular disorders. <i>Intensive Care Medicine</i> , 2003 , 29, 596-602	14.5	66
21	Measurement of diaphragm loading during pressure support ventilation. <i>Intensive Care Medicine</i> , 2003 , 29, 1960-6	14.5	13
20	Breathlessness associated with abdominal spastic contraction in a patient with C4 tetraplegia: a case report. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003 , 84, 906-8	2.8	13
19	The pulmonary physician in critical care * illustrative case 4: neuromusculoskeletal disorders. <i>Thorax</i> , 2003 , 58, 547-9	7.3	1
18	Limitations of sniff nasal pressure in patients with severe neuromuscular weakness. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003 , 74, 1685-7	5.5	53
17	Central fatigue of the diaphragm and quadriceps during incremental loading. <i>Lung</i> , 2002 , 180, 1-13	2.9	12
16	Changes in pulmonary mechanics with increasing disease severity in children and young adults with cystic fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 166, 61-6	10.2	96
15	A novel clinical test of respiratory muscle endurance. <i>European Respiratory Journal</i> , 2002 , 19, 232-9	13.6	28
14	Effect of severe isolated unilateral and bilateral diaphragm weakness on exercise performance. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 165, 1265-70	10.2	76
13	Effect of pattern and severity of respiratory muscle weakness on carbon monoxide gas transfer and lung volumes. <i>European Respiratory Journal</i> , 2002 , 20, 996-1002	13.6	21
12	Comparison of proportional assist ventilation and pressure support ventilation in chronic respiratory failure due to neuromuscular and chest wall deformity. <i>Thorax</i> , 2002 , 57, 979-81	7.3	10

11	Depression of diaphragm contractility by nitrous oxide in humans. <i>Anesthesia and Analgesia</i> , 2002 , 94, 340-5, table of contents	3.9	3
10	Cardiac and respiratory effects of continuous positive airway pressure and noninvasive ventilation in acute cardiac pulmonary edema. <i>Critical Care Medicine</i> , 2002 , 30, 2457-61	1.4	130
9	Reproducibility of twitch and sniff transdiaphragmatic pressures. <i>Respiratory Physiology and Neurobiology</i> , 2002 , 132, 301-6	2.8	27
8	Inspiratory muscle relaxation rate slows during exhaustive treadmill walking in patients with chronic heart failure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 1400-3	10.2	14
7	Evaluation of an inspiratory muscle trainer in healthy humans. <i>Respiratory Medicine</i> , 2001 , 95, 526-31	4.6	35
6	Effect of diaphragm fatigue on neural respiratory drive. <i>Journal of Applied Physiology</i> , 2001 , 90, 1691-9	3.7	55
5	Investigation of Respiratory Muscle Function. <i>Clinical Pulmonary Medicine</i> , 2001 , 8, 180-187	0.3	3
4	Measurement of twitch transdiaphragmatic, esophageal, and endotracheal tube pressure with bilateral anterolateral magnetic phrenic nerve stimulation in patients in the intensive care unit. <i>Critical Care Medicine</i> , 2001 , 29, 1325-31	1.4	753
3	Effect of lung volume on the oesophageal diaphragm EMG assessed by magnetic phrenic nerve stimulation. <i>European Respiratory Journal</i> , 2000 , 15, 1033-8	13.6	16
2	Anterior magnetic phrenic nerve stimulation: laboratory and clinical evaluation. <i>Intensive Care Medicine</i> , 2000 , 26, 1065-75	14.5	50
1	Physical, cognitive and mental health impacts of COVID-19 following hospitalisation  multi-centre prospective cohort study		17