David J Gawkrodger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5680578/publications.pdf

Version: 2024-02-01

247 papers

10,137 citations

²⁶⁶²⁶ 56
h-index

48312 88 g-index

250 all docs

250 docs citations

times ranked

250

7099 citing authors

#	Article	IF	Citations
1	Patho-immunological mechanisms of vitiligo: the role of the innate and adaptive immunities and environmental stress factors. Clinical and Experimental Immunology, 2022, 207, 27-43.	2.6	13
2	Skin and respiratory ill-health attributed to occupational face mask use. Occupational Medicine, 2022, 72, 339-342.	1.4	4
3	Integrating neuronal involvement into the immune and genetic paradigm of vitiligo. Clinical and Experimental Dermatology, 2021, 46, 646-650.	1.3	4
4	Skin disease case mix in the early 1920s: diagnoses prevalent at the time of the founding of the British Association of Dermatologists. British Journal of Dermatology, 2020, 183, 1144-1145.	1.5	0
5	British Association of Dermatologists centenary year: standing on the shoulders of giants. British Journal of Dermatology, 2020, 182, 1-2.	1.5	16
6	European Surveillance System on Contact Allergies (ESSCA): polysensitization, 2009–2014. Contact Dermatitis, 2018, 78, 373-385.	1.4	17
7	Once weekly targeted excimer light produced modest repigmentation of vitiligo over a 20â€week period. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e307-e308.	2.4	1
8	Reliability, reproducibility and relevance of patch test results. European Journal of Dermatology, 2018, 28, 545-546.	0.6	0
9	084 An investigation of Lamin A autoantibodies in vitiligo. Journal of Investigative Dermatology, 2017, 137, S14.	0.7	1
10	Ambient humidity and the skin: the impact of air humidity in healthy and diseased states. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1285-1294.	2.4	35
11	Contact allergy to essential oils cannot always be predicted from allergy to fragrance markers in the baseline series. Contact Dermatitis, 2016, 74, 236-241.	1.4	24
12	Genome-wide association studies of autoimmune vitiligo identify 23 new risk loci and highlight key pathways and regulatory variants. Nature Genetics, 2016, 48, 1418-1424.	21.4	225
13	Vitiligo patients from India (Mumbai) show differences in clinical, demographic and autoantibody profiles compared to patients in western countries. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 279-286.	2.4	11
14	Melanocyte antigenâ€specific antibodies cannot be used as markers for recent disease activity in patients with vitiligo. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 1172-1175.	2.4	26
15	Coin exposure may cause allergic nickel dermatitis: a review. Contact Dermatitis, 2013, 68, 3-14.	1.4	60
16	Guidelines for the management of vitiligo: the European Dermatology Forum consensus. British Journal of Dermatology, 2013, 168, 5-19.	1.5	328
17	Nickelâ€plated steel coins: the risk to the nickelâ€allergic public needs wider consideration. Contact Dermatitis, 2013, 68, 321-322.	1.4	3
18	The angiotensin-converting enzyme gene insertion/deletion polymorphism in Indian patients with vitiligo: a case-control study and meta-analysis. British Journal of Dermatology, 2013, 168, 1195-1204.	1.5	9

#	Article	IF	Citations
19	Nickel allergy following European Union regulation in Denmark, Germany, Italy and the U.K British Journal of Dermatology, 2013, 169, 854-858.	1.5	79
20	Allergy risk from Royal Mint's new nickel plated steel coins should be publicly assessed. BMJ, The, 2012, 344, e2730-e2730.	6.0	5
21	Genome-wide association analyses identify 13 new susceptibility loci for generalized vitiligo. Nature Genetics, 2012, 44, 676-680.	21.4	293
22	An unusual cause of fingernail dystrophy. Clinical and Experimental Dermatology, 2012, 37, 589-590.	1.3	0
23	Nickel skin levels in different occupations and an estimate of the threshold for reacting to a single open application of nickel in nickel-allergic subjects. British Journal of Dermatology, 2012, 166, 82-87.	1.5	55
24	Metal allergy and secondâ€generation metalâ€onâ€metal arthroplasties. Contact Dermatitis, 2012, 66, 55-62.	1.4	41
25	Current patch test results with the European baseline series and extensions to it from the †European Surveillance System on Contact Allergy' network, 2007†2008. Contact Dermatitis, 2012, 67, 9-19.	1.4	114
26	Epitopes, avidity and IgG subclasses of tyrosine hydroxylase autoantibodies in vitiligo and alopecia areata patients. British Journal of Dermatology, 2012, 167, 17-28.	1.5	6
27	Koebner's phenomenon in vitiligo: European position paper. Pigment Cell and Melanoma Research, 2011, 24, 564-573.	3.3	92
28	Future research into the treatment of vitiligo: where should our priorities lie? Results of the vitiligo priority setting partnership. British Journal of Dermatology, 2011, 164, no-no.	1.5	66
29	Risk management in dermatology: an analysis of data available from several British-based reporting systems. British Journal of Dermatology, 2011, 164, no-no.	1.5	12
30	Food allergy in patients with eczema: immediate symptoms are usual, with nuts and tomatoes the major allergens. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 865-867.	2.4	5
31	Patch testing is a useful investigation in children with eczema. Contact Dermatitis, 2011, 65, 208-212.	1.4	18
32	Autoantibodies against tyrosine hydroxylase in patients with non-segmental (generalised) vitiligo. Experimental Dermatology, 2011, 20, 35-40.	2.9	59
33	Comprehensive Association Analysis of Candidate Genes for Generalized Vitiligo Supports XBP1, FOXP3, and TSLP. Journal of Investigative Dermatology, 2011, 131, 371-381.	0.7	106
34	Genome-Wide Analysis Identifies a Quantitative Trait Locus in the MHC Class II Region Associated with Generalized Vitiligo Age of Onset. Journal of Investigative Dermatology, 2011, 131, 1308-1312.	0.7	62
35	Concomitant contact allergy to methylchloroisothiazolinone/†methylisothiazolinone and formaldehyde†releasing preservatives. Contact Dermatitis, 2010, 62, 56-57.	1.4	14
36	Allergic contact dermatitis from aluminium in deodorants. Contact Dermatitis, 2010, 62, 57-58.	1.4	16

#	Article	IF	CITATIONS
37	Vitiligo linked to stigmatization in British South Asian women: a qualitative study of the experiences of living with vitiligo. British Journal of Dermatology, 2010, 163, 481-486.	1.5	68
38	Xanthoma disseminatum with atypical histochemical features. Clinical and Experimental Dermatology, 2010, 35, 555-556.	1.3	1
39	Autoantigens in Vitiligo Identified by the Serological Selection of a Phage-Displayed Melanocyte cDNA Expression Library. Journal of Investigative Dermatology, 2010, 130, 230-240.	0.7	26
40	Common variants in FOXP1 are associated with generalized vitiligo. Nature Genetics, 2010, 42, 576-578.	21.4	95
41	Variant of <i>TYR</i> and Autoimmunity Susceptibility Loci in Generalized Vitiligo. New England Journal of Medicine, 2010, 362, 1686-1697.	27.0	352
42	Vitiligo: concise evidence based guidelines on diagnosis and management. Postgraduate Medical Journal, 2010, 86, 466-471.	1.8	46
43	Immune/Inflammatory Aspects. , 2010, , 239-267.		1
44	Vitiligo. BMJ: British Medical Journal, 2010, 341, c3780-c3780.	2.3	3
45	Evidence-Based Medicine Perspective. , 2010, , 461-469.		0
46	Vitiligo: what general physicians need to know. Clinical Medicine, 2009, 9, 408-409.	1.9	3
47	Pseudocatalase and narrowband ultraviolet B for vitiligo: clearing the picture. British Journal of Dermatology, 2009, 161, 721-722.	1.5	16
48	Chloracne in seven organic chemists exposed to novel polycyclic halogenated chemical compounds (triazoloquinoxalines). British Journal of Dermatology, 2009, 161, 939-943.	1.5	13
49	Consensus statement on the management of chronic hand eczema. Clinical and Experimental Dermatology, 2009, 34, 761-769.	1.3	67
50	Age―and sexâ€related variations in allergic contact dermatitis to common allergens. Contact Dermatitis, 2009, 61, 46-47.	1.4	15
51	The European baseline series in 10 European Countries, 2005/2006 – Results of the European Surveillance System on Contact Allergies (ESSCA). Contact Dermatitis, 2009, 61, 31-38.	1.4	156
52	The importance of propolis in patch testing–a multicentre survey. Contact Dermatitis, 2009, 61, 287-290.	1.4	39
53	Mapping of melaninâ€concentrating hormone receptor 1 B cell epitopes predicts two major binding sites for vitiligo patient autoantibodies. Experimental Dermatology, 2009, 18, 454-463.	2.9	15
54	Patch testing to aeroallergens, especially house dust mite, is often positive in atopics with eczema of the face and hands. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 728-730.	2.4	12

#	Article	IF	CITATIONS
55	Late patch test reactions: delayed immune response appears to be more common than active sensitization. Contact Dermatitis, 2008, 59, 185-187.	1.4	21
56	FC02.5†Investigation of reactions to dental materials. Contact Dermatitis, 2008, 50, 143-144.	1.4	0
57	P65â€'Patch testing to plastics in Sheffield. Contact Dermatitis, 2008, 50, 202-203.	1.4	O
58	Simplifying the Delivery of Melanocytes and Keratinocytes for the Treatment of Vitiligo Using a Chemically Defined Carrier Dressing. Journal of Investigative Dermatology, 2008, 128, 1554-1564.	0.7	23
59	The autoimmune regulator gene (<i>AlRE</i>) is strongly associated with vitiligo. British Journal of Dermatology, 2008, 159, ???-???.	1.5	54
60	Guideline for the diagnosis and management of vitiligo. British Journal of Dermatology, 2008, 159, 1051-1076.	1.5	278
61	Methicillin-resistant Staphylococcus aureus in Skin Disease Affects Mainly Elderly Patients with Eczema and Leg Ulcers who have Associated Chronic Disease. Acta Dermato-Venereologica, 2008, 88, 156-158.	1.3	4
62	Congenital stable symmetrical type vitiligo in a patient whose mother developed vitiligo during pregnancy. European Journal of Dermatology, 2008, 18, 353.	0.6	5
63	The effects of nickel and chromium on human keratinocytes: Differences in viability, cell associated metal and IL- $1\hat{l}$ ± release. Toxicology in Vitro, 2007, 21, 809-819.	2.4	25
64	Occupational dermatitis related to chromium and cobalt: experience of dermatologists (EPIDERM) and occupational physicians (OPRA) in the U.K. over an 11-year period (1993?2004). British Journal of Dermatology, 2007, 157, 518-522.	1.5	65
65	Nodular prurigo: metabolic diseases are a common association. Clinical and Experimental Dermatology, 2007, 32, 224-225.	1.3	25
66	Contact allergy to topical medicaments becomes more common with advancing age: an age-stratified study. Contact Dermatitis, 2007, 56, 229-231.	1.4	69
67	Contact sensitivity to preservatives in the UK, 2004?2005: results of multicentre study. Contact Dermatitis, 2007, 57, 165-168.	1.4	66
68	Autoantibody responses to melanocytes in the depigmenting skin disease vitiligo. Autoimmunity Reviews, 2007, 6, 138-142.	5.8	83
69	Diagnosing and treating vitiligo. Independent Nurse, 2007, 2007, .	0.1	0
70	Analysis of allelic variants in the catalase gene in patients with the skin depigmenting disorder vitiligo. Biochemical and Biophysical Research Communications, 2006, 345, 1586-1591.	2.1	58
71	The Non-Synonymous C1858T Substitution in the PTPN22 Gene is Associated with Susceptibility to the Severe Forms of Alopecia Areata. Human Immunology, 2006, 67, 535-539.	2.4	38
72	Contact allergy to triphenyl phosphate: probable cross-reactivity to triphenyl phosphite present in an EN46001 System 22 clear oxygen facemask. Contact Dermatitis, 2006, 54, 299-300.	1.4	6

#	Article	IF	Citations
73	Dermatitis on the knee following knee replacement: a minority of cases show contact allergy to chromate, cobalt or nickel but a causal association is unproven. Contact Dermatitis, 2006, 54, 228-229.	1.4	50
74	Cutaneous nerves in diabetic neuropathy: an immunohistochemical study. Journal of the European Academy of Dermatology and Venereology, 2006, 2, 231-234.	2.4	0
75	Physical friction is under-recognized as an irritant that can cause or contribute to contact dermatitis. British Journal of Dermatology, 2006, 154, 154-156.	1.5	57
76	Dermal nickel exposure associated with coin handling and in various occupational settings: assessment using a newly developed finger immersion method. British Journal of Dermatology, 2006, 154, 658-664.	1.5	54
77	How safe is patch testing to PPD?. British Journal of Dermatology, 2006, 154, 1025-1027.	1.5	20
78	Photopatch testing of 1155 patients: results of the U.K. multicentre photopatch study group. British Journal of Dermatology, 2006, 155, 737-747.	1.5	127
79	Function-blocking autoantibodies to the melanin-concentrating hormone receptor in vitiligo patients. Laboratory Investigation, 2006, 86, 781-789.	3.7	26
80	Diagnostic accuracy for skin cancer: Comparison of general practitioner with dermatologist and dermatopathologist. Journal of Dermatological Treatment, 2006, 17, 57-58.	2.2	9
81	Persistent Post-occupational Dermatitis: Report of Five Cases. Acta Dermato-Venereologica, 2006, 86, 248-249.	1.3	9
82	Investigation of reactions to dental materials. British Journal of Dermatology, 2005, 153, 479-485.	1.5	106
83	Vitiligo presentation in adults Clinical and Experimental Dermatology, 2005, 30, 344-345.	1.3	50
84	A single-nucleotide polymorphism in the gene encoding lymphoid protein tyrosine phosphatase (PTPN22) confers susceptibility to generalised vitiligo. Genes and Immunity, 2005, 6, 584-587.	4.1	109
85	CTLA4 polymorphisms are associated with vitiligo, in patients with concomitant autoimmune diseases. Pigment Cell & Melanoma Research, 2005, 18, 55-58.	3.6	57
86	10 years' experience of patch testing with a shoe series in 230 patients: which allergens are important?. Contact Dermatitis, 2005, 53, 37-39.	1.4	66
87	Occupational contact dermatitis to 1,2-benzisothiazolin-3-one and 5-chloro-2-methylisothiazolin-3-one/2-methylisothiazolin-3-one in paint manufacturers. Contact Dermatitis, 2005, 53, 115-116.	1.4	20
88	An insertion/deletion polymorphism in the gene encoding angiotensin converting enzyme is not associated with generalised vitiligo in an English population. Archives of Dermatological Research, 2005, 297, 94-98.	1.9	20
89	Occupational skin cancers. Occupational Medicine, 2004, 54, 458-463.	1.4	111
90	The national survey of adverse reactions to dental materials in the UK: a preliminary study by the UK Adverse Reactions Reporting Project. British Dental Journal, 2004, 196, 471-477.	0.6	49

#	Article	IF	CITATIONS
91	Notch4, a non-HLA gene in the MHC is strongly associated with the most severe form of alopecia areata. Human Genetics, 2003, 112, 400-403.	3.8	29
92	Contact allergens in 200 patients with hand dermatitis. Contact Dermatitis, 2003, 48, 227-228.	1.4	7
93	Occupational hand dermatitis in a wood turner due to rosewood (Dalbergia latifolia). Contact Dermatitis, 2003, 48, 345-346.	1.4	15
94	Autoantibodies in Vitiligo Patients Recognize Multiple Domains of the Melanin-Concentrating Hormone Receptor. Journal of Investigative Dermatology, 2003, 121, 765-770.	0.7	19
95	The British standard series of contact dermatitis allergens: validation in clinical practice and value for clinical governance. British Journal of Dermatology, 2003, 148, 259-264.	1.5	77
96	Metal sensitivities and orthopaedic implants revisited: the potential for metal allergy with the new metal-on-metal joint prostheses. British Journal of Dermatology, 2003, 148, 1089-1093.	1.5	126
97	Chromate: still an important occupational allergen for men in the UK. Contact Dermatitis, 2003, 49, 162-163.	1.4	8
98	Oral lichenoid lesions and contact allergy to dental mercury and gold. Contact Dermatitis, 2003, 49, 264-265.	1.4	32
99	Experience with low-dose methotrexate for the treatment of eczema in the elderly. Journal of the American Academy of Dermatology, 2003, 48, 417-419.	1.2	56
100	Occupational contact dermatitis to nickel: experience of the British dermatologists (EPIDERM) and occupational physicians (OPRA) surveillance schemes. Occupational and Environmental Medicine, 2003, 60, 954-957.	2.8	40
101	Adverse reactions to protective gloves used in the dental profession: experience of the UK Adverse Reaction Reporting Project. British Dental Journal, 2003, 195, 686-690.	0.6	18
102	Vitiligo treated with topical corticosteroids: Children with head and neck involvement respond wellâ—. Journal of the American Academy of Dermatology, 2002, 46, 964-965.	1.2	29
103	Role of the Autoimmune Regulator (<i>AIRE</i>) gene in alopecia areata: Strong association of a potentially functional <i>AIRE</i> polymorphism with alopecia universalis. Tissue Antigens, 2002, 60, 489-495.	1.0	74
104	Contact dermatitis from textile and dye allergens requires a high index of suspicion for diagnosis. Contact Dermatitis, 2002, 47, 109-125.	1.4	16
105	On-line internet facilities for contact allergy software: CDESK/PRO. Contact Dermatitis, 2002, 47, 243-243.	1.4	1
106	Occupational cobalt sensitivity in 2 hardâ€metal press operators. Contact Dermatitis, 2002, 47, 239-240.	1.4	3
107	Fibroblasts Play a Regulatory Role in the Control of Pigmentation in Reconstructed Human Skin from Skin Types I and II. Pigment Cell & Melanoma Research, 2002, 15, 49-56.	3.6	71
108	Type IV hypersensitivity reactions to natural rubber latex: results of a multicentre study. British Journal of Dermatology, 2002, 146, 114-117.	1.5	55

#	Article	IF	Citations
109	Type-IV hypersensitivity to betamethasone valerate and clobetasol propionate: results of a multicentre study. British Journal of Dermatology, 2002, 147, 266-269.	1.5	24
110	Autoantibodies in vitiligo patients are not directed to the melanocyte differentiation antigen MelanA/MART1. Clinical and Experimental Immunology, 2002, 129, 527-532.	2.6	24
111	The melanin-concentrating hormone receptor 1, a novel target of autoantibody responses in vitiligo. Journal of Clinical Investigation, 2002, 109, 923-930.	8.2	89
112	The melanin-concentrating hormone receptor 1, a novel target of autoantibody responses in vitiligo. Journal of Clinical Investigation, 2002, 109, 923-930.	8.2	39
113	Latex allergy: a health care problem of epidemic proportions. European Journal of Dermatology, 2002, 12, 311-5.	0.6	19
114	Molecular mapping of epitopes on melanocyte-specific protein Pmel17 which are recognized by autoantibodies in patients with vitiligo. Clinical and Experimental Immunology, 2001, 124, 509-515.	2.6	22
115	Occupational contact dermatitis has an appreciable impact on quality of life. Contact Dermatitis, 2001, 45, 17-20.	1.4	106
116	Rifampicin allergy confirmed by an intradermal test, but with a negative patch test. Contact Dermatitis, 2001, 45, 108-108.	1.4	12
117	Contact allergy to testosterone in an androgen patch: control of symptoms by pre-application of topical corticosteroid. Contact Dermatitis, 2001, 45, 124-125.	1.4	13
118	Contact dermatitis from soybean extract in a cosmetic cream. Contact Dermatitis, 2001, 44, 43-44.	1.4	20
119	Occupational contact dermatitis from colophonium in a dental technician. Contact Dermatitis, 2001, 44, 60-60.	1.4	5
120	Occupational allergic contact dermatitis from formaldehyde resin in clothing. Contact Dermatitis, 2001, 44, 109-110.	1.4	13
121	Occupational contact dermatitis in nurses with hand eczema. Contact Dermatitis, 2001, 44, 293-296.	1.4	30
122	Keratinocytes Suppress TRP-1 Expression and Reduce Cell Number of Co-cultured Melanocytes - Implications For Grafting of Patients with Vitiligo. Pigment Cell & Melanoma Research, 2001, 14, 116-125.	3.6	26
123	Patch testing in occupational dermatology. Occupational and Environmental Medicine, 2001, 58, 823-828.	2.8	20
124	Occupational allergic contact dermatitis from formaldehyde resin in clothing. Contact Dermatitis, 2001, 44, 100-101.	1.4	9
125	\hat{l}_{\pm} -Melanocyte stimulating hormone can reduce T-cell interaction with melanoma cells in vitro. Melanoma Research, 2000, 10, 323-330.	1.2	13
126	Management of vitiligo. Clinical and Experimental Dermatology, 2000, 25, 575-579.	1.3	34

#	Article	IF	CITATIONS
127	Angry back syndrome is often due to marginal irritants: a study of 17 cases seen over 4 years. Contact Dermatitis, 2000, 43, 280-282.	1.4	16
128	Contact sensitivity to nickel and other metals in jewelry reactors. Journal of the American Academy of Dermatology, 2000, 43, 31-36.	1.2	76
129	Identification of Epitopes on Tyrosinase which are Recognized by Autoantibodies from Patients with Vitiligo. Journal of Investigative Dermatology, 1999, 113, 267-271.	0.7	30
130	Treatment of psoriasis: day care vs. inpatient therapy. British Journal of Dermatology, 1999, 140, 375-376.	1.5	12
131	Analysis of a microsatellite polymorphism of the cytotoxic T-lymphocyte antigen-4 gene in patients with vitiligo. British Journal of Dermatology, 1999, 140, 73-78.	1.5	60
132	Severe erythrodermic reactions to the proton pump inhibitors omeprazole and lansoprazole. British Journal of Dermatology, 1999, 141, 173-175.	1.5	56
133	Occupational dermatitis in Sheffield: a preliminary study. Contact Dermatitis, 1999, 40, 223-224.	1.4	1
134	Allergic contact dermatitis from natural rubber latex without immediate hypersensitivity. Contact Dermatitis, 1999, 40, 325-326.	1.4	12
135	Suspected fragrance allergy requires extended patch testing to individual fragrance allergens. Contact Dermatitis, 1999, 41, 193-197.	1.4	44
136	Clearance of acanthosis nigricans associated with the HAIR-AN syndrome after partial pancreatectomy: an 11-year follow-up. Postgraduate Medical Journal, 1999, 75, 421-423.	1.8	15
137	α-MSH and Melanogenesis in Normal Human Adult Melanocytes. Pigment Cell & Melanoma Research, 1998, 11, 45-56.	3.6	38
138	Foot dermatitis in children: causative allergens and follow-up. Contact Dermatitis, 1998, 38, 203-206.	1.4	50
139	The participation of proliferative keratinocytes in the preimmune response to sensitizing agents. British Journal of Dermatology, 1998, 138, 45-56.	1.5	21
140	αâ€melanocyte stimulating hormone inhibits tumour necrosis factor‣ stimulated intercellular adhesion molecule‣ expression in normal cutaneous human melanocytes and in melanoma cell lines. British Journal of Dermatology, 1998, 138, 536-543.	1.5	37
141	Autoantibodies to tyrosinase-related protein-1 detected in the sera of vitiligo patients using a quantitative radiobinding assay. British Journal of Dermatology, 1998, 139, 798-805.	1.5	100
142	Vitiligo melanocytes in long-term culture show normal constitutive and cytokine-induced expression of intercellular adhesion molecule-1 and major histocompatibility complex class I and class II molecules. British Journal of Dermatology, 1998, 139, 965-973.	1.5	25
143	Autoantibodies to human melanocyte-specific protein Pmel17 in the sera of vitiligo patients: a sensitive and quantitative radioimmunoassay (RIA). Clinical and Experimental Immunology, 1998, 114, 333-338.	2.6	67
144	Hamartomatous congenital melanocytic nevi showing secondary anetoderma-like changes. Journal of the American Academy of Dermatology, 1998, 39, 843-845.	1.2	13

#	Article	IF	CITATIONS
145	Nickel as an Occupational Allergen. Archives of Dermatology, 1998, 134, 1231-6.	1.4	70
146	Patch testing in children and adolescents: Five years' experience and follow-up. Journal of the American Academy of Dermatology, 1997, 37, 964-968.	1.2	94
147	Cytokine dermatosis: reactivation of eczema during interleukin-2 infusion. British Journal of Dermatology, 1997, 136, 644-645.	1.5	9
148	Occupational contact dermatitis in an aromatherapist. Contact Dermatitis, 1997, 37, 306-306.	1.4	67
149	Detection of Tyrosinase Autoantibodies in Patients With Vitiligo Using 35S-Labeled Recombinant Human Tyrosinase in a Radioimmunoassay. Journal of Investigative Dermatology, 1997, 109, 69-73.	0.7	83
150	The Influence of Extracellular Matrix Proteins on Cutaneous and Uveal Melanocytes. Pigment Cell & Melanoma Research, 1997, 10, 54-59.	3.6	15
151	Azathioprine in dermatology: a survey of current practice in the U.K British Journal of Dermatology, 1997, 136, 351-355.	1.5	32
152	Immunoprecipitation of melanogenic enzyme autoantigens with vitiligo sera: evidence for cross-reactive autoantibodies to tyrosinase and tyrosinase-related protein- $2\hat{a} \in f(TRP-2)$. Clinical and Experimental Immunology, 1997, 109, 495-500.	2.6	82
153	Azathioprine in dermatology: a survey of current practice in the U.K British Journal of Dermatology, 1997, 136, 351-355.	1.5	43
154	Investigation of the influence of extracellular matrix proteins on normal human melanocyte morphology and melanogenic activity. British Journal of Dermatology, 1996, 135, 888-897.	1.5	24
155	Prognosis of occupational hand dermatitis in metalworkers *. Contact Dermatitis, 1996, 34, 27-30.	1.4	53
156	Facial dermatitis and eyelid dermatitis: a comparison of patch test results and final diagnoses. Contact Dermatitis, 1996, 34, 140-141.	1.4	34
157	Nickel dermatitis: how much nickel is safe?. Contact Dermatitis, 1996, 35, 267-271.	1.4	49
158	Occupational dermatitis in hairdressers. Contact Dermatitis, 1996, 35, 364-365.	1.4	18
159	Chromium- and nickel-induced cytotoxicity in normal and transformed human keratinocytes: an investigation of pharmacological approaches to the prevention of Cr(VI)-induced cytotoxicity. British Journal of Dermatology, 1996, 134, 199-207.	1.5	45
160	Delayed and immediate orofacial reactions following contact with rubber gloves during dental treatment. British Dental Journal, 1996, 181, 137-139.	0.6	7
161	Differentiation of human keratinocytes is associated with a progressive loss of interferon \hat{I}^3 -induced intercellular adhesion molecule-1 expression. British Journal of Dermatology, 1996, 135, 24-31.	1.5	13
162	Routine urinalysis in a general dermatology clinic. British Journal of Dermatology, 1995, 132, 167-168.	1.5	0

#	Article	IF	CITATIONS
163	MORPHOLOGIC OBSERVATIONS ON THE DERMAL NERVES IN VITILIGO: AN ULTRASTRUCTURAL STUDY. International Journal of Dermatology, 1995, 34, 837-840.	1.0	29
164	Neuropeptides and general neuronal marker in psoriasis an immunohistochemical study. Clinical and Experimental Dermatology, 1995, 20, 384-389.	1.3	65
165	Survey of quality issues in dermatology service contracts. Clinical and Experimental Dermatology, 1995, 20, 132-135.	1.3	1
166	The prevention of nickel contact dermatitis. Contact Dermatitis, 1995, 32, 257-265.	1.4	63
167	Contact sensitivity to food additives can cause oral and perioral symptoms. Contact Dermatitis, 1995, 33, 429-430.	1.4	27
168	Neuropeptides and general neuronal marker PGP 9.5 in normal skin: an immunohistochemical study. Journal of the European Academy of Dermatology and Venereology, 1995, 5, 201-203.	2.4	1
169	An audit of the use of methotrexate in a dermatology department. Journal of Dermatological Treatment, 1995, 6, 179-182.	2.2	1
170	Squamous Cell Carcinoma Complicating Lichen planus: A Clinico-Pathological Study of Three Cases. Dermatology, 1994, 188, 36-39.	2.1	33
171	An audit of the value of patch testing: the patient's perspective. Contact Dermatitis, 1994, 30, 214-216.	1.4	40
172	Colophony: an unusual factor in pruritus vulvae. Contact Dermatitis, 1994, 31, 119-119.	1.4	6
173	Contact sensitivity in pruritus vulvae: a common and manageable problem. Contact Dermatitis, 1994, 31, 264-265.	1.4	41
174	Pemphigoid nodularis: a report of two cases. Clinical and Experimental Dermatology, 1994, 19, 496-499.	1.3	26
175	The relationship between stress and the onset and exacerbation of psoriasis and other skin conditions. British Journal of Dermatology, 1994, 130, 199-203.	1.5	252
176	Generalised pruritus with opioids. Lancet, The, 1994, 344, 1031.	13.7	4
177	The prevalence of childhood atopic eczema in a general population. Journal of the American Academy of Dermatology, 1994, 30, 35-39.	1.2	432
178	Neuropeptide and neuronal marker studies in vitiligo. British Journal of Dermatology, 1994, 131, 160-165.	1.5	99
179	Chloracne-study of an outbreak with new clinical observations. Clinical and Experimental Dermatology, 1993, 18, 523-525.	1.3	19
180	Light cautery and EMLAR in the treatment of chloracne lesions. British Journal of Dermatology, 1993, 128, 313-316.	1.5	28

#	Article	IF	CITATIONS
181	Diagnostic accuracy for basal cell papillomas. British Journal of Dermatology, 1993, 129, 94-95.	1.5	6
182	Dermatitis herpetiformis and established coeliac disease. British Journal of Dermatology, 1993, 129, 694-695.	1.5	16
183	Allergic contact dermatitis from resin-reinforced plaster. Contact Dermatitis, 1993, 28, 40-41.	1.4	13
184	Multiple contact sensitivity to eyedrops. Contact Dermatitis, 1993, 28, 246-247.	1.4	11
185	Nickel sensitivity and the implantation of orthopaedic prostheses. Contact Dermatitis, 1993, 28, 257-259.	1.4	105
186	Isolated cobalt sensitivity in an etcher. Contact Dermatitis, 1993, 29, 46-46.	1.4	14
187	The Prevalence of Headache and Migraine in Atopic Children: An Epidemiological Study in General Practice. Headache, 1993, 33, 427-431.	3.9	94
188	The domiciliary visit in dermatology: Demography and management. Journal of Dermatological Treatment, 1993, 4, 157-159.	2.2	0
189	Allergy to octyl gallate causing stomatitis. British Dental Journal, 1993, 175, 106-108.	0.6	18
190	Rosacea: A study of clinical patterns, blood flow, and the role of Demodex folliculorum. Journal of the American Academy of Dermatology, 1992, 26, 590-593.	1.2	118
191	Dermatological causes of pruritus ani BMJ: British Medical Journal, 1992, 305, 955-955.	2.3	25
192	Vesiculo-bullous Darier's disease. British Journal of Dermatology, 1992, 126, 416-417.	1.5	16
193	Nickel sensitivity: the influence of ear piercing and atopy. British Journal of Dermatology, 1992, 126, 16-18.	1.5	112
194	Chinese herbs for eczema, the active compound?. Lancet, The, 1991, 337, 566.	13.7	18
195	Acetazolamide for psoriasis. Lancet, The, 1991, 337, 558-559.	13.7	9
196	Reticulate Pigmentation In Mycosis Fungoides. International Journal of Dermatology, 1991, 30, 658-659.	1.0	4
197	Quantification of allergic and irritant patch test reactions using laser-Doppler flowmetry and erythema index. Contact Dermatitis, 1991, 24, 172-177.	1.4	39
198	Ocupational vitiligo and contact sensitivity to para-tertiary butyl catechol. Contact Dermatitis, 1991, 25, 200-201.	1.4	22

#	Article	IF	Citations
199	Small intestinal function and dietary status in dermatitis herpetiformis Gut, 1991, 32, 377-382.	12.1	21
200	Chloracne: Causation, diagnosis and treatment. Journal of Dermatological Treatment, 1991, 2, 73-76.	2.2	15
201	Syringoacanthoma: An Acrosyringeal Tumour. Dermatology, 1990, 181, 62-64.	2.1	0
202	Chloracne: report of an outbreak with new clinical observations. British Journal of Dermatology, 1990, 123, 21-22.	1.5	3
203	(23) Rosacea: a survey of presentation patterns and response to therapy. British Journal of Dermatology, 1990, 123, 66-67.	1.5	2
204	Unilesional mycosis fungoides: a review of four cases. British Journal of Dermatology, 1990, 123, 123-124.	1.5	1
205	The discrimination between nickel-sensitive and non-nickel-sensitive subjects by an in vitro lymphocyte transformation test. British Journal of Dermatology, 1990, 122, 293-298.	1.5	96
206	White sponge naevus successfully treated with topical tetracycline. Clinical and Experimental Dermatology, 1990, 15, 152-153.	1.3	48
207	Cutaneous Autoimmunity. Autoimmunity, 1989, 3, 213-233.	2.6	0
208	Bullous lichen planus and lichen planus pemphigoides-clinico-pathological comparisons. Clinical and Experimental Dermatology, 1989, 14, 150-153.	1.3	54
209	Pemphigoid en cocarde. Journal of the American Academy of Dermatology, 1989, 20, 1125.	1.2	3
210	The Hapten in Contact Hypersensitivity to Dinitrochlorobenzene: Immunoelectron Microscopic and Immunofluorescent Studies. Dermatology, 1989, 178, 126-130.	2.1	9
211	Plasma 5-S-cysteinyldopa as an index of melanogenesis. British Journal of Dermatology, 1988, 118, 487-496.	1.5	17
212	Nail dystrophy in chronic sarcoidosis. British Journal of Dermatology, 1988, 118, 697-701.	1.5	37
213	Pyoderma Gangrenosum of the Scalp. International Journal of Dermatology, 1988, 27, 654-655.	1.0	9
214	Florida and New Orleans: The Dowling Club Overseas Visit 1986/7. Clinical and Experimental Dermatology, 1988, 13, 282-283.	1.3	0
215	Two atypical fibroxanthomas arising separately in X-irradiated skin. Clinical and Experimental Dermatology, 1988, 13, 382-384.	1.3	8
216	Sweet's syndrome in Crohn's disease BMJ: British Medical Journal, 1988, 297, 1513-1514.	2.3	28

#	Article	IF	CITATIONS
217	Self-Healing Epitheliomata of Ferguson-Smith: Cytogenetic and Histological Studies, and the Therapeutic Effect of Etretinate. Dermatology, 1988, 176, 22-28.	2.1	12
218	Clinical, Histological and Immunological Studies in 50 Patients with Bullous Pemphigoid. Dermatology, 1988, 176, 6-17.	2.1	60
219	Nutritional status in patients with dermatitis herpetiformis. American Journal of Clinical Nutrition, 1988, 48, 355-360.	4.7	23
220	Nickel dermatitis and diet: clinical improvement and a reduction in blood and urine nickel levels with a low-nickel diet. Acta Dermato-Venereologica, 1988, 68, 453-5.	1.3	2
221	Immunophenotyping of the Eczematous Flare-Up Reaction in a Nickel-Sensitive Subject. Dermatology, 1987, 175, 171-177.	2.1	13
222	ABC of dermatology. Autoimmunity and skin disease BMJ: British Medical Journal, 1987, 295, 1471-1474.	2.3	0
223	Keratinocyte Expression of MHC Class II Antigens in Allergic Sensitization and Challenge Reactions and in Irritant Contact Dermatitis. Journal of Investigative Dermatology, 1987, 88, 11-16.	0.7	59
224	Nickel dermatitis: the reaction to oral nickel challenge. British Journal of Dermatology, 1986, 115, 33-38.	1.5	82
225	Contact clinic survey of nickel-sensitive subjects. Contact Dermatitis, 1986, 14, 165-169.	1.4	53
226	An analysis of 501 consecutive contact clinic consultations. Contact Dermatitis, 1986, 15, 119-125.	1.4	50
227	Occupational skin disease in hospital cleaning and kitchen workers. Contact Dermatitis, 1986, 15, 132-135.	1.4	69
228	Experimental Contact Dermatitis Using 2,4-Dinitrochlorobenzene in Humans., 1986,, 140-146.		1
229	MHC class II antigen expression in normal human epidermis. Immunology, 1986, 59, 223-7.	4.4	21
230	Phenotypic characterization of the early cellular responses in allergic and irritant contact dermatitis. Clinical and Experimental Immunology, 1986, 66, 590-8.	2.6	41
231	Disseminated herpes simplex infection complicating Darier's disease: successful treatment with oral acyclovir. Journal of Infection, 1985, 10, 77-IN6.	3.3	10
232	Male sex hormone status in dermatitis herpetiformis. British Journal of Dermatology, 1985, 112, 57-61.	1.5	1
233	Nickel dermatitis: the reaction to oral nickel challenge. British Journal of Dermatology, 1985, 113, 22-23.	1.5	8
234	Werner's Syndrome. Archives of Dermatology, 1985, 121, 636.	1.4	22

#	Article	lF	CITATIONS
235	Dermatitis herpetiformis: diagnosis, diet and demography Gut, 1984, 25, 151-157.	12.1	118
236	Early cellular reactions induced by dinitrochlorobenzene in sensitized human skin. British Journal of Dermatology, 1984, 110, 637-641.	1.5	47
237	Early cellular events in the challenge phase of nickel allergic contact dermatitis. British Journal of Dermatology, 1984, 111, 38-38.	1.5	1
238	Neonatal lupus erythematosus in four successive siblings born to a mother with discoid lupus erythematosus. British Journal of Dermatology, 1984, 111, 683-687.	1.5	44
239	Psoriasiform reaction to atenolol. Clinical and Experimental Dermatology, 1984, 9, 92-94.	1.3	21
240	Malignant fibrous histiocytoma. Clinical and Experimental Dermatology, 1984, 9, 497-501.	1.3	0
241	Growth hormone levels in psoriasis. Archives of Dermatological Research, 1984, 276, 147-150.	1.9	21
242	Phytophotodermatitis due to common rue (Ruta graveolens). Contact Dermatitis, 1983, 9, 224-224.	1.4	40
243	Bone and joint tuberculosis: phthisis changes course. Postgraduate Medical Journal, 1982, 58, 753-755.	1.8	0
244	Transdermally administered hyoscine and nocturnal acid secretion in patients with duodenal ulcer. BMJ: British Medical Journal, 1982, 285, 63-63.	2.3	0
245	DERMATITIS HERPETIFORMIS AND LYMPHOMA. Lancet, The, 1982, 320, 987.	13.7	10
246	Marfan's syndrome presenting as bilateral spontaneous pneumothorax Postgraduate Medical Journal, 1981, 57, 240-241.	1.8	21
247	Death after complete detachment of a Bjork-Shiley prosthetic mitral valve BMJ: British Medical Journal, 1979, 2, 1401-1402.	2.3	4