

David J Gawkrödger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5680578/publications.pdf>

Version: 2024-02-01

247
papers

10,137
citations

30551

56
h-index

54771

88
g-index

250
all docs

250
docs citations

250
times ranked

7627
citing authors

#	ARTICLE	IF	CITATIONS
1	Patho-immunological mechanisms of vitiligo: the role of the innate and adaptive immunities and environmental stress factors. <i>Clinical and Experimental Immunology</i> , 2022, 207, 27-43.	1.1	13
2	Skin and respiratory ill-health attributed to occupational face mask use. <i>Occupational Medicine</i> , 2022, 72, 339-342.	0.8	4
3	Integrating neuronal involvement into the immune and genetic paradigm of vitiligo. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 646-650.	0.6	4
4	Skin disease case mix in the early 1920s: diagnoses prevalent at the time of the founding of the British Association of Dermatologists. <i>British Journal of Dermatology</i> , 2020, 183, 1144-1145.	1.4	0
5	British Association of Dermatologists centenary year: standing on the shoulders of giants. <i>British Journal of Dermatology</i> , 2020, 182, 1-2.	1.4	16
6	European Surveillance System on Contact Allergies (ESSCA): polysensitization, 2009–2014. <i>Contact Dermatitis</i> , 2018, 78, 373-385.	0.8	17
7	Once weekly targeted excimer light produced modest repigmentation of vitiligo over a 20-week period. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e307-e308.	1.3	1
8	Reliability, reproducibility and relevance of patch test results. <i>European Journal of Dermatology</i> , 2018, 28, 545-546.	0.3	0
9	084 An investigation of Lamin A autoantibodies in vitiligo. <i>Journal of Investigative Dermatology</i> , 2017, 137, S14.	0.3	1
10	Ambient humidity and the skin: the impact of air humidity in healthy and diseased states. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1285-1294.	1.3	35
11	Contact allergy to essential oils cannot always be predicted from allergy to fragrance markers in the baseline series. <i>Contact Dermatitis</i> , 2016, 74, 236-241.	0.8	24
12	Genome-wide association studies of autoimmune vitiligo identify 23 new risk loci and highlight key pathways and regulatory variants. <i>Nature Genetics</i> , 2016, 48, 1418-1424.	9.4	225
13	Vitiligo patients from India (Mumbai) show differences in clinical, demographic and autoantibody profiles compared to patients in western countries. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 279-286.	1.3	11
14	Melanocyte antigen-specific antibodies cannot be used as markers for recent disease activity in patients with vitiligo. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 1172-1175.	1.3	26
15	Coin exposure may cause allergic nickel dermatitis: a review. <i>Contact Dermatitis</i> , 2013, 68, 3-14.	0.8	60
16	Guidelines for the management of vitiligo: the European Dermatology Forum consensus. <i>British Journal of Dermatology</i> , 2013, 168, 5-19.	1.4	328
17	Nickel-plated steel coins: the risk to the nickel-allergic public needs wider consideration. <i>Contact Dermatitis</i> , 2013, 68, 321-322.	0.8	3
18	The angiotensin-converting enzyme gene insertion/deletion polymorphism in Indian patients with vitiligo: a case-control study and meta-analysis. <i>British Journal of Dermatology</i> , 2013, 168, 1195-1204.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Nickel allergy following European Union regulation in Denmark, Germany, Italy and the U.K.. British Journal of Dermatology, 2013, 169, 854-858.	1.4	79
20	Allergy risk from Royal Mint's new nickel plated steel coins should be publicly assessed. BMJ, The, 2012, 344, e2730-e2730.	3.0	5
21	Genome-wide association analyses identify 13 new susceptibility loci for generalized vitiligo. Nature Genetics, 2012, 44, 676-680.	9.4	293
22	An unusual cause of fingernail dystrophy. Clinical and Experimental Dermatology, 2012, 37, 589-590.	0.6	0
23	Nickel skin levels in different occupations and an estimate of the threshold for reacting to a single open application of nickel in nickel-allergic subjects. British Journal of Dermatology, 2012, 166, 82-87.	1.4	55
24	Metal allergy and second-generation metal-on-metal arthroplasties. Contact Dermatitis, 2012, 66, 55-62.	0.8	41
25	Current patch test results with the European baseline series and extensions to it from the "European Surveillance System on Contact Allergy" network, 2007-2008. Contact Dermatitis, 2012, 67, 9-19.	0.8	114
26	Epitopes, avidity and IgG subclasses of tyrosine hydroxylase autoantibodies in vitiligo and alopecia areata patients. British Journal of Dermatology, 2012, 167, 17-28.	1.4	6
27	Koebner's phenomenon in vitiligo: European position paper. Pigment Cell and Melanoma Research, 2011, 24, 564-573.	1.5	92
28	Future research into the treatment of vitiligo: where should our priorities lie? Results of the vitiligo priority setting partnership. British Journal of Dermatology, 2011, 164, no-no.	1.4	66
29	Risk management in dermatology: an analysis of data available from several British-based reporting systems. British Journal of Dermatology, 2011, 164, no-no.	1.4	12
30	Food allergy in patients with eczema: immediate symptoms are usual, with nuts and tomatoes the major allergens. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 865-867.	1.3	5
31	Patch testing is a useful investigation in children with eczema. Contact Dermatitis, 2011, 65, 208-212.	0.8	18
32	Autoantibodies against tyrosine hydroxylase in patients with non-segmental (generalised) vitiligo. Experimental Dermatology, 2011, 20, 35-40.	1.4	59
33	Comprehensive Association Analysis of Candidate Genes for Generalized Vitiligo Supports XBP1, FOXP3, and TSLP. Journal of Investigative Dermatology, 2011, 131, 371-381.	0.3	106
34	Genome-Wide Analysis Identifies a Quantitative Trait Locus in the MHC Class II Region Associated with Generalized Vitiligo Age of Onset. Journal of Investigative Dermatology, 2011, 131, 1308-1312.	0.3	62
35	Concomitant contact allergy to methylchloroisothiazolinone/methylisothiazolinone and formaldehyde-releasing preservatives. Contact Dermatitis, 2010, 62, 56-57.	0.8	14
36	Allergic contact dermatitis from aluminium in deodorants. Contact Dermatitis, 2010, 62, 57-58.	0.8	16

#	ARTICLE	IF	CITATIONS
37	Vitiligo linked to stigmatization in British South Asian women: a qualitative study of the experiences of living with vitiligo. <i>British Journal of Dermatology</i> , 2010, 163, 481-486.	1.4	68
38	Xanthoma disseminatum with atypical histochemical features. <i>Clinical and Experimental Dermatology</i> , 2010, 35, 555-556.	0.6	1
39	Autoantigens in Vitiligo Identified by the Serological Selection of a Phage-Displayed Melanocyte cDNA Expression Library. <i>Journal of Investigative Dermatology</i> , 2010, 130, 230-240.	0.3	26
40	Common variants in FOXP1 are associated with generalized vitiligo. <i>Nature Genetics</i> , 2010, 42, 576-578.	9.4	95
41	Variant of <i>TYR</i> and Autoimmunity Susceptibility Loci in Generalized Vitiligo. <i>New England Journal of Medicine</i> , 2010, 362, 1686-1697.	13.9	352
42	Vitiligo: concise evidence based guidelines on diagnosis and management. <i>Postgraduate Medical Journal</i> , 2010, 86, 466-471.	0.9	46
43	Immune/Inflammatory Aspects. , 2010, , 239-267.		1
44	Vitiligo. <i>BMJ: British Medical Journal</i> , 2010, 341, c3780-c3780.	2.4	3
45	Evidence-Based Medicine Perspective. , 2010, , 461-469.		0
46	Vitiligo: what general physicians need to know. <i>Clinical Medicine</i> , 2009, 9, 408-409.	0.8	3
47	Pseudocatalase and narrowband ultraviolet B for vitiligo: clearing the picture. <i>British Journal of Dermatology</i> , 2009, 161, 721-722.	1.4	16
48	Chloracne in seven organic chemists exposed to novel polycyclic halogenated chemical compounds (triazoloquinoxalines). <i>British Journal of Dermatology</i> , 2009, 161, 939-943.	1.4	13
49	Consensus statement on the management of chronic hand eczema. <i>Clinical and Experimental Dermatology</i> , 2009, 34, 761-769.	0.6	67
50	Age- and sex-related variations in allergic contact dermatitis to common allergens. <i>Contact Dermatitis</i> , 2009, 61, 46-47.	0.8	15
51	The European baseline series in 10 European Countries, 2005/2006 – Results of the European Surveillance System on Contact Allergies (ESSCA). <i>Contact Dermatitis</i> , 2009, 61, 31-38.	0.8	156
52	The importance of propolis in patch testing – a multicentre survey. <i>Contact Dermatitis</i> , 2009, 61, 287-290.	0.8	39
53	Mapping of melanin-concentrating hormone receptor 1 B cell epitopes predicts two major binding sites for vitiligo patient autoantibodies. <i>Experimental Dermatology</i> , 2009, 18, 454-463.	1.4	15
54	Patch testing to aeroallergens, especially house dust mite, is often positive in atopics with eczema of the face and hands. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 728-730.	1.3	12

#	ARTICLE	IF	CITATIONS
55	Late patch test reactions: delayed immune response appears to be more common than active sensitization. Contact Dermatitis, 2008, 59, 185-187.	0.8	21
56	FC02.5â€”Investigation of reactions to dental materials. Contact Dermatitis, 2008, 50, 143-144.	0.8	0
57	P65â€”Patch testing to plastics in Sheffield. Contact Dermatitis, 2008, 50, 202-203.	0.8	0
58	Simplifying the Delivery of Melanocytes and Keratinocytes for the Treatment of Vitiligo Using a Chemically Defined Carrier Dressing. Journal of Investigative Dermatology, 2008, 128, 1554-1564.	0.3	23
59	The autoimmune regulator gene (<i>AIRE</i>) is strongly associated with vitiligo. British Journal of Dermatology, 2008, 159, ???-???.	1.4	54
60	Guideline for the diagnosis and management of vitiligo. British Journal of Dermatology, 2008, 159, 1051-1076.	1.4	278
61	Methicillin-resistant Staphylococcus aureus in Skin Disease Affects Mainly Elderly Patients with Eczema and Leg Ulcers who have Associated Chronic Disease. Acta Dermato-Venereologica, 2008, 88, 156-158.	0.6	4
62	Congenital stable symmetrical type vitiligo in a patient whose mother developed vitiligo during pregnancy. European Journal of Dermatology, 2008, 18, 353.	0.3	5
63	The effects of nickel and chromium on human keratinocytes: Differences in viability, cell associated metal and IL-1 β release. Toxicology in Vitro, 2007, 21, 809-819.	1.1	25
64	Occupational dermatitis related to chromium and cobalt: experience of dermatologists (EPIDERM) and occupational physicians (OPRA) in the U.K. over an 11-year period (1993?2004). British Journal of Dermatology, 2007, 157, 518-522.	1.4	65
65	Nodular prurigo: metabolic diseases are a common association. Clinical and Experimental Dermatology, 2007, 32, 224-225.	0.6	25
66	Contact allergy to topical medicaments becomes more common with advancing age: an age-stratified study. Contact Dermatitis, 2007, 56, 229-231.	0.8	69
67	Contact sensitivity to preservatives in the UK, 2004?2005: results of multicentre study. Contact Dermatitis, 2007, 57, 165-168.	0.8	66
68	Autoantibody responses to melanocytes in the depigmenting skin disease vitiligo. Autoimmunity Reviews, 2007, 6, 138-142.	2.5	83
69	Diagnosing and treating vitiligo. Independent Nurse, 2007, 2007, .	0.0	0
70	Analysis of allelic variants in the catalase gene in patients with the skin depigmenting disorder vitiligo. Biochemical and Biophysical Research Communications, 2006, 345, 1586-1591.	1.0	58
71	The Non-Synonymous C1858T Substitution in the PTPN22 Gene is Associated with Susceptibility to the Severe Forms of Alopecia Areata. Human Immunology, 2006, 67, 535-539.	1.2	38
72	Contact allergy to triphenyl phosphite: probable cross-reactivity to triphenyl phosphite present in an EN46001 System 22 clear oxygen facemask. Contact Dermatitis, 2006, 54, 299-300.	0.8	6

#	ARTICLE	IF	CITATIONS
73	Dermatitis on the knee following knee replacement: a minority of cases show contact allergy to chromate, cobalt or nickel but a causal association is unproven. <i>Contact Dermatitis</i> , 2006, 54, 228-229.	0.8	50
74	Cutaneous nerves in diabetic neuropathy: an immunohistochemical study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 2, 231-234.	1.3	0
75	Physical friction is under-recognized as an irritant that can cause or contribute to contact dermatitis. <i>British Journal of Dermatology</i> , 2006, 154, 154-156.	1.4	57
76	Dermal nickel exposure associated with coin handling and in various occupational settings: assessment using a newly developed finger immersion method. <i>British Journal of Dermatology</i> , 2006, 154, 658-664.	1.4	54
77	How safe is patch testing to PPD?. <i>British Journal of Dermatology</i> , 2006, 154, 1025-1027.	1.4	20
78	Photopatch testing of 1155 patients: results of the U.K. multicentre photopatch study group. <i>British Journal of Dermatology</i> , 2006, 155, 737-747.	1.4	127
79	Function-blocking autoantibodies to the melanin-concentrating hormone receptor in vitiligo patients. <i>Laboratory Investigation</i> , 2006, 86, 781-789.	1.7	26
80	Diagnostic accuracy for skin cancer: Comparison of general practitioner with dermatologist and dermatopathologist. <i>Journal of Dermatological Treatment</i> , 2006, 17, 57-58.	1.1	9
81	Persistent Post-occupational Dermatitis: Report of Five Cases. <i>Acta Dermato-Venereologica</i> , 2006, 86, 248-249.	0.6	9
82	Investigation of reactions to dental materials. <i>British Journal of Dermatology</i> , 2005, 153, 479-485.	1.4	106
83	Vitiligo presentation in adults.. <i>Clinical and Experimental Dermatology</i> , 2005, 30, 344-345.	0.6	50
84	A single-nucleotide polymorphism in the gene encoding lymphoid protein tyrosine phosphatase (PTPN22) confers susceptibility to generalised vitiligo. <i>Genes and Immunity</i> , 2005, 6, 584-587.	2.2	109
85	CTLA4 polymorphisms are associated with vitiligo, in patients with concomitant autoimmune diseases. <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 55-58.	4.0	57
86	10 years' experience of patch testing with a shoe series in 230 patients: which allergens are important?. <i>Contact Dermatitis</i> , 2005, 53, 37-39.	0.8	66
87	Occupational contact dermatitis to 1,2-benzisothiazolin-3-one and 5-chloro-2-methylisothiazolin-3-one/2-methylisothiazolin-3-one in paint manufacturers. <i>Contact Dermatitis</i> , 2005, 53, 115-116.	0.8	20
88	An insertion/deletion polymorphism in the gene encoding angiotensin converting enzyme is not associated with generalised vitiligo in an English population. <i>Archives of Dermatological Research</i> , 2005, 297, 94-98.	1.1	20
89	Occupational skin cancers. <i>Occupational Medicine</i> , 2004, 54, 458-463.	0.8	111
90	The national survey of adverse reactions to dental materials in the UK: a preliminary study by the UK Adverse Reactions Reporting Project. <i>British Dental Journal</i> , 2004, 196, 471-477.	0.3	49

#	ARTICLE	IF	CITATIONS
91	Notch4, a non-HLA gene in the MHC is strongly associated with the most severe form of alopecia areata. <i>Human Genetics</i> , 2003, 112, 400-403.	1.8	29
92	Contact allergens in 200 patients with hand dermatitis. <i>Contact Dermatitis</i> , 2003, 48, 227-228.	0.8	7
93	Occupational hand dermatitis in a wood turner due to rosewood (<i>Dalbergia latifolia</i>). <i>Contact Dermatitis</i> , 2003, 48, 345-346.	0.8	15
94	Autoantibodies in Vitiligo Patients Recognize Multiple Domains of the Melanin-Concentrating Hormone Receptor. <i>Journal of Investigative Dermatology</i> , 2003, 121, 765-770.	0.3	19
95	The British standard series of contact dermatitis allergens: validation in clinical practice and value for clinical governance. <i>British Journal of Dermatology</i> , 2003, 148, 259-264.	1.4	77
96	Metal sensitivities and orthopaedic implants revisited: the potential for metal allergy with the new metal-on-metal joint prostheses. <i>British Journal of Dermatology</i> , 2003, 148, 1089-1093.	1.4	126
97	Chromate: still an important occupational allergen for men in the UK. <i>Contact Dermatitis</i> , 2003, 49, 162-163.	0.8	8
98	Oral lichenoid lesions and contact allergy to dental mercury and gold. <i>Contact Dermatitis</i> , 2003, 49, 264-265.	0.8	32
99	Experience with low-dose methotrexate for the treatment of eczema in the elderly. <i>Journal of the American Academy of Dermatology</i> , 2003, 48, 417-419.	0.6	56
100	Occupational contact dermatitis to nickel: experience of the British dermatologists (EPIDERM) and occupational physicians (OPRA) surveillance schemes. <i>Occupational and Environmental Medicine</i> , 2003, 60, 954-957.	1.3	40
101	Adverse reactions to protective gloves used in the dental profession: experience of the UK Adverse Reaction Reporting Project. <i>British Dental Journal</i> , 2003, 195, 686-690.	0.3	18
102	Vitiligo treated with topical corticosteroids: Children with head and neck involvement respond well. <i>Journal of the American Academy of Dermatology</i> , 2002, 46, 964-965.	0.6	29
103	Role of the Autoimmune Regulator (AIRE) gene in alopecia areata: Strong association of a potentially functional AIRE polymorphism with alopecia universalis. <i>Tissue Antigens</i> , 2002, 60, 489-495.	1.0	74
104	Contact dermatitis from textile and dye allergens requires a high index of suspicion for diagnosis. <i>Contact Dermatitis</i> , 2002, 47, 109-125.	0.8	16
105	On-line internet facilities for contact allergy software: CDESK/PRO. <i>Contact Dermatitis</i> , 2002, 47, 243-243.	0.8	1
106	Occupational cobalt sensitivity in 2 metal press operators. <i>Contact Dermatitis</i> , 2002, 47, 239-240.	0.8	3
107	Fibroblasts Play a Regulatory Role in the Control of Pigmentation in Reconstructed Human Skin from Skin Types I and II. <i>Pigment Cell & Melanoma Research</i> , 2002, 15, 49-56.	4.0	71
108	Type IV hypersensitivity reactions to natural rubber latex: results of a multicentre study. <i>British Journal of Dermatology</i> , 2002, 146, 114-117.	1.4	55

#	ARTICLE	IF	CITATIONS
109	Type-IV hypersensitivity to betamethasone valerate and clobetasol propionate: results of a multicentre study. <i>British Journal of Dermatology</i> , 2002, 147, 266-269.	1.4	24
110	Autoantibodies in vitiligo patients are not directed to the melanocyte differentiation antigen MelanA/MART1. <i>Clinical and Experimental Immunology</i> , 2002, 129, 527-532.	1.1	24
111	The melanin-concentrating hormone receptor 1, a novel target of autoantibody responses in vitiligo. <i>Journal of Clinical Investigation</i> , 2002, 109, 923-930.	3.9	89
112	The melanin-concentrating hormone receptor 1, a novel target of autoantibody responses in vitiligo. <i>Journal of Clinical Investigation</i> , 2002, 109, 923-930.	3.9	39
113	Latex allergy: a health care problem of epidemic proportions. <i>European Journal of Dermatology</i> , 2002, 12, 311-5.	0.3	19
114	Molecular mapping of epitopes on melanocyte-specific protein Pmel17 which are recognized by autoantibodies in patients with vitiligo. <i>Clinical and Experimental Immunology</i> , 2001, 124, 509-515.	1.1	22
115	Occupational contact dermatitis has an appreciable impact on quality of life. <i>Contact Dermatitis</i> , 2001, 45, 17-20.	0.8	106
116	Rifampicin allergy confirmed by an intradermal test, but with a negative patch test. <i>Contact Dermatitis</i> , 2001, 45, 108-108.	0.8	12
117	Contact allergy to testosterone in an androgen patch: control of symptoms by pre-application of topical corticosteroid. <i>Contact Dermatitis</i> , 2001, 45, 124-125.	0.8	13
118	Contact dermatitis from soybean extract in a cosmetic cream. <i>Contact Dermatitis</i> , 2001, 44, 43-44.	0.8	20
119	Occupational contact dermatitis from colophonium in a dental technician. <i>Contact Dermatitis</i> , 2001, 44, 60-60.	0.8	5
120	Occupational allergic contact dermatitis from formaldehyde resin in clothing. <i>Contact Dermatitis</i> , 2001, 44, 109-110.	0.8	13
121	Occupational contact dermatitis in nurses with hand eczema. <i>Contact Dermatitis</i> , 2001, 44, 293-296.	0.8	30
122	Keratinocytes Suppress TRP-1 Expression and Reduce Cell Number of Co-cultured Melanocytes - Implications For Grafting of Patients with Vitiligo. <i>Pigment Cell & Melanoma Research</i> , 2001, 14, 116-125.	4.0	26
123	Patch testing in occupational dermatology. <i>Occupational and Environmental Medicine</i> , 2001, 58, 823-828.	1.3	20
124	Occupational allergic contact dermatitis from formaldehyde resin in clothing. <i>Contact Dermatitis</i> , 2001, 44, 100-101.	0.8	9
125	Î±-Melanocyte stimulating hormone can reduce T-cell interaction with melanoma cells in vitro. <i>Melanoma Research</i> , 2000, 10, 323-330.	0.6	13
126	Management of vitiligo. <i>Clinical and Experimental Dermatology</i> , 2000, 25, 575-579.	0.6	34

#	ARTICLE	IF	CITATIONS
127	Angry back syndrome is often due to marginal irritants: a study of 17 cases seen over 4 years. Contact Dermatitis, 2000, 43, 280-282.	0.8	16
128	Contact sensitivity to nickel and other metals in jewelry reactors. Journal of the American Academy of Dermatology, 2000, 43, 31-36.	0.6	76
129	Identification of Epitopes on Tyrosinase which are Recognized by Autoantibodies from Patients with Vitiligo. Journal of Investigative Dermatology, 1999, 113, 267-271.	0.3	30
130	Treatment of psoriasis: day care vs. inpatient therapy. British Journal of Dermatology, 1999, 140, 375-376.	1.4	12
131	Analysis of a microsatellite polymorphism of the cytotoxic T-lymphocyte antigen-4 gene in patients with vitiligo. British Journal of Dermatology, 1999, 140, 73-78.	1.4	60
132	Severe erythrodermic reactions to the proton pump inhibitors omeprazole and lansoprazole. British Journal of Dermatology, 1999, 141, 173-175.	1.4	56
133	Occupational dermatitis in Sheffield: a preliminary study. Contact Dermatitis, 1999, 40, 223-224.	0.8	1
134	Allergic contact dermatitis from natural rubber latex without immediate hypersensitivity. Contact Dermatitis, 1999, 40, 325-326.	0.8	12
135	Suspected fragrance allergy requires extended patch testing to individual fragrance allergens. Contact Dermatitis, 1999, 41, 193-197.	0.8	44
136	Clearance of acanthosis nigricans associated with the HAIR-AN syndrome after partial pancreatectomy: an 11-year follow-up. Postgraduate Medical Journal, 1999, 75, 421-423.	0.9	15
137	Î±-MSH and Melanogenesis in Normal Human Adult Melanocytes. Pigment Cell & Melanoma Research, 1998, 11, 45-56.	4.0	38
138	Foot dermatitis in children: causative allergens and follow-up. Contact Dermatitis, 1998, 38, 203-206.	0.8	50
139	The participation of proliferative keratinocytes in the preimmune response to sensitizing agents. British Journal of Dermatology, 1998, 138, 45-56.	1.4	21
140	Î±-melanocyte stimulating hormone inhibits tumour necrosis factor-Î± stimulated intercellular adhesion molecule-1 expression in normal cutaneous human melanocytes and in melanoma cell lines. British Journal of Dermatology, 1998, 138, 536-543.	1.4	37
141	Autoantibodies to tyrosinase-related protein-1 detected in the sera of vitiligo patients using a quantitative radiobinding assay. British Journal of Dermatology, 1998, 139, 798-805.	1.4	100
142	Vitiligo melanocytes in long-term culture show normal constitutive and cytokine-induced expression of intercellular adhesion molecule-1 and major histocompatibility complex class I and class II molecules. British Journal of Dermatology, 1998, 139, 965-973.	1.4	25
143	Autoantibodies to human melanocyte-specific protein Pmel17 in the sera of vitiligo patients: a sensitive and quantitative radioimmunoassay (RIA). Clinical and Experimental Immunology, 1998, 114, 333-338.	1.1	67
144	Hamartomatous congenital melanocytic nevi showing secondary anetoderma-like changes. Journal of the American Academy of Dermatology, 1998, 39, 843-845.	0.6	13

#	ARTICLE	IF	CITATIONS
145	Nickel as an Occupational Allergen. Archives of Dermatology, 1998, 134, 1231-6.	1.7	70
146	Patch testing in children and adolescents: Five years' experience and follow-up. Journal of the American Academy of Dermatology, 1997, 37, 964-968.	0.6	94
147	Cytokine dermatosis: reactivation of eczema during interleukin-2 infusion. British Journal of Dermatology, 1997, 136, 644-645.	1.4	9
148	Occupational contact dermatitis in an aromatherapist. Contact Dermatitis, 1997, 37, 306-306.	0.8	67
149	Detection of Tyrosinase Autoantibodies in Patients With Vitiligo Using 35S-Labeled Recombinant Human Tyrosinase in a Radioimmunoassay. Journal of Investigative Dermatology, 1997, 109, 69-73.	0.3	83
150	The Influence of Extracellular Matrix Proteins on Cutaneous and Uveal Melanocytes. Pigment Cell & Melanoma Research, 1997, 10, 54-59.	4.0	15
151	Azathioprine in dermatology: a survey of current practice in the U.K.. British Journal of Dermatology, 1997, 136, 351-355.	1.4	32
152	Immunoprecipitation of melanogenic enzyme autoantigens with vitiligo sera: evidence for cross-reactive autoantibodies to tyrosinase and tyrosinase-related protein-2 (TRP-2). Clinical and Experimental Immunology, 1997, 109, 495-500.	1.1	82
153	Azathioprine in dermatology: a survey of current practice in the U.K.. British Journal of Dermatology, 1997, 136, 351-355.	1.4	43
154	Investigation of the influence of extracellular matrix proteins on normal human melanocyte morphology and melanogenic activity. British Journal of Dermatology, 1996, 135, 888-897.	1.4	24
155	Prognosis of occupational hand dermatitis in metalworkers *. Contact Dermatitis, 1996, 34, 27-30.	0.8	53
156	Facial dermatitis and eyelid dermatitis: a comparison of patch test results and final diagnoses. Contact Dermatitis, 1996, 34, 140-141.	0.8	34
157	Nickel dermatitis: how much nickel is safe?. Contact Dermatitis, 1996, 35, 267-271.	0.8	49
158	Occupational dermatitis in hairdressers. Contact Dermatitis, 1996, 35, 364-365.	0.8	18
159	Chromium- and nickel-induced cytotoxicity in normal and transformed human keratinocytes: an investigation of pharmacological approaches to the prevention of Cr(VI)-induced cytotoxicity. British Journal of Dermatology, 1996, 134, 199-207.	1.4	45
160	Delayed and immediate orofacial reactions following contact with rubber gloves during dental treatment. British Dental Journal, 1996, 181, 137-139.	0.3	7
161	Differentiation of human keratinocytes is associated with a progressive loss of interferon β -induced intercellular adhesion molecule-1 expression. British Journal of Dermatology, 1996, 135, 24-31.	1.4	13
162	Routine urinalysis in a general dermatology clinic. British Journal of Dermatology, 1995, 132, 167-168.	1.4	0

#	ARTICLE	IF	CITATIONS
163	MORPHOLOGIC OBSERVATIONS ON THE DERMAL NERVES IN VITILIGO: AN ULTRASTRUCTURAL STUDY. International Journal of Dermatology, 1995, 34, 837-840.	0.5	29
164	Neuropeptides and general neuronal marker in psoriasis an immunohistochemical study. Clinical and Experimental Dermatology, 1995, 20, 384-389.	0.6	65
165	Survey of quality issues in dermatology service contracts. Clinical and Experimental Dermatology, 1995, 20, 132-135.	0.6	1
166	The prevention of nickel contact dermatitis. Contact Dermatitis, 1995, 32, 257-265.	0.8	63
167	Contact sensitivity to food additives can cause oral and perioral symptoms. Contact Dermatitis, 1995, 33, 429-430.	0.8	27
168	Neuropeptides and general neuronal marker PGP 9.5 in normal skin: an immunohistochemical study. Journal of the European Academy of Dermatology and Venereology, 1995, 5, 201-203.	1.3	1
169	An audit of the use of methotrexate in a dermatology department. Journal of Dermatological Treatment, 1995, 6, 179-182.	1.1	1
170	Squamous Cell Carcinoma Complicating Lichen planus: A Clinico-Pathological Study of Three Cases. Dermatology, 1994, 188, 36-39.	0.9	33
171	An audit of the value of patch testing: the patient's perspective. Contact Dermatitis, 1994, 30, 214-216.	0.8	40
172	Colophony: an unusual factor in pruritus vulvae. Contact Dermatitis, 1994, 31, 119-119.	0.8	6
173	Contact sensitivity in pruritus vulvae: a common and manageable problem. Contact Dermatitis, 1994, 31, 264-265.	0.8	41
174	Pemphigoid nodularis: a report of two cases. Clinical and Experimental Dermatology, 1994, 19, 496-499.	0.6	26
175	The relationship between stress and the onset and exacerbation of psoriasis and other skin conditions. British Journal of Dermatology, 1994, 130, 199-203.	1.4	252
176	Generalised pruritus with opioids. Lancet, The, 1994, 344, 1031.	6.3	4
177	The prevalence of childhood atopic eczema in a general population. Journal of the American Academy of Dermatology, 1994, 30, 35-39.	0.6	432
178	Neuropeptide and neuronal marker studies in vitiligo. British Journal of Dermatology, 1994, 131, 160-165.	1.4	99
179	Chloracne-study of an outbreak with new clinical observations. Clinical and Experimental Dermatology, 1993, 18, 523-525.	0.6	19
180	Light cautery and EMLAR in the treatment of chloracne lesions. British Journal of Dermatology, 1993, 128, 313-316.	1.4	28

#	ARTICLE	IF	CITATIONS
181	Diagnostic accuracy for basal cell papillomas. <i>British Journal of Dermatology</i> , 1993, 129, 94-95.	1.4	6
182	Dermatitis herpetiformis and established coeliac disease. <i>British Journal of Dermatology</i> , 1993, 129, 694-695.	1.4	16
183	Allergic contact dermatitis from resin-reinforced plaster. <i>Contact Dermatitis</i> , 1993, 28, 40-41.	0.8	13
184	Multiple contact sensitivity to eyedrops. <i>Contact Dermatitis</i> , 1993, 28, 246-247.	0.8	11
185	Nickel sensitivity and the implantation of orthopaedic prostheses. <i>Contact Dermatitis</i> , 1993, 28, 257-259.	0.8	105
186	Isolated cobalt sensitivity in an etcher. <i>Contact Dermatitis</i> , 1993, 29, 46-46.	0.8	14
187	The Prevalence of Headache and Migraine in Atopic Children: An Epidemiological Study in General Practice. <i>Headache</i> , 1993, 33, 427-431.	1.8	94
188	The domiciliary visit in dermatology: Demography and management. <i>Journal of Dermatological Treatment</i> , 1993, 4, 157-159.	1.1	0
189	Allergy to octyl gallate causing stomatitis. <i>British Dental Journal</i> , 1993, 175, 106-108.	0.3	18
190	Rosacea: A study of clinical patterns, blood flow, and the role of <i>Demodex folliculorum</i> . <i>Journal of the American Academy of Dermatology</i> , 1992, 26, 590-593.	0.6	118
191	Dermatological causes of pruritus ani.. <i>BMJ: British Medical Journal</i> , 1992, 305, 955-955.	2.4	25
192	Vesiculo-bullous Darier's disease. <i>British Journal of Dermatology</i> , 1992, 126, 416-417.	1.4	16
193	Nickel sensitivity: the influence of ear piercing and atopy. <i>British Journal of Dermatology</i> , 1992, 126, 16-18.	1.4	112
194	Chinese herbs for eczema, the active compound?. <i>Lancet, The</i> , 1991, 337, 566.	6.3	18
195	Acetazolamide for psoriasis. <i>Lancet, The</i> , 1991, 337, 558-559.	6.3	9
196	Reticulate Pigmentation In Mycosis Fungoides. <i>International Journal of Dermatology</i> , 1991, 30, 658-659.	0.5	4
197	Quantification of allergic and irritant patch test reactions using laser-Doppler flowmetry and erythema index. <i>Contact Dermatitis</i> , 1991, 24, 172-177.	0.8	39
198	Occupational vitiligo and contact sensitivity to para-tertiary butyl catechol. <i>Contact Dermatitis</i> , 1991, 25, 200-201.	0.8	22

#	ARTICLE	IF	CITATIONS
199	Small intestinal function and dietary status in dermatitis herpetiformis.. Gut, 1991, 32, 377-382.	6.1	21
200	Chloracne: Causation, diagnosis and treatment. Journal of Dermatological Treatment, 1991, 2, 73-76.	1.1	15
201	Syringoacanthoma: An Acrosyringial Tumour. Dermatology, 1990, 181, 62-64.	0.9	0
202	Chloracne: report of an outbreak with new clinical observations. British Journal of Dermatology, 1990, 123, 21-22.	1.4	3
203	(23) Rosacea: a survey of presentation patterns and response to therapy. British Journal of Dermatology, 1990, 123, 66-67.	1.4	2
204	Unilesional mycosis fungoides: a review of four cases. British Journal of Dermatology, 1990, 123, 123-124.	1.4	1
205	The discrimination between nickel-sensitive and non-nickel-sensitive subjects by an in vitro lymphocyte transformation test. British Journal of Dermatology, 1990, 122, 293-298.	1.4	96
206	White sponge naevus successfully treated with topical tetracycline. Clinical and Experimental Dermatology, 1990, 15, 152-153.	0.6	48
207	Cutaneous Autoimmunity. Autoimmunity, 1989, 3, 213-233.	1.2	0
208	Bullous lichen planus and lichen planus pemphigoides-clinico-pathological comparisons. Clinical and Experimental Dermatology, 1989, 14, 150-153.	0.6	54
209	Pemphigoid en cocarde. Journal of the American Academy of Dermatology, 1989, 20, 1125.	0.6	3
210	The Hapten in Contact Hypersensitivity to Dinitrochlorobenzene: Immunoelectron Microscopic and Immunofluorescent Studies. Dermatology, 1989, 178, 126-130.	0.9	9
211	Plasma 5-S-cysteinyl-dopa as an index of melanogenesis. British Journal of Dermatology, 1988, 118, 487-496.	1.4	17
212	Nail dystrophy in chronic sarcoidosis. British Journal of Dermatology, 1988, 118, 697-701.	1.4	37
213	Pyoderma Gangrenosum of the Scalp. International Journal of Dermatology, 1988, 27, 654-655.	0.5	9
214	Florida and New Orleans: The Dowling Club Overseas Visit 1986/7. Clinical and Experimental Dermatology, 1988, 13, 282-283.	0.6	0
215	Two atypical fibroxanthomas arising separately in X-irradiated skin. Clinical and Experimental Dermatology, 1988, 13, 382-384.	0.6	8
216	Sweet's syndrome in Crohn's disease.. BMJ: British Medical Journal, 1988, 297, 1513-1514.	2.4	28

#	ARTICLE	IF	CITATIONS
217	Self-Healing Epitheliomata of Ferguson-Smith: Cytogenetic and Histological Studies, and the Therapeutic Effect of Etretinate. <i>Dermatology</i> , 1988, 176, 22-28.	0.9	12
218	Clinical, Histological and Immunological Studies in 50 Patients with Bullous Pemphigoid. <i>Dermatology</i> , 1988, 176, 6-17.	0.9	60
219	Nutritional status in patients with dermatitis herpetiformis. <i>American Journal of Clinical Nutrition</i> , 1988, 48, 355-360.	2.2	23
220	Nickel dermatitis and diet: clinical improvement and a reduction in blood and urine nickel levels with a low-nickel diet. <i>Acta Dermato-Venereologica</i> , 1988, 68, 453-5.	0.6	2
221	Immunophenotyping of the Eczematous Flare-Up Reaction in a Nickel-Sensitive Subject. <i>Dermatology</i> , 1987, 175, 171-177.	0.9	13
222	ABC of dermatology. Autoimmunity and skin disease.. <i>BMJ: British Medical Journal</i> , 1987, 295, 1471-1474.	2.4	0
223	Keratinocyte Expression of MHC Class II Antigens in Allergic Sensitization and Challenge Reactions and in Irritant Contact Dermatitis. <i>Journal of Investigative Dermatology</i> , 1987, 88, 11-16.	0.3	59
224	Nickel dermatitis: the reaction to oral nickel challenge. <i>British Journal of Dermatology</i> , 1986, 115, 33-38.	1.4	82
225	Contact clinic survey of nickel-sensitive subjects. <i>Contact Dermatitis</i> , 1986, 14, 165-169.	0.8	53
226	An analysis of 501 consecutive contact clinic consultations. <i>Contact Dermatitis</i> , 1986, 15, 119-125.	0.8	50
227	Occupational skin disease in hospital cleaning and kitchen workers. <i>Contact Dermatitis</i> , 1986, 15, 132-135.	0.8	69
228	Experimental Contact Dermatitis Using 2,4-Dinitrochlorobenzene in Humans. , 1986, , 140-146.		1
229	MHC class II antigen expression in normal human epidermis. <i>Immunology</i> , 1986, 59, 223-7.	2.0	21
230	Phenotypic characterization of the early cellular responses in allergic and irritant contact dermatitis. <i>Clinical and Experimental Immunology</i> , 1986, 66, 590-8.	1.1	41
231	Disseminated herpes simplex infection complicating Darier's disease: successful treatment with oral acyclovir. <i>Journal of Infection</i> , 1985, 10, 77-IN6.	1.7	10
232	Male sex hormone status in dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 1985, 112, 57-61.	1.4	1
233	Nickel dermatitis: the reaction to oral nickel challenge. <i>British Journal of Dermatology</i> , 1985, 113, 22-23.	1.4	8
234	Werner's Syndrome. <i>Archives of Dermatology</i> , 1985, 121, 636.	1.7	22

#	ARTICLE	IF	CITATIONS
235	Dermatitis herpetiformis: diagnosis, diet and demography.. Gut, 1984, 25, 151-157.	6.1	118
236	Early cellular reactions induced by dinitrochlorobenzene in sensitized human skin. British Journal of Dermatology, 1984, 110, 637-641.	1.4	47
237	Early cellular events in the challenge phase of nickel allergic contact dermatitis. British Journal of Dermatology, 1984, 111, 38-38.	1.4	1
238	Neonatal lupus erythematosus in four successive siblings born to a mother with discoid lupus erythematosus. British Journal of Dermatology, 1984, 111, 683-687.	1.4	44
239	Psoriasiform reaction to atenolol. Clinical and Experimental Dermatology, 1984, 9, 92-94.	0.6	21
240	Malignant fibrous histiocytoma. Clinical and Experimental Dermatology, 1984, 9, 497-501.	0.6	0
241	Growth hormone levels in psoriasis. Archives of Dermatological Research, 1984, 276, 147-150.	1.1	21
242	Phytophotodermatitis due to common rue (Ruta graveolens). Contact Dermatitis, 1983, 9, 224-224.	0.8	40
243	Bone and joint tuberculosis: phthisis changes course. Postgraduate Medical Journal, 1982, 58, 753-755.	0.9	0
244	Transdermally administered hyoscine and nocturnal acid secretion in patients with duodenal ulcer. BMJ: British Medical Journal, 1982, 285, 63-63.	2.4	0
245	DERMATITIS HERPETIFORMIS AND LYMPHOMA. Lancet, The, 1982, 320, 987.	6.3	10
246	Marfan's syndrome presenting as bilateral spontaneous pneumothorax.. Postgraduate Medical Journal, 1981, 57, 240-241.	0.9	21
247	Death after complete detachment of a Bjork-Shiley prosthetic mitral valve.. BMJ: British Medical Journal, 1979, 2, 1401-1402.	2.4	4