
## Susanna Dolci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5680898/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Sperm cells as vectors for introducing foreign DNA into eggs: Genetic transformation of mice. Cell, 1989, 57, 717-723.  | 28.9 | 498       |
| 2  | Requirement for mast cell growth factor for primordial germ cell survival in culture. Nature, 1991,<br>352, 809-811.  | 27.8 | 479       |
| 3  | Follicle-Stimulating Hormone Induction of Steel Factor (SLF) mRNA in Mouse Sertoli Cells and<br>Stimulation of DNA Synthesis in Spermatogonia by Soluble SLF. Developmental Biology, 1993, 155, 68-74.                  | 2.0  | 211       |
| 4  | Developmental expression of BMP4/ALK3/SMAD5 signaling pathway in the mouse testis: a potential role of BMP4 in spermatogonia differentiation. Journal of Cell Science, 2003, 116, 3363-3372.                            | 2.0  | 196       |
| 5  | Repression of kit Expression by Plzf in Germ Cells. Molecular and Cellular Biology, 2007, 27, 6770-6781.  | 2.3  | 178       |
| 6  | Role of c-kit in mammalian spermatogenesis. Journal of Endocrinological Investigation, 2000, 23, 609-615.   | 3.3  | 150       |
| 7  | Opposing effects of retinoic acid and FGF9 on <i>Nanos2</i> expression and meiotic entry of mouse germ cells. Journal of Cell Science, 2010, 123, 871-880.  | 2.0  | 138       |
| 8  | Type 5 phosphodiesterase expression in the human vagina. Urology, 2002, 60, 191-195.  | 1.0  | 136       |
| 9  | Signaling through Extracellular Signal-regulated Kinase Is Required for Spermatogonial Proliferative<br>Response to Stem Cell Factor. Journal of Biological Chemistry, 2001, 276, 40225-40233.                          | 3.4  | 114       |
| 10 | Leukemia inhibitory factor sustains the survival of mouse primordial germ cells cultured on TM4<br>feeder layers. Developmental Biology, 1991, 147, 281-284.  | 2.0  | 108       |
| 11 | Essential Role of Sox2 for the Establishment and Maintenance of the Germ Cell Line. Stem Cells, 2013, 31, 1408-1421.  | 3.2  | 106       |
| 12 | ATRA and KL promote differentiation toward the meiotic program of male germ cells Cell Cycle, 2008, 7, 3878-3888.   | 2.6  | 104       |
| 13 | Combined action of stem cell factor, leukemia inhibitory factor, and cAMP on in vitro proliferation of mouse primordial germ cells. Molecular Reproduction and Development, 1993, 35, 134-139.                          | 2.0  | 85        |
| 14 | Direct evidence that the mouse sex-determining geneSry is expressed in the somatic cells of male fetal gonads and in the germ cell line in the adult testis. Molecular Reproduction and Development, 1993, 34, 369-373. | 2.0  | 82        |
| 15 | Kit regulatory elements required for expression in developing hematopoietic and germ cell lineages.<br>Blood, 2003, 102, 3954-3962.   | 1.4  | 77        |
| 16 | Potential role of Nanos3 in maintaining the undifferentiated spermatogonia population.<br>Developmental Biology, 2008, 313, 725-738.  | 2.0  | 77        |
| 17 | SOHLH1 and SOHLH2 control Kit expression during postnatal male germ cell development Journal of Cell Science, 2012, 125, 1455-64.   | 2.0  | 73        |
| 18 | Proliferation of Mouse Primordial Germ Cells in Vitro: A Key Role for cAMP. Developmental Biology,<br>1993, 157, 277-280.   | 2.0  | 72        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Platelet-Derived Growth Factor Receptor Î <sup>2</sup> -Subtype Regulates Proliferation and Migration of<br>Gonocytes. Endocrinology, 2008, 149, 6226-6235.   | 2.8 | 69        |
| 20 | Increased expression and nuclear localization of the centrosomal kinase Nek2 in human testicular seminomas. Journal of Pathology, 2009, 217, 431-441.   | 4.5 | 63        |
| 21 | In vitro adhesion of mouse fetal germ cells to extracellular matrix components. Cell Differentiation and Development, 1989, 26, 87-96.  | 0.4 | 59        |
| 22 | Paracrine Mechanisms Involved in the Control of Early Stages of Mammalian Spermatogenesis.<br>Frontiers in Endocrinology, 2013, 4, 181.   | 3.5 | 58        |
| 23 | Developmental regulation of the thyroid hormone receptor alpha 1 mRNA expression in the rat testis.<br>Molecular Endocrinology, 1994, 8, 89-96.   | 3.7 | 58        |
| 24 | BRCA1, PARP1 and γH2AX in acute myeloid leukemia: Role as biomarkers of response to the PARP inhibitor olaparib. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 462-472.     | 3.8 | 53        |
| 25 | INTERMITTENT CATHETERIZATION WITH A PRELUBRICATED CATHETER IN SPINAL CORD INJURED PATIENTS: A PROSPECTIVE RANDOMIZED CROSSOVER STUDY. Journal of Urology, 2001, 166, 130-133.                         | 0.4 | 49        |
| 26 | An increase of intracellular free Ca2+ is essential for spontaneous meiotic resumption by mouse oocytes. The Journal of Experimental Zoology, 1991, 260, 401-405.                                     | 1.4 | 48        |
| 27 | Subcellular localization and regulation of type-1C and type-5 phosphodiesterases. Biochemical and Biophysical Research Communications, 2006, 341, 837-846.  | 2.1 | 45        |
| 28 | In or Out Stemness: Comparing Growth Factor Signalling in Mouse Embryonic Stem Cells and<br>Primordial Germ Cells. Current Stem Cell Research and Therapy, 2009, 4, 87-97.                            | 1.3 | 45        |
| 29 | Transcriptome analysis of differentiating spermatogonia stimulated with kit ligand. Gene Expression<br>Patterns, 2008, 8, 58-70.  | 0.8 | 42        |
| 30 | RanBPM is essential for mouse spermatogenesis and oogenesis. Development (Cambridge), 2011, 138, 2511-2521.   | 2.5 | 42        |
| 31 | Analysis of the gene expression profile of mouse male meiotic germ cells. Gene Expression Patterns, 2004, 4, 267-281.   | 0.8 | 41        |
| 32 | Imatinib Mesylate Inhibits Leydig Cell Tumor Growth: Evidence for <i>In vitro</i> and <i>In vivo</i> Activity. Cancer Research, 2005, 65, 1897-1903.  | 0.9 | 39        |
| 33 | Molecular mechanisms utilized by alternative c-kit gene products in the control of spermatogonial proliferation and sperm-mediated egg activation. Andrologia, 2003, 35, 71-78.                       | 2.1 | 37        |
| 34 | Identification of a Promoter Region Generating Sry Circular Transcripts Both in Germ Cells from Male<br>Adult Mice and in Male Mouse Embryonal Gonads1. Biology of Reproduction, 1997, 57, 1128-1135. | 2.7 | 36        |
| 35 | Ontogenetic Profile of the Expression of Thyroid Hormone Receptors in Rat and Human Corpora<br>Cavernosa of the Penis. Journal of Sexual Medicine, 2010, 7, 1381-1390.                                | 0.6 | 31        |
| 36 | Type 5 phosphodiesterase regulates glioblastoma multiforme aggressiveness and clinical outcome.<br>Oncotarget, 2017, 8, 13223-13239.  | 1.8 | 30        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Identification of Multipotent Cytotrophoblast Cells from Human First Trimester Chorionic Villi.<br>Cloning and Stem Cells, 2009, 11, 535-556.  | 2.6 | 28        |
| 38 | Putative second messengers affect cell coupling in the seminiferous tubules. Cell Biology<br>International Reports, 1986, 10, 631-639.   | 0.6 | 27        |
| 39 | Cannabinoid Receptors Signaling in the Development, Epigenetics, and Tumours of Male Germ Cells.<br>International Journal of Molecular Sciences, 2020, 21, 25.   | 4.1 | 26        |
| 40 | Stem cell factor activates telomerase in mouse mitotic spermatogonia and in primordial germ cells.<br>Journal of Cell Science, 2002, 115, 1643-1649.   | 2.0 | 26        |
| 41 | Microgravity Promotes Differentiation and Meiotic Entry of Postnatal Mouse Male Germ Cells. PLoS<br>ONE, 2010, 5, e9064.   | 2.5 | 26        |
| 42 | Overactive type 2 cannabinoid receptor induces meiosis in fetal gonads and impairs ovarian reserve.<br>Cell Death and Disease, 2017, 8, e3085-e3085.   | 6.3 | 25        |
| 43 | Molecular Genetics of Male Infertility: Stem Cell Factor/c-kit System. American Journal of<br>Reproductive Immunology, 2002, 48, 27-33.  | 1.2 | 23        |
| 44 | To Be or Not to Be a Germ Cell: The Extragonadal Germ Cell Tumor Paradigm. International Journal of<br>Molecular Sciences, 2021, 22, 5982.   | 4.1 | 23        |
| 45 | Targeted JAM-C deletion in germ cells by Spo11-controlled Cre recombinase. Journal of Cell Science, 2011, 124, 91-99.  | 2.0 | 22        |
| 46 | Regulation of Phosphodiesterase 5 Expression and Activity in Human Pregnant and Non-pregnant<br>Myometrial Cells by Human Chorionic Gonadotropin. Journal of the Society for Gynecologic<br>Investigation, 2005, 12, 570-577.                  | 1.7 | 21        |
| 47 | Stem cell factor activates telomerase in mouse mitotic spermatogonia and in primordial germ cells.<br>Journal of Cell Science, 2002, 115, 1643-9.  | 2.0 | 20        |
| 48 | γ-Amino butyric-N-acid sensitivity of mouse and human oocytes. Developmental Biology, 1985, 109,<br>242-246.   | 2.0 | 18        |
| 49 | Gonadal development and germ cell tumors in mouse and humans. Seminars in Cell and Developmental<br>Biology, 2015, 45, 114-123.  | 5.0 | 18        |
| 50 | SOHLH1 and SOHLH2 directly down-regulate STIMULATED BY RETINOIC ACID 8 (STRA8) expression. Cell Cycle, 2015, 14, 1036-1045.  | 2.6 | 17        |
| 51 | Chapter 7 Cellular Interactions of Mouse Fetal Germ Cells In In Vitro Systems. Current Topics in Developmental Biology, 1987, 23, 147-162.   | 2.2 | 14        |
| 52 | MSH3 expression does not influence the sensitivity of colon cancer HCT116 cell line to oxaliplatin and poly(ADP-ribose) polymerase (PARP) inhibitor as monotherapy or in combination. Cancer Chemotherapy and Pharmacology, 2013, 72, 117-125. | 2.3 | 14        |
| 53 | Type 5 phosphodiesterase (PDE5) and the vascular tree: From embryogenesis to aging and disease.<br>Mechanisms of Ageing and Development, 2020, 190, 111311.  | 4.6 | 13        |
| 54 | Fetal germ cells establish cell coupling with follicle cells in vitro. Cell Differentiation and Development, 1989, 28, 65-69.  | 0.4 | 12        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Regulation of PDE5 expression in human aorta and thoracic aortic aneurysms. Scientific Reports, 2019, 9, 12206.   | 3.3 | 12        |
| 56 | From testis to teratomas: a brief history of male germ cells in mammals. International Journal of Developmental Biology, 2013, 57, 115-121.   | 0.6 | 11        |
| 57 | Decellularized Extracellular Matrices and Cardiac Differentiation: Study on Human Amniotic<br>Fluid-Stem Cells. International Journal of Molecular Sciences, 2020, 21, 6317.  | 4.1 | 11        |
| 58 | Human adipose-derived stromal cells transplantation prolongs reproductive lifespan on mouse<br>models of mild and severe premature ovarian insufficiency. Stem Cell Research and Therapy, 2021, 12,<br>537.   | 5.5 | 11        |
| 59 | Cell-to-cell communication in cultured Sertoli cells. Pflugers Archiv European Journal of Physiology,<br>1985, 404, 382-384.  | 2.8 | 10        |
| 60 | Influence of MLH1 on colon cancer sensitivity to poly(ADP-ribose) polymerase inhibitor combined with irinotecan. International Journal of Oncology, 2013, 43, 210-218.  | 3.3 | 10        |
| 61 | Sempervirine inhibits RNA polymerase I transcription independently from p53 in tumor cells. Cell Death Discovery, 2020, 6, 111.   | 4.7 | 10        |
| 62 | Regulation of Kit Expression in Early Mouse Embryos and ES Cells. Stem Cells, 2019, 37, 332-344.  | 3.2 | 9         |
| 63 | Involvement of carbohydrates in the hardening of the zona pellucida of mouse oocytes. Cell Biology<br>International Reports, 1991, 15, 571-579.   | 0.6 | 8         |
| 64 | The Ontogenetic Expression Pattern of Type 5 Phosphodiesterase Correlates with Androgen Receptor<br>Expression in Rat Corpora Cavernosa. Journal of Sexual Medicine, 2009, 6, 388-396.  | 0.6 | 8         |
| 65 | Involvement of thiol-disulfide groups in the sensitivity of fully grown mouse oocytes to calcium-free medium. The Journal of Experimental Zoology, 1987, 243, 283-287.  | 1.4 | 7         |
| 66 | Episode-like pulse testosterone supplementation induces tumor senescence and growth arrest<br>down-modulating androgen receptor through modulation of p-ERK1/2, pARser81 and CDK1 signaling:<br>biological implications for men treated with testosterone replacement therapy. Oncotarget, 2017, 8,<br>113792-113806. | 1.8 | 7         |
| 67 | Expression of the Xist Gene in Urogenital Ridges of Midgestation Male Embryos. Biochemical and<br>Biophysical Research Communications, 1994, 205, 334-340.  | 2.1 | 6         |
| 68 | Plateletâ€Derived Growth Factor Regulation of Typeâ€5 Phosphodiesterase in Human and Rat Penile<br>Smooth Muscle Cells. Journal of Sexual Medicine, 2014, 11, 1675-1684.  | 0.6 | 6         |
| 69 | Non-Coding RNAs and Splicing Activity in Testicular Germ Cell Tumors. Life, 2021, 11, 736.  | 2.4 | 6         |
| 70 | MAPK activation drives male and female mouse teratocarcinomas from late primordial germ cells.<br>Journal of Cell Science, 2022, 135, .   | 2.0 | 6         |
| 71 | Influence of cumulus cell processes on oolemma permeability and lethality of isolated mouse oocytes cultured in Ca2+-free medium. Gamete Research, 1989, 23, 245-253.   | 1.7 | 4         |
| 72 | ATP-Content and Kinetics of Acrosome Reaction in Human Spermatozoa: Influence of Various Culture<br>Media and Incubation Time. Andrologia, 1988, 20, 169-172.   | 2.1 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Male germ cells and cancer: a connection among pluripotency, differentiation and stem cell biology.<br>International Journal of Developmental Biology, 2013, 57, 101-103. | 0.6 | 2         |
| 74 | Castration and emasculation in the Middle Age. The andrological conundrum of Peter Abelard.<br>Andrology, 2022, 10, 825-836.  | 3.5 | 2         |
| 75 | Targeted JAM-C deletion in germ cells by Spo11-controlled Cre recombinase. Development (Cambridge), 2011, 138, e0208-e0208.   | 2.5 | Ο         |
| 76 | SOHLH1 and SOHLH2 control Kit expression during postnatal male germ cell development.<br>Development (Cambridge), 2012, 139, e1106-e1106.                                 | 2.5 | 0         |
| 77 | UV and genotoxic stress induce ATR relocalization in mouse spermatocytes. International Journal of<br>Developmental Biology, 2013, 57, 281-287.                           | 0.6 | Ο         |
| 78 | Alternative Forms and Functions of the c-kit Receptor and Its Ligand During Spermatogenesis. , 1996, ,<br>99-110.   |     | 0         |