## Hiroki Hayashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5682060/publications.pdf

Version: 2024-02-01

		1163117	1125743
19	176	8	13
papers	citations	h-index	g-index
20	20	20	250
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). Clinical and Experimental Nephrology, 2020, 24, 526-540.	1.6	33
2	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. Clinical and Experimental Nephrology, 2018, 22, 1266-1280.	1.6	21
3	Ratio of blood urea nitrogen to serum creatinine at initiation of dialysis is associated with mortality: a multicenter prospective cohort study. Clinical and Experimental Nephrology, 2018, 22, 353-364.	1.6	16
4	Comparison of the 2018 and 2003 International Society of Nephrology/Renal Pathology Society classification in terms of renal prognosis in patients of lupus nephritis: a retrospective cohort study. Arthritis Research and Therapy, 2020, 22, 260.	3.5	14
5	Tubulointerstitial fibrosis in patients with IgG4-related kidney disease: pathological findings on repeat renal biopsy. Rheumatology International, 2015, 35, 1093-1101.	3.0	13
6	Efficacy of urinary midkine as a biomarker in patients with acute kidney injury. Clinical and Experimental Nephrology, 2017, 21, 597-607.	1.6	13
7	CD147/basigin reflects renal dysfunction in patients with acute kidney injury. Clinical and Experimental Nephrology, 2014, 18, 746-754.	1.6	11
8	Mycophenolate mofetil versus intravenous cyclophosphamide for induction treatment of proliferative lupus nephritis in a Japanese population: a retrospective study. Modern Rheumatology, 2013, 23, 89-96.	1.8	10
9	Long-term changes in renal function after treatment initiation and the importance of early diagnosis in maintaining renal function among IgG4-related tubulointerstitial nephritis patients in Japan. Arthritis Research and Therapy, 2020, 22, 261.	3.5	8
10	Efficacy and safety of febuxostat in elderly female patients. Clinical Interventions in Aging, 2014, 9, 1489.	2.9	7
11	Prediction model for cardiovascular events or all-cause mortality in incident dialysis patients. PLoS ONE, 2019, 14, e0221352.	2.5	7
12	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). Clinical and Experimental Nephrology, 2020, 24, 893-909.	1.6	6
13	Impact of high mortality in incident dialysis patients due to hypertensive nephrosclerosis: a multicenter prospective cohort study in Aichi, Japan. Clinical and Experimental Nephrology, 2018, 22, 1360-1370.	1.6	5
14	Aortic stenosis is a risk factor for all-cause mortality in patients on dialysis: a multicenter prospective cohort analysis. BMC Nephrology, 2018, 19, 80.	1.8	4
15	Uric acid distribution volume calculated by kinetic modeling and extracellular volume predicted by bioimpedance method. International Journal of Artificial Organs, 2020, 43, 701-709.	1.4	3
16	A nationwide analysis of renal and patient outcomes for adults with lupus nephritis in Japan. Clinical and Experimental Nephrology, 2022, 26, 898-908.	1.6	3
17	Suppression of inflammation during cellâ€free concentrated ascites reinfusion therapy using a blood purification device. Therapeutic Apheresis and Dialysis, 2020, 24, 511-515.	0.9	1
18	Vitamin K2 supplementation and the progression of abdominal aortic calcification in dialysis patients , 2021, 7, 136-138.		1

#	Article	IF	CITATIONS
19	Prescription rate of erythropoietin-stimulating agents is low for patients with renal impairment under non-nephrology care in a tertiary-level academic medical center in Japan. Clinical and Experimental Nephrology, 2022, , 1.	1.6	O