

# Alberto Stabile

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5682996/publications.pdf>

Version: 2024-02-01

557  
papers

20,374  
citations

16791

66  
h-index

31191

106  
g-index

570  
all docs

570  
docs citations

570  
times ranked

10220  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.   | 1.4 | 6         |
| 2  | Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13\text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .  | 1.4 | 14        |
| 3  | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.   | 1.6 | 2         |
| 4  | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1. | 1.4 | 8         |
| 5  | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139\text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.                         | 1.6 | 10        |
| 6  | AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.   | 1.3 | 23        |
| 7  | Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \mu^{\pm} \nu_{\mu} (\rightarrow \pi^{\pm} \nu_{\pi}) u_{\mu} \bar{u}_{\mu}$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.                            | 1.4 | 4         |
| 8  | The ATLAS inner detector trigger performance in pp collisions at $13\text{ TeV}$ during LHC Run 2. European Physical Journal C, 2022, 82, 1.   | 1.4 | 5         |
| 9  | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .   | 1.4 | 7         |
| 10 | Measurement of the energy asymmetry in $t\bar{t}$ production at $13\text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .  | 1.4 | 2         |
| 11 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13\text{ TeV}$ . European Physical Journal C, 2022, 82, 1.  | 1.4 | 12        |
| 12 | Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 4         |
| 13 | Search for squarks and gluinos in final states with jets and missing transverse momentum using $139\text{ fb}^{-1}$ of $\sqrt{s} = 13\text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                                    | 1.6 | 37        |
| 14 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.   | 1.4 | 12        |
| 15 | Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 1.4 | 38        |
| 16 | Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 18        |
| 17 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 1.4 | 17        |
| 18 | Measurement of light-by-light scattering and search for axion-like particles with $2.2\text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 6         |
| 20 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 14        |
| 21 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 22        |
| 22 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 1.4 | 18        |
| 23 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.  | 1.4 | 15        |
| 24 | Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- u \bar{u}$ final states using 139 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 1.4 | 40        |
| 25 | Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 18        |
| 26 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b} H$ and $e^+e^- \rightarrow W W H$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                          | 1.4 | 26        |
| 27 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 23        |
| 28 | Measurements of $W+W\gamma+1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 8         |
| 29 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 46        |
| 30 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.  | 1.4 | 14        |
| 31 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\bar{l}_\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 27        |
| 32 | Search for supersymmetry in events with four or more charged leptons in 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 12        |
| 33 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W_{\pm}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 10        |
| 34 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 8         |
| 35 | A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 5         |
| 36 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.   | 1.4 | 82        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 1.4 | 13        |
| 38 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, \sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 1.4 | 3         |
| 39 | Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 1.4 | 64        |
| 40 | Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                                      | 1.4 | 12        |
| 41 | Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 1.4 | 9         |
| 42 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 14        |
| 43 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.   | 1.4 | 5         |
| 44 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                                       | 1.6 | 12        |
| 45 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.   | 1.4 | 7         |
| 46 | Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 10        |
| 47 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 10        |
| 48 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 1.6 | 4         |
| 49 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 4         |
| 50 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.   | 1.4 | 28        |
| 51 | Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.   | 1.4 | 7         |
| 52 | Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 1.6 | 3         |
| 53 | Combined measurements of Higgs boson production and decay using up to $\sqrt{s}=13$ TeV proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 1.4 | 24        |
| 54 | Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135114. | 1.5 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Search for non-resonant Higgs boson pair production in the $b\bar{b}\gamma$ , $1/2a$ , $1/2$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <a href="https://arxiv.org/abs/2007.14545">https://arxiv.org/abs/2007.14545</a> . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135148. | 1.5 | 13        |
| 56 | Search for the Higgs boson decays $H \rightarrow \tau^+ \tau^- e e$ and $H \rightarrow \tau^+ \tau^- e \mu$ in pp collisions at $\sqrt{s} = 13$ TeV. <a href="https://arxiv.org/abs/2007.14545">https://arxiv.org/abs/2007.14545</a> . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135148.                      | 1.5 | 31        |
| 57 | Searches for lepton-flavour-violating decays of the Higgs boson in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.   | 1.5 | 30        |
| 58 | Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.  | 1.5 | 10        |
| 59 | Search for the Higgs boson decays $H \rightarrow \tau^+ \tau^- e e$ and $H \rightarrow \tau^+ \tau^- e \mu$ in pp collisions at $\sqrt{s} = 13$ TeV. <a href="https://arxiv.org/abs/2007.14545">https://arxiv.org/abs/2007.14545</a> . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135148.                      | 1.5 | 53        |
| 60 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 17        |
| 61 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 24        |
| 62 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.   | 1.4 | 32        |
| 63 | Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 28        |
| 64 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 1.4 | 34        |
| 65 | Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 8         |
| 66 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 11        |
| 67 | Search for the $HH \rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 17        |
| 68 | Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 12        |
| 69 | Measurements of top-quark pair spin correlations in the $\mu^+ \mu^-$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 1.4 | 22        |
| 70 | Higgs boson production cross-section measurements and their EFT interpretation in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 1.4 | 41        |
| 71 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 36        |
| 72 | Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review Letters, 2020, 124, 082301.   | 2.9 | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 19        |
| 74 | Z boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 2020, 1.  | 1.5 | 11        |
| 75 | Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.  | 2.9 | 25        |
| 76 | Measurement of the Z( $\nu\bar{\nu}$ , $\tau^+\tau^-$ , $\mu^+\mu^-$ ) <sup>3</sup> production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.                       | 1.6 | 9         |
| 77 | Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.  | 1.4 | 5         |
| 78 | Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 1.4 | 12        |
| 79 | Measurement of $J/\psi$ production in association with a $W^\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 10        |
| 80 | Search for $\rho(770)$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 1.6 | 14        |
| 81 | Reconstruction and identification of boosted di- $t$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.  | 1.6 | 8         |
| 82 | Evidence for electroweak production of two jets in association with a $Z^0$ pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 2020, 1. | 1.5 | 9         |
| 83 | Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.   | 1.4 | 93        |
| 84 | Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 1.4 | 124       |
| 85 | Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 1.4 | 4         |
| 86 | Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 1.4 | 30        |
| 87 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 1.4 | 29        |
| 88 | Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.                                 | 1.4 | 36        |
| 89 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.  | 1.4 | 12        |
| 90 | Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ -13 TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 1.4 | 15        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 49        |
| 92  | Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 2019, 1.   | 2.9 | 23        |
| 93  | Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 2019, 1.   | 1.5 | 196       |
| 94  | Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, .  | 1.6 | 21        |
| 95  | Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ –{ext { TeV}} that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.   | 1.4 | 28        |
| 96  | Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .   | 1.6 | 22        |
| 97  | Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .   | 1.6 | 22        |
| 98  | Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 21        |
| 99  | Observation of Light-by-Light Scattering in Ultraperipheral $PbPb$ collisions in the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 123, 052001.   | 2.9 | 75        |
| 100 | Measurement of prompt photon production in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 2019, 1.   | 1.5 | 10        |
| 101 | Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 8         |
| 102 | Measurement of $Z\gamma$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ –ext {TeV} with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 1.4 | 41        |
| 103 | Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.   | 2.9 | 133       |
| 104 | Measurement of the $Z\gamma$ production cross section for a Higgs boson in association with a vector boson in the $h\rightarrow a\bar{a}$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 2019, 1. | 1.6 | 28        |
| 105 | Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 30        |
| 106 | Search for scalar resonances decaying into $\hat{1}/4+\hat{1}/4\hat{a}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 15        |
| 107 | Measurement of the production cross section for a Higgs boson in association with a vector boson in the $h\rightarrow a\bar{a}$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 2019, 1.           | 1.5 | 22        |
| 108 | Search for scalar resonances decaying into two jets and produced in association with a photon using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.5 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.          | 1.5 | 39        |
| 110 | Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 20        |
| 111 | Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .   | 1.4 | 4         |
| 112 | Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .  | 1.4 | 21        |
| 113 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.4 | 24        |
| 114 | Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Physical Review D, 2019, 100, .  | 1.6 | 9         |
| 115 | Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.          | 2.9 | 53        |
| 116 | Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 13        |
| 117 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.  | 1.4 | 77        |
| 118 | Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.4 | 3         |
| 119 | Evidence for the production of three massive vector bosons with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.   | 1.5 | 10        |
| 120 | Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.                                | 1.4 | 22        |
| 121 | Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 347-370. | 1.5 | 9         |
| 122 | Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .   | 1.6 | 20        |
| 123 | Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 444-471.  | 1.5 | 25        |
| 124 | Observation of electroweak WAZ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-492.                               | 1.5 | 38        |
| 125 | Modelling radiation damage to pixel sensors in the ATLAS detector. Journal of Instrumentation, 2019, 14, P06012-P06012.  | 0.5 | 7         |
| 126 | Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.   | 1.4 | 33        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 27        |
| 128 | Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 9         |
| 129 | Search for top-quark decays $t \rightarrow Hq$ with $36 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 19        |
| 130 | Measurement of $VH$ , $\mathcal{H} \rightarrow \overline{b}b$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.                                 | 1.6 | 14        |
| 131 | Measurements of inclusive and differential fiducial cross-sections of $\overline{t}t$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 1.6 | 18        |
| 132 | Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 12        |
| 133 | Search for Higgs boson pair production in the $\overline{b}W\overline{W}^*$ decay mode at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 26        |
| 134 | Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .  | 1.6 | 11        |
| 135 | Cross-section measurements of the Higgs boson decaying into a pair of $W$ bosons at small opening angles in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .   | 1.6 | 6         |
| 136 | Measurements of the Higgs boson production cross-sections in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .  | 1.6 | 63        |
| 137 | Measurements of $W$ and $Z$ boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.4 | 17        |
| 138 | Study of the rare decays of $B^0_s$ and $B^0$ mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, .  | 1.6 | 62        |
| 139 | Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.  | 1.4 | 42        |
| 140 | Measurements of inclusive and differential fiducial cross-sections of $\text{star}t\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.  | 1.4 | 14        |
| 141 | Search for long-lived particles produced in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer. Physical Review D, 2019, 99, .  | 1.6 | 35        |
| 142 | Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a $Z$ Boson from pp Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2019, 2, 9 122, 151801.                          |     | 12        |
| 143 | Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.  | 0.5 | 37        |
| 144 | Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .  | 1.6 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 595-614.   | 1.6 | 16        |
| 146 | Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.  | 1.4 | 61        |
| 147 | Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 39        |
| 148 | In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.4 | 28        |
| 149 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.   | 1.4 | 46        |
| 150 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 6         |
| 151 | Measurement of the top quark mass in the $t \rightarrow t \bar{t} \hat{t}$ . European Physical Journal C, 2019, 79, 1.   | 1.4 | 47        |
| 152 | Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 108-128.   | 1.4 | 74        |
| 153 | ATLAS Collaboration. Nuclear Physics A, 2019, 982, 985-1009.   | 0.6 | 1         |
| 154 | Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 55        |
| 155 | Measurement of the cross-sections in the $H \rightarrow WZ \rightarrow e\bar{\nu}_e \mu \nu_\mu$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.                                    | 1.5 | 46        |
| 156 | A semiempirical methodology to characterise a family of microvibration sources. Journal of Sound and Vibration, 2019, 448, 1-18.   | 2.1 | 7         |
| 157 | A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.   | 1.4 | 25        |
| 158 | Search for pairs of highly collimated photon-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, 1.   | 1.6 | 10        |
| 159 | Search for pairs of highly collimated photon-jets in final states with hadronically decaying leptons, jets, and missing transverse momentum using $p_T$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 108-128. | 1.6 | 13        |
| 160 | A Pixel Read-Out Front-End in 28 nm CMOS with Time and Space Resolution. , 2019, , .   |     | 0         |
| 161 | Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 27        |
| 162 | Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.4 | 24        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Measurement of ZZ production in the $\gamma\gamma, \gamma\gamma, \gamma\gamma/2$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 6         |
| 164 | Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.4 | 8         |
| 165 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.4 | 9         |
| 166 | Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.   | 0.5 | 124       |
| 167 | Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.   | 1.6 | 50        |
| 168 | Measurement of $W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ -ext {TeV} with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 1.4 | 17        |
| 169 | ATLAS b-jet identification performance and efficiency measurement with $pp \rightarrow \text{ar} + \text{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.  | 1.4 | 130       |
| 170 | Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ -hbox {TeV} with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 1.4 | 36        |
| 171 | Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. Journal of Instrumentation, 2019, 14, P09011-P09011.  | 0.5 | 7         |
| 172 | Design of Non-Metastable SRAM Cells in 28 nm CMOS Technology. , 2019, , .<br>Measurement of angular and momentum distributions of charged particles within and around jets in   |     | 0         |
| 173 | Dijet azimuthal correlations and conditional yields in $Pb+Pb$ collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 1.1 | 11        |
| 174 | Search for heavy charged boson in events with a charged lepton and missing transverse momentum in $Pb+Pb$ collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 1.1 | 14        |
| 175 | Search for a heavy charged boson in events with a charged lepton and missing transverse momentum in semileptonic final states in $Pb+Pb$ collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.                | 1.6 | 15        |
| 176 | Search for a heavy charged boson in events with a charged lepton and missing transverse momentum in $Pb+Pb$ collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 1.6 | 43        |
| 177 | Measurements of top-quark pair differential and double-differential cross-sections in the $pp \rightarrow \text{t}\bar{\text{t}} + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 1.4 | 34        |
| 178 | Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 14        |
| 179 | Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 316-335.                                       | 1.5 | 31        |
| 180 | Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 96-116.  | 1.5 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}l\bar{l}$ final state in pp collision at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 167-190.   | 1.6 | 28        |
| 182 | Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb <sup>-1</sup> of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.  | 1.6 | 5         |
| 184 | Charge sharing of single photons in finely segmented pixel detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 936, 722-723.  | 0.7 | 0         |
| 185 | Measurement of $S^0$ and $\Lambda^0$ production in $pp$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 1.4 | 4         |
| 186 | Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in $pp$ collisions with the ATLAS detector at the CERN Large Hadron Collider. Physical Review C, 2018, 97, 014907.   | 1.1 | 46        |
| 187 | Measurement of the cross-section for producing a $W$ boson in association with a single top quark in $pp$ collisions at $\sqrt{s} = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.  | 2.9 | 50        |
| 188 | Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .  | 1.6 | 51        |
| 189 | A search for resonances decaying into a Higgs boson and a new particle $X$ in the $XH\bar{t}^c q\bar{b}b$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.                      | 1.5 | 8         |
| 190 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.                                     | 1.6 | 116       |
| 191 | Measurement of the cross-section for producing a $W$ boson in association with a single top quark in $pp$ collisions at $\sqrt{s} = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 17        |
| 192 | Measurement of the $W$ -boson mass in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.  | 1.4 | 218       |
| 193 | Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 91-113. | 1.6 | 8         |
| 194 | Measurement of the exclusive $pp \rightarrow p\bar{p}l\bar{l}$ process in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 91-113.                 | 1.6 | 38        |
| 195 | Search for $001b$ resonances with boson-tagged jets in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 91-113.   | 1.6 | 35        |
| 196 | Search for new phenomena in high-mass final states with a photon and a jet from $pp$ collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 102.   | 1.4 | 13        |
| 197 | Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.  | 1.4 | 52        |
| 198 | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.  | 1.4 | 59        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.   | 1.4 | 75        |
| 200 | Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.   | 1.4 | 20        |
| 201 | Search for heavy ZZ resonances in the $e^+e^-e^+e^-$ , $e^+e^-e^+e^-$ and $e^+e^-e^+e^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.   | 1.4 | 101       |
| 202 | A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.   | 1.4 | 66        |
| 203 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.                              | 1.6 | 40        |
| 204 | Search for heavy resonances decaying into WW in the $e^+e^-e^+e^-$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.   | 1.4 | 108       |
| 205 | Direct top-quark decay width measurement in the $t \rightarrow \ell + \bar{b}$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.  | 1.4 | 17        |
| 206 | Search for W/Z resonance production in $e^+e^-qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 31        |
| 207 | Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 46        |
| 208 | Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 13        |
| 209 | Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.                 | 1.5 | 19        |
| 210 | Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337.                                     | 1.6 | 14        |
| 211 | Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337.  | 1.6 | 13        |
| 212 | Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337. | 1.5 | 54        |
| 213 | Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.    | 1.6 | 28        |
| 214 | Measurement of the $Z \rightarrow u\bar{u}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 10        |
| 215 | Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.  | 1.4 | 19        |
| 216 | Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.  | 1.4 | 53        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13, \sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.   | 1.4 | 16        |
| 218 | A very compact population count circuit for associative memories. , 2018, , .   |     | 1         |
| 219 | Adult-onset Rasmussen encephalitis treated with mitoxantrone. European Journal of Neurology, 2018, 25, e125-e126.   | 1.7 | 7         |
| 220 | Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Physical Review C, 2018, 98, 034907.   | 1.1 | 12        |
| 221 | Search for resonant $WZ$ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 787, 68-88.                   | 1.6 | 18        |
| 222 | Angular analysis of $B^0 \rightarrow K^* \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 76        |
| 223 | Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 212301.  | 2.9 | 145       |
| 224 | Search for Central-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 212301.  | 2.9 | 41        |
| 225 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36.1$ fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 401.                                   | 1.4 | 50        |
| 226 | Search for lepton-flavor-violating decays of the $Z$ boson into a $Z$ boson and a $Z$ boson. Physical Review Letters, 2018, 121, 212301.  | 1.6 | 7         |
| 227 | Search for a new heavy gauge-boson resonance decaying into a lepton and a light lepton and a light lepton. Physical Review Letters, 2018, 121, 191801.  | 2.9 | 70        |
| 228 | Decay Channel in $Z \rightarrow \mu^+ \mu^-$ Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 29        |
| 229 | Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 9         |
| 230 | Search for Higgs boson pair production in the $\gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 38        |
| 231 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 30        |
| 232 | Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.   | 1.4 | 51        |
| 233 | Search for pair and single production of vectorlike quarks in final states with at least one $Z$ boson decaying into a pair of electrons or muons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 191801.          | 1.6 | 32        |
| 234 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 903.  | 1.4 | 181       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Measurement of dijet azimuthal decorrelations in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .   | 1.6 | 8         |
| 236 | Search for pair production of heavy vector-like quarks decaying into hadronic final states in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .  | 1.6 | 29        |
| 237 | Search for pair production of heavy vector-like quarks decaying into hadronic final states in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .  | 1.6 | 14        |
| 238 | Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .  | 1.6 | 41        |
| 239 | Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\sqrt{s}=13$ TeV. Journal of Instrumentation, 2018, 13, P12006-P12006.   | 0.5 | 2         |
| 240 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.   | 1.4 | 125       |
| 241 | Search for pair production of Higgsinos in final states with at least three $b$ -tagged jets in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .  | 1.6 | 20        |
| 242 | Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 56        |
| 243 | Measurements of Higgs boson production in the gluon fusion decay channel with $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .  | 1.6 | 115       |
| 244 | Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.   | 1.4 | 25        |
| 245 | Search for supersymmetry in final states with missing transverse momentum and multiple $b$ -jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 37        |
| 246 | Search for heavy resonances decaying to a photon and a hadronically decaying $W$ boson in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .  | 1.6 | 13        |
| 247 | Search for pair production of heavy vector-like quarks decaying into high- $p_T$ $W$ bosons and top quarks in the lepton-plus-jets final state in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 18        |
| 248 | Search for pair production of heavy vector-like quarks decaying into high- $p_T$ $W$ bosons and top quarks in the lepton-plus-jets final state in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 22        |
| 249 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 $\text{fb}^{-1}$ of $\sqrt{s}=13$ TeV $pp$ collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 48        |
| 250 | Combined measurement of differential and total cross sections in the $H \rightarrow a_1 \rightarrow 1^3 \mu^+ \mu^-$ and the $H \rightarrow a_1 \rightarrow Z \mu^+ \mu^-$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155. | 1.6 | 42        |
| 251 | Search for pair production of heavy vector-like quarks decaying into high- $p_T$ $W$ bosons and top quarks in the lepton-plus-jets final state in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.                         | 1.6 | 20        |
| 252 | Search for long-lived charginos based on a disappearing-track signature in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 67        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.<br>Observation of $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mi} \rangle \text{H} \langle \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false" \rangle \hat{t} \langle \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \text{b} \langle \text{mml:mi} \rangle \langle \text{mml:mover accent="true" \rangle \tilde{A} \langle \text{mml:mo} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mover stretchy="false" \rangle \tilde{A} \langle \text{mml:mo} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle$ decays and VH production with the ATLAS detector. Search for heavy resonances decaying into electron-positron pairs in 13 TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244. | 1.6 | 15        |
| 254 | Search for charged Higgs bosons decaying via $\text{H}^{\pm} \rightarrow \tilde{\nu}_i \nu_j$ , in the $\tilde{\nu}_i \nu_j$ jets and $\tilde{\nu}_i \nu_j$ lepton final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.   | 1.5 | 138       |
| 255 | Prompt and non-prompt $\psi(2S) \rightarrow \tilde{\nu}_i \nu_j$ and $\psi(2S) \rightarrow \tilde{\nu}_i \nu_j$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.   | 1.6 | 19        |
| 256 | Collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 152002.  | 1.6 | 26        |
| 257 | Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .  | 1.6 | 59        |
| 258 | Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.4 | 61        |
| 259 | Search for flavor-changing neutral currents in top quark decays $t \rightarrow \text{H}c$ and $t \rightarrow \text{H}u$ in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, .  | 2.9 | 16        |
| 260 | Measurement of the Higgs boson mass in the $\text{H} \rightarrow \text{ZZ} \rightarrow 4\ell$ , and $\text{H} \rightarrow \text{ZZ} \rightarrow 4\ell$ channels with 13 TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.   | 1.6 | 20        |
| 261 | Search for exclusive Higgs and Z boson decays to $\tilde{\nu}_i \tilde{\nu}_j$ and $\tilde{\nu}_i \tilde{\nu}_j$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 31        |
| 262 | Measurements of b-jet tagging efficiency with the ATLAS detector using $t \rightarrow \text{b} \tilde{\nu}_i$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 40        |
| 263 | Search for flavour-changing neutral current top-quark decays $t \rightarrow \text{q} Z$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 17        |
| 264 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .   | 1.6 | 16        |
| 265 | Measurement of the inclusive and fiducial $t \bar{t} \tilde{A}^0$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.   | 1.4 | 10        |
| 266 | Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.  | 1.6 | 17        |
| 267 | Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 98, .   | 1.6 | 26        |
| 268 | Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 98, .   | 1.6 | 26        |
| 269 | Collisions with the ATLAS detector. Physical Review D, 2018, 98, .  |     |           |
| 270 | Collisions with the ATLAS detector. Physical Review D, 2018, 98, .  |     |           |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Search for Low Mass Dijet Resonances Using Trigger Level Jets with the ATLAS Detector in $\sqrt{s} = 13$ TeV proton collisions at the ATLAS detector. European Physical Journal C, 2018, 78, 565.   | 2.9 | 41        |
| 272 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.   | 1.4 | 79        |
| 273 | Measurement of jet fragmentation in Pb-Pb and p-Pb collisions at $\sqrt{s_{NN}} = 2.76$ and $2.76 < \sqrt{s_{NN}} < 4.76$ TeV with the ATLAS detector. Physical Review C, 2018, 98, .   | 1.6 | 9         |
| 274 | Measurement of jet fragmentation in Pb-Pb and p-Pb collisions at $\sqrt{s_{NN}} = 2.76$ and $2.76 < \sqrt{s_{NN}} < 4.76$ TeV with the ATLAS detector. Physical Review C, 2018, 98, .   | 1.1 | 24        |
| 275 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.                | 2.9 | 33        |
| 276 | Search for supersymmetry in events with four or more leptons in $\sqrt{s} = 13$ TeV pp collisions with ATLAS. Physical Review D, 2018, 98, .  | 1.6 | 21        |
| 277 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.                | 1.4 | 27        |
| 278 | Design implementation and test results of the RD53A, a 65 nm large scale chip for next generation pixel detectors at the HL-LHC. , 2018, , .  |     | 2         |
| 279 | Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .   | 1.6 | 26        |
| 280 | Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .   | 1.6 | 64        |
| 281 | Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.  | 2.9 | 53        |
| 282 | Search for $B \rightarrow L R$ -parity-violating top squarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS experiment. Physical Review D, 2018, 97, .   | 1.6 | 12        |
| 283 | Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in $\sqrt{s} = 13$ TeV proton collisions with the ATLAS detector. Physical Review Letters, 2018, 120, 211802.   | 1.6 | 49        |
| 284 | Search for a Structure in the $B \rightarrow B\bar{B}$ Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.   | 1.6 | 19        |
| 285 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 136       |
| 286 | Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $\tau\tau$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767. | 1.6 | 21        |
| 287 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 17        |
| 288 | Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.   | 1.4 | 60        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.  | 1.4 | 132       |
| 290 | Measurement of $\sigma_{\text{pol}}$ , polarisation in $Z/\gamma \rightarrow \mu\mu$ . European Physical Journal C, 2018, 78, 163.  | 1.4 | 7         |
| 291 | Searches for heavy ZZ and ZW resonances in the $\mu\mu$ , $\mu\mu$ and $\mu\mu$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 29        |
| 292 | Design and Characterization of New Content Addressable Memory Cells. , 2018, , .  |     | 2         |
| 293 | Characterization of an LVDS Link in 28 nm CMOS for Multi-Purpose Pattern Recognition. , 2018, , .   |     | 7         |
| 294 | Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 33        |
| 295 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\mu\mu$ , $\mu\mu$ , $b\bar{b}$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 783, 202-214. | 1.6 | 13        |
| 296 | Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. Nuclear Physics A, 2018, 978, 65-106.  | 0.6 | 21        |
| 297 | Search for $W\tau\nu$ decays in the hadronic final state using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.  | 1.5 | 20        |
| 298 | Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.  | 1.5 | 169       |
| 299 | Measurement of differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in $\sqrt{s}=13$ TeV pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.                                   | 1.6 | 22        |
| 300 | Measurement of differential cross sections and $W^+/\bar{W}^+$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 1.6 | 16        |
| 301 | Characterization of an Associative Memory Chip in 28 nm CMOS Technology. , 2018, , .  |     | 5         |
| 302 | Combination of inclusive and differential $\overline{\text{d}}\sigma/\text{d}p_T$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 1.6 | 7         |
| 303 | R&D on Electronic Devices and Circuits for the HL-LHC. , 2018, , 263-271.   |     | 0         |
| 304 | Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.  | 1.6 | 26        |
| 305 | Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.   | 1.5 | 21        |
| 306 | Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.   | 1.5 | 21        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Measurement of the $\sigma(\text{pp} \rightarrow \text{t}\bar{\text{t}}\text{Z})$ and $\sigma(\text{pp} \rightarrow \text{t}\bar{\text{t}}\text{W})$ production cross sections in multilepton final states using 3.2 fb <sup>-1</sup> of $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40. | 1.4 | 41        |
| 308 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 $\text{pp}$ -collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.  | 1.4 | 29        |
| 309 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 29        |
| 310 | Search for heavy resonances decaying to a Z boson and a photon in $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-30.   | 1.4 | 29        |
| 311 | Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.   | 1.4 | 11        |
| 312 | Measurement of the W boson polarisation in $\text{pp} \rightarrow \text{t}\bar{\text{t}}\text{W}$ events from $\text{pp}$ collisions at $\sqrt{s} = 8$ TeV in the lepton+jet channel with ATLAS. European Physical Journal C, 2017, 77, 264.   | 1.4 | 37        |
| 313 | A low-power and high-density Associative Memory in 28 nm CMOS technology. , 2017, , .  |     | 4         |
| 314 | Design of LVDS driver and receiver in 28 nm CMOS technology for Associative Memories. , 2017, , .  |     | 9         |
| 315 | Population count circuits for Associative Memories: A comparison study. , 2017, , .  |     | 1         |
| 316 | Power Distribution Network optimization for Associative Memories. , 2017, , .  |     | 1         |
| 317 | Heterogeneous computing system platform for high-performance pattern recognition applications. , 2017, , .   |     | 0         |
| 318 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.  | 1.4 | 87        |
| 319 | Measurements of top-quark pair differential cross-sections in the $e^+e^-$ channel in $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.  | 1.4 | 27        |
| 320 | Performance of algorithms that reconstruct missing transverse momentum in $\text{pp}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 241.  | 1.4 | 61        |
| 321 | High-ET isolated-photon plus jets production in $\text{pp}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.  | 0.9 | 22        |
| 322 | Measurement of the prompt $J/\psi$ pair production cross-section in $\text{pp}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.   | 1.4 | 81        |
| 323 | Search for triboson $W^+W^+W^-$ production in $\text{pp}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.  | 1.4 | 25        |
| 324 | Measurement of the $W+W^+$ production cross section in $\text{pp}$ collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 773, 354-374.   | 1.4 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Search for new phenomena in high-mass diphoton final states using 37 fb <sup>-1</sup> of proton- $\bar{p}$ collisions collected at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 105-125. | 1.6 | 13        |
| 326 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.   | 1.4 | 325       |
| 327 | Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.  | 1.4 | 56        |
| 328 | Measurements of electroweak $W^+W^-$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.   | 1.4 | 26        |
| 329 | Search for anomalous electroweak production of $W^+W^-$ pairs in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.  | 1.1 | 47        |
| 330 | Search for anomalous electroweak production of $W^+W^-$ pairs in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.     | 1.6 | 28        |
| 331 | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.   | 1.4 | 145       |
| 332 | Measurements of integrated and differential cross sections for isolated photon pair production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.                 | 1.6 | 15        |
| 333 | Measurement of $D_{s1}$ production cross section and limits on anomalous quartic gauge couplings with the ATLAS detector. Physical Review D, 2017, 96, .  | 1.6 | 23        |
| 334 | Measurement of the $t\bar{t}\gamma$ production cross section in the $\gamma$ ,+jets final state in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Physical Review D, 2017, 95, .   | 1.6 | 1         |
| 335 | OC-0130: Prostatic sarcomas: a large multicentric Rare Cancer Network study. Radiotherapy and Oncology, 2017, 123, S61-S62.   | 0.3 | 0         |
| 336 | Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.                                      | 1.6 | 23        |
| 337 | Measurement of multi-particle azimuthal correlations in pp, p $\bar{p}$ +Pb and low-multiplicity Pb $\bar{Pb}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.  | 1.4 | 86        |
| 338 | Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, .   | 1.1 | 24        |
| 339 | Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC. Nature Physics, 2017, 13, 852-858.   | 6.5 | 218       |
| 340 | Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.   | 2.9 | 36        |
| 341 | Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using $\gamma\gamma$ Production in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 181804.   | 2.9 | 49        |
| 342 | Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.  | 2.9 | 74        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 31        |
| 344 | Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.  | 1.6 | 15        |
| 345 | Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.   | 1.4 | 28        |
| 346 | Measurement of the $\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 9         |
| 347 | A prototype of pixel readout ASIC in 65 nm CMOS technology for extreme hit rate detectors at HL-LHC. Journal of Instrumentation, 2017, 12, C02043-C02043.   | 0.5 | 8         |
| 348 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 9         |
| 349 | Measurement of heavy resonances decaying to a W or Z boson and a Higgs boson in the $\gamma\gamma$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.   | 1.5 | 24        |
| 350 | Measurement of jet pT correlations in Pb+Pb and pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.   | 1.5 | 17        |
| 351 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.  | 1.4 | 75        |
| 352 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.   | 1.4 | 12        |
| 353 | Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the $ZZ \rightarrow \ell\ell\ell\ell$ , $ZZ \rightarrow \ell\ell\tau\tau$ , $ZZ \rightarrow \ell\ell\mu\mu$ , $ZZ \rightarrow \ell\ell\tau\mu$ , $ZZ \rightarrow \ell\ell\mu\tau$ , $ZZ \rightarrow \ell\ell\tau\mu$ , $ZZ \rightarrow \ell\ell\mu\tau$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 1.4 | 10        |
| 354 | Probing the Wtb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 17        |
| 355 | Measurements of $J/\psi$ and $\chi(3872)$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 33        |
| 356 | Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 13        |
| 357 | Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.  | 1.4 | 79        |
| 358 | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.  | 1.4 | 489       |
| 359 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.  | 1.4 | 71        |
| 360 | Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.   | 1.4 | 47        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | Precision measurement and interpretation of inclusive $W^+W^-$ production. European Physical Journal C, 2017, 77, 367.  | 1.4 | 145       |
| 362 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.   | 1.4 | 51        |
| 363 | Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.   | 1.4 | 80        |
| 364 | Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 14        |
| 365 | Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.   | 1.4 | 50        |
| 366 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.                                  | 1.6 | 8         |
| 367 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765. | 1.4 | 19        |
| 368 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 8         |
| 369 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 17        |
| 370 | Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, .   | 1.6 | 157       |
| 371 | Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, .   | 1.6 | 15        |
| 372 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 23        |
| 373 | Femtoscopia with identified charged pions in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with ATLAS. Physical Review C, 2017, 96, .   |     |           |
| 374 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.                            | 1.6 | 38        |
| 375 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.  | 1.4 | 35        |
| 376 | Measurement of $WZ$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.             | 1.4 | 28        |
| 377 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 12        |
| 378 | Searches for the $Z^0$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 30        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Studies of $Z\hat{1}^3$ production in association with a high-mass dijet system in pp collisions at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 14        |
| 380 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \sqrt{s} = 13 \sqrt{s}$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 16        |
| 381 | Search for new phenomena in dijet events using $\langle \text{mml:math} \rangle$ collision data collected at $\langle \text{mml:math} \rangle$ . Physical Review D, 2017, 96.   | 1.6 | 114       |
| 382 | Search for top quark decays $t \hat{1}^3 qH$ , with $H \hat{1}^3 \hat{1}^3$ , in $s = 13 \sqrt{s} = 13 \sqrt{s}$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 18        |
| 383 | Study of $WW\gamma$ and $WZ\gamma$ . European Physical Journal C, 2017, 77, 646.  | 1.4 | 30        |
| 384 | Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 20        |
| 385 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 11        |
| 386 | Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 16        |
| 387 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 28        |
| 388 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 45        |
| 389 | Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb $^{-1}$ of $s = 13 \sqrt{s} = 13 \sqrt{s}$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.                            | 1.6 | 31        |
| 390 | Study of ordered hadron chains with the ATLAS detector. Physical Review D, 2017, 96, .  | 1.6 | 2         |
| 391 | Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 36        |
| 392 | Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.  | 0.5 | 29        |
| 393 | Measurement of the $k_t$ splitting scales in $Z \hat{1}^3$ events in pp collisions at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.   | 1.6 | 3         |
| 394 | Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \sqrt{s} = 8 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.              | 1.6 | 8         |
| 395 | Evidence for the $H \hat{1}^3 b \hat{1}^3$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 1.6 | 64        |
| 396 | Search for new high-mass phenomena in the dilepton final state using 36 fb $^{-1}$ of proton-proton collision data at $s = 13 \sqrt{s} = 13 \sqrt{s}$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.                                     | 1.6 | 168       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Determination of the strong coupling constant $\alpha_s$ from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.   | 1.4 | 32        |
| 398 | Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2017, 96, .   | 1.6 | 23        |
| 399 | AM06: the Associative Memory chip for the Fast Tracker in the upgraded ATLAS detector. Journal of Instrumentation, 2017, 12, C04013-C04013.   | 0.5 | 22        |
| 400 | Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.   | 0.5 | 10        |
| 401 | A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV $pp$ collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.   | 0.5 | 10        |
| 402 | Design of a hardware track finder (Fast Tracker) for the ATLAS trigger. Journal of Instrumentation, 2016, 11, C02056-C02056.  | 0.5 | 5         |
| 403 | Recent progress of RD53 Collaboration towards next generation Pixel Read-Out Chip for HL-LHC. Journal of Instrumentation, 2016, 11, C12058-C12058.  | 0.5 | 17        |
| 404 | A prototype of a new generation readout ASIC in 65nm CMOS for pixel detectors at HL-LHC. Journal of Instrumentation, 2016, 11, C12044-C12044.   | 0.5 | 3         |
| 405 | Study of hard double-parton scattering in four-jet events in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 30        |
| 406 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 10        |
| 407 | FTK: A hardware real-time track finder for the ATLAS trigger system. , 2016, , .  |     | 2         |
| 408 | Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^- \gamma$ events in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.  | 1.4 | 15        |
| 409 | Charged-particle distributions in $pp$ interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.   | 1.4 | 30        |
| 410 | Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV $pp$ interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.   | 1.4 | 61        |
| 411 | Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.  | 1.4 | 37        |
| 412 | Search for minimal supersymmetric standard model Higgs Bosons $H_{\pm}$ and for a $Z^{\prime}$ boson in the $pp \rightarrow \tau^+ \tau^- \gamma$ final state produced in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585. | 1.4 | 51        |
| 413 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.   | 1.4 | 73        |
| 414 | Measurement of the $b\bar{b}$ dijet cross section in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.   | 1.4 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 415 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.   | 1.4 | 21        |
| 416 | Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.   | 1.4 | 23        |
| 417 | Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.  | 1.4 | 24        |
| 418 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.  | 1.4 | 453       |
| 419 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.   | 1.4 | 48        |
| 420 | Measurement of total and differential W + $\gamma$ production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. Journal of High Energy Physics, 2016, 2016, .   | 1.6 | 47        |
| 421 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.   | 1.4 | 31        |
| 422 | Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 251-263.  | 1.5 | 20        |
| 423 | Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in pp+Pb collisions measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 313-336.  | 1.5 | 39        |
| 424 | HV-CMOS detectors in BCD8 technology. Journal of Instrumentation, 2016, 11, C11038-C11038.   | 0.5 | 6         |
| 425 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2016, 94, .   | 1.6 | 137       |
| 426 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 44        |
| 427 | Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.  | 1.5 | 29        |
| 428 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 71        |
| 429 | Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow \tau^+ \tau^-$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85. | 1.5 | 31        |
| 430 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.  | 1.4 | 39        |
| 431 | Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 43        |
| 432 | Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb $^{-1}$ of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.  | 1.5 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Measurement of $W\Delta$ and Z-boson production cross sections in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.  | 1.5 | 18        |
| 434 | Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.  | 1.5 | 12        |
| 435 | Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.                                  | 1.5 | 12        |
| 436 | Study of the rare decays of $B^0$ , $B_s^0$ and $B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.  | 1.4 | 46        |
| 437 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions. European Physical Journal C, 2016, 76, 517.   | 1.4 | 24        |
| 438 | Search for resonances in diphoton events at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 70        |
| 439 | Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 1-22. | 1.5 | 19        |
| 440 | Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 1-22.   | 1.5 | 19        |
| 441 | Measurement of the $W\Delta$ pair-production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.   | 1.5 | 24        |
| 442 | Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2016, 94, .  | 1.6 | 43        |
| 443 | Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.  | 1.4 | 43        |
| 444 | Measurement of the top quark mass in the $t\bar{t}$ system with the ATLAS detector. Physical Review D, 2016, 93, 114008.   | 1.5 | 52        |
| 445 | Search for top quark and decaying via $t\bar{t} \rightarrow t\bar{t} + \gamma$ using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.                | 1.5 | 58        |
| 446 | Measurement of the relative width difference of the $B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 8         |
| 447 | Search for Higgs and Z-boson Decays to $WZ$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.   | 2.9 | 13        |
| 448 | Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. Physical Review D, 2016, 93, .  | 1.6 | 34        |
| 449 | Search for the electroweak production of supersymmetric particles in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2016, 93, .   | 1.6 | 53        |
| 450 | Measurement of jet charge in dijet events from $\sqrt{s}=13$ TeV collisions with the ATLAS detector. Physical Review D, 2016, 93, .  | 1.6 | 29        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 451 | Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .   | 1.6 | 11        |
| 452 | Search for magnetic monopoles and stable particles with high electric charges in $8\text{ TeV}$ collisions with the ATLAS detector. Physical Review D, 2016, 93, .  | 1.6 | 43        |
| 453 | Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .   | 1.6 | 16        |
| 454 | Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .                              | 1.6 | 5         |
| 455 | Search for metastable heavy charged particles with large ionization energy loss in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .   | 1.6 | 39        |
| 456 | Search for long-lived particles with large ionization energy loss in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .   | 1.6 | 39        |
| 457 | Measurement of the production cross section of $Z$ bosons in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2016, 116, 172301.  | 2.9 | 31        |
| 458 | Observation of Long-Range Elliptic Anisotropies in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2016, 116, 172301.  | 2.9 | 228       |
| 459 | Measurement of the production cross-section using $e^+e^-$ events with b-tagged jets in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review Letters, 2016, 116, 172301.   | 1.5 | 57        |
| 460 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.   | 1.4 | 50        |
| 461 | Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=8\text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.   | 2.9 | 185       |
| 462 | Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC $pp$ collision data at $\sqrt{s}=7$ and $8\text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 473       |
| 463 | Measurement of the charged-particle multiplicity inside jets from $pp$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.  | 1.4 | 51        |
| 464 | Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.                           | 1.6 | 4         |
| 465 | Measurement of the transverse momentum and $\phi_{\text{rel}}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.                    | 1.4 | 154       |
| 466 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW$ with the ATLAS detector at $\sqrt{s}=8\text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.                                   | 1.6 | 15        |
| 467 | Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 94, .  | 1.6 | 4         |
| 468 | Search for new phenomena in events with a photon and missing transverse momentum in $pp$ collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 20        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 469 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 14        |
| 470 | Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 17        |
| 471 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.  | 1.2 | 2         |
| 472 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.   | 0.5 | 11        |
| 473 | The ATLAS Data Acquisition and High Level Trigger system. Journal of Instrumentation, 2016, 11, P06008-P06008.  | 0.5 | 41        |
| 474 | Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $\sqrt{s} = 7$ and $8$ TeV with ATLAS. Physical Review D, 2016, 94, .   | 1.6 | 22        |
| 475 | First measurements of a prototype of a new generation pixel readout ASIC in 65 nm CMOS for extreme rate HEP detectors at HL-LHC. , 2016, , .  |     | 3         |
| 476 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538. production of gluinos decaying via stop and sbottom in events with | 1.4 | 115       |
| 477 | Search for pair production of Higgs bosons in the $b\bar{b}$ jets and large missing transverse momentum in $\sqrt{s} = 8$ TeV collisions. European Physical Journal C, 2016, 76, 683.   | 1.6 | 30        |
| 478 | Search for pair production of Higgs bosons in the $b\bar{b}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 38        |
| 479 | Measurement of exclusive $W^+W^-$ production and search for exclusive Higgs boson production in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Physical Review D, 2016, 94, .  | 1.6 | 33        |
| 480 | Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.                                     | 1.4 | 63        |
| 481 | Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.  | 1.4 | 279       |
| 482 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.                | 1.4 | 11        |
| 483 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 33        |
| 484 | Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 25        |
| 485 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 16        |
| 486 | Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.                       | 1.6 | 21        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 487 | Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.   | 1.4 | 73        |
| 488 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 38        |
| 489 | A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 31        |
| 490 | Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 13        |
| 491 | Improvement of radiation tolerance in CMOS ICs through layout-oriented simulation. , 2016, , .   |     | 3         |
| 492 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.   | 1.6 | 14        |
| 493 | Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 19        |
| 494 | Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 15        |
| 495 | Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy  |     |           |
| 496 | Measurement of the charge asymmetry in highly boosted top-quark pair production in pp collision data collected by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 52-71.  |     |           |
| 497 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using hard-scattering kinematics of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 334-355. | 1.5 | 10        |
| 498 | Search for single production of a vector-like quark via a heavy gluon in the 4b final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 334-355.   | 1.5 | 21        |
| 499 | Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 334-355.  | 1.5 | 16        |
| 500 | Evidence for single top quark production in the s-channel in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector using the Matrix Element Method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.  | 1.5 | 16        |
| 501 | Charged-particle distributions in pp interactions measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.   | 1.5 | 16        |
| 502 | Combinatorial searches for resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.   | 1.5 | 16        |
| 503 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.   | 1.4 | 62        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 505 | Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.   | 1.4 | 95        |
| 506 | Probing lepton flavour violation via neutrinoless $\chi \rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.  | 1.4 | 19        |
| 507 | A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.   | 1.4 | 9         |
| 508 | Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.  | 1.4 | 72        |
| 509 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 1.6 | 49        |
| 510 | Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.                          | 1.6 | 13        |
| 511 | Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.  | 1.4 | 109       |
| 512 | Measurements of fiducial cross-sections for $t\bar{t}\chi$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.  | 1.4 | 54        |
| 513 | Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.  | 1.4 | 43        |
| 514 | Double-redundant design methodology to improve radiation hardness in pixel detector readout ICs. , 2015, , .   |     | 0         |
| 515 | Searches for Higgs boson pair production in the $\chi\chi$ channel.<br>$\frac{d\sigma}{d\Omega} \propto \frac{1}{s} \left[ \frac{1}{4} \left( \frac{1}{s} \right) \left( \frac{1}{s} \right) \left( \frac{1}{s} \right) \left( \frac{1}{s} \right) \right]$          | 1.6 | 101       |
| 516 | Search for pair production of a new heavy quark that decays into a Higgs boson and a light quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 48        |
| 517 | A XOR-based associative memory block in 28 nm CMOS for interdisciplinary applications. , 2015, , .   |     | 3         |
| 518 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 55        |
| 519 | Search for lepton-flavour-violating $H \rightarrow \tau\tau$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 52        |
| 520 | Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.   | 1.6 | 11        |
| 521 | Measurement of the strong coupling constant $\alpha_s$ using the ATLAS detector and determination of the strong coupling constant $\alpha_s$ using the ATLAS detector and determination of the strong coupling constant $\alpha_s$ .<br>$\alpha_s = 0.118 \pm 0.002$ | 1.5 | 23        |
| 522 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 1.6 | 108       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 523 | Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 1.6 | 22        |
| 524 | Search for flavour-changing neutral current top quark decays $t \rightarrow q\gamma$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.                                    | 1.6 | 19        |
| 525 | CHIPIX65: Developments on a new generation pixel readout ASIC in CMOS 65 nm for HEP experiments. , 2015, , .  |     | 20        |
| 526 | The Associative Memory Serial Link Processor for the Fast Tracker (FTK) at ATLAS. Journal of Instrumentation, 2014, 9, C11006-C11006.   | 0.5 | 8         |
| 527 | Radiation-tolerant standard cell synthesis using double-rail redundant approach. , 2014, , .  |     | 4         |
| 528 | Characterisation of an Associative Memory Chip for high-energy physics experiments. , 2014, , .   |     | 5         |
| 529 | A radiation hardened static RAM for high-energy physics experiments. , 2014, , .  |     | 5         |
| 530 | Next generation associative memory devices for the FTK tracking processor of the ATLAS experiment. Journal of Instrumentation, 2014, 9, C03053-C03053.  | 0.5 | 6         |
| 531 | CMOS IC radiation hardening by design. Facta Universitatis - Series Electronics and Energetics, 2014, 27, 251-258.  | 0.6 | 7         |
| 532 | Recent developments on CMOS MAPS for the SuperB Silicon Vertex Tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 718, 283-287.            | 0.7 | 5         |
| 533 | A fast hardware tracker for the ATLAS trigger system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 718, 258-259.                              | 0.7 | 0         |
| 534 | Advances in the development of pixel detector for the SuperB Silicon Vertex Tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 731, 25-30. | 0.7 | 1         |
| 535 | The front-end chip of the SuperB SVT detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 718, 180-183.                                     | 0.7 | 3         |
| 536 | Latest results of the R&D on CMOS MAPS for the Layer0 of the SuperB SVT. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 732, 484-487.           | 0.7 | 1         |
| 537 | Beam test results for the SuperB-SVT thin triplet detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 718, 314-317.                        | 0.7 | 1         |
| 538 | Signatures of non-Markovianity in classical single-time probability distributions. Physica Scripta, 2013, T153, 014057.   | 1.2 | 5         |
| 539 | A radiation hardened by design charge pump for flash memories. , 2013, , .  |     | 1         |
| 540 | Next generation Associative Memory devices for the FTK tracking processor of the ATLAS experiment. , 2013, , .  |     | 4         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 541 | Performance of the AMBFTK board for the FastTracker processor for the ATLAS detector upgrade. Journal of Instrumentation, 2013, 8, C01040-C01040.  | 0.5 | 5         |
| 542 | The AMchip04 and the processing unit prototype for the FastTracker. Journal of Instrumentation, 2012, 7, C08007-C08007.  | 0.5 | 9         |
| 543 | FTK: a Fast Track Trigger for ATLAS. Journal of Instrumentation, 2012, 7, C10002-C10002.   | 0.5 | 5         |
| 544 | A new XOR-based Content Addressable Memory architecture. , 2012, , .   |     | 17        |
| 545 | The FastTracker Real Time Processor and Its Impact on Muon Isolation, Tau and b-Jet Online Selections at ATLAS. IEEE Transactions on Nuclear Science, 2012, 59, 348-357.   | 1.2 | 35        |
| 546 | A new variable-resolution Associative Memory for high energy physics. , 2011, , .  |     | 11        |
| 547 | Thin pixel development for the SuperB silicon vertex tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 650, 169-173. | 0.7 | 14        |
| 548 | 2D and 3D thin pixel technologies for the Layer0 of the SuperB Silicon Vertex Tracker. , 2011, , .   |     | 7         |
| 549 | Associative memory design for the fast track processor (FTK) at ATLAS. , 2011, , .   |     | 14        |
| 550 | Enhancement of the ATLAS trigger system with a hardware tracker finder FTK. Journal of Instrumentation, 2010, 5, C12037-C12037.  | 0.5 | 1         |
| 551 | Thin pixel development for the Layer0 of the SuperB Silicon Vertex Tracker. , 2010, , .  |     | 0         |
| 552 | The Fast Track real time processor and its impact on muon isolation, tau and b-jet online selections at ATLAS. , 2010, , .   |     | 4         |
| 553 | Design of rad-hard SRAM cells: A comparative study. , 2010, , .  |     | 6         |
| 554 | A multi-megarad, radiation hardened by design 512 kbit SRAM in CMOS technology. , 2010, , .  |     | 6         |
| 555 | A radiation hardened 512 kbit SRAM in 180 nm CMOS technology. , 2009, , .  |     | 5         |
| 556 | Layout-oriented simulation of non-destructive single event effects in CMOS IC blocks. , 2009, , .  |     | 13        |
| 557 | Design of a rad-hard library of digital cells for space applications. , 2008, , .  |     | 24        |