

Karina B Gomes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5683651/publications.pdf>

Version: 2024-02-01

139
papers

3,455
citations

172207

29
h-index

197535

49
g-index

140
all docs

140
docs citations

140
times ranked

6150
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Interleukin-10 Levels are Associated with Doxorubicin-Related Cardiotoxicity in Breast Cancer Patients in a One-Year Follow-Up Study. <i>Immunological Investigations</i> , 2022, 51, 883-898. | 1.0 | 8 |
| 2 | Polycystic ovary syndrome: clinical and laboratory variables related to new phenotypes using machine-learning models. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 497-505. | 1.8 | 14 |
| 3 | Hemostatic status in women with breast cancer and cardiotoxicity associated to doxorubicin-based chemotherapy – A one-year follow-up study. <i>Thrombosis Research</i> , 2022, 211, 56-59. | 0.8 | 3 |
| 4 | Effects of Resveratrol Supplementation on the Cognitive Function of Patients with Alzheimer's Disease: A Systematic Review of Randomized Controlled Trials. <i>Drugs and Aging</i> , 2022, 39, 285-295. | 1.3 | 16 |
| 5 | microRNA miR-133a as a Biomarker for Doxorubicin-Induced Cardiotoxicity in Women with Breast Cancer: A Signaling Pathway Investigation. <i>Cardiovascular Toxicology</i> , 2022, 22, 655-662. | 1.1 | 3 |
| 6 | Predicting in vitro fertilization success in the Brazilian public health system: a machine learning approach. <i>Medical and Biological Engineering and Computing</i> , 2022, 60, 1851-1861. | 1.6 | 2 |
| 7 | Evaluation of serum haptoglobin levels and Hp1-Hp2 polymorphism in the haptoglobin gene in patients with atrial fibrillation. <i>Molecular Biology Reports</i> , 2022, 49, 7359-7365. | 1.0 | 1 |
| 8 | A Novel Panel of Plasma Proteins Predicts Progression in Prodromal Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 549-561. | 1.2 | 6 |
| 9 | miR-197, miR-26a and miR-27a analysis in chronic lymphocytic leukemia. <i>Biomarkers in Medicine</i> , 2022, 16, 903-914. | 0.6 | 3 |
| 10 | COVID-19, dyslipidemia and familial hypercholesterolemia: an up-date. <i>Research, Society and Development</i> , 2022, 11, e38411931975. | 0.0 | 0 |
| 11 | Influence of n-3 fatty acid supplementation on inflammatory and oxidative stress markers in patients with polycystic ovary syndrome: a systematic review and meta-analysis. <i>British Journal of Nutrition</i> , 2021, 125, 657-668. | 1.2 | 17 |
| 12 | Alzheimer's disease and type 2 diabetes mellitus: A systematic review of proteomic studies. <i>Journal of Neurochemistry</i> , 2021, 156, 753-776. | 2.1 | 50 |
| 13 | Identification of Clinical and Laboratory Variables Associated with Cardiotoxicity Events Due to Doxorubicin in Breast Cancer Patients: A 1-Year Follow-Up Study. <i>Cardiovascular Toxicology</i> , 2021, 21, 106-114. | 1.1 | 7 |
| 14 | Integração da farmacogenética do tacrolimo ao gerenciamento da terapia medicamentosa em pacientes com transplante de rim. <i>Research, Society and Development</i> , 2021, 10, e52101018589. | 0.0 | 0 |
| 15 | Irisin levels are correlated with inflammatory markers in frontotemporal dementia. <i>Journal of Clinical Neuroscience</i> , 2021, 93, 92-95. | 0.8 | 2 |
| 16 | Do Genetic Polymorphisms Affect Fetal Hemoglobin (HbF) Levels in Patients With Sickle Cell Anemia Treated With Hydroxyurea? A Systematic Review and Pathway Analysis. <i>Frontiers in Pharmacology</i> , 2021, 12, 779497. | 1.6 | 9 |
| 17 | Association between dyslipidemia and CCL2 in patients undergoing hemodialysis. <i>Cytokine</i> , 2020, 125, 154858. | 1.4 | 4 |
| 18 | Algorithm for predicting low maintenance doses of warfarin using age and polymorphisms in genes CYP2C9 and VKORC1 in Brazilian subjects. <i>Pharmacogenomics Journal</i> , 2020, 20, 104-113. | 0.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Non-genetic factors and polymorphisms in genes CYP2C9 and VKORC1: predictive algorithms for TTR in Brazilian patients on warfarin. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 199-209. | 0.8 | 7 |
| 20 | Preeclampsia is associated with reduced resolvin D1 and maresin 1 to leukotriene B4 ratios in the plasma. <i>American Journal of Reproductive Immunology</i> , 2020, 83, e13206. | 1.2 | 16 |
| 21 | Anti-inflammatory effects of C-peptide on kidney of type 1 diabetes mellitus animal model. <i>Molecular Biology Reports</i> , 2020, 47, 721-726. | 1.0 | 5 |
| 22 | microRNAs associated to anthracycline-induced cardiotoxicity in women with breast cancer: A systematic review and pathway analysis. <i>Biomedicine and Pharmacotherapy</i> , 2020, 131, 110709. | 2.5 | 19 |
| 23 | Cascade screening and genetic diagnosis of familial hypercholesterolemia in clusters of the Southeastern region from Brazil. <i>Molecular Biology Reports</i> , 2020, 47, 9279-9288. | 1.0 | 5 |
| 24 | Global DNA methylation in placental tissues from pregnant with preeclampsia: A systematic review and pathway analysis. <i>Placenta</i> , 2020, 101, 97-107. | 0.7 | 5 |
| 25 | Frontotemporal dementia: Plasma metabolomic signature using gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 189, 113424. | 1.4 | 12 |
| 26 | Effects of Short Term Metformin Treatment on Brown Adipose Tissue Activity and Plasma Irisin Levels in Women with Polycystic Ovary Syndrome: A Randomized Controlled Trial. <i>Hormone and Metabolic Research</i> , 2020, 52, 718-723. | 0.7 | 10 |
| 27 | Galectin-3 is a potential biomarker to insulin resistance and obesity in women with polycystic ovary syndrome. <i>Gynecological Endocrinology</i> , 2020, 36, 760-763. | 0.7 | 10 |
| 28 | The hallmark of pro- and anti-inflammatory cytokine ratios in women with polycystic ovary syndrome. <i>Cytokine</i> , 2020, 134, 155187. | 1.4 | 9 |
| 29 | The Role of the Mediterranean Dietary Pattern on Metabolic Control of Patients with Diabetes Mellitus: A Narrative Review. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1307, 115-128. | 0.8 | 7 |
| 30 | Inflammatory and Pro-resolving Mediators in Frontotemporal Dementia and Alzheimer's Disease. <i>Neuroscience</i> , 2019, 421, 123-135. | 1.1 | 17 |
| 31 | Microparticles are related to cognitive and functional status from normal aging to dementia. <i>Journal of Neuroimmunology</i> , 2019, 336, 577027. | 1.1 | 6 |
| 32 | Lower Vitamin D Levels, but Not VDR Polymorphisms, Influence Type 2 Diabetes Mellitus in Brazilian Population Independently of Obesity. <i>Medicina (Lithuania)</i> , 2019, 55, 188. | 0.8 | 11 |
| 33 | Recent advances in the understanding and management of polycystic ovary syndrome. <i>F1000Research</i> , 2019, 8, 565. | 0.8 | 63 |
| 34 | Association among ACE, ESR1 polymorphisms and preeclampsia in Brazilian pregnant women. <i>Molecular and Cellular Probes</i> , 2019, 45, 43-47. | 0.9 | 10 |
| 35 | The dual effect of C-peptide on cellular activation and atherosclerosis: Protective or not?. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3071. | 1.7 | 15 |
| 36 | Blood neuron cell-derived microparticles as potential biomarkers in Alzheimer's disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, e77-e80. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Polymorphisms in vitamin D receptor gene, but not vitamin D levels, are associated with polycystic ovary syndrome in Brazilian women. <i>Gynecological Endocrinology</i> , 2019, 35, 146-149. | 0.7 | 15 |
| 38 | Haptoglobin levels are influenced by Hp1 ^h Hp2 polymorphism, obesity, inflammation, and hypertension in type 2 diabetes mellitus. <i>Endocrinologia, Diabetes Y Nutrici^on</i> , 2019, 66, 99-107. | 0.1 | 9 |
| 39 | Brown adipose tissue activity is reduced in women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2019, 181, 473-480. | 1.9 | 33 |
| 40 | Effectiveness to identify acute myocardial infarction using the Manchester screening in patients with chest pain at the emergency service. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22439. | 0.9 | 3 |
| 41 | Circulating microparticles levels are increased in patients with diabetic kidney disease: A case-control research. <i>Clinica Chimica Acta</i> , 2018, 479, 48-55. | 0.5 | 28 |
| 42 | Regulatory and pro-inflammatory cytokines in Brazilian living-related renal transplant recipients according to creatinine plasma levels. <i>Nephrology</i> , 2018, 23, 867-875. | 0.7 | 5 |
| 43 | Evaluation of PCSK9 levels and its genetic polymorphisms in women with polycystic ovary syndrome. <i>Gene</i> , 2018, 644, 129-136. | 1.0 | 17 |
| 44 | Polycystic Ovary Syndrome as a systemic disease with multiple molecular pathways: a narrative review. <i>Endocrine Regulations</i> , 2018, 52, 208-221. | 0.5 | 29 |
| 45 | Troponin as a cardiotoxicity marker in breast cancer patients receiving anthracycline-based chemotherapy: A narrative review. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 989-996. | 2.5 | 38 |
| 46 | Proresolving protein Annexin A1: The role in type 2 diabetes mellitus and obesity. <i>Biomedicine and Pharmacotherapy</i> , 2018, 103, 482-489. | 2.5 | 24 |
| 47 | Association of different biomarkers of renal function with D-dimer levels in patients with type 1 diabetes mellitus (renal biomarkers and D-dimer in diabetes). <i>Archives of Endocrinology and Metabolism</i> , 2018, 62, 27-33. | 0.3 | 10 |
| 48 | Cerebrospinal Fluid Levels of Angiotensin-Converting Enzyme Are Associated with Amyloid- β 242 Burden in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 1085-1090. | 1.2 | 19 |
| 49 | Leptin, hsCRP, TNF- α and IL-6 levels from normal aging to dementia: Relationship with cognitive and functional status. <i>Journal of Clinical Neuroscience</i> , 2018, 56, 150-155. | 0.8 | 32 |
| 50 | Microparticles: Inflammatory and haemostatic biomarkers in Polycystic Ovary Syndrome. <i>Molecular and Cellular Endocrinology</i> , 2017, 443, 155-162. | 1.6 | 26 |
| 51 | Vitamin D receptor polymorphisms and the polycystic ovary syndrome: A systematic review. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 436-446. | 0.6 | 40 |
| 52 | Resolution of inflammation pathways in preeclampsia—a narrative review. <i>Immunologic Research</i> , 2017, 65, 774-789. | 1.3 | 49 |
| 53 | Polymorphisms in cytokine genes influence cognitive and functional performance in a population aged 75 ⁺ years and above. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1401-1410. | 1.3 | 5 |
| 54 | FVIIa-antithrombin levels in early and late preeclampsia. <i>Clinica Chimica Acta</i> , 2017, 474, 67-69. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Haptoglobin levels, but not Hp1-Hp2 polymorphism, are associated with polycystic ovary syndrome. <i>Journal of Assisted Reproduction and Genetics</i> , 2017, 34, 1691-1698. | 1.2 | 14 |
| 56 | Resolution of inflammation, n-3 fatty acid supplementation and Alzheimer disease: A narrative review. <i>Journal of Neuroimmunology</i> , 2017, 310, 111-119. | 1.1 | 17 |
| 57 | Liver up-regulation of ADAMTS13 gene expression and its correlation with renal markers in mice with type 1 diabetes mellitus and nephropathy. <i>Thrombosis Research</i> , 2017, 157, 167-169. | 0.8 | 0 |
| 58 | Annexin A1 and specialized proresolving lipid mediators: promoting resolution as a therapeutic strategy in human inflammatory diseases. <i>Expert Opinion on Therapeutic Targets</i> , 2017, 21, 879-896. | 1.5 | 37 |
| 59 | Metformin reduces total microparticles and microparticles-expressing tissue factor in women with polycystic ovary syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 617-621. | 0.8 | 11 |
| 60 | Decreased plasma concentrations of brain-derived neurotrophic factor in preeclampsia. <i>Clinica Chimica Acta</i> , 2017, 464, 142-147. | 0.5 | 15 |
| 61 | IL-6 and type 1 diabetes mellitus: T cell responses and increase in IL-6 receptor surface expression. <i>Annals of Translational Medicine</i> , 2017, 5, 16-16. | 0.7 | 18 |
| 62 | Alzheimer's disease and cytokine IL-10 gene polymorphisms: is there an association?. <i>Arquivos De Neuro-Psiquiatria</i> , 2017, 75, 649-656. | 0.3 | 32 |
| 63 | IL-6, TNF- α , and IL-10 levels/polymorphisms and their association with type 2 diabetes mellitus and obesity in Brazilian individuals. <i>Archives of Endocrinology and Metabolism</i> , 2017, 61, 438-446. | 0.3 | 83 |
| 64 | Cytokine Signature in End-Stage Renal Disease Patients on Hemodialysis. <i>Disease Markers</i> , 2017, 2017, 1-9. | 0.6 | 8 |
| 65 | Evaluation of creatinine-based and cystatin C-based equations for estimation of glomerular filtration rate in type 1 diabetic patients. <i>Archives of Endocrinology and Metabolism</i> , 2016, 60, 108-116. | 0.3 | 5 |
| 66 | Association of Haemostatic and Inflammatory Biomarkers with Nephropathy in Type 1 Diabetes Mellitus. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-8. | 1.0 | 16 |
| 67 | Cortisol, HDL-C, VLDL-C, and APOE Polymorphisms as Laboratorial Parameters Associated to Cognitive Impairment No Dementia (CIND) and Dementia. <i>Journal of Clinical Laboratory Analysis</i> , 2016, 30, 374-380. | 0.9 | 10 |
| 68 | Clinical Response to Donepezil in Mild and Moderate Dementia: Relationship to Drug Plasma Concentration and CYP2D6 and APOE Genetic Polymorphisms. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 539-549. | 1.2 | 20 |
| 69 | Circulating irisin is increased in type 2 diabetes mellitus and correlates with fasting glucose levels. <i>Apollo Medicine</i> , 2016, 13, 152-155. | 0.0 | 5 |
| 70 | Lipoxin A4 Is Increased in the Plasma of Preeclamptic Women. <i>American Journal of Hypertension</i> , 2016, 29, 1179-1185. | 1.0 | 21 |
| 71 | Cytokines profile and its correlation with endothelial damage and oxidative stress in patients with type 1 diabetes mellitus and nephropathy. <i>Immunologic Research</i> , 2016, 64, 951-960. | 1.3 | 20 |
| 72 | Diabetes mellitus: The linkage between oxidative stress, inflammation, hypercoagulability and vascular complications. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 738-745. | 1.2 | 473 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Increased Levels of sENG and sVCAM-1 and Decreased Levels of VEGF in Severe Preeclampsia. American Journal of Hypertension, 2016, 29, 1307-1310. | 1.0 | 25 |
| 74 | Adiponectin gene polymorphisms: Association with childhood obesity. Journal of Pediatric Genetics, 2015, 03, 017-028. | 0.3 | 3 |
| 75 | Endocan: a new biomarker associated with inflammation in type 2 diabetes mellitus?. Diabetes/Metabolism Research and Reviews, 2015, 31, 479-480. | 1.7 | 14 |
| 76 | Genetic predisposition to higher production of interleukin-6 through -174 G > C polymorphism predicts global cognitive decline in oldest-old with cognitive impairment no dementia. Arquivos De Neuro-Psiquiatria, 2015, 73, 899-902. | 0.3 | 8 |
| 77 | Von Willebrand Factor, ADAMTS13 and D-Dimer Are Correlated with Different Levels of Nephropathy in Type 1 Diabetes Mellitus. PLoS ONE, 2015, 10, e0132784. | 1.1 | 17 |
| 78 | Association of a Large Panel of Cytokine Gene Polymorphisms with Complications and Comorbidities in Type 2 Diabetes Patients. Journal of Diabetes Research, 2015, 2015, 1-9. | 1.0 | 35 |
| 79 | Hemostatic Parameters according to Renal Function and Time after Transplantation in Brazilian Renal Transplanted Patients. Disease Markers, 2015, 2015, 1-9. | 0.6 | 2 |
| 80 | Is the imbalance between pro-angiogenic and anti-angiogenic factors associated with preeclampsia?. Clinica Chimica Acta, 2015, 447, 34-38. | 0.5 | 59 |
| 81 | Predictive Factors of Clinical Response to Cholinesterase Inhibitors in Mild and Moderate Alzheimer's Disease and Mixed Dementia: A One-Year Naturalistic Study. Journal of Alzheimer's Disease, 2015, 45, 609-620. | 1.2 | 30 |
| 82 | Estrogen receptor α gene (ESR1) PvuII and XbaI polymorphisms are associated to metabolic and proinflammatory factors in polycystic ovary syndrome. Gene, 2015, 560, 44-49. | 1.0 | 21 |
| 83 | Genetic polymorphisms as a risk factor for dyslipidemia in children. Journal of Pediatric Genetics, 2015, 02, 069-075. | 0.3 | 3 |
| 84 | Peripheral blood-derived cytokine gene polymorphisms and metabolic profile in women with polycystic ovary syndrome. Cytokine, 2015, 76, 227-235. | 1.4 | 19 |
| 85 | Apolipoprotein polymorphism is associated with pro-thrombotic profile in non-demented dyslipidemic subjects. Experimental Biology and Medicine, 2015, 240, 79-86. | 1.1 | 1 |
| 86 | Resistance of dialyzed patients to erythropoietin. Revista Brasileira De Hematologia E Hemoterapia, 2015, 37, 190-197. | 0.7 | 34 |
| 87 | The Role and Effects of Glucocorticoid-Induced Leucine Zipper in the Context of Inflammation Resolution. Journal of Immunology, 2015, 194, 4940-4950. | 0.4 | 99 |
| 88 | Visfatin levels are decreased in advanced stages of diabetic nephropathy. Renal Failure, 2015, 37, 1529-1530. | 0.8 | 2 |
| 89 | Leptin in Alzheimer's disease. Clinica Chimica Acta, 2015, 450, 162-168. | 0.5 | 26 |
| 90 | Severe preeclampsia: Association of genes polymorphisms and maternal cytokines production in Brazilian population. Cytokine, 2015, 71, 232-237. | 1.4 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Annexin A1 Is Increased in the Plasma of Preeclamptic Women. PLoS ONE, 2015, 10, e0138475. | 1.1 | 20 |
| 92 | Soluble Endoglin, Transforming Growth Factor-Beta 1 and Soluble Tumor Necrosis Factor Alpha Receptors in Different Clinical Manifestations of Preeclampsia. PLoS ONE, 2014, 9, e97632. | 1.1 | 57 |
| 93 | The Role of Transforming Growth Factor-Beta in Diabetic Nephropathy. International Journal of Medical Genetics, 2014, 2014, 1-6. | 0.6 | 25 |
| 94 | Increased plasma levels of BDNF and inflammatory markers in Alzheimer's disease. Journal of Psychiatric Research, 2014, 53, 166-172. | 1.5 | 110 |
| 95 | Severe preeclampsia: Are hemostatic and inflammatory parameters associated?. Clinica Chimica Acta, 2014, 427, 65-70. | 0.5 | 25 |
| 96 | Polymorphisms of CYP2C9, VKORC1, MDR1, APOE and UGT1A1 Genes and the Therapeutic Warfarin Dose in Brazilian Patients with Thrombosis: A Prospective Cohort Study. Molecular Diagnosis and Therapy, 2014, 18, 675-683. | 1.6 | 25 |
| 97 | Thrombin-activatable fibrinolysis inhibitor (TAFI) levels and its polymorphism rs3742264 are associated with dyslipidemia in a cohort of Brazilian subjects. Clinica Chimica Acta, 2014, 433, 76-83. | 0.5 | 4 |
| 98 | Polymorphisms in endothelial nitric oxide synthase gene in early and late severe preeclampsia. Nitric Oxide - Biology and Chemistry, 2014, 42, 19-23. | 1.2 | 30 |
| 99 | Parvovirus B19 (B19) and cytomegalovirus (CMV) infections and anti-erythropoietin (anti-EPO) antibodies in patients on dialysis hyporesponse to erythropoietin therapy. Clinica Chimica Acta, 2014, 431, 52-57. | 0.5 | 9 |
| 100 | Acetylsalicylic acid therapy: Influence of metformin use and other variables on urinary 11-dehydrothromboxane B2 levels. Clinica Chimica Acta, 2014, 429, 76-78. | 0.5 | 15 |
| 101 | Annexin A1 concentrations is decreased in patients with diabetes type 2 and nephropathy. Clinica Chimica Acta, 2014, 436, 181-182. | 0.5 | 5 |
| 102 | Human parvovirus B19 infection in a renal transplant recipient: a case report. BMC Research Notes, 2013, 6, 28. | 0.6 | 5 |
| 103 | Preeclampsia and ABO blood groups: a systematic review and meta-analysis. Molecular Biology Reports, 2013, 40, 2253-2261. | 1.0 | 38 |
| 104 | Cytokines signatures in short and long-term stable renal transplanted patients. Cytokine, 2013, 62, 302-309. | 1.4 | 27 |
| 105 | Assessment of l-arginine asymmetric 1 dimethyl (ADMA) in early-onset and late-onset (severe) preeclampsia. Nitric Oxide - Biology and Chemistry, 2013, 33, 81-82. | 1.2 | 35 |
| 106 | Inflammation, neoangiogenesis and fibrosis in peritoneal dialysis. Clinica Chimica Acta, 2013, 421, 46-50. | 0.5 | 58 |
| 107 | Is there a link between endothelial dysfunction, coagulation activation and nitric oxide synthesis in preeclampsia?. Clinica Chimica Acta, 2013, 415, 226-229. | 0.5 | 21 |
| 108 | Hypercoagulability and cardiovascular disease in diabetic nephropathy. Clinica Chimica Acta, 2013, 415, 279-285. | 0.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Fibrinolytic system in preeclampsia. <i>Clinica Chimica Acta</i> , 2013, 416, 67-71. | 0.5 | 42 |
| 110 | The linkage between inflammation and Type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 85-92. | 1.1 | 119 |
| 111 | High cortisol levels are associated with cognitive impairment no-dementia (CIND) and dementia. <i>Clinica Chimica Acta</i> , 2013, 423, 18-22. | 0.5 | 56 |
| 112 | The polymorphism $\hat{\sim}1131T>C$ in apolipoprotein A5 gene is associated with dyslipidemia in Brazilian subjects. <i>Gene</i> , 2013, 516, 171-175. | 1.0 | 8 |
| 113 | Severe preeclampsia goes along with a cytokine network disturbance towards a systemic inflammatory state. <i>Cytokine</i> , 2013, 62, 165-173. | 1.4 | 103 |
| 114 | Association of microparticles and preeclampsia. <i>Molecular Biology Reports</i> , 2013, 40, 4553-4559. | 1.0 | 26 |
| 115 | Correlation between plasminogen activator inhibitor-1 (PAI-1) promoter 4G/5G polymorphism and metabolic/proinflammatory factors in polycystic ovary syndrome. <i>Gynecological Endocrinology</i> , 2013, 29, 936-939. | 0.7 | 13 |
| 116 | D-dimer in preeclampsia: Systematic review and meta-analysis. <i>Clinica Chimica Acta</i> , 2012, 414, 166-170. | 0.5 | 29 |
| 117 | Circulating microparticles in severe preeclampsia. <i>Clinica Chimica Acta</i> , 2012, 414, 253-258. | 0.5 | 46 |
| 118 | Cryopreservation does not alter karyotype, multipotency, or NANOG/SOX2 gene expression of amniotic fluid mesenchymal stem cells. <i>Genetics and Molecular Research</i> , 2012, 11, 1002-1012. | 0.3 | 16 |
| 119 | O hemograma nas anemias microcíticas e hipocrômicas: aspectos diferenciais. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2012, 48, 255-258. | 0.3 | 7 |
| 120 | $\hat{\sim}1131T>C$ and SW19 polymorphisms in APOA5 gene and lipid levels in type 2 diabetic patients. <i>Molecular Biology Reports</i> , 2012, 39, 7541-7548. | 1.0 | 14 |
| 121 | ADAMTS13 and Von Willebrand factor in patients undergoing hemodialysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 73-78. | 1.0 | 8 |
| 122 | Preeclampsia: the role of tissue factor and tissue factor pathway inhibitor. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 34, 1-6. | 1.0 | 17 |
| 123 | Relationship between ABO blood groups and von Willebrand factor, ADAMTS13 and factor VIII in patients undergoing hemodialysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 33, 416-421. | 1.0 | 17 |
| 124 | Association between methylation in mismatch repair genes, V600E BRAF mutation and microsatellite instability in colorectal cancer patients. <i>Molecular Biology Reports</i> , 2012, 39, 2553-2560. | 1.0 | 18 |
| 125 | Hemodialysis vascular access thrombosis: The role of factor V Leiden, prothrombin gene mutation and ABO blood groups. <i>Clinica Chimica Acta</i> , 2011, 412, 425-429. | 0.5 | 15 |
| 126 | Association of Apolipoprotein E polymorphisms and metabolic syndrome in subjects with extreme obesity. <i>Clinica Chimica Acta</i> , 2011, 412, 1559-1562. | 0.5 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | ADAMTS13, FVIII, von Willebrand factor, ABO blood group assessment in preeclampsia. <i>Clinica Chimica Acta</i> , 2011, 412, 2162-2166. | 0.5 | 33 |
| 128 | ADAMTS13 and Von Willebrand factor assessment before and after kidney transplantation. <i>Clinica Chimica Acta</i> , 2011, 412, 2353-2354. | 0.5 | 5 |
| 129 | <i>Giardia duodenalis</i> : genotypic comparison between a human and a canine isolates. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2011, 44, 508-510. | 0.4 | 7 |
| 130 | HFE, MTHFR, and FGFR4 genes polymorphisms and breast cancer in Brazilian women. <i>Molecular and Cellular Biochemistry</i> , 2011, 357, 247-253. | 1.4 | 28 |
| 131 | Mutations in methylenetetrahydrofolate reductase and in cysthationine beta synthase: is there a link to homocysteine levels in peripheral arterial disease?. <i>Molecular Biology Reports</i> , 2011, 38, 3361-3366. | 1.0 | 13 |
| 132 | Apolipoprotein A5-1131T>C polymorphism, but not APOE genotypes, increases susceptibility for dyslipidemia in children and adolescents. <i>Molecular Biology Reports</i> , 2011, 38, 4381-4388. | 1.0 | 14 |
| 133 | Assessment of microsatellite instability in colorectal cancer patients from Brazil. <i>Molecular Biology Reports</i> , 2010, 37, 375-380. | 1.0 | 9 |
| 134 | D-dimer as a possible prognostic marker of operable hormone receptor-negative breast cancer. <i>Annals of Oncology</i> , 2010, 21, 1267-1272. | 0.6 | 72 |
| 135 | Clinical and molecular aspects of Berardinelli-Seip Congenital Lipodystrophy (BSCL). <i>Clinica Chimica Acta</i> , 2009, 402, 1-6. | 0.5 | 43 |
| 136 | Polymorphisms in exons 6 and 7 of the ABO locus and their association with venous thrombosis in young Brazilian patients. <i>Blood Coagulation and Fibrinolysis</i> , 2009, 20, 122-128. | 0.5 | 13 |
| 137 | Frequency of FMR1 premutation in individuals with ataxia and/or tremor and/or parkinsonism. <i>Genetics and Molecular Research</i> , 2008, 7, 74-84. | 0.3 | 30 |
| 138 | Phenotypic heterogeneity in biochemical parameters correlates with mutations in AGPAT2 or Seipin genes among Berardinelli-Seip congenital lipodystrophy patients. <i>Journal of Inherited Metabolic Disease</i> , 2005, 28, 1123-1131. | 1.7 | 24 |
| 139 | Mutations in the Seipin and AGPAT2 Genes Clustering in Consanguineous Families with Berardinelli-Seip Congenital Lipodystrophy from Two Separate Geographical Regions of Brazil. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 357-361. | 1.8 | 38 |