List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5684959/publications.pdf Version: 2024-02-01

		30047	42364
219	11,073	54	92
papers	citations	h-index	g-index
333	333	333	9651
all docs	docs citations	times ranked	citing authors

ΔΝΙΛ ΜΕΗΝΕΦΤ

#	Article	IF	CITATIONS
1	Employment and work-related issues in cancer survivors. Critical Reviews in Oncology/Hematology, 2011, 77, 109-130.	2.0	655
2	Four-Week Prevalence of Mental Disorders in Patients With Cancer Across Major Tumor Entities. Journal of Clinical Oncology, 2014, 32, 3540-3546.	0.8	514
3	One in two cancer patients is significantly distressed: Prevalence and indicators of distress. Psycho-Oncology, 2018, 27, 75-82.	1.0	383
4	Psychological comorbidity and health-related quality of life and its association with awareness, utilization, and need for psychosocial support in a cancer register-based sample of long-term breast cancer survivors. Journal of Psychosomatic Research, 2008, 64, 383-391.	1.2	375
5	Prevalence of acute and post-traumatic stress disorder and comorbid mental disorders in breast cancer patients during primary cancer care: a prospective study. Psycho-Oncology, 2007, 16, 181-188.	1.0	318
6	Fear of cancer progression and cancerâ€related intrusive cognitions in breast cancer survivors. Psycho-Oncology, 2009, 18, 1273-1280.	1.0	273
7	Employment challenges for cancer survivors. Cancer, 2013, 119, 2151-2159.	2.0	244
8	Comorbid depression in medical diseases. Nature Reviews Disease Primers, 2020, 6, 69.	18.1	234
9	The risk of being depressed is significantly higher in cancer patients than in the general population: Prevalence and severity of depressive symptoms across major cancer types. European Journal of Cancer, 2017, 72, 46-53.	1.3	213
10	Beyond treatment – Psychosocial and behavioural issues in cancer survivorship research and practice. European Journal of Cancer, Supplement, 2014, 12, 54-64.	2.2	177
11	Satisfaction with information and unmet information needs in men and women with cancer. Journal of Cancer Survivorship, 2016, 10, 62-70.	1.5	175
12	Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. BMC Psychiatry, 2016, 16, 22.	1.1	153
13	Depression, anxiety, post-traumatic stress disorder and health-related quality of life and its association with social support in ambulatory prostate cancer patients. European Journal of Cancer Care, 2010, 19, 736-745.	0.7	145
14	The association between neuropsychological impairment, self-perceived cognitive deficits, fatigue and health related quality of life in breast cancer survivors following standard adjuvant versus high-dose chemotherapy. Patient Education and Counseling, 2007, 66, 108-118.	1.0	132
15	Depression and anxiety in long-term survivors 5 and 10Âyears after cancer diagnosis. Supportive Care in Cancer, 2020, 28, 211-220.	1.0	126
16	Unmet supportive care needs: a cross-cultural comparison between Hong Kong Chinese and German Caucasian women with breast cancer. Breast Cancer Research and Treatment, 2011, 130, 531-541.	1.1	122
17	The association of demoralization with mental disorders and suicidal ideation in patients with cancer. Cancer, 2017, 123, 3394-3401.	2.0	117
18	Predictors of employment among cancer survivors after medical rehabilitation – a prospective study. Scandinavian Journal of Work, Environment and Health, 2013, 39, 76-87.	1.7	117

#	Article	IF	CITATIONS
19	Perceived need for psychosocial support depending on emotional distress and mental comorbidity in men and women with cancer. Journal of Psychosomatic Research, 2016, 81, 24-30.	1.2	116
20	Health-related quality of life in breast cancer: A cross-cultural survey of German, Japanese, and South Korean patients. Breast Cancer Research and Treatment, 2006, 99, 341-350.	1.1	115
21	Demoralization and Depression in Patients With Advanced Cancer: Validation of the German Version of the Demoralization Scale. Journal of Pain and Symptom Management, 2011, 42, 768-776.	0.6	115
22	Twelve-Month and Lifetime Prevalence of Mental Disorders in Cancer Patients. Psychotherapy and Psychosomatics, 2016, 85, 289-296.	4.0	111
23	Psychosocial interventions for adolescents and young adult cancer patients: A systematic review and meta-analysis. Critical Reviews in Oncology/Hematology, 2015, 95, 370-386.	2.0	106
24	The <scp>Generalized Anxiety Disorder Screener (GADâ€7</scp>) and the anxiety module of the <scp>Hospital and Depression Scale (HADSâ€A</scp>) as screening tools for generalized anxiety disorder among cancer patients. Psycho-Oncology, 2018, 27, 1509-1516.	1.0	104
25	Symptom burden, loss of dignity, and demoralization in patients with cancer: a mediation model. Psycho-Oncology, 2014, 23, 283-290.	1.0	99
26	Predictors of fear of recurrence in patients one year after cancer rehabilitation: A prospective study. Acta Oncológica, 2013, 52, 1102-1109.	0.8	94
27	The Hospital Anxiety and Depression Scale (HADS) and the 9â€item Patient Health Questionnaire (PHQâ€9) as screening instruments for depression in patients with cancer. Cancer, 2017, 123, 4236-4243.	2.0	92
28	Neuropsychological function in high-risk breast cancer survivors after stem-cell supported high-dose therapy versus standard-dose chemotherapy: evaluation of long-term treatment effects. Annals of Oncology, 2006, 17, 415-423.	0.6	89
29	Effects of a Physical Exercise Rehabilitation Group Program on Anxiety, Depression, Body Image, and Health-Related Quality of Life among Breast Cancer Patients. Onkologie, 2011, 34, 248-253.	1.1	88
30	Comorbid conditions and health-related quality of life in long-term cancer survivors—associations with demographic and medical characteristics. Journal of Cancer Survivorship, 2018, 12, 712-720.	1.5	85
31	Utilization of professional psychological care in a large German sample of cancer patients. Psycho-Oncology, 2017, 26, 537-543.	1.0	84
32	Exploring spiritual needs and their associated factors in an urban sample of early and advanced cancer patients. European Journal of Cancer Care, 2014, 23, 786-794.	0.7	83
33	Global meaning and meaning-related life attitudes: exploring their role in predicting depression, anxiety, and demoralization in cancer patients. Supportive Care in Cancer, 2011, 19, 513-520.	1.0	82
34	General Population Norms for the Functional Assessment of Chronic Illness Therapy (FACIT)-Fatigue Scale. Value in Health, 2018, 21, 1313-1321.	0.1	81
35	Fear of cancer recurrence across the survivorship trajectory: Results from a survey of adult longâ€ŧerm cancer survivors. Psycho-Oncology, 2019, 28, 2033-2041.	1.0	79
36	Is advanced cancer associated with demoralization and lower global meaning? The role of tumor stage and physical problems in explaining existential distress in cancer patients. Psycho-Oncology, 2012, 21, 54-63.	1.0	75

#	Article	IF	CITATIONS
37	Psychometric properties of the German version of the Short-Form Supportive Care Needs Survey Questionnaire (SCNS-SF34-G). Supportive Care in Cancer, 2012, 20, 2415-2424.	1.0	74
38	Cognitive functioning in allogeneic hematopoietic stem cell transplantation recipients and its medical correlates: a prospective multicenter study. Psycho-Oncology, 2013, 22, 1509-1516.	1.0	74
39	Anxiety and fear of cancer recurrence and its association with supportive care needs and health-care service utilization in cancer patients. Journal of Cancer Survivorship, 2015, 9, 567-575.	1.5	74
40	Prevalence of mental disorders, psychosocial distress and need for psychosocial support in cancer patients – study protocol of an epidemiological multi-center study. BMC Psychiatry, 2012, 12, 70.	1.1	72
41	Age and gender differences in anxiety and depression in cancer patients compared with the general population. European Journal of Cancer Care, 2019, 28, e13129.	0.7	71
42	Fear of recurrence and its impact on quality of life in patients with hematological cancers in the course of allogeneic hematopoietic SCT. Bone Marrow Transplantation, 2014, 49, 1217-1222.	1.3	70
43	Symptom burden in palliative care patients: perspectives of patients, their family caregivers, and their attending physicians. Supportive Care in Cancer, 2013, 21, 1955-1962.	1.0	63
44	Unmet needs for information and psychosocial support in relation to quality of life and emotional distress: A comparison between gynecological and breast cancer patients. Patient Education and Counseling, 2017, 100, 1934-1942.	1.0	62
45	Perceived stigmatization and its impact on quality of life - results from a large register-based study including breast, colon, prostate and lung cancer patients. BMC Cancer, 2017, 17, 741.	1.1	62
46	Prevalence of mental disorders and psychosocial distress in German adolescent and young adult cancer patients (AYA). Psycho-Oncology, 2018, 27, 1802-1809.	1.0	61
47	Relationship Between Symptom Burden, Distress, and Sense of Dignity in Terminally III Cancer Patients. Journal of Pain and Symptom Management, 2014, 48, 313-321.	0.6	60
48	Health-Related Quality of Life in Long Term Breast Cancer Survivors Treated with Breast Conserving Therapy: Impact of Age at Therapy. Breast Cancer Research and Treatment, 2005, 92, 217-222.	1.1	58
49	The Impact of Intravesical Gemcitabine and 1/3 Dose Bacillus Calmette-Guérin Instillation Therapy on the Quality of Life in Patients with Nonmuscle Invasive Bladder Cancer: Results of a Prospective, Randomized, Phase II Trial. Journal of Urology, 2013, 190, 857-862.	0.2	58
50	Assessment of Patients' Dignity in Cancer Care: Preliminary Psychometrics of the German Version of the Patient Dignity Inventory (PDI-G). Journal of Pain and Symptom Management, 2014, 47, 181-188.	0.6	57
51	Anxiety and Depression in Caregivers of Terminally Ill Cancer Patients: Impact on Their Perspective of the Patients' Symptom Burden. Journal of Palliative Medicine, 2013, 16, 1095-1101.	0.6	56
52	Psychosocial care of cancer patients—international differences in definition, healthcare structures, and therapeutic approaches. Supportive Care in Cancer, 2005, 13, 579-588.	1.0	54
53	Cognitive function in the acute course of allogeneic hematopoietic stem cell transplantation for hematological malignancies. Bone Marrow Transplantation, 2007, 39, 789-799.	1.3	54
54	Fear of progression in patients 6Âmonths after cancer rehabilitation—a validation study of the fear of progression questionnaire FoP-Q-12. Supportive Care in Cancer, 2015, 23, 1579-1587.	1.0	54

#	Article	IF	CITATIONS
55	Efficacy of a brief manualized intervention Managing Cancer and Living Meaningfully (CALM) adapted to German cancer care settings: study protocol for a randomized controlled trial. BMC Cancer, 2015, 15, 592.	1.1	42
56	Depression and anxiety following hematopoietic stem cell transplantation: a prospective population-based study in Germany. Bone Marrow Transplantation, 2017, 52, 1651-1657.	1.3	42
57	Symptom Burden and Palliative Care Needs of Patients with Incurable Cancer at Diagnosis and During the Disease Course. Oncologist, 2021, 26, e1058-e1065.	1.9	42
58	Anxiety and depression in long-term testicular germ cell tumor survivors. General Hospital Psychiatry, 2016, 38, 21-25.	1.2	41
59	STRESSORS, SYMPTOM PROFILE, AND PREDICTORS OF ADJUSTMENT DISORDER IN CANCER PATIENTS. RESULTS FROM AN EPIDEMIOLOGICAL STUDY WITH THE COMPOSITE INTERNATIONAL DIAGNOSTIC INTERVIEW, ADAPTATION FOR ONCOLOGY (CIDI-O). Depression and Anxiety, 2016, 33, 153-161.	2.0	40
60	Dyadic coping of patients with hematologic malignancies and their partners and its relation to quality of life $\hat{a} \in $ a longitudinal study. Leukemia and Lymphoma, 2017, 58, 655-665.	0.6	40
61	Sources of meaning in cancer patients - influences on global meaning, anxiety and depression in a longitudinal study. European Journal of Cancer Care, 2014, 23, 472-480.	0.7	39
62	Cancer patients' preferred and perceived level of involvement in treatment decision-making: an epidemiological study. Acta Oncológica, 2020, 59, 967-974.	0.8	39
63	The relationship between global and specific components of quality of life, assessed with the EORTC QLQ-C30 in aAsample of 2019 cancer patients. European Journal of Cancer Care, 2017, 26, e12416.	0.7	38
64	Quality of life in cancer patients—a comparison of inpatient, outpatient, and rehabilitation settings. Supportive Care in Cancer, 2018, 26, 3533-3541.	1.0	38
65	Frequency and network analysis of depressive symptoms in patients with cancer compared to the general population. Journal of Affective Disorders, 2019, 256, 295-301.	2.0	38
66	Psychological interventions targeting partners of cancer patients: A systematic review. Critical Reviews in Oncology/Hematology, 2019, 140, 52-66.	2.0	38
67	Receiving Palliative Treatment Moderates the Effect of Age and Gender on Demoralization in Patients with Cancer. PLoS ONE, 2013, 8, e59417.	1.1	38
68	Unmet supportive care needs in young adult cancer patients: associations and changes over time. Results from the AYA-Leipzig study. Journal of Cancer Survivorship, 2019, 13, 611-619.	1.5	37
69	Latent class analysis differentiation of adjustment disorder and demoralization, more severe depressive and anxiety disorders, and somatic symptoms in patients with cancer. Psycho-Oncology, 2018, 27, 2623-2630.	1.0	36
70	Death-Related Anxiety in Patients With Advanced Cancer: Validation of the German Version of the Death and Dying Distress Scale. Journal of Pain and Symptom Management, 2016, 52, 582-587.	0.6	34
71	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale – Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. Journal of Psychosomatic Research, 2020, 129, 109892.	1.2	33
72	2020, 129, 109892. Prostate cancer patients' quality of life assessments across the primary treatment trajectory: â€~True' change or response shift?. Acta Oncológica, 2016, 55, 814-820.	0.8	32

#	Article	IF	CITATIONS
73	Laparoscopic versus open partial nephrectomy for clinical T1 renal masses: no impact of surgical approach on perioperative complications and long-term postoperative quality of life. World Journal of Urology, 2015, 33, 421-426.	1.2	31
74	Body image mediates the effect of cancerâ€related stigmatization on depression: A new target for intervention. Psycho-Oncology, 2018, 27, 193-198.	1.0	31
75	Predictors of early retirement after cancer rehabilitation-a longitudinal study. European Journal of Cancer Care, 2017, 26, e12528.	0.7	30
76	Attachment security and existential distress among patients with advanced cancer. Journal of Psychosomatic Research, 2019, 116, 93-99.	1.2	30
77	Risk for depression and anxiety in long-term survivors of hematologic cancer Health Psychology, 2019, 38, 187-195.	1.3	30
78	Psychological interventions for acute pain after open heart surgery. The Cochrane Library, 2019, 2019, CD009984.	1.5	29
79	Presence of Symptom Distress and Prostate Cancer-Related Anxiety in Patients at the Beginning of Cancer Rehabilitation. Oncology Research and Treatment, 2007, 30, 551-556.	0.8	28
80	Course and predictors of posttraumatic stress among male train drivers after the experience of †person under the train' incidents. Journal of Psychosomatic Research, 2012, 73, 191-196.	1.2	28
81	Age-, sex-, and education-specific norms for an extended CERAD Neuropsychological Assessment Battery—Results from the population-based LIFE-Adult-Study Neuropsychology, 2018, 32, 461-475.	1.0	28
82	Characterizing death acceptance among patients with cancer. Psycho-Oncology, 2019, 28, 854-862.	1.0	27
83	Return to Work and Employment Situation of Young Adult Cancer Survivors: Results from the Adolescent and Young Adult-Leipzig Study. Journal of Adolescent and Young Adult Oncology, 2021, 10, 226-233.	0.7	27
84	Detrimental social interactions predict loss of dignity among patients with cancer. Supportive Care in Cancer, 2016, 24, 2751-2758.	1.0	26
85	Cancerâ€andâ€treatment–specific distress and its impact on posttraumatic stress in patients undergoing allogeneic hematopoietic stem cell transplantation (HSCT). Psycho-Oncology, 2017, 26, 1164-1171.	1.0	26
86	Prevention of Cervical Cancer. Geburtshilfe Und Frauenheilkunde, 2019, 79, 160-176.	0.8	26
87	Posttraumatic stress disorder symptomatology in the course of allogeneic HSCT: a prospective study. Journal of Cancer Survivorship, 2017, 11, 203-210.	1.5	25
88	Insecure attachment predicts depression and death anxiety in advanced cancer patients. Palliative and Supportive Care, 2018, 16, 308-316.	0.6	25
89	Normative values for the distress thermometer (DT) and the emotion thermometers (ET), derived from a German general population sample. Quality of Life Research, 2019, 28, 277-282.	1.5	25
90	Results of the Optimune trial: A randomized controlled trial evaluating a novel Internet intervention for breast cancer survivors. PLoS ONE, 2021, 16, e0251276.	1.1	25

#	Article	IF	CITATIONS
91	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. PLoS ONE, 2020, 15, e0243357.	1.1	25
92	Performance status and depressive symptoms as predictors of quality of life in cancer patients. A structural equation modeling analysis. Psycho-Oncology, 2015, 24, 1456-1462.	1.0	24
93	Associations between dyadic coping and supportive care needs: findings from a study with hematologic cancer patients and their partners. Supportive Care in Cancer, 2017, 25, 1445-1454.	1.0	24
94	Stability and Priority of Symptoms and Symptom Clusters Among Allogeneic HSCT Patients Within a 5-Year Longitudinal Study. Journal of Pain and Symptom Management, 2017, 54, 493-500.	0.6	24
95	Perceived social support and associations with health-related quality of life in young versus older adult patients with haematological malignancies. Health and Quality of Life Outcomes, 2019, 17, 145.	1.0	24
96	Follow-Up Care for Breast and Colorectal Cancer Across the Globe: Survey Findings From 27 Countries. JCO Global Oncology, 2020, 6, 1394-1411.	0.8	24
97	Participation in patient support groups among cancer survivors: do psychosocial and medical factors have an impact?. European Journal of Cancer Care, 2014, 23, 140-148.	0.7	23
98	Fatigue in the general population: German normative values of the EORTC QLQ-FA12. Quality of Life Research, 2018, 27, 2681-2689.	1.5	23
99	Knowledge and attitudes of gynecologists regarding genetic counseling for hereditary breast and ovarian cancer. Patient Education and Counseling, 2003, 49, 183-188.	1.0	22
100	Early retirement in cancer patients with or without comorbid mental health conditions: A prospective cohort study. Cancer, 2014, 120, 2199-2206.	2.0	22
101	In which context is physician empathy associated with cancer patient quality of life?. Patient Education and Counseling, 2018, 101, 1216-1222.	1.0	22
102	The relation between dyadic coping and relationship satisfaction in couples dealing with haematological cancer. European Journal of Cancer Care, 2018, 27, e12595.	0.7	22
103	Memory-related subjective cognitive symptoms in the adult population: prevalence and associated factors – results of the LIFE-Adult-Study. BMC Psychology, 2018, 6, 23.	0.9	22
104	Investigating the temporal course, relevance and risk factors of fatigue over 5 years: a prospective study among patients receiving allogeneic HSCT. Bone Marrow Transplantation, 2017, 52, 753-758.	1.3	21
105	Quality of life in survivors of hematological malignancies stratified by cancer type, time since diagnosis and stem cell transplantation. European Journal of Haematology, 2018, 101, 340-348.	1.1	21
106	The relationship between acceptance, fatigue, and subjective cognitive impairment in hematologic cancer survivors. International Journal of Clinical and Health Psychology, 2019, 19, 97-106.	2.7	21
107	Symptoms and Needs of Head and Neck Cancer Patients at Diagnosis of Incurability - Prevalences, Clinical Implications, and Feasibility of a Prospective Longitudinal Multicenter Cohort Study. Oncology Research and Treatment, 2016, 39, 186-191.	0.8	20
108	Doctor's recommendations for psychosocial care: Frequency and predictors of recommendations and referrals. PLoS ONE, 2018, 13, e0205160.	1.1	20

#	Article	IF	CITATIONS
109	Perceived doctorâ€patient relationship and its association with demoralization in patients with advanced cancer. Psycho-Oncology, 2018, 27, 2587-2593.	1.0	20
110	Symptoms and Needs of Patients with Advanced Lung Cancer: Early Prevalence Assessment. Oncology Research and Treatment, 2019, 42, 650-659.	0.8	20
111	Work ability and cognitive impairments in young adult cancer patients: associated factors and changes over time—results from the AYA-Leipzig study. Journal of Cancer Survivorship, 2022, 16, 771-780.	1.5	20
112	Dysphagia, voice problems, and pain in head and neck cancer patients. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3985-3994.	0.8	20
113	Psychometric evaluation of the German version of the Life Attitude Profile–Revised (LAP-R) in prostate cancer patients. Palliative and Supportive Care, 2008, 6, 119-124.	0.6	19
114	The Preference to Discuss Expected Survival Is Associated with Loss of Meaning and Purpose in Terminally III Cancer Patients. Journal of Palliative Medicine, 2015, 18, 970-976.	0.6	19
115	Prevention of Cervical Cancer. Geburtshilfe Und Frauenheilkunde, 2019, 79, 148-159.	0.8	19
116	Future research in cancer survivorship. Journal of Cancer Survivorship, 2021, 15, 659-667.	1.5	19
117	Effects of exercise training programs on physical performance and quality of life in patients with metastatic lung cancer undergoing palliative chemotherapy—A study protocol. Contemporary Clinical Trials, 2014, 37, 120-128.	0.8	18
118	Symptom burden in long-term germ cell tumor survivors. Supportive Care in Cancer, 2016, 24, 2243-2250.	1.0	18
119	Polypharmacy, limited activity, fatigue and insomnia are the most frequent symptoms and impairments in older hematological cancer survivors (70+): Findings from a register-based study on physical and mental health. Journal of Geriatric Oncology, 2019, 10, 55-59.	0.5	18
120	Efficacy of the Managing Cancer and Living Meaningfully (<scp>CALM</scp>) individual psychotherapy for patients with advanced cancer: A singleâ€blind randomized controlled trial. Psycho-Oncology, 2020, 29, 1895-1904.	1.0	18
121	Dyadic coping and social support: Various types of support in hematooncological patients and their spouses—Associations with psychological distress. Psycho-Oncology, 2021, 30, 1041-1050.	1.0	18
122	Assessment of sleep problems with the Insomnia Severity Index (ISI) and the sleep item of the Patient Health Questionnaire (PHQ-9) in cancerÂpatients. Supportive Care in Cancer, 2021, 29, 7377-7384.	1.0	18
123	Health Literacy in Adolescent and Young Adult Cancer Patients and Its Association with Health Outcomes. Journal of Adolescent and Young Adult Oncology, 2019, 8, 451-457.	0.7	17
124	Internet-based grief therapy for bereaved individuals after loss due to Haematological cancer: study protocol of a randomized controlled trial. BMC Psychiatry, 2018, 18, 52.	1.1	16
125	Survivors' perspectives on risks and benefits of Hodgkin lymphoma treatment: results of a survey by the German Hodgkin Study Group. Leukemia and Lymphoma, 2019, 60, 1389-1398.	0.6	16
126	Attitudes toward a COVID-19 vaccine and vaccination status in cancer patients: a cross-sectional survey. Journal of Cancer Research and Clinical Oncology, 2022, 148, 1363-1374.	1.2	16

#	Article	IF	CITATIONS
127	Work satisfaction and quality of life in cancer survivors in the first year after oncological rehabilitation. Work, 2013, 46, 407-415.	0.6	15
128	Demoralisation and its link with depression, psychological adjustment and suicidality among cancer patients: A network psychometrics approach. Cancer Medicine, 2022, 11, 815-825.	1.3	15
129	Perceived relatedness, death acceptance, and demoralization in patients with cancer. Supportive Care in Cancer, 2020, 28, 2693-2700.	1.0	14
130	Die Erfassung von sinnbasierten BewĤigungsstrategien und Lebenseinstellungen. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2007, 36, 176-188.	0.1	14
131	Exploratory study of functional and psychological factors associated with employment status in patients with head and neck cancer. Head and Neck, 2021, 43, 1229-1241.	0.9	13
132	The daily dynamics of loss orientation and life engagement in advanced cancer: A pilot study to characterise patterns of adaptation at the end of life. European Journal of Cancer Care, 2018, 27, e12842.	0.7	12
133	Fatigue in breast cancer patients: psychometric evaluation of the fatigue questionnaire EORTC QLQ-FA13. Breast Cancer, 2015, 22, 608-614.	1.3	11
134	Age-related variation and predictors of long-term quality of life in germ cell tumor survivors. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 60.e1-60.e6.	0.8	11
135	Psychological distress of cancer patients with children under 18Âyears and their partners—a longitudinal study of family relationships using dyadic data analysis. Supportive Care in Cancer, 2017, 25, 255-264.	1.0	11
136	Attachment Insecurity in Advanced Cancer Patients: Psychometric Properties of the German Version of the Brief Experiences in Close Relationships Scale (ECR-M16-G). Journal of Pain and Symptom Management, 2017, 54, 555-562.	0.6	11
137	Long-term effects and psychological adjustment: study protocol of a large register-based study on quality of life among survivors of hematological malignancies. BMC Cancer, 2017, 17, 482.	1.1	11
138	Return to Work in Patients with Hematological Cancers 1 Year after Treatment: A Prospective Longitudinal Study. Oncology Research and Treatment, 2018, 41, 697-701.	0.8	11
139	Fear of progression and its role in the relationship of cancer-related fatigue with physical functioning and global quality of life – A register-based study among hematological cancer survivors. Journal of Psychosomatic Research, 2019, 127, 109844.	1.2	11
140	Depression and anxiety in older patients with hematological cancer (70+) – Geriatric, social, cancer- and treatment-related associations. Journal of Geriatric Oncology, 2020, 11, 828-835.	0.5	11
141	Thoughts of death and suicidality among patients with cancer: Examining subtypes and their association with mental disorders. Psycho-Oncology, 2021, 30, 2023-2031.	1.0	11
142	Prevalence and Severity of Pain in Cancer Patients in Germany. Frontiers in Pain Research, 2021, 2, 703165.	0.9	11
143	Work-related self-report measures and assessment tools in cancer survivorship: A systematic literature review. Disability and Rehabilitation, 2013, 35, 100-112.	0.9	10
144	Psychological distress, chronic conditions and quality of life in elderly hematologic cancer patients: study protocol of a prospective study. BMC Cancer, 2017, 17, 700.	1.1	10

#	Article	IF	CITATIONS
145	Alleviation of Psychological Distress and the Improvement of Quality of Life in Patients With Amyotrophic Lateral Sclerosis: Adaptation of a Short-Term Psychotherapeutic Intervention. Frontiers in Neurology, 2018, 9, 231.	1.1	10
146	Psychosocial Distress in Women With Breast Cancer and Their Partners and Its Impact on Supportive Care Needs in Partners. Frontiers in Psychology, 2020, 11, 564079.	1.1	10
147	Norm Values and Psychometric Properties of the 24-Item Demoralization Scale (DS-I) in a Representative Sample of the German General Population. Frontiers in Psychology, 2021, 12, 681977.	1.1	10
148	Frequency of Sexual Problems and Related Psychosocial Characteristics in Cancer Patients—Findings From an Epidemiological Multicenter Study in Germany. Frontiers in Psychology, 2021, 12, 679870.	1.1	10
149	Prevalence of mental disorders in patients with cancer compared to matched controls – secondary analysis of two nationally representative surveys. Acta Oncológica, 2022, 61, 7-13.	0.8	10
150	Psychometric Evaluation of the German Version of the Demoralization Scale-II and the Association Between Demoralization, Sociodemographic, Disease- and Treatment-Related Factors in Patients With Cancer. Frontiers in Psychology, 2021, 12, 789793.	1.1	10
151	Communication Preferences in Young, Middle-Aged, and Elderly Cancer Patients. Oncology Research and Treatment, 2015, 38, 590-595.	0.8	9
152	Measuring the Psychosocial Dimensions of Quality of LifeÂin Patients With Advanced Cancer: Psychometrics ofÂthe German Quality of Life at the End of Life-Cancer-Psychosocial Questionnaire. Journal of Pain and Symptom Management, 2018, 55, 985-991.e1.	0.6	9
153	Unmet Supportive Care Needs Among Women With Breast and Gynecological Cancer: Relevance of Attachment Anxiety and Psychological Distress. Frontiers in Psychology, 2020, 11, 558190.	1.1	9
154	Dimensionality, Stability, and Validity of the Beck Hopelessness Scale in Cancer Patients Receiving Curative and Palliative Treatment. Journal of Pain and Symptom Management, 2016, 51, 615-622.	0.6	8
155	Spiritual well-being mediates the association between attachment insecurity and psychological distress in advanced cancer patients. Supportive Care in Cancer, 2019, 27, 4317-4325.	1.0	8
156	Mental disorders, length of hospitalization, and psychopharmacy–New approaches to identify barriers to psychological support for patients with cancer. Psycho-Oncology, 2021, 30, 1773-1781.	1.0	8
157	Psychosocial Long-Term Effects of Young Adult Cancer Survivors: Study Protocol of the Longitudinal AYA-LE Long-Term Effects Study. Frontiers in Psychology, 2021, 12, 688142.	1.1	8
158	COMSKIL Communication Training in Oncology—Adaptation to German Cancer Care Settings. Recent Results in Cancer Research, 2018, 210, 191-205.	1.8	8
159	Protocol for the Optimune trial: a randomized controlled trial evaluating a novel Internet intervention for breast cancer survivors. Trials, 2020, 21, 117.	0.7	8
160	Fear of Recurrence in Young Adult Cancer Patients—A Network Analysis. Cancers, 2022, 14, 2092.	1.7	8
161	Integrating patient reported measures as predictive parameters into decisionmaking about palliative chemotherapy: a pilot study. BMC Palliative Care, 2016, 15, 25.	0.8	7
162	Validation of the German version of the late adolescence and young adulthood survivorship-related quality of life measure (LAYA-SRQL). Health and Quality of Life Outcomes, 2018, 16, 4.	1.0	7

#	Article	IF	CITATIONS
163	Posttraumatic stress disorder among cancer patients—Findings from a large and representative interviewâ€based study in Germany. Psycho-Oncology, 2019, 28, 1278-1285.	1.0	7
164	Risk and associated factors of depression and anxiety in men with prostate cancer: Results from a German multicenter study. Psycho-Oncology, 2020, 29, 1604-1612.	1.0	7
165	Screening for distress, related problems and perceived need for psycho-oncological support in head and neck squamous cell carcinoma (HNSCC) patients: a retrospective cohort study. BMC Cancer, 2021, 21, 478.	1.1	7
166	Quality of life in urologic cancer patients: importance of and satisfaction with specific quality of life domains. Quality of Life Research, 2022, 31, 759-767.	1.5	7
167	Couples Coping With Hematological Cancer: Support Within and Outside the Couple – Findings From a Qualitative Analysis of Dyadic Interviews. Frontiers in Psychology, 2022, 13, .	1.1	7
168	Course of Self-Reported Dysphagia, Voice Impairment and Pain in Head and Neck Cancer Survivors. Biology, 2021, 10, 144.	1.3	6
169	The role of attachment avoidance: A longitudinal mediation model predicting existential distress in patients with advanced cancer. Psycho-Oncology, 2021, 30, 1059-1067.	1.0	6
170	Development and preliminary psychometric investigation of the German Satisfaction with Comprehensive Cancer Care (SCCC) Questionnaire. Health and Quality of Life Outcomes, 2021, 19, 147.	1.0	6
171	Testing the Treatment Integrity of the Managing Cancer and Living Meaningfully Psychotherapeutic Intervention for Patients With Advanced Cancer. Frontiers in Psychology, 2020, 11, 561997.	1.1	5
172	Therapy understanding and health related quality of life in stageÂIII/IV melanoma patients treated with novel adjuvant therapies. JDDG - Journal of the German Society of Dermatology, 2021, 19, 215-221.	0.4	5
173	Web-based mindfulness and skills-based distress reduction for patients with cancer: study protocol of the multicentre, randomised, controlled confirmatory intervention trial Reduct. BMJ Open, 2022, 12, e056973.	0.8	5
174	Cancer-Related Distress: How Often Does It Co-occur With a Mental Disorder? – Results of a Secondary Analysis. Frontiers in Psychology, 2021, 12, 660588.	1.1	4
175	Psychological Distress in Intracranial Neoplasia: A Comparison of Patients With Benign and Malignant Brain Tumours. Frontiers in Psychology, 2021, 12, 664235.	1.1	4
176	Content features and its implementation in novel app-based psycho-oncological interventions for cancer survivors: a narrative review. Current Opinion in Oncology, 2022, 34, 313-319.	1.1	4
177	Trauma- and stressor-related disorders among hematological cancer patients with and without stem cell transplantation: protocol of an interview-based study according to updated diagnostic criteria. BMC Cancer, 2019, 19, 870.	1.1	3
178	Rapid screener for the assessment of fear of progression in cancer survivors: The Fear of progressionâ€Questionnaire Rapid Screener. European Journal of Cancer Care, 2021, 30, e13400.	0.7	3
179	Perceived Positive and Negative Life Changes in Testicular Cancer Survivors. Medicina (Lithuania), 2021, 57, 993.	0.8	3
180	What Comes after the Trial? An Observational Study of the Real-World Uptake of an E-Mental Health Intervention by General Practitioners to Reduce Depressive Symptoms in Their Patients. International Journal of Environmental Research and Public Health, 2022, 19, 6203.	1.2	3

#	Article	IF	CITATIONS
181	Psychoonkologie – spezielle Aspekte bei Brustkrebspatientinnen. Breast Care, 2007, 2, 321-328.	0.8	2
182	Posttraumatische Belastung bei Krebspatienten: Validierung der deutschen Version der Posttraumatic Stress Disorder Checklist – Civilian Version (PCL-C). Zeitschrift Fuer Medizinische Psychologie, 2012, 21, 68-79.	0.1	2
183	Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. Journal of Cancer Survivorship, 2020, 15, 536-545.	1.5	2
184	Do patients suffering from chronic diseases retrospectively overestimate how healthy they were before they fell ill?. International Journal of Clinical and Health Psychology, 2021, 21, 100230.	2.7	2
185	Cancer patients: Loss of meaning, demoralization and embitterment. , 2011, , 142-153.		2
186	Psycho-oncology and Palliative Care: Two Concepts That Fit into Comprehensive Cancer Care. , 2015, , 229-245.		2
187	Relationships Between Self-Rated Health at Three Time Points: Past, Present, Future. Frontiers in Psychology, 2021, 12, 763158.	1.1	2
188	Impact of molecular alterations on quality of life and prognostic understanding over time in patients with incurable lung cancer: a multicenter, longitudinal, prospective cohort study. Supportive Care in Cancer, 2022, 30, 3131-3140.	1.0	2
189	Future Research in Psycho-Oncology. Recent Results in Cancer Research, 2018, 210, 223-234.	1.8	1
190	Initial validation of the German version of the Attentional Function Index in a sample of haematological cancer survivors. European Journal of Cancer Care, 2020, 29, e13226.	0.7	1
191	Komorbiditäpsychischer Störungen und psychischer Belastung bei Krebspatienten. Nervenheilkunde, 2011, 30, 117-123.	0.0	1
192	Traumatische Erfahrungen und Posttraumatische Belastungsstörungen im Rahmen von Krebserkrankungen. Trauma Und Gewalt, 2017, 11, 294-306.	0.1	1
193	Evaluation of an electronic psycho-oncological adaptive screening program (EPAS) with immediate patient feedback: findings from a German cluster intervention study. Journal of Cancer Survivorship, 2021, , 1.	1.5	1
194	COMSKIL: a communication skills training program for medical students. GMS Journal for Medical Education, 2021, 38, Doc83.	0.1	1
195	Understanding avoidant attachment in a patient with terminal cancer: a psychoanalytic perspective. Psychoanalytic Psychotherapy, 0, , 1-19.	0.2	1
196	Importance of and Satisfaction with Domains of Health-Related Quality of Life in Cancer Rehabilitation. Cancers, 2022, 14, 1991.	1.7	1
197	Reply to C.E. Paiva et al. Journal of Clinical Oncology, 2015, 33, 1517-1517.	0.8	0
198	Reply to J. Dekker et al. Journal of Clinical Oncology, 2015, 33, 2828-2828.	0.8	0

#	Article	IF	CITATIONS
199	Cancer Survivorship: Herausforderungen für Klinik, Wissenschaft, Gesundheitspolitik und Patienten. Forum, 2019, 34, 123-124.	0.0	0
200	INPART - a psycho-oncological intervention for partners of patients with haemato-oncological disease – study protocol. BMC Cancer, 2019, 19, 885.	1.1	0
201	Ist das Ende der Pandemie in Sicht?. Forum, 2021, 36, 1-2.	0.0	0
202	Psychoonkologische Diagnostik der Belastungen und der psychischen Komorbiditä Springer Reference Medizin, 2021, , 1-6.	0.0	0
203	Ethische Herausforderungen inÂder COVID-19-Pandemie. Forum, 2021, 36, 117-117.	0.0	0
204	Wie alt wĀ ¤ en Sie, würden Sie nicht wissen, wie alt Sie sind?. Forum, 2021, 36, 183-183.	0.0	0
205	PrÃ s ent sein und zuhören– wie wir unsere Kommunikationskultur verbessern können. Forum, 2021, 36, 349-350.	0.0	0
206	Erfassung der Lebensqualitäin der Onkologie. , 2010, , 397-408.		0
207	Psychische Aspekte. , 2019, , 171-210.		0
208	Cancer Survivors at the Workplace. , 2020, , 399-415.		0
209	Niederschwelliges Screening versus multidimensionales Assessment von Symptomen und psychosozialen Belastungen bei Krebspatienten ab dem Zeitpunkt der InkurabilitĂŧ" (SCREBEL); APM-Screening-Studie [133]. , 2020, 21, .		0
210	Cancer Survivors at the Workplace. , 2020, , 1-17.		0
211	Vernetzte Forschungsinfrastrukturen für eine personalisierte prÃ⊠se Krebsmedizin und patientenzentrierte Versorgung. Forum, 2021, 36, 429-430.	0.0	0
212	Schnittstellen zwischen Innovation und Versorgung: interdisziplinÄ r e Zusammenarbeit ausgestalten. Forum, 2022, 37, 1-2.	0.0	0
213	Warum ist es so schwer, Gesundheitsverhalten lägerfristig zu verädern?. Forum, 2022, 37, 91-91.	0.0	0
214	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
215	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
216	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0

#	Article	IF	CITATIONS
217	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
218	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0
219	The Hospital Anxiety and Depression Scale (HADS) applied to Ethiopian cancer patients. , 2020, 15, e0243357.		0