

Pedro Clavero-Ibarra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5685330/publications.pdf>

Version: 2024-02-01

22
papers

1,514
citations

516215

16
h-index

676716

22
g-index

22
all docs

22
docs citations

22
times ranked

2696
citing authors

#	ARTICLE	IF	CITATIONS
1	Mediterranean diet improves cognition: the PREDIMED-NAVARRA randomised trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 1318-1325.	0.9	534
2	Virgin olive oil supplementation and long-term cognition: the Predimed-Navarra randomized, trial. <i>Journal of Nutrition, Health and Aging</i> , 2013, 17, 544-552.	1.5	216
3	Grey matter hypometabolism and atrophy in Parkinson's disease with cognitive impairment: a two-step process. <i>Brain</i> , 2014, 137, 2356-2367.	3.7	119
4	Posterior parietooccipital hypometabolism may differentiate mild cognitive impairment from dementia in Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1767-1777.	3.3	97
5	Homocysteine and cognitive impairment in Parkinson's disease: A biochemical, neuroimaging, and genetic study. <i>Movement Disorders</i> , 2009, 24, 1437-1444.	2.2	82
6	Non-motor symptoms burden, mood, and gait problems are the most significant factors contributing to a poor quality of life in non-demented Parkinson's disease patients: Results from the COPPADIS Study Cohort. <i>Parkinsonism and Related Disorders</i> , 2019, 66, 151-157.	1.1	71
7	Beta activity in the subthalamic nucleus during sleep in patients with Parkinson's disease. <i>Movement Disorders</i> , 2009, 24, 254-260.	2.2	54
8	Significance of visual hallucinations and cerebral hypometabolism in the risk of dementia in Parkinson's disease patients with mild cognitive impairment. <i>Human Brain Mapping</i> , 2016, 37, 968-977.	1.9	40
9	Non-motor symptom burden is strongly correlated to motor complications in patients with Parkinson's disease. <i>European Journal of Neurology</i> , 2020, 27, 1210-1223.	1.7	40
10	Longitudinal Assessment of the Pattern of Cognitive Decline in Non-Demented Patients with Advanced Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2014, 4, 677-686.	1.5	32
11	<sc>COPPADIS</sc> 2015 (<sc>COPPADIS</sc> cohort of Patients with Parkinson's Disease in Tj ETQq1 1 0.784314 rgBT) 1000 subjects included. Results from the baseline evaluation. <i>European Journal of Neurology</i> , 2019, 26, 1399-1407.	1.7	32
12	The impact of silent vascular brain burden in cognitive impairment in Parkinson's disease. <i>European Journal of Neurology</i> , 2012, 19, 1100-1107.	1.7	31
13	Midbrain microglia mediate a specific immunosuppressive response under inflammatory conditions. <i>Journal of Neuroinflammation</i> , 2019, 16, 233.	3.1	31
14	Parkinson's disease with mild cognitive impairment: severe cortical thinning antedates dementia. <i>Brain Imaging and Behavior</i> , 2019, 13, 180-188.	1.1	25
15	Effect of deep brain stimulation of the subthalamic nucleus on non-motor fluctuations in Parkinson's disease: Two-year follow-up. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 543-547.	1.1	21
16	The expression of cannabinoid type 1 receptor and 2-arachidonoyl glycerol synthesizing/degrading enzymes is altered in basal ganglia during the active phase of levodopa-induced dyskinesia. <i>Neurobiology of Disease</i> , 2018, 118, 64-75.	2.1	20
17	Predictors of clinically significant quality of life impairment in Parkinson's disease. <i>Npj Parkinson's Disease</i> , 2021, 7, 118.	2.5	17
18	Effects of Motor Symptom Laterality on Clinical Manifestations and Quality of Life in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1611-1620.	1.5	15

#	ARTICLE	IF	CITATIONS
19	The impact of freezing of gait on functional dependency in Parkinson's disease with regard to motor phenotype. <i>Neurological Sciences</i> , 2020, 41, 2883-2892.	0.9	13
20	The Relationship Between Atrophy and Hypometabolism: Is It Regionally Dependent in Dementias?. <i>Current Neurology and Neuroscience Reports</i> , 2015, 15, 44.	2.0	11
21	High ultrasensitive serum C-reactive protein may be related to freezing of gait in Parkinson's disease patients. <i>Journal of Neural Transmission</i> , 2019, 126, 1599-1608.	1.4	11
22	Espacios de Virchow-Robin mesencefálicos y parkinsonismo: caso clínico y revisión de la literatura. <i>Neurología</i> , 2021, 36, 171-173.	0.3	2