

Iickho Song

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5685548/iickho-song-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

1,224
citations

19
h-index

28
g-index

229
ext. papers

1,582
ext. citations

4
avg, IF

4.3
L-index

#	Paper	IF	Citations
152	. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 1579-1592	9.6	64
151	Performance analysis of a coded OFDM system in time-varying multipath Rayleigh fading channels. <i>IEEE Transactions on Vehicular Technology</i> , 1999 , 48, 1610-1615	6.8	59
150	Low-complexity estimation of 2D DOA for coherently distributed sources. <i>Signal Processing</i> , 2003 , 83, 1789-1802	4.4	53
149	Advanced Theory of Signal Detection. <i>Signals and Communication Technology</i> , 2002 ,	0.5	47
148	An efficient frequency offset estimator for OFDM systems and its performance characteristics. <i>IEEE Transactions on Vehicular Technology</i> , 2001 , 50, 1307-1312	6.8	40
147	Distributed source modeling and direction-of-arrival estimation techniques. <i>IEEE Transactions on Signal Processing</i> , 1997 , 45, 960-969	4.8	39
146	. <i>IEEE Transactions on Information Theory</i> , 1990 , 36, 502-515	2.8	37
145	A novel PAPR reduction scheme for OFDM systems: selective mapping of partial tones (SMOPT). <i>IEEE Transactions on Consumer Electronics</i> , 2006 , 52, 40-43	4.8	34
144	Joint Relay Selection and Power Allocation for Two-Way Relaying with Physical Layer Network Coding. <i>IEEE Communications Letters</i> , 2013 , 17, 301-304	3.8	31
143	Cancellation of Correlation Side-Peaks for Unambiguous BOC Signal Tracking. <i>IEEE Communications Letters</i> , 2012 , 16, 569-572	3.8	30
142	. <i>IEEE Transactions on Vehicular Technology</i> , 2010 , 59, 4322-4339	6.8	28
141	A multicarrier CDMA system with adaptive subchannel allocation for forward links. <i>IEEE Transactions on Vehicular Technology</i> , 1999 , 48, 1428-1436	6.8	25
140	A fuzzy decision problem based on the generalized Neyman-Pearson criterion. <i>Fuzzy Sets and Systems</i> , 1992 , 47, 65-75	3.7	24
139	. <i>IEEE Transactions on Information Theory</i> , 1992 , 38, 1311-1322	2.8	23
138	Multiple-access interference reduction for QS-CDMA systems with a novel class of polyphase sequences. <i>IEEE Transactions on Information Theory</i> , 2000 , 46, 1448-1458	2.8	22
137	Breadth-First Signal Decoder: A Novel Maximum-Likelihood Scheme for Multi-Input Multi-Output Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2008 , 57, 1576-1584	6.8	21
136	An efficient implementation of the D-homomorphism for generation of de Bruijn sequences. <i>IEEE Transactions on Information Theory</i> , 1999 , 45, 1280-1283	2.8	20

135	A computationally efficient scheme for feature extraction with kernel discriminant analysis. <i>Pattern Recognition</i> , 2016 , 50, 45-55	7.7	19
134	Outage-Optimal Allocation of Relay Power for Analog Network Coding with Three Transmission Phases. <i>IEEE Communications Letters</i> , 2012 , 16, 838-841	3.8	19
133	A Comparative Analysis of Optimum and Suboptimum Rake Receivers in Impulsive UWB Environment. <i>IEEE Transactions on Vehicular Technology</i> , 2006 , 55, 1797-1804	6.8	19
132	. <i>IEEE Transactions on Information Theory</i> , 1990 , 36, 516-530	2.8	18
131	. <i>IEEE Transactions on Communications</i> , 2013 , 61, 4448-4461	6.9	17
130	Code acquisition for DS/SS communications in non-Gaussian impulsive channels. <i>IEEE Transactions on Communications</i> , 2004 , 52, 187-190	6.9	17
129	. <i>IEEE Antennas and Propagation Magazine</i> , 2000 , 42, 64-67	1.7	17
128	A recursive formula for even order harmonic series. <i>Journal of Computational and Applied Mathematics</i> , 1988 , 21, 251-256	2.4	17
127	Identification of finite state automata with a class of recurrent neural networks. <i>IEEE Transactions on Neural Networks</i> , 2010 , 21, 1408-21		16
126	. <i>IEEE Transactions on Acoustics, Speech, and Signal Processing</i> , 1989 , 37, 1359-1379		16
125	Complexity-reduced scheme for feature extraction with linear discriminant analysis. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2012 , 23, 1003-9	10.3	14
124	. <i>IEEE Transactions on Signal Processing</i> , 1995 , 43, 2018-2022	4.8	14
123	. <i>IEEE Signal Processing Letters</i> , 1994 , 1, 196-198	3.2	14
122	Rank-based detection of weak random signals in a multiplicative noise model. <i>Signal Processing</i> , 1997 , 63, 121-131	4.4	12
121	Combining of Cyclically Delayed Signals: A Low-Complexity Scheme for PAPR Reduction in OFDM Systems. <i>IEEE Transactions on Broadcasting</i> , 2010 , 56, 577-583	4.7	11
120	On estimating the direction of arrival when the number of signal sources is unknown. <i>Signal Processing</i> , 1993 , 34, 193-205	4.4	11
119	A new polyphase sequence with perfect even and good odd cross-correlation functions for DS/CDMA systems. <i>IEEE Transactions on Vehicular Technology</i> , 2002 , 51, 855-866	6.8	10
118	Explicit formulae for product moments of multivariate Gaussian random variables. <i>Statistics and Probability Letters</i> , 2015 , 100, 27-34	0.6	9

117	. <i>IEEE Access</i> , 2020 , 8, 27874-27886	3.5	9
116	. <i>IEEE Transactions on Vehicular Technology</i> , 2007 , 56, 126-133	6.8	9
115	A DS-CDMA code acquisition scheme robust to residual code phase offset variation. <i>IEEE Transactions on Vehicular Technology</i> , 2000 , 49, 2405-2418	6.8	9
114	Fast Localization With Unknown Transmit Power and Path-Loss Exponent in WSNs Based on RSS Measurements. <i>IEEE Communications Letters</i> , 2020 , 24, 2756-2760	3.8	9
113	Differential Evolution With Opposition and Redirection for Source Localization Using RSS Measurements in Wireless Sensor Networks. <i>IEEE Transactions on Automation Science and Engineering</i> , 2020 , 17, 1736-1747	4.9	8
112	. <i>IEEE Transactions on Wireless Communications</i> , 2014 , 13, 6968-6981	9.6	8
111	Locally Optimum Detection of Signals in Multiplicative and First-Order Markov Additive Noises. <i>IEEE Transactions on Information Theory</i> , 2008 , 54, 219-234	2.8	8
110	Nonparametric detection of known signals based on ranks in multiplicative noise. <i>Signal Processing</i> , 1997 , 60, 255-261	4.4	7
109	. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 1993 , 23, 1474-1481		7
108	A new noiseless coding technique for binary images. <i>IEEE Transactions on Acoustics, Speech, and Signal Processing</i> , 1986 , 34, 944-951		7
107	. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 728-737	6.8	7
106	. <i>IEEE Transactions on Communications</i> , 2014 , 62, 2236-2248	6.9	6
105	Channel estimation and optimal training with the LMMSE criterion for OFDM-based two-way relay networks. <i>Eurasip Journal on Wireless Communications and Networking</i> , 2013 , 2013,	3.2	6
104	Maximum length cellular automaton sequences and its application. <i>Signal Processing</i> , 1997 , 56, 199-203	4.4	6
103	Noncoherent Constant False-Alarm Rate Schemes With Receive Diversity for Code Acquisition Under Homogeneous and Nonhomogeneous Fading Circumstances. <i>IEEE Transactions on Vehicular Technology</i> , 2007 , 56, 2108-2120	6.8	6
102	Nonparametric PN code acquisition using the signed-rank statistic for DS/CDMA systems in frequency-selective Rician fading channels. <i>IEEE Transactions on Vehicular Technology</i> , 2002 , 51, 1138-1144	6.8	6
101	Seed accumulating sequential estimation for PN sequence acquisition at low signal-to-noise ratio. <i>Signal Processing</i> , 2002 , 82, 1795-1799	4.4	6
100	PN code acquisition using nonparametric detectors in DS/CDMA systems. <i>Signal Processing</i> , 2000 , 80, 731-736	4.4	6

99	. <i>IEEE Transactions on Signal Processing</i> , 1993 , 41, 985-988	4.8	6
98	Detection of composite signals: Part I. Locally optimum detector test statistics. <i>Signal Processing</i> , 1991 , 23, 79-88	4.4	6
97	. <i>Journal of Communications and Networks</i> , 2011 , 13, 250-256	4.1	5
96	. <i>IEEE Transactions on Wireless Communications</i> , 2011 , 10, 782-791	9.6	5
95	Decoding With Expected Length and Threshold Approximated (DELTA): A Near-ML Scheme for Multiple-Input Multiple-Output Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2009 , 58, 3234-3246	6.8	5
94	An analysis of the median-shift sign detector under various noise distributions. <i>Signal Processing</i> , 1998 , 69, 281-297	4.4	5
93	A truncated adaptive transmission scheme for hybrid multicarrier CDMA/FDM systems in forward link. <i>IEEE Transactions on Vehicular Technology</i> , 2005 , 54, 967-976	6.8	5
92	PN code acquisition using signed-rank-based nonparametric detectors in DS/SS systems. <i>IEEE Transactions on Vehicular Technology</i> , 2001 , 50, 1151-1157	6.8	5
91	Design and performance analysis of a convolutionally coded overlapping multicarrier DS/CDMA system. <i>IEEE Transactions on Vehicular Technology</i> , 2000 , 49, 1950-1967	6.8	5
90	Design and analysis of concatenated coded DS/CDMA systems in asynchronous channels. <i>IEEE Transactions on Vehicular Technology</i> , 1999 , 48, 1421-1427	6.8	5
89	Some root properties of recursive weighted median filters. <i>Signal Processing</i> , 1991 , 25, 337-344	4.4	5
88	A fuzzy set theoretic approach to weak known-signal detection. <i>Signal Processing</i> , 1992 , 28, 183-194	4.4	5
87	. <i>IEEE Transactions on Vehicular Technology</i> , 2009 , 58, 1797-1803	6.8	4
86	Symbol error rate of the dm-mpsk under the influence of jamming signals. <i>IEEE Communications Letters</i> , 2009 , 13, 468-470	3.8	4
85	Analysis and performance comparison of the trellis coded and convolutional coded DS/SSMA systems in impulsive noise environment. <i>IET Communications</i> , 1998 , 145, 283		4
84	Fractional Bandwidth Mode Detection and Synchronization for OFDM-Based Cognitive Radio Systems. <i>IEEE Vehicular Technology Conference</i> , 2008 ,	0.1	4
83	On the generation and analysis of a modulated orthogonal sequence. <i>Signal Processing</i> , 2000 , 80, 451-464	4.4	4
82	A multiuser receiver for trellis-coded DS/CDMA systems in asynchronous channels. <i>IEEE Transactions on Vehicular Technology</i> , 2000 , 49, 844-855	6.8	4

81	Performance analysis of forward link beamforming techniques for DS/CDMA systems using base station antenna arrays. <i>IEEE Transactions on Signal Processing</i> , 2000 , 48, 862-865	4.8	4
80	Locally optimum detector for correlated random signals in a weakly dependent noise model. <i>Signal Processing</i> , 1999 , 74, 317-322	4.4	4
79	A known-signal detector based on ranks in weakly dependent noise. <i>Signal Processing</i> , 1996 , 54, 309-314	4.4	4
78	Comparison of known signal detection schemes under a weakly dependent noise model. <i>IET Computer Vision</i> , 1994 , 141, 303		4
77	Statistical characteristics and performance analysis of locally optimum fuzzy detector for known signals. <i>Signal Processing</i> , 1993 , 33, 259-268	4.4	4
76	Order statistics and recursive updating with aging factor for cooperative cognitive radio networks under SSDF attacks. <i>ICT Express</i> , 2020 , 6, 3-6	4.9	4
75	. <i>IEEE Transactions on Vehicular Technology</i> , 2015 , 64, 5031-5041	6.8	3
74	A frequency-sharing weather radar network system using pulse compression and sidelobe suppression. <i>Eurasip Journal on Wireless Communications and Networking</i> , 2016 , 2016,	3.2	3
73	Beamforming and Resource Allocation for a Multi-Pair Wireless Powered Two-Way Relay Network With Fairness. <i>IEEE Access</i> , 2019 , 7, 2799-2810	3.5	3
72	. <i>IEEE Transactions on Wireless Communications</i> , 2014 , 13, 5521-5534	9.6	3
71	On the sums of probability functions of order statistics. <i>Journal of the Korean Statistical Society</i> , 2013 , 42, 257-265	0.5	3
70	Reduction of PAPR without Side Information for Frequency Switched Transmit Diversity-Based MIMO-OFDM Systems. <i>IEEE Communications Letters</i> , 2010 , 14, 1116-1118	3.8	3
69	On rank-based non-parametric detection of composite signals in purely additive noise. <i>Signal Processing</i> , 1997 , 62, 257-264	4.4	3
68	The DS/SSMA systems using trellis coding with asymmetric PSK signal constellation. <i>Signal Processing</i> , 1998 , 67, 173-187	4.4	3
67	Explicit correlation coefficients among random variables, ranks, and magnitude ranks. <i>IEEE Transactions on Information Theory</i> , 2006 , 52, 2233-2240	2.8	3
66	Rapid acquisition of PN sequences with a new decision logic. <i>IEEE Transactions on Vehicular Technology</i> , 2004 , 53, 49-60	6.8	3
65	Difference threshold test for M-FSK signaling with Reed-Solomon coding and diversity combining in Rayleigh fading channels. <i>IEEE Transactions on Vehicular Technology</i> , 2005 , 54, 977-982	6.8	3
64	A novel detection criterion for weak m-ary signals and its application to ultrawideband multiple access systems. <i>IEEE Transactions on Vehicular Technology</i> , 2005 , 54, 2024-2036	6.8	3

63	Analysis of quasi-ML multiuser detection of DS/CDMA systems in asynchronous channels. <i>IEEE Transactions on Communications</i> , 1999 , 47, 1875-1883	6.9	3
62	Performance characteristics of the fuzzy sign detector. <i>Fuzzy Sets and Systems</i> , 1995 , 74, 195-205	3.7	3
61	Adaptive code rate change for maximum throughput in DS-SSMA communication systems. <i>Signal Processing</i> , 1996 , 51, 201-214	4.4	3
60	Nonparametric detection of known and random signals based on zero-crossings. <i>Signal Processing</i> , 1996 , 52, 75-82	4.4	3
59	Modification of the reference signal for fast convergence in LMS-based adaptive equalizers. <i>IEEE Transactions on Consumer Electronics</i> , 1994 , 40, 645-654	4.8	3
58	A combined determination-estimation method for direction of arrival estimation. <i>Signal Processing</i> , 1993 , 30, 123-131	4.4	3
57	A suboptimum quantization-detection scheme using input amplitude compression. <i>Signal Processing</i> , 1990 , 21, 315-321	4.4	3
56	. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , 2019 , 55, 57-69	3.7	2
55	Selection-based detectors and fusion centers for cooperative cognitive radio networks in heavy-tailed noise environment. <i>Journal of Communications and Networks</i> , 2017 , 19, 259-269	4.1	2
54	Cooperative spectrum sensing based on generalized likelihood ratio test under impulsive noise circumstances 2012 ,		2
53	Likelihood ratio test for wideband spectrum sensing 2013 ,		2
52	A two-stage acquisition scheme based on multiple correlator outputs for UWB signals. <i>IEICE Electronics Express</i> , 2011 , 8, 436-442	0.5	2
51	Decoding With Hypothesis Testing: A Near ML Decoding Scheme for MIMO Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2011 , 60, 1251-1257	6.8	2
50	A New Pilot-Aided Integer Frequency Offset Estimation Method for Digital Video Broadcasting (DVB) Systems. <i>International Conference on Advanced Communication Technology</i> , 2008 ,		2
49	An ML Decoding Algorithm with Reduced Complexity for Multi-Input Multi-Output Systems 2007 ,		2
48	DS/SS code acquisition with joint detection of multiple correct cells using locally optimum test statistics in Rayleigh fading channels. <i>Signal Processing</i> , 2002 , 82, 609-623	4.4	2
47	A selective and adaptive interference cancellation scheme for code division multiple access systems. <i>Signal Processing</i> , 2003 , 83, 259-273	4.4	2
46	DS/CDMA signature sequences based on PR-QMF banks. <i>IEEE Transactions on Signal Processing</i> , 2002 , 50, 3043-3054	4.8	2

45	Performance of a turbo coded multicarrier DS/CDMA system with nonuniform repetition coding. <i>IEEE Journal on Selected Areas in Communications</i> , 2001 , 19, 1764-1774	14.2	2
44	Performance analysis of FHSS BFSK systems with nonlinear detectors in selective fading impulsive noise environment. <i>Signal Processing</i> , 1995 , 45, 275-292	4.4	2
43	Detection of composite signals: Part II. Examples and performance comparison. <i>Signal Processing</i> , 1991 , 23, 299-312	4.4	2
42	A statistical analysis of MUSIC null-spectrum via decomposition of estimation error. <i>Signal Processing</i> , 1993 , 34, 179-192	4.4	2
41	An upper bound on run-length coding entropy. <i>Proceedings of the IEEE</i> , 1985 , 73, 1141-1142	14.3	2
40	Power Signal Recognition with High Order Moment Features for Non-Intrusive Load Monitoring. <i>The Journal of Korean Institute of Communications and Information Sciences</i> , 2014 , 39C, 608-614	0.5	2
39	Effect of simultaneous transmit and receive antennas on cooperative cognitive radio networks 2016 ,		2
38	Spectrum Sensing with Receive Diversity for Cognitive Radio Operating over Wideband Channel 2013 ,		1
37	A hopping phase estimator for frequency hopped FM/BFSK signals 2014 ,		1
36	Complexity reduction of kernel discriminant analysis 2012 ,		1
35	Robust estimators for frequency offset of OFDM in non-Gaussian noise. <i>IEICE Electronics Express</i> , 2011 , 8, 1412-1418	0.5	1
34	Locally optimum user detection in Nakagami interference		1
33	Suboptimum multiuser detection of the QS-CDMA systems using antenna array		1
32	Asymptotic performance of a user detection scheme in Nakagami interference. <i>Signal Processing</i> , 1997 , 59, 341-349	4.4	1
31	Analysis of an adaptive rate convolutionally coded multicarrier DS/CDMA system. <i>IEEE Transactions on Vehicular Technology</i> , 2001 , 50, 1014-1023	6.8	1
30	Rank-based detection of random signals in a weakly dependent noise model		1
29	Evaluation of the optimum tilt angles for elevation-scanned phased-array radars. <i>IEEE Transactions on Antennas and Propagation</i> , 1999 , 47, 214-215	4.9	1
28	. <i>IEEE Transactions on Signal Processing</i> , 1994 , 42, 462-466	4.8	1

27	. <i>IEEE Transactions on Information Theory</i> , 1995 , 41, 842-846	2.8	1
26	Analysis of Intersymbol Interference due to Overlap in DM-BPSK. <i>IEICE Transactions on Communications</i> , 2010 , E93-B, 1310-1312	0.5	1
25	A Unified Decision Scheme for Classification and Localization of Cable Faults. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2020 , E103.A, 865-871	0.4	1
24	A coded OFDM system for time-varying multipath Rayleigh fading environment		1
23	A Game Theoretic Power Control Algorithm with Sequential Subchannel Nulling for Wireless Networks. <i>IEICE Transactions on Communications</i> , 2010 , E93-B, 1649-1652	0.5	1
22	Asymptotic Value of the Probability That the First Order Statistic Is from Null Hypothesis. <i>Applied Mathematics</i> , 2013 , 04, 1702-1705	0.4	1
21	Explicit formulae and implication of the expected values of some nonlinear statistics of tri-variate Gaussian variables. <i>Journal of the Korean Statistical Society</i> , 2020 , 49, 117-138	0.5	1
20	Full-duplex communication in cooperative cognitive radio networks: Preliminary results 2016 ,		1
19	On Full-Duplex Communication in Cooperative Cognitive Radio Networks 2016 ,		1
18	On the Identification and Generation of Discrete-Time Chaotic Systems with Recurrent Neural Networks. <i>Journal of Electrical Engineering and Technology</i> , 2019 , 14, 1699-1706	1.4	1
17	A Novel Blind Equalizer Based on Dual-Mode MCMA and DD Algorithm. <i>Lecture Notes in Computer Science</i> , 2005 , 711-722	0.9	1
16	A statistical analysis of random polyphase signature sequences in multipath fading DS-CDMA channels. <i>Signal Processing</i> , 2001 , 81, 2461-2477	4.4	0
15	Spectrum sensing for cognitive radio network with multiple receive antennas under impulsive noise environments. <i>Journal of Communications and Networks</i> , 2021 , 23, 171-179	4.1	0
14	A spectrum-based searching technique for the most favorable section of digital music. <i>IEEE Transactions on Consumer Electronics</i> , 2009 , 55, 2122-2126	4.8	
13	Cross-layer design of multiple antenna multicast combining AMC with truncated HARQ. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 2010 , 65, 803-815	2	
12	Some convergence properties of Godard's quartic algorithm. <i>Signal Processing</i> , 1997 , 56, 313-320	4.4	
11	Performance of DS/SSMA systems using TCM under impulsive noise environment. <i>Signal Processing</i> , 1998 , 64, 225-230	4.4	
10	An optimum control strategy of channel input traffic in FH/SSMA systems with central controllers. <i>Signal Processing</i> , 1998 , 70, 43-51	4.4	

9	Noncoherent sequential code acquisition based on simplified maximum likelihood ratios. <i>Signal Processing</i> , 2005 , 85, 1563-1571	4.4
8	Optimal and suboptimal decision rules for parallel code acquisition in chip-asynchronous DS/SS systems. <i>IEEE Signal Processing Letters</i> , 2002 , 9, 189-192	3.2
7	Approximation of optimum quantizer-detector using a uniform quantizer and a coder. <i>Signal Processing</i> , 1991 , 25, 345-359	4.4
6	Multi-Cell MIMO Cooperation for OFDM-Based Broadcast Services and Its Outage Probability. <i>IEICE Transactions on Communications</i> , 2009 , E92-B, 1039-1042	0.5
5	Improved Subset Difference Method with Ternary Tree. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2010 , E93-A, 2034-2044	0.4
4	Sequential Locally Optimum Test (SLOT): A Sequential Detection Scheme Based on Locally Optimum Test Statistic. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2010 , E93-A, 2045-2056	0.4
3	Achievable Rate of Adaptive Wireless Multicast with Antenna Diversity in Nakagami Fading Channels. <i>IEICE Transactions on Communications</i> , 2010 , E93-B, 2826-2829	0.5
2	Full-Duplex Cooperative Cognitive Radio Networks with Simultaneous Transmit and Receive Antennas in MIMO Channels. <i>IEICE Transactions on Communications</i> , 2018 , E101.B, 1903-1915	0.5
1	Normal Random Vectors 2022 , 337-414	