
## **Christopher Roberts**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5686225/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Design and analysis of clinical trials with clustering effects due to treatment. Clinical Trials, 2005, 2, 152-162.   | 1.6 | 223       |
| 2  | Active Exercise, Education, and Cognitive Behavioral Therapy for Persistent Disabling Low Back Pain.<br>Spine, 2007, 32, 1578-1585.   | 2.0 | 169       |
| 3  | Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder:<br>randomised controlled non-inferiority trial. BMJ: British Medical Journal, 2006, 333, 883.  | 2.3 | 129       |
| 4  | Therapist variation within randomised trials of psychotherapy: implications for precision, internal and external validity. Statistical Methods in Medical Research, 2010, 19, 291-315.  | 1.5 | 75        |
| 5  | The implications of variation in outcome between health professionals for the design and analysis of randomized controlled trials. , 1999, 18, 2605-2615.   |     | 71        |
| 6  | A study comparing videocapillaroscopy and dermoscopy in the assessment of nailfold capillaries in patients with systemic sclerosis–spectrum disorders. Rheumatology, 2015, 54, 1435-1442.   | 1.9 | 60        |
| 7  | Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. BMC Psychiatry, 2008, 8, 91.   | 2.6 | 56        |
| 8  | Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the<br>management of obsessive–compulsive disorder: the Obsessive–Compulsive Treatment Efficacy<br>randomised controlled Trial (OCTET). Health Technology Assessment, 2017, 21, 1-132.                       | 2.8 | 41        |
| 9  | Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. PLoS ONE, 2018, 13, e0201533.   | 2.5 | 33        |
| 10 | Reliability of digital ulcer definitions as proposed by the UK Scleroderma Study Group: A challenge<br>for clinical trial design. Journal of Scleroderma and Related Disorders, 2018, 3, 170-174.   | 1.7 | 27        |
| 11 | The influence of personality disorder on outcome in adolescent self-harm. British Journal of Psychiatry, 2015, 207, 313-319.  | 2.8 | 26        |
| 12 | Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. PLoS Medicine, 2017, 14, e1002337.   | 8.4 | 25        |
| 13 | Smartphone-Enhanced Symptom Management In Psychosis: Open, Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e17019.   | 4.3 | 25        |
| 14 | Design and analysis of nonâ€pharmacological treatment trials with multiple therapists per patient.<br>Statistics in Medicine, 2013, 32, 81-98.  | 1.6 | 24        |
| 15 | Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. BMJ Supportive and Palliative Care, 2015, 5, 390-398.  | 1.6 | 23        |
| 16 | Assessing the reliability of ordered categorical scales using kappa-type statistics. Statistical Methods<br>in Medical Research, 2005, 14, 493-514.   | 1.5 | 21        |
| 17 | A cluster randomised controlled trial and process evaluation of a training programme for mental<br>health professionals to enhance user involvement in care planning in service users with severe<br>mental health issues (EQUIP): study protocol for a randomised controlled trial. Trials, 2015, 16, 348. | 1.6 | 20        |
| 18 | The feasibility and acceptability of a novel anxiety in bipolar disorder intervention compared to treatment as usual: A randomized controlled trial. Depression and Anxiety, 2018, 35, 953-965.   | 4.1 | 16        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The patient experience in community mental health services for older people: a concept mapping<br>approach to support the development of a new quality measure. BMC Health Services Research, 2018,<br>18, 461.                                       | 2.2 | 13        |
| 20 | Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. Trials, 2014, 15, 278.   | 1.6 | 10        |
| 21 | Achieving target recruitment in a primary care trial: lessons from PRIDE. Primary Health Care Research and Development, 2007, 8, 264.   | 1.2 | 9         |
| 22 | Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. Programme Grants for Applied Research, 2019, 7, 1-140.   | 1.0 | 8         |
| 23 | Evaluating the effectiveness of different approaches to home support for people in later stage dementia: a protocol for an observational study. International Psychogeriatrics, 2017, 29, 1213-1221.  | 1.0 | 6         |
| 24 | The preliminary measurement properties of the person-centred community care inventory (PERCCI).<br>Quality of Life Research, 2018, 27, 2745-2756.   | 3.1 | 6         |
| 25 | Feasibility and acceptability of integrated psychological therapy versus treatment as usual for people with bipolar disorder and co-morbid alcohol use: A single blind randomised controlled trial. Journal of Affective Disorders, 2019, 256, 86-95. | 4.1 | 6         |
| 26 | The implications of noncompliance for randomized trials with partial nesting due to group treatment.<br>Statistics in Medicine, 2021, 40, 349-368.  | 1.6 | 5         |