Yonghong Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/568711/publications.pdf

Version: 2024-02-01

127 papers 2,252 citations

331670 21 h-index 289244 40 g-index

132 all docs 132 docs citations

132 times ranked 4808 citing authors

| # | Article | IF | Citations |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Circulating choline pathway nutrients and depression after ischemic stroke. European Journal of Neurology, 2022, 29, 459-468. | 3.3 | 3 |
| 2 | The association between plasma soluble triggering receptor expressed on myeloid cells 2 and cognitive impairment after acute ischemic stroke. Journal of Affective Disorders, 2022, 299, 287-293. | 4.1 | 6 |
| 3 | Effect of immediate blood pressure reduction on post-stroke depression in ischemic stroke patients: A substudy of CATIS trial. Journal of Affective Disorders, 2022, 300, 195-202. | 4.1 | 5 |
| 4 | Association Between Plasma L-Carnitine and Cognitive Impairment in Patients with Acute Ischemic Stroke. Journal of Alzheimer's Disease, 2022, 86, 259-270. | 2.6 | 0 |
| 5 | Serum Growth Differentiation Factor 15 Levels Are Associated With Depression After Ischemic Stroke. Journal of the American Heart Association, 2022, 11, e022607. | 3.7 | 3 |
| 6 | Associations of genetically proxied inhibition of HMG-CoA reductase, NPC1L1, and PCSK9 with breast cancer and prostate cancer. Breast Cancer Research, 2022, 24, 12. | 5.0 | 12 |
| 7 | Multivitamin/mineral supplementation and the risk of cardiovascular disease: a large prospective study using UK Biobank data. European Journal of Nutrition, 2022, 61, 2909-2917. | 3.9 | 4 |
| 8 | Association of DNA Methylation in Blood Pressure-Related Genes With Ischemic Stroke Risk and Prognosis. Frontiers in Cardiovascular Medicine, 2022, 9, 796245. | 2.4 | 6 |
| 9 | Association of serum growth differentiation factor-15 levels with the risks of death and vascular events in patients with ischemic stroke: The role of diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 616-623. | 2.6 | O |
| 10 | Soluble TREM2 is associated with death and cardiovascular events after acute ischemic stroke: an observational study from CATIS. Journal of Neuroinflammation, 2022, 19, 88. | 7.2 | 7 |
| 11 | Serum Dickkopf-1 levels and poststroke depression in ischemic stroke patients. Journal of Affective Disorders, 2022, 310, 337-342. | 4.1 | 2 |
| 12 | Metabolomics on vascular events and death after acute ischemic stroke: A prospective matched nested case-control study. Atherosclerosis, 2022, 351, 1-8. | 0.8 | 2 |
| 13 | Self-reported daytime napping, daytime sleepiness, and other sleep phenotypes in the development of cardiometabolic diseases: a Mendelian randomization study. European Journal of Preventive Cardiology, 2022, 29, 1982-1991. | 1.8 | 26 |
| 14 | Multiple biomarkers covering several pathways for the prediction of depression after ischemic stroke. Journal of Affective Disorders, 2021, 280, 442-449. | 4.1 | 7 |
| 15 | Association of <i>CHI3L1</i> gene variants with YKLâ€40 levels and hypertension incidence: A populationâ€based nested caseâ€control study in China. Journal of Cellular and Molecular Medicine, 2021, 25, 919-924. | 3.6 | 4 |
| 16 | Association between serum matrix metalloproteinase-9 and poor prognosis in acute ischemic stroke patients: The role of dyslipidemia. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 209-215. | 2.6 | 4 |
| 17 | Association between serum netrin-1 and prognosis of ischemic stroke: The role of lipid component levels. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 852-859. | 2.6 | 4 |
| 18 | Prognostic value of plasma fibroblast growth factor 21 among patients with acute ischemic stroke. European Journal of Neurology, 2021, 28, 844-851. | 3.3 | 6 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Plasma soluble suppression of tumorigenicity 2 and depression after acute ischemic stroke. European Journal of Neurology, 2021, 28, 868-876. | 3.3 | 6 |
| 20 | Predictive Value of Cystatin C for Stroke Recurrence in Patients With Acute Ischemic Stroke. Circulation Journal, 2021, 85, 213-219. | 1.6 | 3 |
| 21 | Angiopoietinâ€ike protein 4 and clinical outcomes in ischemic stroke patients. Annals of Clinical and Translational Neurology, 2021, 8, 687-695. | 3.7 | 5 |
| 22 | Choline Pathway Nutrients and Metabolites and Cognitive Impairment After Acute Ischemic Stroke. Stroke, 2021, 52, 887-895. | 2.0 | 23 |
| 23 | Increased Serum Complement C3 Levels Are Associated With Adverse Clinical Outcomes After Ischemic Stroke, 2021, 52, 868-877. | 2.0 | 16 |
| 24 | China Antihypertensive Trial in Acute Ischemic Stroke II (CATIS-2): rationale and design. Stroke and Vascular Neurology, 2021, 6, 286-290. | 3.3 | 3 |
| 25 | Systolic Blood Pressure Trajectories After Discharge and Long-Term Clinical Outcomes of Ischemic Stroke. Hypertension, 2021, 77, 1694-1702. | 2.7 | 8 |
| 26 | Soluble ST2 and risk of cognitive impairment after acute ischemic stroke: a prospective observational study. BMC Geriatrics, 2021, 21, 330. | 2.7 | 6 |
| 27 | Causal associations of serum matrix metalloproteinaseâ€8 level with ischaemic stroke and ischaemic stroke subtypes: a Mendelian randomization study. European Journal of Neurology, 2021, 28, 2543-2551. | 3.3 | 7 |
| 28 | Plasma choline and betaine and risks of cardiovascular events and recurrent stroke after ischemic stroke. American Journal of Clinical Nutrition, 2021, 114, 1351-1359. | 4.7 | 15 |
| 29 | Occupational class differences in outcomes after ischemic stroke: a prospective observational study. BMC Public Health, 2021, 21, 1571. | 2.9 | 5 |
| 30 | Validation and comparison of prognostic scales in Chinese patients with ischemic stroke: a prospective study from CATIS. Neurological Research, 2021, , 1-8. | 1.3 | 2 |
| 31 | Plasma osteopontin levels and adverse clinical outcomes after ischemic stroke. Atherosclerosis, 2021, 332, 33-40. | 0.8 | 8 |
| 32 | Secular Trends in Cardiovascular Health in US Adults (from NHANES 2007 to 2018). American Journal of Cardiology, 2021, 159, 121-128. | 1.6 | 8 |
| 33 | Causal effect of Lipoprotein-associated phospholipase A2 activity on coronary artery disease and myocardial Infarction: A Two-Sample Mendelian Randomization study. Clinica Chimica Acta, 2021, 523, 491-496. | 1.1 | 3 |
| 34 | Promoter DNA Methylation in GWAS-Identified Genes as Potential Functional Elements for Blood Pressure: An Observational and Mendelian Randomization Study. Frontiers in Genetics, 2021, 12, 791146. | 2.3 | 2 |
| 35 | Higher heart rates increase risk of diabetes and cardiovascular events: A prospective cohort study among Inner Mongolians. Diabetes and Metabolism, 2020, 46, 20-26. | 2.9 | 6 |
| 36 | Serum dickkopf-3 is associated with death and vascular events after ischemic stroke: an observational study from CATIS. Journal of Neuroinflammation, 2020, 17, 12. | 7.2 | 0 |

3

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Endostatin as a novel prognostic biomarker in acute ischemic stroke. Atherosclerosis, 2020, 293, 42-48. | 0.8 | 12 |
| 38 | Association between serum hepatocyte growth factor and prognosis of ischemic stroke: The role of blood lipid status. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 492-499. | 2.6 | 4 |
| 39 | Influence of lipoprotein-associated phospholipase A2 mass on prognosis value of baseline platelet count for clinical outcomes after acute ischemic stroke. Atherosclerosis, 2020, 306, 50-56. | 0.8 | 2 |
| 40 | Effect of renal function on association between uric acid and prognosis in acute ischemic stroke patients with elevated systolic blood pressure. Neurological Research, 2020, 42, 923-929. | 1.3 | 3 |
| 41 | Decreased serum netrin-1 is associated with ischemic stroke: A case–control study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 2328-2334. | 2.6 | 1 |
| 42 | Prognostic Metrics Associated with Inflammation and Atherosclerosis Signaling Evaluate the Burden of Adverse Clinical Outcomes in Ischemic Stroke Patients. Clinical Chemistry, 2020, 66, 1434-1443. | 3.2 | 12 |
| 43 | Combined effect of serum N-terminal pro-brain natriuretic peptide and galectin-3 on prognosis 1Âyear after ischemic stroke. Clinica Chimica Acta, 2020, 511, 33-39. | 1.1 | 4 |
| 44 | Serum tissue inhibitor of metalloproteinaseâ€1 and risk of cognitive impairment after acute ischaemic stroke. Journal of Cellular and Molecular Medicine, 2020, 24, 7470-7478. | 3.6 | 12 |
| 45 | White Matter Hyperintensity, Immediate Antihypertensive Treatment, and Functional Outcome After Acute Ischemic Stroke. Stroke, 2020, 51, 1608-1612. | 2.0 | 11 |
| 46 | Plasma Endostatin Levels at Acute Phase of Ischemic Stroke Are Associated with Post-Stroke Cognitive Impairment. Neurotoxicity Research, 2020, 37, 956-964. | 2.7 | 10 |
| 47 | Plasma S100A8/A9 Concentrations and Clinical Outcomes of Ischemic Stroke in 2 Independent Multicenter Cohorts. Clinical Chemistry, 2020, 66, 706-717. | 3.2 | 20 |
| 48 | Stage 1 hypertension defined by the 2017 American College of Cardiology/American Heart Association guideline and risk of adverse birth outcomes in Eastern China. Journal of Hypertension, 2020, 38, 1090-1102. | 0.5 | 10 |
| 49 | Antiphospholipid antibodies predict post-stroke depression after acute ischemic stroke. Journal of Affective Disorders, 2019, 257, 160-165. | 4.1 | 10 |
| 50 | Immediate Antihypertensive Treatment for Patients With Acute Ischemic Stroke With or Without History of Hypertension. JAMA Network Open, 2019, 2, e198103. | 5.9 | 12 |
| 51 | Serum furin as a biomarker of high blood pressure: findings from a longitudinal study in Chinese adults. Hypertension Research, 2019, 42, 1808-1815. | 2.7 | 17 |
| 52 | Renal Function Affects Prognostic Role of Antiphosphatidylserine Antibodies for Acute Ischemic Stroke Patients. Cerebrovascular Diseases, 2019, 48, 1-8. | 1.7 | 2 |
| 53 | Serum Matrix Metalloproteinase-9 Is Associated With Depression After Acute Ischemic Stroke. Circulation Journal, 2019, 83, 2303-2311. | 1.6 | 13 |
| 54 | Tissue inhibitor metalloproteinase-1 and clinical outcomes after acute ischemic stroke. Neurology, 2019, 93, e1675-e1685. | 1.1 | 16 |

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Increased Growth Differentiation Factor 15 Is Associated with Unfavorable Clinical Outcomes of Acute Ischemic Stroke. Clinical Chemistry, 2019, 65, 569-578. | 3.2 | 14 |
| 56 | Serum Rheumatoid Factor Levels at Acute Phase of Ischemic Stroke are Associated with Poststroke Cognitive Impairment. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 1133-1140. | 1.6 | 9 |
| 57 | Multiple biomarkers covering several pathways improve predictive ability for cognitive impairment among ischemic stroke patients with elevated blood pressure. Atherosclerosis, 2019, 287, 30-37. | 0.8 | 15 |
| 58 | Platelet counts affect the prognostic value of homocysteine in acute ischemic stroke patients. Atherosclerosis, 2019, 285, 163-169. | 0.8 | 5 |
| 59 | Co-Effect of Serum Galectin-3 and High-Density Lipoprotein Cholesterol on the Prognosis of Acute Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 1879-1885. | 1.6 | 12 |
| 60 | Increased Serum Netrin-1 Is Associated With Improved Prognosis of Ischemic Stroke. Stroke, 2019, 50, 845-852. | 2.0 | 26 |
| 61 | Family history of stroke and death or vascular events within one year after ischemic stroke. Neurological Research, 2019, 41, 466-472. | 1.3 | 5 |
| 62 | Response to letter of "hemoglobin level as a predictor of clinical outcome in patients with ischemic stroke―by Tomoyuki Kawada. Journal of the Neurological Sciences, 2019, 399, 207-208. | 0.6 | 0 |
| 63 | Coexistence effect of hypertension and angiotensin II on the risk of coronary heart disease: a population-based prospective cohort study among Inner Mongolians in China. Current Medical Research and Opinion, 2019, 35, 1473-1478. | 1.9 | 6 |
| 64 | Serum semaphorin 7A is associated with the risk of acute atherothrombotic stroke. Journal of Cellular and Molecular Medicine, 2019, 23, 2901-2906. | 3.6 | 11 |
| 65 | Metabolomics facilitates the discovery of metabolic biomarkers and pathways for ischemic stroke: a systematic review. Metabolomics, 2019, 15, 152. | 3.0 | 49 |
| 66 | Prevalence and risk factors of prolonged corrected QT interval in general Chinese population. BMC Cardiovascular Disorders, 2019, 19, 276. | 1.7 | 19 |
| 67 | Associations between potentially functional CORIN SNPs and serum corin levels in the Chinese Han population. BMC Genetics, 2019, 20, 99. | 2.7 | 6 |
| 68 | Multiple biomarkers covering distinct pathways for predicting outcomes after ischemic stroke. Neurology, 2019, 92, e295-e304. | 1.1 | 28 |
| 69 | Serum Dkk-1 (Dickkopf-1) Is a Potential Biomarker in the Prediction of Clinical Outcomes Among Patients With Acute Ischemic Stroke. Arteriosclerosis, Thrombosis, and Vascular Biology, 2019, 39, 285-293. | 2.4 | 32 |
| 70 | Systolic Blood Pressure Trajectories in the Acute Phase and Clinical Outcomes in 2-Year Follow-up Among Patients With Ischemic Stroke. American Journal of Hypertension, 2019, 32, 317-325. | 2.0 | 18 |
| 71 | Hemoglobin level and three-month clinical outcomes among ischemic stroke patients with elevated systolic blood pressure. Journal of the Neurological Sciences, 2019, 396, 256-261. | 0.6 | 10 |
| 72 | Elevated Serum Human Cytomegalovirus IgM Levels in the Acute Phase of Ischemic Stroke are Associated with Increased Risk of Death and Major Disability. Current Neurovascular Research, 2019, 15, 305-311. | 1.1 | 1 |

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | The U-shaped Relationship Between Serum Methylene Tetrahydrofolate Reductase and Large-artery Atherosclerotic Stroke. Current Neurovascular Research, 2019, 16, 82-88. | 1.1 | 0 |
| 74 | Elevated circulating homocysteine and high-sensitivity C-reactive protein jointly predicts post-stroke depression among Chinese patients with acute ischemic stroke. Clinica Chimica Acta, 2018, 479, 132-137. | 1.1 | 26 |
| 75 | Predictive value of serum soluble corin in the risk of hyperglycemia: A population-based prospective cohort study in China. Clinica Chimica Acta, 2018, 479, 138-143. | 1.1 | 6 |
| 76 | Early antihypertensive treatment and clinical outcomes in acute ischemic stroke. Journal of Hypertension, 2018, 36, 1372-1381. | 0.5 | 4 |
| 77 | Serum Hepatocyte Growth Factor Is Probably Associated With 3-Month Prognosis of Acute Ischemic Stroke, 2018, 49, 377-383. | 2.0 | 22 |
| 78 | Serum Matrix Metalloproteinaseâ€9 and Cognitive Impairment After Acute Ischemic Stroke. Journal of the American Heart Association, 2018, 7, . | 3.7 | 38 |
| 79 | Serum Alkaline Phosphatase, Phosphate, and In-Hospital Mortality in Acute Ischemic Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 257-266. | 1.6 | 28 |
| 80 | Serum Galectin-3 and Poor Outcomes Among Patients With Acute Ischemic Stroke. Stroke, 2018, 49, 211-214. | 2.0 | 36 |
| 81 | Reply to: "Prognostic value of lipoprotein-associated phospholipase A2 mass for all-cause mortality and vascular events within one year after acute ischemic stroke: Methodological issues― Atherosclerosis, 2018, 268, 233-234. | 0.8 | 0 |
| 82 | Prognostic significance of serum cystatin C in acute ischemic stroke patients according to lipid component levels. Atherosclerosis, 2018, 274, 146-151. | 0.8 | 17 |
| 83 | Putative functional SNPs in SLC22A3 and H3F3B might influence the development of CAD by regulating the lipid levels. Thrombosis Research, 2018, 168, 37-39. | 1.7 | 2 |
| 84 | Prognostic Value of White Blood Cell in Acute Ischemic Stroke Patients. Current Neurovascular Research, 2018, 15, 151-157. | 1.1 | 15 |
| 85 | Elevated C-reactive Protein and Depressed High-density Lipoprotein Cholesterol are Associated with Poor Function Outcome After Ischemic Stroke. Current Neurovascular Research, 2018, 15, 226-233. | 1.1 | 7 |
| 86 | Plasma Homocysteine and Prognosis of Acute Ischemic Stroke: a Gender-Specific Analysis From CATIS Randomized Clinical Trial. Molecular Neurobiology, 2017, 54, 2022-2030. | 4.0 | 34 |
| 87 | Effects of Metabolically Healthy and Unhealthy Obesity on Prolongation of Corrected QT Interval. American Journal of Cardiology, 2017, 119, 1199-1204. | 1.6 | 14 |
| 88 | Serum 25-hydroxyvitamin D deficiency predicts long-term poor prognosis among ischemic stroke patients without hyperglycaemia. Clinica Chimica Acta, 2017, 471, 81-85. | 1.1 | 9 |
| 89 | Effect of renal function status on the prognostic value of heart rate in acute ischemic stroke patients. Atherosclerosis, 2017, 263, 1-6. | 0.8 | 2 |
| 90 | Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. Human Molecular Genetics, 2017, 26, 1770-1784. | 2.9 | 135 |

| # | Article | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Sexâ€Specific Relationship Between Serum Uric Acid and Risk of Stroke: A Doseâ€Response Metaâ€Analysis of Prospective Studies. Journal of the American Heart Association, 2017, 6, . | 3.7 | 55 |
| 92 | Plasma proANP 1–98 levels are positively associated with central obesity: A cross-sectional study in a general population of China. Clinica Chimica Acta, 2017, 469, 26-30. | 1.1 | 2 |
| 93 | Prognostic value of lipoprotein-associated phospholipase A2 mass for all-cause mortality and vascular events within one year after acute ischemic stroke. Atherosclerosis, 2017, 266, 1-7. | 0.8 | 24 |
| 94 | Association between increased N-terminal pro-brain natriuretic peptide level and poor clinical outcomes after acute ischemic stroke. Journal of the Neurological Sciences, 2017, 383, 5-10. | 0.6 | 12 |
| 95 | Sex differences in association between decreased glomerular filtration rate and prolongation of corrected QT interval in general Chinese population. European Journal of Internal Medicine, 2017, 43, e33-e35. | 2.2 | 3 |
| 96 | Serum matrix metalloproteinase-9 levels and prognosis of acute ischemic stroke. Neurology, 2017, 89, 805-812. | 1.1 | 105 |
| 97 | Smoking, Hypertension, and Their Combined Effect on Ischemic Stroke Incidence: A Prospective Study among Inner Mongolians in China. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 2749-2754. | 1.6 | 9 |
| 98 | YKL-40 is a novel biomarker for predicting hypertension incidence among prehypertensive subjects: A population-based nested case-control study in China. Clinica Chimica Acta, 2017, 472, 146-150. | 1.1 | 9 |
| 99 | Abnormal glucose regulation, hypoglycemic treatment during hospitalization and prognosis of acute ischemic stroke. Journal of the Neurological Sciences, 2017, 379, 177-182. | 0.6 | 8 |
| 100 | Sex-specific Association Between Uric Acid and Outcomes After Acute Ischemic Stroke: A Prospective Study from CATIS Trial. Scientific Reports, 2016, 6, 38351. | 3.3 | 16 |
| 101 | Combined effects of family history of CVD and heart rate on ischemic stroke incidence among Inner Mongolians in China. Neurological Research, 2016, 38, 441-447. | 1.3 | 4 |
| 102 | Association of Biomarkers of Inflammation and Endothelial Dysfunction with Fasting and Postload Glucose Metabolism: A Population-Based Prospective Cohort Study Among Inner Mongolians in China. Canadian Journal of Diabetes, 2016, 40, 509-514. | 0.8 | 5 |
| 103 | Antiphosphatidylserine Antibodies and Clinical Outcomes in Patients With Acute Ischemic Stroke. Stroke, 2016, 47, 2742-2748. | 2.0 | 13 |
| 104 | Effects of early blood pressure reduction on cognitive function in patients with acute ischemic stroke. International Journal of Stroke, 2016, 11, 1009-1019. | 5.9 | 19 |
| 105 | YKLâ€40 Level and Hypertension Incidence: A Populationâ€Based Nested Caseâ€Control Study in China. Journal of the American Heart Association, 2016, 5, . | 3.7 | 19 |
| 106 | Clustering of cardiovascular risk factors and stroke: a prospective cohort study in Inner Mongolia. Neurological Research, 2016, 38, 988-993. | 1.3 | 6 |
| 107 | Retinal vein occlusion and risk of cerebrovascular disease and myocardial infarction: A meta-analysis of cohort studies. Atherosclerosis, 2016, 247, 170-176. | 0.8 | 24 |
| 108 | Hypertension subtypes and risk of cardiovascular diseases in a Mongolian population, inner Mongolia, China. Clinical and Experimental Hypertension, 2016, 38, 39-44. | 1.3 | 13 |

7

| # | Article | IF | Citations |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 109 | Association between serum soluble corin and hyperglycaemia: a cross-sectional study among Chinese adults. BMJ Open, 2015, 5, e009085. | 1.9 | 10 |
| 110 | The interactive effect of diabetes and central obesity on stroke: a prospective cohort study of inner Mongolians. BMC Neurology, 2015, 15, 65. | 1.8 | 12 |
| 111 | Association of Stroke Clinical Outcomes with Coexistence of Hyperglycemia and Biomarkers of Inflammation. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1250-1255. | 1.6 | 24 |
| 112 | Association Between High Serum Soluble Corin and Hypertension: A Cross-Sectional Study in a General Population of China. American Journal of Hypertension, 2015, 28, 1141-1149. | 2.0 | 44 |
| 113 | Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. Nature Genetics, 2015, 47, 1282-1293. | 21.4 | 294 |
| 114 | Selfâ€reported sleep duration is associated with reduced glomerular filtration rate among adults with hypertension: a populationâ€based study from rural northeast <scp>C</scp> hina. Journal of Sleep Research, 2015, 24, 351-358. | 3.2 | 27 |
| 115 | Combined effects of hypertension and heart rate on the risk of stroke and coronary heart disease: a population-based prospective cohort study among Inner Mongolians in China. Hypertension Research, 2015, 38, 883-888. | 2.7 | 25 |
| 116 | Comparison of four nontraditional lipid profiles in relation to ischemic stroke among hypertensive Chinese population. International Journal of Cardiology, 2015, 201, 123-125. | 1.7 | 13 |
| 117 | The Predictive Value of Waist-To-Height Ratio for Ischemic Stroke in a Population-Based Prospective Cohort Study among Mongolian Men in China. PLoS ONE, 2014, 9, e110245. | 2.5 | 10 |
| 118 | Potential Involvement of Maternal Cytoplasm in the Regulation of Flowering Time via Interaction with Nuclear Genes in Maize. Crop Science, 2014, 54, 544-553. | 1.8 | 7 |
| 119 | Antihypertensive Therapy After Acute Ischemic Strokeâ€"Reply. JAMA - Journal of the American Medical Association, 2014, 311, 2334. | 7.4 | 1 |
| 120 | Hypertension Control Prevalence Estimates Should Account for Age. American Journal of Hypertension, 2014, 27, 1426-1426. | 2.0 | 1 |
| 121 | Effects of Immediate Blood Pressure Reduction on Death and Major Disability in Patients With Acute Ischemic Stroke. JAMA - Journal of the American Medical Association, 2014, 311, 479. | 7.4 | 357 |
| 122 | Blood pressure components and stroke in Inner Mongolians â€" A prospective cohort study. International Journal of Cardiology, 2014, 176, 1339-1340. | 1.7 | 0 |
| 123 | Hypertension and elevated C-reactive protein: Future risk of ischemic stroke in a prospective cohort study among inner Mongolians in China. International Journal of Cardiology, 2014, 174, 455-456. | 1.7 | 4 |
| 124 | Utility of Framingham general cardiovascular disease risk score for predicting 10-year cardiovascular risk in an inner Mongolian population: A prospective cohort study. International Journal of Cardiology, 2014, 172, 274-275. | 1.7 | 4 |
| 125 | Association of Biomarkers of Inflammation with Dyslipidemia and Its Components among Mongolians in China. PLoS ONE, 2014, 9, e89023. | 2.5 | 12 |
| 126 | Combined action of C-reactive protein and lipid profiles on risk of hypertension and prehypertension in Mongolian adults in Inner Mongolia, China. Chinese Medical Journal, 2014, 127, 2016-20. | 2.3 | 1 |

| # | Article | IF | CITATIONS |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Utility of <i>China</i> -PAR stroke equations for predicting 10-year stroke risk in the rural Inner Mongolian population in China. Neurological Research, 0, , 1 -6. | 1.3 | 1 |