

Arnold J Greenspon

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5687203/arnold-j-greenspon-publications-by-citations.pdf>
Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53 papers	3,848 citations	19 h-index	55 g-index
55 ext. papers	4,493 ext. citations	4.3 avg, IF	4.68 L-index

#	Paper	IF	Citations
53	Adverse effect of ventricular pacing on heart failure and atrial fibrillation among patients with normal baseline QRS duration in a clinical trial of pacemaker therapy for sinus node dysfunction. <i>Circulation</i> , 2003 , 107, 2932-7	16.7	1172
52	Ventricular pacing or dual-chamber pacing for sinus-node dysfunction. <i>New England Journal of Medicine</i> , 2002 , 346, 1854-62	59.2	723
51	16-year trends in the infection burden for pacemakers and implantable cardioverter-defibrillators in the United States 1993 to 2008. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 1001-6	15.1	464
50	Lead extraction in the contemporary setting: the LEXIcon study: an observational retrospective study of consecutive laser lead extractions. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 579-86	15.1	395
49	Trends in permanent pacemaker implantation in the United States from 1993 to 2009: increasing complexity of patients and procedures. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1540-5	15.1	294
48	Implantation trends and patient profiles for pacemakers and implantable cardioverter defibrillators in the United States: 1993-2006. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010 , 33, 705-11	1.6	151
47	1085. Enterococcal Cardiac Implantable Electronic Device (CIED) Infections: Clinical Features and Outcomes. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S325-S325	1	78
46	A review of oral anticoagulants in patients with atrial fibrillation. <i>Postgraduate Medicine</i> , 2012 , 124, 7-16	3.7	68
45	Timing of the most recent device procedure influences the clinical outcome of lead-associated endocarditis results of the MEDIC (Multicenter Electrophysiologic Device Infection Cohort). <i>Journal of the American College of Cardiology</i> , 2012 , 59, 681-7	15.1	64
44	Incidence, Treatment Intensity, and Incremental Annual Expenditures for Patients Experiencing a Cardiac Implantable Electronic Device Infection: Evidence From a Large US Payer Database 1-Year Post Implantation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	46
43	Successful radiofrequency catheter ablation of sustained ventricular tachycardia postmyocardial infarction in man guided by a multielectrode "basket" catheter. <i>Journal of Cardiovascular Electrophysiology</i> , 1997 , 8, 565-70	2.7	40
42	Lead-associated endocarditis: the important role of methicillin-resistant <i>Staphylococcus aureus</i> . <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 548-53	1.6	38
41	Influence of vegetation size on the clinical presentation and outcome of lead-associated endocarditis: results from the MEDIC registry. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 541-9	8.4	31
40	Reimplantation and Repeat Infection After Cardiac-Implantable Electronic Device Infections: Experience From the MEDIC (Multicenter Electrophysiologic Device Infection Cohort) Database. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	26
39	Treatment patterns, costs, and mortality among Medicare beneficiaries with CIED infection. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 495-503	1.6	26
38	Variability in clinical features of early versus late cardiovascular implantable electronic device pocket infections. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 955-62	1.6	24
37	Tracking of atrial flutter during DDD pacing: another form of pacemaker-mediated tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1984 , 7, 955-60	1.6	24

36	Clinical significance of atrial fibrillation detected by cardiac implantable electronic devices. <i>Heart Rhythm</i> , 2014 , 11, 719-24	6.7	21
35	Amiodarone: individualizing dosage with serum concentrations. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1983 , 6, 1327-35	1.6	19
34	Swallowing-induced tachycardia: electrophysiologic and pharmacologic observations. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1988 , 11, 1566-70	1.6	13
33	Attempted salvage of infected cardiovascular implantable electronic devices: Are there clinical factors that predict success?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 524-531	1.6	12
32	Cardiac device-related endocarditis complicated by spinal abscess. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 269-74	1.6	10
31	"Pseudo" loss of atrial sensing by a DDD pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1987 , 10, 943-8	1.6	10
30	Impact of Abandoned Leads on Cardiovascular Implantable Electronic Device Infections: A Propensity Matched Analysis of MEDIC (Multicenter Electrophysiologic Device Infection Cohort). <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 201-208	4.6	9
29	Permanent pacing from a left ventricular vein in a patient with persistent left superior vena cava and absent right superior vena cava: use of an over-the-wire system. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003 , 9, 357-60	2.4	9
28	Insights into the mechanism of sustained ventricular tachycardia after myocardial infarction in a closed chest porcine model using a multielectrode "basket" catheter. <i>Journal of Cardiovascular Electrophysiology</i> , 1999 , 10, 1501-16	2.7	8
27	Clinical presentation of CIED infection following initial implant versus reoperation for generator change or lead addition. <i>Open Heart</i> , 2018 , 5, e000681	3	6
26	A narrow complex tachycardia with intermittent atrioventricular dissociation: what is the mechanism?. <i>Heart Rhythm</i> , 2014 , 11, 2116-9	6.7	6
25	Idiopathic Ventricular Fibrillation Facilitated by PENTARAY Mapping of the Moderator Band. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 313-314	4.6	6
24	Clinical and electrophysiological characteristics of patients with paroxysmal intra-His block with narrow QRS complexes. <i>Heart Rhythm</i> , 2018 , 15, 1372-1377	6.7	5
23	Effect of battery longevity on costs and health outcomes associated with cardiac implantable electronic devices: a Markov model-based Monte Carlo simulation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017 , 50, 149-158	2.4	5
22	Microwaves Treat Heart Disease. <i>IEEE Microwave Magazine</i> , 2007 , 8, 70-75	1.2	5
21	Hereditary long QT syndrome associated with cardiac conduction system disease. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1989 , 12, 479-85	1.6	5
20	Characterization of Outer Insulation in Long-Term-Implanted Leads. <i>Journal of Long-Term Effects of Medical Implants</i> , 2016 , 26, 225-232	0.2	5
19	The effects of type I antiarrhythmic drugs on the signal-averaged electrocardiogram in patients with malignant ventricular arrhythmias. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992 , 15, 1445-53	1.6	4

18	The effects of direct current countershock on ventricular late potentials. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1987 , 10, 305-9	1.6	4
17	Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score. <i>Europace</i> , 2021 , 23, 1446-1455	3.9	4
16	Clinical Presentation, Timing, and Microbiology of CIED Infections: An Analysis of the WRAP-IT Trial. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 50-61	4.6	4
15	Atrial fibrillation post central retinal artery occlusion: Role of implantable loop recorders. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 992-999	1.6	3
14	Atrial lead dislodgement with a DDD pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1986 , 9, 436-40	1.6	3
13	Cardiovascular implantable electronic device infections due to enterococcal species: Clinical features, management, and outcomes. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1331-1339	1.6	2
12	Programmable external automatic antitachycardia pacing as a bridge to definitive therapy in patients with recurrent sustained ventricular tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992 , 15, 1258-65	1.6	2
11	Pacing at rates slower than the lower rate limit: function or malfunction?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 149-50	1.6	1
10	Use of external muscle stimulation in a patient with a unipolar DDD pacemaker. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1987 , 10, 958	1.6	1
9	Sex differences in rates and causes of 30-day readmissions after cardiac electronic device implantations: insights from the Nationwide Readmissions Database. <i>International Journal of Cardiology</i> , 2020 , 302, 67-74	3.2	1
8	Termination of a narrow complex tachycardia by a single extrastimulus: What is the mechanism?. <i>Heart Rhythm</i> , 2018 , 15, 1889-1890	6.7	1
7	An unusual incessant long RP tachycardia-What is the mechanism?. <i>Heart Rhythm</i> , 2021 , 18, 2215-2218	6.7	0
6	Synchrony and Defibrillation: What Is the Mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016 , 39, 1153-1155	1.6	
5	Ventricular Tracking of Atrial Flutter in a Patient with Complete Atrioventricular Block: Is it the Device's Fault?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 891-4	1.6	
4	Outcomes of cardiac implantable electronic device transvenous lead extractions performed in centers without onsite cardiac surgery. <i>International Journal of Cardiology</i> , 2020 , 300, 154-160	3.2	
3	Ventricular tachycardia induced by a backup pacing stimulus in a patient with a dual chamber pacemaker with AutoCapture. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1130-1132	1.6	
2	Dual-chamber pacing with variable AV delays: What is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1735-1737	1.6	
1	Implantable Cardioverter-Defibrillator Therapy	18-28	

