

Nuran Ercal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/568753/nuran-ercal-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

3,753
citations

36
h-index

59
g-index

90
ext. papers

4,075
ext. citations

4.3
avg. IF

5.19
L-index

#	Paper	IF	Citations
86	Thiol antioxidants protect human lens epithelial (HLE B-3) cells against -butyl hydroperoxide-induced oxidative damage and cytotoxicity.. <i>Biochemistry and Biophysics Reports</i> , 2022 , 29, 101213	2.2	0
85	Continuous measurement of reactive oxygen species inside and outside of a residential house during summer. <i>Indoor Air</i> , 2021 , 31, 1199-1216	5.4	1
84	Development of a HPLC-MS/MS method for assessment of thiol redox status in human tear fluids. <i>Analytical Biochemistry</i> , 2021 , 629, 114295	3.1	2
83	Genotype, Age, Genetic Background, and Sex Influence Epha2-Related Cataract Development in Mice 2021 , 62, 3		1
82	Protective effects of tiopronin on oxidatively challenged human lung carcinoma cells (A549). <i>Free Radical Research</i> , 2020 , 54, 319-329	4	5
81	Medicinal Thiols: Current Status and New Perspectives. <i>Mini-Reviews in Medicinal Chemistry</i> , 2020 , 20, 513-529	3.2	11
80	Postharvest application of thiol compounds affects surface browning and antioxidant activity of fresh-cut potatoes. <i>Journal of Food Biochemistry</i> , 2020 , 44, e13378	3.3	7
79	The protective effect of N-acetylcysteine amide against paraquat-induced neurotoxicity. <i>Turkish Journal of Chemistry</i> , 2019 , 43, 39-49	1	0
78	Effect of Nanodiamond Surface Chemistry on Adsorption and Release of Tiopronin. <i>Diamond and Related Materials</i> , 2019 , 100,	3.5	17
77	Simultaneous determination of tiopronin and its primary metabolite in plasma and ocular tissues by HPLC. <i>Biomedical Chromatography</i> , 2019 , 33, e4375	1.7	4
76	Liposomal-delivery of phosphodiesterase 5 inhibitors augments UT-15C-stimulated ATP release from human erythrocytes. <i>Biochemistry and Biophysics Reports</i> , 2017 , 12, 114-119	2.2	1
75	Prevention and reversal of selenite-induced cataracts by N-acetylcysteine amide in Wistar rats. <i>BMC Ophthalmology</i> , 2017 , 17, 54	2.3	16
74	N-acetylcysteine amide, a promising antidote for acetaminophen toxicity. <i>Toxicology Letters</i> , 2016 , 241, 133-42	4.4	35
73	Liposomal Delivery of a Phosphodiesterase 5 Inhibitor Enhances Prostacyclin-Mediated Adenosine Triphosphate Release from Human Red Blood Cells. <i>Blood</i> , 2016 , 128, 4803-4803	2.2	
72	N-acetylcysteineamide protects against manganese-induced toxicity in SHSY5Y cell line. <i>Brain Research</i> , 2015 , 1608, 157-66	3.7	25
71	Acute and subacute pulmonary toxicity and mortality in mice after intratracheal instillation of ZnO nanoparticles in three laboratories. <i>Food and Chemical Toxicology</i> , 2015 , 85, 84-95	4.7	62
70	Comparative evaluation of N-acetylcysteine and N-acetylcysteineamide in acetaminophen-induced hepatotoxicity in human hepatoma HepaRG cells. <i>Experimental Biology and Medicine</i> , 2015 , 240, 261-72	3.7	22

69	Drying effects on the antioxidant properties of tomatoes and ginger. <i>Food Chemistry</i> , 2015 , 173, 156-62	8.5	111
68	Protective Effect of Topiramate on Hyperglycemia-Induced Cerebral Oxidative Stress, Pericyte Loss and Learning Behavior in Diabetic Mice 2015 , 1, 6-12		8
67	Effects of Lead and Cadmium on Brain Endothelial Cell Survival, Monolayer Permeability, and Crucial Oxidative Stress Markers in an in Vitro Model of the Blood-Brain Barrier. <i>Toxics</i> , 2014 , 2, 258-275	4.7	32
66	Antioxidant potential of <i>Sutherlandia frutescens</i> and its protective effects against oxidative stress in various cell cultures. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 271	4.7	20
65	Pulmonary DWCNT exposure causes sustained local and low-level systemic inflammatory changes in mice. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2013 , 84, 412-20	5.7	12
64	Disruption of the integrity and function of brain microvascular endothelial cells in culture by exposure to diesel engine exhaust particles. <i>Toxicology Letters</i> , 2013 , 220, 1-7	4.4	25
63	Pharmacological inhibition of mitochondrial carbonic anhydrases protects mouse cerebral pericytes from high glucose-induced oxidative stress and apoptosis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 344, 637-45	4.7	37
62	Release of N-acetylcysteine and N-acetylcysteine amide from contact lenses. <i>Eye and Contact Lens</i> , 2013 , 39, 335-40	3.2	3
61	Characterizing N-acetylcysteine (NAC) and N-acetylcysteine amide (NACA) binding for lead poisoning treatment. <i>Journal of Colloid and Interface Science</i> , 2012 , 371, 144-9	9.3	33
60	Oxidative effects of Tartrazine (CAS No. 1934-21-0) and New Coccin (CAS No. 2611-82-7) azo dyes on CHO cells. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2012 , 7, 229-236	2.3	27
59	Effect of alpha-lipoic acid on memory, oxidation, and lifespan in SAMP8 mice. <i>Journal of Alzheimer's Disease</i> , 2012 , 32, 447-55	4.3	54
58	Extra virgin olive oil improves learning and memory in SAMP8 mice. <i>Journal of Alzheimer's Disease</i> , 2012 , 28, 81-92	4.3	91
57	Nitrative stress in cerebral endothelium is mediated by mGluR5 in hyperhomocysteinemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 825-34	7.3	21
56	N-acetylcysteine amide (NACA) prevents retinal degeneration by up-regulating reduced glutathione production and reversing lipid peroxidation. <i>American Journal of Pathology</i> , 2011 , 178, 2032-43	5.8	43
55	Glutathione is essential for early embryogenesis--analysis of a glutathione synthetase knockout mouse. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 412, 121-6	3.4	28
54	Comparative evaluation of N-acetylcysteine (NAC) and N-acetylcysteine amide (NACA) on glutamate and lead-induced toxicity in CD-1 mice. <i>Toxicology Letters</i> , 2011 , 201, 1-7	4.4	29
53	In vivo inhibition of l-buthionine-(S,R)-sulfoximine-induced cataracts by a novel antioxidant, N-acetylcysteine amide. <i>Free Radical Biology and Medicine</i> , 2011 , 50, 722-9	7.8	31
52	Highly active antiretroviral therapy drug combination induces oxidative stress and mitochondrial dysfunction in immortalized human blood-brain barrier endothelial cells. <i>Free Radical Biology and Medicine</i> , 2011 , 50, 801-10	7.8	64

51	Inflammatory responses to pulmonary application of PEI-based siRNA nanocarriers in mice. <i>Biomaterials</i> , 2011 , 32, 8694-701	15.6	33
50	Sub-chronic lead exposure alters kidney proteome profiles. <i>Human and Experimental Toxicology</i> , 2011 , 30, 1616-25	3.4	3
49	Effects of a growth hormone-releasing hormone antagonist on telomerase activity, oxidative stress, longevity, and aging in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 22272-7	11.5	35
48	HIV proteins (gp120 and Tat) and methamphetamine in oxidative stress-induced damage in the brain: potential role of the thiol antioxidant N-acetylcysteine amide. <i>Free Radical Biology and Medicine</i> , 2010 , 48, 1388-98	7.8	91
47	Biologically important thiols in aqueous extracts of spices and evaluation of their in vitro antioxidant properties. <i>Food Chemistry</i> , 2010 , 118, 589-593	8.5	35
46	N-Acetylcysteine amide protects against methamphetamine-induced oxidative stress and neurotoxicity in immortalized human brain endothelial cells. <i>Brain Research</i> , 2009 , 1275, 87-95	3.7	77
45	Determination of glutathione disulfide levels in biological samples using thiol-disulfide exchanging agent, dithiothreitol. <i>Biomedical Chromatography</i> , 2009 , 23, 119-23	1.7	37
44	N-acetylcysteineamide (NACA) prevents inflammation and oxidative stress in animals exposed to diesel engine exhaust. <i>Toxicology Letters</i> , 2009 , 187, 187-93	4.4	32
43	Alcohol as a potential contributing factor in radiation complications. <i>Clinical Advances in Hematology and Oncology</i> , 2009 , 7, 257-62	0.6	2
42	Antioxidant and free radical scavenging properties of N-acetylcysteine amide (NACA) and comparison with N-acetylcysteine (NAC). <i>Free Radical Research</i> , 2008 , 42, 372-7	4	83
41	Effects of N-acetylcysteine amide (NACA), a thiol antioxidant on radiation-induced cytotoxicity in Chinese hamster ovary cells. <i>Life Sciences</i> , 2008 , 82, 1122-30	6.8	40
40	Impact of food disinfection on beneficial biothiol contents in strawberry. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 10414-21	5.7	16
39	The effects of Toradol on postoperative intimal hyperplasia in a rat carotid endarterectomy model: laboratory research. <i>Vascular and Endovascular Surgery</i> , 2007 , 41, 402-8	1.4	4
38	Copper complexing decreases the ability of amyloid beta peptide to cross the BBB and enter brain parenchyma. <i>Peptides</i> , 2007 , 28, 1424-32	3.8	39
37	Effects of selenocystine on lead-exposed Chinese hamster ovary (CHO) and PC-12 cells. <i>Toxicology and Applied Pharmacology</i> , 2006 , 214, 136-43	4.6	15
36	Potential of lead-induced cell death in PC12 cells by glutamate: protection by N-acetylcysteine amide (NACA), a novel thiol antioxidant. <i>Toxicology and Applied Pharmacology</i> , 2006 , 216, 197-205	4.6	47
35	Separation and quantification of N-acetyl-L-cysteine and N-acetyl-cysteine-amide by HPLC with fluorescence detection. <i>Biomedical Chromatography</i> , 2006 , 20, 415-22	1.7	39
34	The blood-brain barrier in neuroAIDS. <i>Current HIV Research</i> , 2006 , 4, 259-66	1.3	84

33	A novel antioxidant N-acetylcysteine amide prevents gp120- and Tat-induced oxidative stress in brain endothelial cells. <i>Experimental Neurology</i> , 2006 , 201, 193-202	5.7	90
32	High performance liquid chromatography analysis of 2-mercaptoethylamine (cysteamine) in biological samples by derivatization with N-(1-pyrenyl) maleimide (NPM) using fluorescence detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 843, 57-62	3.2	28
31	Impact of food disinfection on beneficial biothiols contents in vegetables. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 9830-40	5.7	20
30	HIV-1 viral proteins gp120 and Tat induce oxidative stress in brain endothelial cells. <i>Brain Research</i> , 2005 , 1045, 57-63	3.7	143
29	Effects of N-acetylcysteine amide (NACA), a novel thiol antioxidant against glutamate-induced cytotoxicity in neuronal cell line PC12. <i>Brain Research</i> , 2005 , 1056, 132-8	3.7	93
28	High performance liquid chromatography analysis of MESNA (2-mercaptoethane sulfonate) in biological samples using fluorescence detection. <i>Biomedical Chromatography</i> , 2005 , 19, 80-6	1.7	20
27	Effects of N-acetylcysteine on lead-exposed PC-12 cells. <i>Archives of Environmental Contamination and Toxicology</i> , 2005 , 49, 119-23	3.2	43
26	Simultaneous determination of 3-nitro tyrosine, o-, m-, and p-tyrosine in urine samples by liquid chromatography-ultraviolet absorbance detection with pre-column cloud point extraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 803, 321-9	3.2	37
25	Liquid chromatography analysis of N-(2-mercapto-propionyl)-glycine in biological samples by ThioGlo 3 derivatization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 807, 251-6	3.2	15
24	Biologically important thiols in various vegetables and fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 8151-4	5.7	107
23	Antioxidant role of N-acetyl cysteine isomers following high dose irradiation. <i>Free Radical Biology and Medicine</i> , 2003 , 34, 689-95	7.8	69
22	Oxidative stress in a phenylketonuria animal model. <i>Free Radical Biology and Medicine</i> , 2002 , 32, 906-11	7.8	40
21	Determination of captopril in biological samples by high-performance liquid chromatography with ThioGlo 3 derivatization. <i>Biomedical Chromatography</i> , 2001 , 15, 427-32	1.7	37
20	High performance liquid chromatography analysis of D-penicillamine by derivatization with N-(1-pyrenyl)maleimide (NPM). <i>Biomedical Chromatography</i> , 2000 , 14, 535-40	1.7	24
19	Can antioxidants be beneficial in the treatment of lead poisoning?. <i>Free Radical Biology and Medicine</i> , 2000 , 29, 927-45	7.8	409
18	RESOLUTION OF CHIRAL THIOL COMPOUNDS DERIVATIZED WITH N-(1-PYRENYL)-MALEIMIDE AND THIOGLOB. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2000 , 23, 1941-1952	1.3	24
17	Effects of some sulfur-containing antioxidants on lead-exposed lenses. <i>Free Radical Biology and Medicine</i> , 1999 , 26, 239-43	7.8	31
16	Antioxidant role of alpha-lipoic acid in lead toxicity. <i>Free Radical Biology and Medicine</i> , 1999 , 27, 75-81	7.8	78

15	Measurement of glutathione, glutathione disulfide, and other thiols in mammalian cell and tissue homogenates using high-performance liquid chromatography separation of N-(1-pyrenyl)maleimide derivatives. <i>Methods in Enzymology</i> , 1999 , 299, 258-67	1.7	41
14	N-acetyl-L-cysteine protects against delta-aminolevulinic acid-induced 8-hydroxydeoxyguanosine formation. <i>Toxicology Letters</i> , 1999 , 106, 41-7	4.4	25
13	Captopril as an antioxidant in lead-exposed Fischer 344 rats. <i>Human and Experimental Toxicology</i> , 1999 , 18, 27-32	3.4	26
12	Enantiomeric composition of nicotine in smokeless tobacco, medicinal products, and commercial reagents. <i>Chirality</i> , 1998 , 10, 587-591	2.1	55
11	Antioxidant effects of N-acetylcysteine and succimer in red blood cells from lead-exposed rats. <i>Toxicology</i> , 1998 , 128, 181-9	4.4	173
10	Effects of N-acetylcysteine and 2,3-dimercaptosuccinic acid on lead induced oxidative stress in rat lenses. <i>Toxicology</i> , 1998 , 130, 167-74	4.4	47
9	Nicotine enantiomers and oxidative stress. <i>Toxicology</i> , 1998 , 130, 155-65	4.4	94
8	Pro-oxidant effects of delta-aminolevulinic acid (delta-ALA) on Chinese hamster ovary (CHO) cells. <i>Toxicology Letters</i> , 1997 , 91, 169-78	4.4	54
7	In vivo indices of oxidative stress in lead-exposed C57BL/6 mice are reduced by treatment with meso-2,3-dimercaptosuccinic acid or N-acetylcysteine. <i>Free Radical Biology and Medicine</i> , 1996 , 21, 157-61	7.8	128
6	Analysis of thiol-containing compounds in biological samples by capillary zone electrophoresis. <i>Biomedical Chromatography</i> , 1996 , 10, 15-8	1.7	13
5	In vitro study of the metabolic effects of D-amino acids. <i>Chirality</i> , 1996 , 8, 24-9	2.1	23
4	N-acetylcysteine protects Chinese hamster ovary (CHO) cells from lead-induced oxidative stress. <i>Toxicology</i> , 1996 , 108, 57-64	4.4	41
3	Glutamine protects Chinese hamster ovary cells from radiation killing. <i>Life Sciences</i> , 1994 , 55, 713-20	6.8	4
2	D-amino acid levels in human physiological fluids. <i>Chirality</i> , 1993 , 5, 375-8	2.1	90
1	Stereochemistry of pipercolic acid found in the urine and plasma of subjects with peroxisomal deficiencies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1993 , 11, 881-6	3.5	35