

Anna Hrynowiecka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5687834/publications.pdf>

Version: 2024-02-01

20
papers

128
citations

1478505
6
h-index

1372567
10
g-index

20
all docs

20
docs citations

20
times ranked

214
citing authors

#	ARTICLE	IF	CITATIONS
1	Palaeoecological investigations and $^{230}\text{Th}/\text{U}$ dating of Eemian interglacial peat sequence of Banzin (Mecklenburg-Western Pomerania, NE-Germany). <i>Quaternary International</i> , 2015, 386, 122-136.	1.5	17
2	Browsers, grazers or mix-feeders? Study of the diet of extinct Pleistocene Eurasian forest rhinoceros <i>Stephanorhinus kirchbergensis</i> (Åger, 1839) and woolly rhinoceros <i>Coelodonta antiquitatis</i> (Blumenbach, 1799). <i>Quaternary International</i> , 2021, 605-606, 192-212.	1.5	17
3	Palaeoecological investigations and $^{230}\text{Th}/\text{U}$ dating of the Eemian Interglacial peat sequence from Neubrandenburg-Hinterste MÃ¼hle (Mecklenburg-Western Pomerania, NE Germany). <i>Quaternary International</i> , 2018, 467, 62-78.	1.5	15
4	Palaeoclimatic changes in the Holsteinian Interglacial (Middle Pleistocene) on the basis of indicator-species method â€“ Palynological and macrofossils remains from Nowiny Å»ukowskie site (SE) Tj ETQq0 QrgBT /Overlock 10 T		
5	Eemian and Vistulian (Weichselian) paleoenvironmental changes: A multi-proxy study of sediments and mammal remains from the Å»awy paleolake (Eastern Poland). <i>Quaternary International</i> , 2018, 467, 131-146.	1.5	10
6	Geology, stratigraphy and palaeoenvironmental evolution of the <i>< i>Stephanorhinus kirchbergensis</i></i> bearing Quaternary palaeolake(s) of GorzÃ³w Wielkopolski (NW Poland, Central) Tj ETQq0 QrgBT /Overlock 10 T		
7	Comprehensive Palaeobotanical Studies of Lacustrine-Peat Bog Sediments from the Mazovian/Holsteinian Interglacial at the Site of Nowiny Å»ukowskie (Se Poland) â€“ Preliminary Study. <i>Bulletin of Geography, Physical Geography Series</i> , 2011, 4, 21-45b.	0.6	7
8	Evolution of fluvial system during the Pleistocene warm stage (Marine Isotope Stage 7) â€“ A case study from the BÅ...dzikowo Formation, N Poland. <i>Quaternary International</i> , 2019, 501, 109-119.	1.5	6
9	Eemian (MIS 5e) climate oscillations based on palaeobotanical analysis from the Beckentin profile (NE) Tj ETQq1 1 QrgBT /Overlock 10 T		
10	A high-resolution pollen and diatom record of mid-to late-Eemian at KozÅ...w (Central Poland) reveals no drastic climate changes in the hornbeam phase of this interglacial. <i>Quaternary International</i> , 2021, 583, 14-30.	1.5	5
11	Environmental changes recorded in the sequence of lake-peat bogs in the Eemian Interglacial and Vistulian on the basis of multi-proxy data. <i>Quaternary International</i> , 2022, 632, 51-64.	1.5	5
12	The role of an ice-sheet, glacioisostatic movements and climate in the transformation of Middle Pleistocene depositional systems: a case study from the Reda site, northern Poland. <i>Geografiska Annaler, Series A: Physical Geography</i> , 0, , 1-36.	1.5	4
13	Palaeoecological record of long Eemian series from KozÅ...w (Central Poland) with reference to palaeoclimatic and palaeohydrological interpretation. <i>Quaternary International</i> , 2022, 632, 36-50.	1.5	4
14	How to resolve Pleistocene stratigraphic problems by different methods? A case study from eastern Poland. <i>Geological Quarterly</i> , 2014, 58, .	0.2	3
15	Two pollen-based methods of Eemian climate reconstruction employed in the study of the Å»abieniec-Jagodne palaeolakes in central Poland. <i>Quaternary International</i> , 2022, 632, 21-35.	1.5	3
16	Reconstruction of 26 kyr palaeoenvironmental history of the Czarny Dunajec Fan â€“ A multiproxy study of the DÅ...ugopole gravel pit deposits (Western Carpathians, S Poland). <i>Catena</i> , 2022, 211, 105940.	5.0	3
17	Vegetation And Stratigraphic Interpretation Of The Mazovian (Holsteinian) Interglacial Profile From Dobropol and other New Sites in the West Polesie Region (SE Poland). <i>Studia Quaternaria</i> , 2014, 31, 17-30.	0.8	2
18	New climatic oscillations during MIS 11c in the record of the Skrzynka II site (Eastern Poland) based on palynological and isotope analysis. <i>Quaternary International</i> , 2021, , .	1.5	1

#	ARTICLE	IF	CITATIONS
19	Unique Features of Interglacial Deposits (MIS 11, Eastern Poland): Comparison of Palaeobotanical and Geological Data. Springer Geology, 2014, , 569-572.	0.3	0
20	Older and Younger Holsteinian climate oscillations in the palaeobotanical record of the Brus profile (SE Poland). Geological Quarterly, 0, , .	0.2	0