
Sally Hopewell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5689193/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	RoB 2: a revised tool for assessing risk of bias in randomised trials. BMJ: British Medical Journal, 2019, 366, I4898.	2.4	10,984
2	CONSORT 2010 Explanation and Elaboration: updated guidelines for reporting parallel group randomised trials. BMJ: British Medical Journal, 2010, 340, c869-c869.	2.4	5,319
3	CONSORT 2010 explanation and elaboration: Updated guidelines for reporting parallel group randomised trials. International Journal of Surgery, 2012, 10, 28-55.	1.1	1,546
4	CONSORT 2010 Explanation and Elaboration: updated guidelines forÂreporting parallel group randomised trials. Journal of Clinical Epidemiology, 2010, 63, e1-e37.	2.4	1,500
5	CONSORT 2010 statement: extension to randomised pilot and feasibility trials. BMJ, The, 2016, 355, i5239.	3.0	1,491
6	CONSORT 2010 statement: extension to randomised pilot and feasibility trials. Pilot and Feasibility Studies, 2016, 2, 64.	0.5	1,271
7	Defining Feasibility and Pilot Studies in Preparation for Randomised Controlled Trials: Development of a Conceptual Framework. PLoS ONE, 2016, 11, e0150205.	1.1	772
8	Exercise for preventing falls in older people living in the community. The Cochrane Library, 2019, 2019, CD012424.	1.5	529
9	Atrial fibrillation and risks of cardiovascular disease, renal disease, and death: systematic review and meta-analysis. BMJ, The, 2016, 354, i4482.	3.0	528
10	CONSORT for Reporting Randomized Controlled Trials in Journal and Conference Abstracts: Explanation and Elaboration. PLoS Medicine, 2008, 5, e20.	3.9	504
11	PRISMA for Abstracts: Reporting Systematic Reviews in Journal and Conference Abstracts. PLoS Medicine, 2013, 10, e1001419.	3.9	495
12	CONSORT for reporting randomised trials in journal and conference abstracts. Lancet, The, 2008, 371, 281-283.	6.3	432
13	The quality of reports of randomised trials in 2000 and 2006: comparative study of articles indexed in PubMed. BMJ: British Medical Journal, 2010, 340, c723-c723.	2.4	405
14	Multifactorial and multiple component interventions for preventing falls in older people living in the community. The Cochrane Library, 2018, 2018, CD012221.	1.5	234
15	Use of placebo controls in the evaluation of surgery: systematic review. BMJ, The, 2014, 348, g3253-g3253.	3.0	209
16	Endorsement of the CONSORT Statement by high impact factor medical journals: a survey of journal editors and journal 'Instructions to Authors'. Trials, 2008, 9, 20.	0.7	206
17	Patient relevant outcomes of unicompartmental versus total knee replacement: systematic review and meta-analysis. BMJ: British Medical Journal, 2019, 364, 1352.	2.4	196
18	Perinatal outcomes associated with maternal HIV infection: a systematic review and meta-analysis. Lancet HIV,the, 2016, 3, e33-e48.	2.1	180

#	Article	IF	CITATIONS
19	Reporting randomised trials of social and psychological interventions: the CONSORT-SPI 2018 Extension. Trials, 2018, 19, 407.	0.7	180
20	CONSORT-SPI 2018 Explanation and Elaboration: guidance for reporting social and psychological intervention trials. Trials, 2018, 19, 406.	0.7	179
21	Effect of editors' implementation of CONSORT guidelines on the reporting of abstracts in high impact medical journals: interrupted time series analysis. BMJ, The, 2012, 344, e4178-e4178.	3.0	178
22	A Guideline for Reporting Mediation Analyses of Randomized Trials and Observational Studies. JAMA - Journal of the American Medical Association, 2021, 326, 1045.	3.8	169
23	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances. JAMA - Journal of the American Medical Association, 2021, 326, 257.	3.8	168
24	Reporting of Multi-Arm Parallel-Group Randomized Trials. JAMA - Journal of the American Medical Association, 2019, 321, 1610.	3.8	158
25	Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. British Journal of Sports Medicine, 2020, 54, 885-891.	3.1	155
26	Reporting of trials presented in conference abstracts needs to be improved. Journal of Clinical Epidemiology, 2006, 59, 681-684.	2.4	137
27	Restrictive versus liberal blood transfusion for gastrointestinal bleeding: a systematic review and meta-analysis of randomised controlled trials. The Lancet Gastroenterology and Hepatology, 2017, 2, 354-360.	3.7	131
28	Methods and processes for development of a CONSORT extension for reporting pilot randomized controlled trials. Pilot and Feasibility Studies, 2016, 2, 25.	0.5	120
29	Update on the endorsement of CONSORT by high impact factor journals: a survey of journal "Instructions to Authors―in 2014. Trials, 2016, 17, 301.	0.7	111
30	Protocol for CONSORT-SPI: an extension for social and psychological interventions. Implementation Science, 2013, 8, 99.	2.5	95
31	Nonsteroidal anti-inflammatory drugs for pain in women with endometriosis. The Cochrane Library, 2017, 2017, CD004753.	1.5	95
32	Income Disparities in Absolute Cardiovascular Risk and Cardiovascular Risk Factors in the United States, 1999-2014. JAMA Cardiology, 2017, 2, 782.	3.0	89
33	Multifactorial interventions for preventing falls in older people living in the community: a systematic review and meta-analysis of 41 trials and almost 20 000 participants. British Journal of Sports Medicine, 2020, 54, 1340-1350.	3.1	77
34	Impact of peer review on reports of randomised trials published in open peer review journals: retrospective before and after study. BMJ, The, 2014, 349, g4145-g4145.	3.0	74
35	Incidence of shoulder dislocations in the UK, 1995–2015: a population-based cohort study. BMJ Open, 2017, 7, e016112.	0.8	70
36	Arthroscopic partial meniscectomy for meniscal tears of the knee: a systematic review and meta-analysis. British Journal of Sports Medicine, 2020, 54, 652-663.	3.1	68

#	Article	IF	CITATIONS
37	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of patients with rotator cuff disorders (GRASP): a multicentre, pragmatic, 2 × 2 factorial, randomised controlled trial. Lancet, The, 2021, 398, 416-428.	6.3	53
38	Reporting of participant flow diagrams in published reports of randomized trials. Trials, 2011, 12, 253.	0.7	52
39	Feasibility of surgical randomised controlled trials with a placebo arm: a systematic review. BMJ Open, 2016, 6, e010194.	0.8	51
40	Quality of reporting of trial abstracts needs to be improved: using the CONSORT for abstracts to assess the four leading Chinese medical journals of traditional Chinese medicine. Trials, 2010, 11, 75.	0.7	44
41	Peer reviewers identified spin in manuscripts of nonrandomized studies assessing therapeutic interventions, but their impact on spin in abstract conclusions was limited. Journal of Clinical Epidemiology, 2016, 77, 44-51.	2.4	41
42	Impact of a web-based tool (WebCONSORT) to improve the reporting of randomised trials: results of a randomised controlled trial. BMC Medicine, 2016, 14, 199.	2.3	41
43	The CONSORT Statement: Application within and adaptations for orthodontic trials. American Journal of Orthodontics and Dentofacial Orthopedics, 2015, 147, 663-679.	0.8	40
44	Reporting of Effect Direction and Size in Abstracts of Systematic Reviews. JAMA - Journal of the American Medical Association, 2011, 306, 1981-1982.	3.8	39
45	Deficiencies in the publication and reporting of the results of systematic reviews presented at scientific medical conferences. Journal of Clinical Epidemiology, 2015, 68, 1488-1495.	2.4	38
46	Developing a reporting guideline for social and psychological intervention trials. Journal of Experimental Criminology, 2013, 9, 355-367.	1.9	36
47	Association between randomised trial evidence and global burden of disease: cross sectional study (Epidemiological Study of Randomized Trials-ESORT). BMJ, The, 2015, 350, h117-h117.	3.0	35
48	Injection therapy for base of thumb osteoarthritis: a systematic review and meta-analysis. BMJ Open, 2019, 9, e027507.	0.8	30
49	Preferred reporting items for journal and conference abstracts of systematic reviews and meta-analyses of diagnostic test accuracy studies (PRISMA-DTA for Abstracts): checklist, explanation, and elaboration. BMJ, The, 2021, 372, n265.	3.0	30
50	Association between trial registration and positive study findings: cross sectional study (Epidemiological Study of Randomized Trials—ESORT). BMJ: British Medical Journal, 2017, 356, j917.	2.4	29
51	Accuracy in detecting inadequate research reporting by early career peer reviewers using an online CONSORT-based peer-review tool (COBPeer) versus the usual peer-review process: a cross-sectional diagnostic study. BMC Medicine, 2019, 17, 205.	2.3	27
52	Professional medical writing support and the quality of randomised controlled trial reporting: a cross-sectional study. BMJ Open, 2016, 6, e010329.	0.8	26
53	Overinterpretation and misreporting of prognostic factor studies in oncology: a systematic review. British Journal of Cancer, 2018, 119, 1288-1296.	2.9	25
54	Appraising the uptake and use of recommendations for a common outcome data set for clinical trials: a case study in fall injury prevention. Trials, 2016, 17, 131.	0.7	23

#	Article	IF	CITATIONS
55	Patient-reported outcome measures for patients with meniscal tears: a systematic review of measurement properties and evaluation with the COSMIN checklist. BMJ Open, 2017, 7, e017247.	0.8	23
56	An overview of systematic reviews found suboptimal reporting and methodological limitations of mediation studies investigating causal mechanisms. Journal of Clinical Epidemiology, 2019, 111, 60-68.e1.	2.4	23
57	Association of Cardiovascular Trial Registration With Positive Study Findings. JAMA Internal Medicine, 2015, 175, 304.	2.6	22
58	Cognitive–behavioural therapy for a variety of conditions: an overview of systematic reviews and panoramic meta-analysis. Health Technology Assessment, 2021, 25, 1-378.	1.3	22
59	Progression from external pilot to definitive randomised controlled trial: a methodological review of progression criteria reporting. BMJ Open, 2021, 11, e048178.	0.8	22
60	Impact of a short version of the CONSORT checklist for peer reviewers to improve the reporting of randomised controlled trials published in biomedical journals: study protocol for a randomised controlled trial. BMJ Open, 2020, 10, e035114.	0.8	21
61	Nonregistration, discontinuation, and nonpublication of randomized trials: A repeated metaresearch analysis. PLoS Medicine, 2022, 19, e1003980.	3.9	21
62	Developing a Reporting Guideline for Social and Psychological Intervention Trials. Research on Social Work Practice, 2013, 23, 595-602.	1.1	20
63	Restrictive versus liberal red blood cell transfusion strategies for people with haematological malignancies treated with intensive chemotherapy or radiotherapy, or both, with or without haematopoietic stem cell support. The Cochrane Library, 2017, 2017, CD011305.	1.5	20
64	Clinical and cost-effectiveness of progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of rotator cuff disorders: protocol for a 2x2 factorial randomised controlled trial (the GRASP trial). BMJ Open, 2017, 7, e018004.	0.8	20
65	The Moses–Littenberg meta-analytical method generates systematic differences in test accuracy compared to hierarchical meta-analytical models. Journal of Clinical Epidemiology, 2016, 80, 77-87.	2.4	17
66	Blood transfusion for preventing primary and secondary stroke in people with sickle cell disease. The Cochrane Library, 2017, 1, CD003146.	1.5	17
67	Reporting Quality of Journal Abstracts for Surgical Randomized Controlled Trials Before and After the Implementation of the CONSORT Extension for Abstracts. World Journal of Surgery, 2019, 43, 2371-2378.	0.8	17
68	Shoulder replacement surgery for osteoarthritis and rotator cuff tear arthropathy. The Cochrane Library, 2020, 2020, CD012879.	1.5	15
69	Resources for authors of reports of randomized trials: harnessing the wisdom of authors, editors, and readers. Trials, 2011, 12, 98.	0.7	14
70	Comparison of a restrictive versus liberal red cell transfusion policy for patients with myelodysplasia, aplastic anaemia, and other congenital bone marrow failure disorders. , 2015, 3, .		14
71	Comparison of different platelet transfusion thresholds prior to insertion of central lines in patients with thrombocytopenia. , 2015, 2015, .		14
72	Interventions for preventing silent cerebral infarcts in people with sickle cell disease. The Cochrane Library, 2017, 5, CD012389.	1.5	13

#	Article	IF	CITATIONS
73	Effectiveness of cognitive–behavioural therapy: a protocol for an overview of systematic reviews and meta-analyses. BMJ Open, 2018, 8, e025761.	0.8	13
74	Treatment of first-time traumatic anterior shoulder dislocation: the UK TASH-D cohort study. Health Technology Assessment, 2019, 23, 1-104.	1.3	12
75	Reliability of Trial Information Across Registries for Trials With Multiple Registrations. JAMA Network Open, 2021, 4, e2128898.	2.8	12
76	Reporting of a Publicly Accessible Protocol and Its Association With Positive Study Findings in Cardiovascular Trials (from the Epidemiological Study of Randomized TrialsÂ[ESORT]). American Journal of Cardiology, 2015, 116, 1280-1283.	0.7	11
77	The citation of relevant systematic reviews and randomised trials in published reports of trial protocols. Trials, 2016, 17, 581.	0.7	11
78	Blood transfusion for preventing primary and secondary stroke in people with sickle cell disease. The Cochrane Library, 2020, 2020, CD003146.	1.5	11
79	Development of A Guideline for Reporting Mediation Analyses (AGReMA). BMC Medical Research Methodology, 2020, 20, 19.	1.4	11
80	Patients' and parents' views about lower limb orthopaedic surgery for ambulant children and young people with cerebral palsy: a qualitative evidence synthesis. Journal of Children's Orthopaedics, 2020, 14, 562-573.	0.4	11
81	Prediction of RECRUITment In randomized clinical Trials (RECRUIT-IT)—rationale and design for an international collaborative study. Trials, 2020, 21, 731.	0.7	10
82	Progressive exercise compared with best-practice advice, with or without corticosteroid injection, for rotator cuff disorders: the GRASP factorial RCT. Health Technology Assessment, 2021, 25, 1-158.	1.3	10
83	Exercise for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	9
84	A protocol of a cross-sectional study evaluating an online tool for early career peer reviewers assessing reports of randomised controlled trials. BMJ Open, 2017, 7, e017462.	0.8	9
85	Rationale and design of repeated cross-sectional studies to evaluate the reporting quality of trial protocols: the Adherence to SPIrit REcommendations (ASPIRE) study and associated projects. Trials, 2020, 21, 896.	0.7	9
86	Multifactorial and multiple component interventions for preventing falls in older people living in the community. The Cochrane Library, 0, , .	1.5	8
87	Progressive functional exercise versus best practice advice for adults aged 50 years or over after ankle fracture: protocol for a pilot randomised controlled trial in the UK - the Ankle Fracture Treatment: Enhancing Rehabilitation (AFTER) study. BMJ Open, 2019, 9, e030877.	0.8	8
88	Prophylactic plasma transfusion for patients without inherited bleeding disorders or anticoagulant use undergoing non-cardiac surgery or invasive procedures. The Cochrane Library, 2019, 2019, CD012745.	1.5	8
89	Development and implementation of the physiotherapy-led exercise interventions for the treatment of rotator cuff disorders for the â€~Getting it Right: Addressing Shoulder Pain' (GRASP) trial. Physiotherapy, 2020, 107, 252-266.	0.2	8
90	ltems for consideration in a reporting guideline for mediation analyses: a Delphi study. BMJ Evidence-Based Medicine, 2021, 26, 106-106.	1.7	8

#	Article	IF	CITATIONS
91	Compression stockings for preventing deep vein thrombosis in airline passengers. The Cochrane Library, 2021, 2021, CD004002.	1.5	8
92	Patch-augmented rotator cuff surgery (PARCS) study—protocol for a feasibility study. Pilot and Feasibility Studies, 2018, 4, 188.	0.5	7
93	Systematic review of the surgical management of rotator cuff repair with an augmentative patch: a feasibility study protocol. Systematic Reviews, 2018, 7, 187.	2.5	7
94	Patch augmentation surgery for rotator cuff repair: the PARCS mixed-methods feasibility study. Health Technology Assessment, 2021, 25, 1-138.	1.3	7
95	Reporting quality of trial protocols improved for non-regulated interventions but not regulated interventions: A repeated cross-sectional study. Journal of Clinical Epidemiology, 2021, 139, 340-349.	2.4	7
96	Influence of peer review on the reporting of primary outcome(s) and statistical analyses of randomised trials. Trials, 2018, 19, 30.	0.7	6
97	Interventions for preventing silent cerebral infarcts in people with sickle cell disease. The Cochrane Library, 2020, 2020, CD012389.	1.5	6
98	Randomised study within a trial (SWAT) to evaluate personalised versus standard text message prompts for increasing trial participant response to postal questionnaires (PROMPTS). Trials, 2021, 22, 502.	0.7	6
99	Base of thumb osteoarthritis in UK interface services—a cohort and survey-based study to assess current practice. Rheumatology, 2021, 60, 4094-4102.	0.9	6
100	Outcomes of importance to children and young adults with cerebral palsy, their parents and health professionals following lower limb orthopaedic surgery: A qualitative study to inform a Core Outcome Set. Health Expectations, 2022, 25, 925-935.	1.1	6
101	Reporting characteristics of non-primary publications of results of randomized trials: a cross-sectional review. Trials, 2013, 14, 240.	0.7	5
102	Development of a core outcome set for lower limb orthopaedic surgical interventions in ambulant children and young people with cerebral palsy: a study protocol. BMJ Open, 2020, 10, e034744.	0.8	5
103	Design, analysis and reporting of multi-arm trials and strategies to address multiple testing. International Journal of Epidemiology, 2020, 49, 968-978.	0.9	5
104	Outcome domains and measures after lower limb orthopaedic surgery for ambulant children with cerebral palsy: an updated scoping review. Developmental Medicine and Child Neurology, 2020, 62, 1138-1146.	1.1	5
105	A meta-research study revealed several challenges in obtaining placebos for investigator-initiated drug trials. Journal of Clinical Epidemiology, 2021, 131, 70-78.	2.4	5
106	Comparison of different platelet count thresholds to guide administration of prophylactic platelet transfusion for preventing bleeding in patients with haematological disorders after chemotherapy or stem cell transplantation. , 2014, , .		5
107	Patient-reported outcome measures following revision knee replacement: a review of PROM instrument utilisation and measurement properties using the COSMIN checklist. BMJ Open, 2021, 11, e046169.	0.8	5
108	A feasibility study to assess the design of a multicentre randomized controlled trial of the clinical and cost-effectiveness of a caregiving intervention for people following hip fracture surgery. Bone & Joint Open, 2021, 2, 909-920.	1.1	5

#	Article	IF	CITATIONS
109	Different doses of prophylactic platelet transfusion for preventing bleeding in patients with haematological disorders after chemotherapy or stem cell transplantation. , 2014, , .		4
110	Use of platelet transfusions prior to lumbar punctures or epidural anaesthesia for the prevention of complications in people with thrombocytopenia. , 2015, 2015, .		4
111	Regular long-term red blood cell transfusions for managing chronic chest complications in sickle cell disease. The Cochrane Library, 2019, 2019, .	1.5	4
112	Preoperative blood transfusions for sickle cell disease. The Cochrane Library, 2020, 7, CD003149.	1.5	3
113	Reporting guidelines for journal and conference abstracts. Journal of Clinical Epidemiology, 2020, 124, 186-192.	2.4	3
114	How are progression decisions made following external randomised pilot trials? A qualitative interview study and framework analysis. Trials, 2022, 23, 132.	0.7	3
115	A different Equator. International Journal of Pharmacy Practice, 2015, 23, 235-236.	0.3	2
116	Plasma transfusions prior to insertion of central lines for patients with abnormal coagulation. , 2015, 2015, .		2
117	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of rotator cuff disorders: statistical analysis plan for the Getting it Right: Addressing Shoulder Pain (GRASP) 2 × 2 factorial multicentre randomised controlled trial. Trials, 2020. 21. 767.	0.7	2
118	Assessing the transparency of informed consent in feasibility and pilot studies: a single-centre quality assurance study protocol. BMJ Open, 2020, 10, e036226.	0.8	2
119	Transparency of informed consent in pilot and feasibility studies is inadequate: a single-center quality assurance study. Pilot and Feasibility Studies, 2021, 7, 96.	0.5	2
120	Findings from the patch augmented rotator cuff surgery (PARCS) feasibility study. Pilot and Feasibility Studies, 2021, 7, 163.	0.5	2
121	CONSORT and Its Extensions for Reporting Clinical Trials. , 2020, , 1-15.		2
122	Standards to Improve the Reporting of Clinical Trials in Acupuncture. Acupuncture in Medicine, 2010, 28, 63-63.	0.4	1
123	Characteristics and Dissemination of Phase 1 Trials Approved by a UK Regional Office in 2012. JAMA - Journal of the American Medical Association, 2017, 317, 1799.	3.8	1
124	Exploring the factors that influence stakeholders' expectations and subsequent perception of lower limb orthopaedic surgical outcomes for ambulant children with cerebral palsy – a qualitative study. Disability and Rehabilitation, 2022, , 1-8.	0.9	1
125	Anti-TNF (adalimumab) injection for the treatment of adults with frozen shoulder during the pain predominant stage protocol for a multi-centre, randomised, double blind, parallel group, feasibility trial. NIHR Open Research, 0, 2, 28.	0.0	1
126	Overinterpretation and misreporting of prognostic factor and biomarker studies in medical oncology Journal of Clinical Oncology, 2017, 35, e14023-e14023.	0.8	0