

Martin Hgglund

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5689892/martin-hagglund-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

9,669
citations

43
h-index

98
g-index

112
ext. papers

11,479
ext. citations

6.2
avg, IF

6.49
L-index

#	Paper	IF	Citations
105	Epidemiology of muscle injuries in professional football (soccer). <i>American Journal of Sports Medicine</i> , 2011 , 39, 1226-32	6.8	762
104	Injury incidence and injury patterns in professional football: the UEFA injury study. <i>British Journal of Sports Medicine</i> , 2011 , 45, 553-8	10.3	747
103	Consensus statement on injury definitions and data collection procedures in studies of football (soccer) injuries. <i>British Journal of Sports Medicine</i> , 2006 , 40, 193-201	10.3	611
102	How much is too much? (Part 1) International Olympic Committee consensus statement on load in sport and risk of injury. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1030-41	10.3	434
101	Injuries affect team performance negatively in professional football: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 738-42	10.3	392
100	Previous injury as a risk factor for injury in elite football: a prospective study over two consecutive seasons. <i>British Journal of Sports Medicine</i> , 2006 , 40, 767-72	10.3	357
99	Hamstring injuries have increased by 4% annually in men's professional football, since 2001: a 13-year longitudinal analysis of the UEFA Elite Club injury study. <i>British Journal of Sports Medicine</i> , 2016 , 50, 731-7	10.3	326
98	Methods for epidemiological study of injuries to professional football players: developing the UEFA model. <i>British Journal of Sports Medicine</i> , 2005 , 39, 340-6	10.3	318
97	Consensus statement on injury definitions and data collection procedures in studies of football (soccer) injuries. <i>Clinical Journal of Sport Medicine</i> , 2006 , 16, 97-106	3.2	314
96	Hamstring muscle injuries in professional football: the correlation of MRI findings with return to play. <i>British Journal of Sports Medicine</i> , 2012 , 46, 112-7	10.3	306
95	Consensus statement on injury definitions and data collection procedures in studies of football (soccer) injuries. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2006 , 16, 83-92	4.6	293
94	Prevention of acute knee injuries in adolescent female football players: cluster randomised controlled trial. <i>BMJ, The</i> , 2012 , 344, e3042	5.9	245
93	Risk factors for lower extremity muscle injury in professional soccer: the UEFA Injury Study. <i>American Journal of Sports Medicine</i> , 2013 , 41, 327-35	6.8	235
92	UEFA Champions League study: a prospective study of injuries in professional football during the 2001-2002 season. <i>British Journal of Sports Medicine</i> , 2005 , 39, 542-6	10.3	234
91	How much is too much? (Part 2) International Olympic Committee consensus statement on load in sport and risk of illness. <i>British Journal of Sports Medicine</i> , 2016 , 50, 1043-52	10.3	215
90	Three distinct mechanisms predominate in non-contact anterior cruciate ligament injuries in male professional football players: a systematic video analysis of 39 cases. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1452-60	10.3	212
89	Anterior cruciate ligament injury in elite football: a prospective three-cohort study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011 , 19, 11-9	5.5	188

88	The epidemiology of anterior cruciate ligament injury in football (soccer): a review of the literature from a gender-related perspective. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011 , 19, 3-10	5.5	174
87	UEFA injury study: a prospective study of hip and groin injuries in professional football over seven consecutive seasons. <i>British Journal of Sports Medicine</i> , 2009 , 43, 1036-40	10.3	173
86	Injuries among male and female elite football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2009 , 19, 819-27	4.6	168
85	International Olympic Committee consensus statement: methods for recording and reporting of epidemiological data on injury and illness in sport 2020 (including STROBE Extension for Sport Injury and Illness Surveillance (STROBE-SIIS)). <i>British Journal of Sports Medicine</i> , 2020 , 54, 372-389	10.3	167
84	ACL injuries in men's professional football: a 15-year prospective study on time trends and return-to-play rates reveals only 65% of players still play at the top level 3 years after ACL rupture. <i>British Journal of Sports Medicine</i> , 2016 , 50, 744-50	10.3	161
83	Injury incidence and distribution in elite football--a prospective study of the Danish and the Swedish top divisions. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005 , 15, 21-8	4.6	159
82	Injuries in Swedish elite football--a prospective study on injury definitions, risk for injury and injury pattern during 2001. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005 , 15, 118-25	4.6	149
81	Fewer ligament injuries but no preventive effect on muscle injuries and severe injuries: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 732-7	10.3	147
80	Muscle injury rates in professional football increase with fixture congestion: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 743-7	10.3	145
79	A congested football calendar and the wellbeing of players: correlation between match exposure of European footballers before the World Cup 2002 and their injuries and performances during that World Cup. <i>British Journal of Sports Medicine</i> , 2004 , 38, 493-7	10.3	111
78	High risk of new knee injury in elite footballers with previous anterior cruciate ligament injury. <i>British Journal of Sports Medicine</i> , 2006 , 40, 158-62; discussion 158-62	10.3	109
77	Superior compliance with a neuromuscular training programme is associated with fewer ACL injuries and fewer acute knee injuries in female adolescent football players: secondary analysis of an RCT. <i>British Journal of Sports Medicine</i> , 2013 , 47, 974-9	10.3	106
76	The epidemiology of groin injury in senior football: a systematic review of prospective studies. <i>British Journal of Sports Medicine</i> , 2015 , 49, 792-7	10.3	90
75	Exposure and injury risk in Swedish elite football: a comparison between seasons 1982 and 2001. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2003 , 13, 364-70	4.6	87
74	UEFA injury study--an injury audit of European Championships 2006 to 2008. <i>British Journal of Sports Medicine</i> , 2009 , 43, 483-9	10.3	85
73	Time-trends and circumstances surrounding ankle injuries in men's professional football: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , 2013 , 47, 748-53	10.3	81
72	Comparison of injuries sustained on artificial turf and grass by male and female elite football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2011 , 21, 824-32	4.6	79
71	Epidemiology of patellar tendinopathy in elite male soccer players. <i>American Journal of Sports Medicine</i> , 2011 , 39, 1906-11	6.8	79

70	Predictors for additional anterior cruciate ligament reconstruction: data from the Swedish national ACL register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 885-94	5.5	65
69	Lower reinjury rate with a coach-controlled rehabilitation program in amateur male soccer: a randomized controlled trial. <i>American Journal of Sports Medicine</i> , 2007 , 35, 1433-42	6.8	62
68	Risk for injury when playing in a national football team. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2004 , 14, 34-8	4.6	61
67	Football injuries during European Championships 2004-2005. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2007 , 15, 1155-62	5.5	59
66	Injury recurrence is lower at the highest professional football level than at national and amateur levels: does sports medicine and sports physiotherapy deliver?. <i>British Journal of Sports Medicine</i> , 2016 , 50, 751-8	10.3	53
65	Regional differences in injury incidence in European professional football. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, 424-30	4.6	52
64	International Olympic Committee Consensus Statement: Methods for Recording and Reporting of Epidemiological Data on Injury and Illness in Sports 2020 (Including the STROBE Extension for Sports Injury and Illness Surveillance (STROBE-SIIS)). <i>Orthopaedic Journal of Sports Medicine</i> , 2020 , 8, 2325967120902908	3.5	45
63	Risk factors for acute knee injury in female youth football. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016 , 24, 737-46	5.5	45
62	Implementation of a neuromuscular training programme in female adolescent football: 3-year follow-up study after a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1425-30	10.3	40
61	Head and neck injuries in professional soccer. <i>Clinical Journal of Sport Medicine</i> , 2013 , 23, 255-60	3.2	40
60	Hip and groin time-loss injuries decreased slightly but injury burden remained constant in men's professional football: the 15-year prospective UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , 2019 , 53, 539-546	10.3	40
59	Muscle injury rate in professional football is higher in matches played within 5 days since the previous match: a 14-year prospective study with more than 130 000 match observations. <i>British Journal of Sports Medicine</i> , 2018 , 52, 1116-1122	10.3	40
58	Sport Medicine Diagnostic Coding System (SMDCS) and the Orchard Sports Injury and Illness Classification System (OSIICS): revised 2020 consensus versions. <i>British Journal of Sports Medicine</i> , 2020 , 54, 397-401	10.3	36
57	The Nordic Football Injury Audit: higher injury rates for professional football clubs with third-generation artificial turf at their home venue. <i>British Journal of Sports Medicine</i> , 2013 , 47, 775-81	10.3	36
56	Adoption and use of an injury prevention exercise program in female football: A qualitative study among coaches. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 1295-1303	4.6	34
55	Preventing knee injuries in adolescent female football players - design of a cluster randomized controlled trial [NCT00894595]. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 75	2.8	29
54	Medial collateral ligament injuries of the knee in male professional football players: a prospective three-season study of 130 cases from the UEFA Elite Club Injury Study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 3692-3698	5.5	28
53	Factors associated with playing football after anterior cruciate ligament reconstruction in female football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016 , 26, 1343-1352	4.6	28

52	Severe musculoskeletal time-loss injuries and symptoms of common mental disorders in professional soccer: a longitudinal analysis of 12-month follow-up data. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018 , 26, 946-954	5.5	27
51	No effect on performance tests from a neuromuscular warm-up programme in youth female football: a randomised controlled trial. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012 , 20, 2116-2355	5.5	27
50	Female Soccer Players With Anterior Cruciate Ligament Reconstruction Have a Higher Risk of New Knee Injuries and Quit Soccer to a Higher Degree Than Knee-Healthy Controls. <i>American Journal of Sports Medicine</i> , 2019 , 47, 31-40	6.8	27
49	Upper extremity injuries in male elite football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013 , 21, 1626-32	5.5	24
48	Comparison of injury incidences between football teams playing in different climatic regions. <i>Open Access Journal of Sports Medicine</i> , 2013 , 4, 251-60	2.9	23
47	Functional Performance Among Active Female Soccer Players After Unilateral Primary Anterior Cruciate Ligament Reconstruction Compared With Knee-Healthy Controls. <i>American Journal of Sports Medicine</i> , 2017 , 45, 377-385	6.8	21
46	Rehabilitation after first-time anterior cruciate ligament injury and reconstruction in female football players: a study of resilience factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016 , 8, 20	2.4	21
45	Match injury rates in professional soccer vary with match result, match venue, and type of competition. <i>American Journal of Sports Medicine</i> , 2013 , 41, 1505-10	6.8	18
44	High rate of second ACL injury following ACL reconstruction in male professional footballers: an updated longitudinal analysis from 118 players in the UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1350-1356	10.3	17
43	Role of illness in male professional football: not a major contributor to time loss. <i>British Journal of Sports Medicine</i> , 2016 , 50, 699-702	10.3	13
42	Forty-five per cent lower acute injury incidence but no effect on overuse injury prevalence in youth floorball players (aged 12-17 years) who used an injury prevention exercise programme: two-armed parallel-group cluster randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1028-1035	10.3	11
41	We have the injury prevention exercise programme, but how well do youth follow it?. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 463-468	4.4	10
40	Infographic. High rate of second ACL injury following ACL reconstruction in male professional footballers: an updated longitudinal analysis from 118 players in the UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1379-1380	10.3	10
39	Perspectives in football medicine. <i>Der Unfallchirurg</i> , 2018 , 121, 470-474	3.9	9
38	No Association Between Return to Play After Injury and Increased Rate of Anterior Cruciate Ligament Injury in Men's Professional Soccer. <i>Orthopaedic Journal of Sports Medicine</i> , 2016 , 4, 2325967116669708	3.5	9
37	Motivation for sports participation, injury prevention expectations, injury risk perceptions and health problems in youth floorball players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 3722-3732	5.5	8
36	Natural corollaries and recovery after acute ACL injury: the NACOX cohort study protocol. <i>BMJ Open</i> , 2018 , 8, e020543	3	8
35	A Nationwide Follow-up Survey on the Effectiveness of an Implemented Neuromuscular Training Program to Reduce Acute Knee Injuries in Soccer Players. <i>Orthopaedic Journal of Sports Medicine</i> , 2018 , 6, 2325967118813841	3.5	8

34	The importance of epidemiological research in sports medicine. <i>Apunts Medicine De L'Esport</i> , 2010 , 45, 57-59	0.6	7
33	No association between surface shifts and time-loss overuse injury risk in male professional football. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 218-221	4.4	6
32	Jumping performance based on duration of rehabilitation in female football players after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 556-563	5.5	6
31	Few training sessions between return to play and first match appearance are associated with an increased propensity for injury: a prospective cohort study of male professional football players during 16 consecutive seasons. <i>British Journal of Sports Medicine</i> , 2020 , 54, 427-432	10.3	6
30	Intra- and interrater reliability of subjective assessment of the drop vertical jump and tuck jump in youth athletes. <i>Physical Therapy in Sport</i> , 2021 , 47, 156-164	3	6
29	Jump performance in male and female football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 606-613	5.5	5
28	Limited positive effects on jump-landing technique in girls but not in boys after 8 weeks of injury prevention exercise training in youth football. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020 , 28, 528-537	5.5	5
27	Inter-rater Reliability in Assessing Exercise Fidelity for the Injury Prevention Exercise Programme Knee Control in Youth Football Players. <i>Sports Medicine - Open</i> , 2019 , 5, 35	6.1	4
26	Performance Effects with Injury Prevention Exercise Programmes in Male Youth Football Players: A Randomised Trial Comparing Two Interventions. <i>Sports Medicine - Open</i> , 2020 , 6, 56	6.1	4
25	2022 Bern Consensus Statement on Shoulder Injury Prevention, Rehabilitation, and Return to Sport for Athletes at All Participation Levels.. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 52, 11-28	4.2	4
24	Clinical Risk Profile for a Second Anterior Cruciate Ligament Injury in Female Soccer Players After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021 , 49, 1421-1430	6.8	4
23	Elite female footballers' stories of sociocultural factors, emotions, and behaviours prior to anterior cruciate ligament injury. <i>International Journal of Sport and Exercise Psychology</i> , 2019 , 17, 630-646	2.5	4
22	Epidemiological Data on LCL and PCL Injuries Over 17 Seasons in Men's Professional Soccer: The UEFA Elite Club Injury Study. <i>Open Access Journal of Sports Medicine</i> , 2020 , 11, 105-112	2.9	3
21	Are we making SMART decisions regarding return to training of injured football players? Preliminary results from a pilot study. <i>Isokinetics and Exercise Science</i> , 2018 , 26, 115-123	0.6	3
20	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , 2020 , 15, 395-406	1.4	3
19	Low correlation between functional performance and patient reported outcome measures in individuals with non-surgically treated ACL injury. <i>Physical Therapy in Sport</i> , 2021 , 47, 185-192	3	3
18	The Female Player: Special Considerations 2018 , 929-940		2
17	Re-injuries in Professional Football: The UEFA Elite Club Injury Study 2018 , 953-962		2

16	18 A nationwide follow-up on the effectiveness of an implemented neuromuscular training program to reduce severe knee injuries in football players 2018 ,		2
15	Epidemiology of patellar tendon injury in elite male soccer players. <i>British Journal of Sports Medicine</i> , 2011 , 45, 324-324	10.3	2
14	High Risk of New Knee Injuries in Female Soccer Players After Primary Anterior Cruciate Ligament Reconstruction at 5- to 10-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2021 , 49, 3479-3487	6.8	2
13	Community-level football injury epidemiology: traumatic injuries treated at Swedish emergency medical facilities. <i>European Journal of Public Health</i> , 2018 , 28, 94-99	2.1	2
12	Poor Validity of Functional Performance Tests to Predict Knee Injury in Female Soccer Players With or Without Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021 , 49, 1441-1450	6.8	2
11	Performance on sprint, agility and jump tests have moderate to strong correlations in youth football players but performance tests are weakly correlated to neuromuscular control tests. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 1659-1669	5.5	2
10	High compliance with the injury prevention exercise programme Knee Control is associated with a greater injury preventive effect in male, but not in female, youth floorball players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 1	5.5	1
9	Sports injury prevention programmes from the sports physical therapist's perspective: An international expert Delphi approach.. <i>Physical Therapy in Sport</i> , 2022 , 55, 146-154	3	1
8	Neuromuscular control and hop performance in youth and adult male and female football players.. <i>Physical Therapy in Sport</i> , 2022 , 55, 189-195	3	1
7	Influence of the COVID-19 Lockdown and Restart on the Injury Incidence and Injury Burden in Men's Professional Football Leagues in 2020: The UEFA Elite Club Injury Study.. <i>Sports Medicine - Open</i> , 2022 , 8, 67	6.1	1
6	Study protocol for a prospective cohort study identifying risk factors for sport injury in adolescent female football players: the Karolinska football Injury Cohort (KIC).. <i>BMJ Open</i> , 2022 , 12, e055063	3	0
5	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , 2020 , 15, 395-406	1.4	0
4	Illness prevalence and symptoms in youth floorball players: a one-season prospective cohort study involving 471 players.. <i>BMJ Open</i> , 2021 , 11, e051902	3	0
3	The Knee Control Prevention Programme 2018 , 919-927		
2	Return to Play After Complex Knee Injuries: Return to Play After Medial Collateral Ligament Injuries 2018 , 509-524		
1	Data collection procedures for football injuries in lower leagues: Is there a need for an updated consensus statement?. <i>Science and Medicine in Football</i> , 2017 , 1, 93-94	2.7	