

# Martin Hgglund

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5689892/martin-hagglund-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105  
papers

9,669  
citations

43  
h-index

98  
g-index

112  
ext. papers

11,479  
ext. citations

6.2  
avg, IF

6.49  
L-index

#	Paper	IF	Citations
105	Study protocol for a prospective cohort study identifying risk factors for sport injury in adolescent female football players: the Karolinska football Injury Cohort (KIC).. <i>BMJ Open</i> , <b>2022</b> , 12, e055063	3	0
104	2022 Bern Consensus Statement on Shoulder Injury Prevention, Rehabilitation, and Return to Sport for Athletes at All Participation Levels.. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2022</b> , 52, 11-28	4.2	4
103	Sports injury prevention programmes from the sports physical therapist's perspective: An international expert Delphi approach.. <i>Physical Therapy in Sport</i> , <b>2022</b> , 55, 146-154	3	1
102	Neuromuscular control and hop performance in youth and adult male and female football players.. <i>Physical Therapy in Sport</i> , <b>2022</b> , 55, 189-195	3	1
101	Influence of the COVID-19 Lockdown and Restart on the Injury Incidence and Injury Burden in Men's Professional Football Leagues in 2020: The UEFA Elite Club Injury Study.. <i>Sports Medicine - Open</i> , <b>2022</b> , 8, 67	6.1	1
100	High Risk of New Knee Injuries in Female Soccer Players After Primary Anterior Cruciate Ligament Reconstruction at 5- to 10-Year Follow-up. <i>American Journal of Sports Medicine</i> , <b>2021</b> , 49, 3479-3487	6.8	2
99	High rate of second ACL injury following ACL reconstruction in male professional footballers: an updated longitudinal analysis from 118 players in the UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , <b>2021</b> , 55, 1350-1356	10.3	17
98	Clinical Risk Profile for a Second Anterior Cruciate Ligament Injury in Female Soccer Players After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , <b>2021</b> , 49, 1421-1430	6.8	4
97	Poor Validity of Functional Performance Tests to Predict Knee Injury in Female Soccer Players With or Without Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , <b>2021</b> , 49, 1441-1450	6.8	2
96	Infographic. High rate of second ACL injury following ACL reconstruction in male professional footballers: an updated longitudinal analysis from 118 players in the UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , <b>2021</b> , 55, 1379-1380	10.3	10
95	Performance on sprint, agility and jump tests have moderate to strong correlations in youth football players but performance tests are weakly correlated to neuromuscular control tests. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2021</b> , 29, 1659-1669	5.5	2
94	Low correlation between functional performance and patient reported outcome measures in individuals with non-surgically treated ACL injury. <i>Physical Therapy in Sport</i> , <b>2021</b> , 47, 185-192	3	3
93	Intra- and interrater reliability of subjective assessment of the drop vertical jump and tuck jump in youth athletes. <i>Physical Therapy in Sport</i> , <b>2021</b> , 47, 156-164	3	6
92	High compliance with the injury prevention exercise programme Knee Control is associated with a greater injury preventive effect in male, but not in female, youth floorball players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2021</b> , 1	5.5	1
91	Illness prevalence and symptoms in youth floorball players: a one-season prospective cohort study involving 471 players.. <i>BMJ Open</i> , <b>2021</b> , 11, e051902	3	0
90	Epidemiological Data on LCL and PCL Injuries Over 17 Seasons in Men's Professional Soccer: The UEFA Elite Club Injury Study. <i>Open Access Journal of Sports Medicine</i> , <b>2020</b> , 11, 105-112	2.9	3
89	Sport Medicine Diagnostic Coding System (SMDCS) and the Orchard Sports Injury and Illness Classification System (OSIICS): revised 2020 consensus versions. <i>British Journal of Sports Medicine</i> , <b>2020</b> , 54, 397-401	10.3	36

88	International Olympic Committee Consensus Statement: Methods for Recording and Reporting of Epidemiological Data on Injury and Illness in Sports 2020 (Including the STROBE Extension for Sports Injury and Illness Surveillance (STROBE-SIIS)). <i>Orthopaedic Journal of Sports Medicine</i> , <b>2020</b> , 8, 232-296	3.5	45
87	Forty-five per cent lower acute injury incidence but no effect on overuse injury prevalence in youth floorball players (aged 12-17 years) who used an injury prevention exercise programme: two-armed parallel-group cluster randomised controlled trial. <i>British Journal of Sports Medicine</i> , <b>2020</b> , 54, 1028-1035	10.3	11
86	International Olympic Committee consensus statement: methods for recording and reporting of epidemiological data on injury and illness in sport 2020 (including STROBE Extension for Sport Injury and Illness Surveillance (STROBE-SIIS)). <i>British Journal of Sports Medicine</i> , <b>2020</b> , 54, 372-389	10.3	167
85	Performance Effects with Injury Prevention Exercise Programmes in Male Youth Football Players: A Randomised Trial Comparing Two Interventions. <i>Sports Medicine - Open</i> , <b>2020</b> , 6, 56	6.1	4
84	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , <b>2020</b> , 15, 395-406	1.4	0
83	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , <b>2020</b> , 15, 395-406	1.4	3
82	Jump performance in male and female football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2020</b> , 28, 606-613	5.5	5
81	We have the injury prevention exercise programme, but how well do youth follow it?. <i>Journal of Science and Medicine in Sport</i> , <b>2020</b> , 23, 463-468	4.4	10
80	Limited positive effects on jump-landing technique in girls but not in boys after 8 weeks of injury prevention exercise training in youth football. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2020</b> , 28, 528-537	5.5	5
79	Few training sessions between return to play and first match appearance are associated with an increased propensity for injury: a prospective cohort study of male professional football players during 16 consecutive seasons. <i>British Journal of Sports Medicine</i> , <b>2020</b> , 54, 427-432	10.3	6
78	Inter-rater Reliability in Assessing Exercise Fidelity for the Injury Prevention Exercise Programme Knee Control in Youth Football Players. <i>Sports Medicine - Open</i> , <b>2019</b> , 5, 35	6.1	4
77	Motivation for sports participation, injury prevention expectations, injury risk perceptions and health problems in youth floorball players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2019</b> , 27, 3722-3732	5.5	8
76	Medial collateral ligament injuries of the knee in male professional football players: a prospective three-season study of 130 cases from the UEFA Elite Club Injury Study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2019</b> , 27, 3692-3698	5.5	28
75	Female Soccer Players With Anterior Cruciate Ligament Reconstruction Have a Higher Risk of New Knee Injuries and Quit Soccer to a Higher Degree Than Knee-Healthy Controls. <i>American Journal of Sports Medicine</i> , <b>2019</b> , 47, 31-40	6.8	27
74	Jumping performance based on duration of rehabilitation in female football players after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2019</b> , 27, 556-563	5.5	6
73	Hip and groin time-loss injuries decreased slightly but injury burden remained constant in men's professional football: the 15-year prospective UEFA Elite Club Injury Study. <i>British Journal of Sports Medicine</i> , <b>2019</b> , 53, 539-546	10.3	40
72	Elite female footballers' stories of sociocultural factors, emotions, and behaviours prior to anterior cruciate ligament injury. <i>International Journal of Sport and Exercise Psychology</i> , <b>2019</b> , 17, 630-646	2.5	4
71	Are we making SMART decisions regarding return to training of injured football players? Preliminary results from a pilot study. <i>Isokinetics and Exercise Science</i> , <b>2018</b> , 26, 115-123	0.6	3

70 The Knee Control Prevention Programme **2018**, 919-927

69	Perspectives in football medicine. <i>Der Unfallchirurg</i> , <b>2018</b> , 121, 470-474	3.9	9
68	Return to Play After Complex Knee Injuries: Return to Play After Medial Collateral Ligament Injuries <b>2018</b> , 509-524		
67	The Female Player: Special Considerations <b>2018</b> , 929-940		2
66	Re-injuries in Professional Football: The UEFA Elite Club Injury Study <b>2018</b> , 953-962		2
65	Severe musculoskeletal time-loss injuries and symptoms of common mental disorders in professional soccer: a longitudinal analysis of 12-month follow-up data. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2018</b> , 26, 946-954	5.5	27
64	Natural corollaries and recovery after acute ACL injury: the NACOX cohort study protocol. <i>BMJ Open</i> , <b>2018</b> , 8, e020543	3	8
63	18 A nationwide follow-up on the effectiveness of an implemented neuromuscular training program to reduce severe knee injuries in football players <b>2018</b> ,		2
62	Community-level football injury epidemiology: traumatic injuries treated at Swedish emergency medical facilities. <i>European Journal of Public Health</i> , <b>2018</b> , 28, 94-99	2.1	2
61	Muscle injury rate in professional football is higher in matches played within 5 days since the previous match: a 14-year prospective study with more than 130 000 match observations. <i>British Journal of Sports Medicine</i> , <b>2018</b> , 52, 1116-1122	10.3	40
60	Adoption and use of an injury prevention exercise program in female football: A qualitative study among coaches. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2018</b> , 28, 1295-1303	4.6	34
59	A Nationwide Follow-up Survey on the Effectiveness of an Implemented Neuromuscular Training Program to Reduce Acute Knee Injuries in Soccer Players. <i>Orthopaedic Journal of Sports Medicine</i> , <b>2018</b> , 6, 2325967118813841	3.5	8
58	Functional Performance Among Active Female Soccer Players After Unilateral Primary Anterior Cruciate Ligament Reconstruction Compared With Knee-Healthy Controls. <i>American Journal of Sports Medicine</i> , <b>2017</b> , 45, 377-385	6.8	21
57	Data collection procedures for football injuries in lower leagues: Is there a need for an updated consensus statement?. <i>Science and Medicine in Football</i> , <b>2017</b> , 1, 93-94	2.7	
56	No association between surface shifts and time-loss overuse injury risk in male professional football. <i>Journal of Science and Medicine in Sport</i> , <b>2016</b> , 19, 218-221	4.4	6
55	Predictors for additional anterior cruciate ligament reconstruction: data from the Swedish national ACL register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2016</b> , 24, 885-94	5.5	65
54	No Association Between Return to Play After Injury and Increased Rate of Anterior Cruciate Ligament Injury in Men's Professional Soccer. <i>Orthopaedic Journal of Sports Medicine</i> , <b>2016</b> , 4, 2325967116669708	3.5	708
53	Risk factors for acute knee injury in female youth football. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2016</b> , 24, 737-46	5.5	45

52	Hamstring injuries have increased by 4% annually in men's professional football, since 2001: a 13-year longitudinal analysis of the UEFA Elite Club injury study. <i>British Journal of Sports Medicine</i> , <b>2016</b> , 50, 731-7	10.3	326
51	Factors associated with playing football after anterior cruciate ligament reconstruction in female football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2016</b> , 26, 1343-1352	4.6	28
50	How much is too much? (Part 2) International Olympic Committee consensus statement on load in sport and risk of illness. <i>British Journal of Sports Medicine</i> , <b>2016</b> , 50, 1043-52	10.3	215
49	ACL injuries in men's professional football: a 15-year prospective study on time trends and return-to-play rates reveals only 65% of players still play at the top level 3 years after ACL rupture. <i>British Journal of Sports Medicine</i> , <b>2016</b> , 50, 744-50	10.3	161
48	Role of illness in male professional football: not a major contributor to time loss. <i>British Journal of Sports Medicine</i> , <b>2016</b> , 50, 699-702	10.3	13
47	Rehabilitation after first-time anterior cruciate ligament injury and reconstruction in female football players: a study of resilience factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , <b>2016</b> , 8, 20	2.4	21
46	How much is too much? (Part 1) International Olympic Committee consensus statement on load in sport and risk of injury. <i>British Journal of Sports Medicine</i> , <b>2016</b> , 50, 1030-41	10.3	434
45	Injury recurrence is lower at the highest professional football level than at national and amateur levels: does sports medicine and sports physiotherapy deliver?. <i>British Journal of Sports Medicine</i> , <b>2016</b> , 50, 751-8	10.3	53
44	Three distinct mechanisms predominate in non-contact anterior cruciate ligament injuries in male professional football players: a systematic video analysis of 39 cases. <i>British Journal of Sports Medicine</i> , <b>2015</b> , 49, 1452-60	10.3	212
43	The epidemiology of groin injury in senior football: a systematic review of prospective studies. <i>British Journal of Sports Medicine</i> , <b>2015</b> , 49, 792-7	10.3	90
42	Implementation of a neuromuscular training programme in female adolescent football: 3-year follow-up study after a randomised controlled trial. <i>British Journal of Sports Medicine</i> , <b>2014</b> , 48, 1425-30	10.3	40
41	Regional differences in injury incidence in European professional football. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2013</b> , 23, 424-30	4.6	52
40	Upper extremity injuries in male elite football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2013</b> , 21, 1626-32	5.5	24
39	Muscle injury rates in professional football increase with fixture congestion: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 743-7	10.3	145
38	Risk factors for lower extremity muscle injury in professional soccer: the UEFA Injury Study. <i>American Journal of Sports Medicine</i> , <b>2013</b> , 41, 327-35	6.8	235
37	Time-trends and circumstances surrounding ankle injuries in men's professional football: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 748-53	10.3	81
36	Head and neck injuries in professional soccer. <i>Clinical Journal of Sport Medicine</i> , <b>2013</b> , 23, 255-60	3.2	40
35	Fewer ligament injuries but no preventive effect on muscle injuries and severe injuries: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 732-7	10.3	147

34	The Nordic Football Injury Audit: higher injury rates for professional football clubs with third-generation artificial turf at their home venue. <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 775-81	10.3	36
33	Match injury rates in professional soccer vary with match result, match venue, and type of competition. <i>American Journal of Sports Medicine</i> , <b>2013</b> , 41, 1505-10	6.8	18
32	Superior compliance with a neuromuscular training programme is associated with fewer ACL injuries and fewer acute knee injuries in female adolescent football players: secondary analysis of an RCT. <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 974-9	10.3	106
31	Injuries affect team performance negatively in professional football: an 11-year follow-up of the UEFA Champions League injury study. <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 738-42	10.3	392
30	Comparison of injury incidences between football teams playing in different climatic regions. <i>Open Access Journal of Sports Medicine</i> , <b>2013</b> , 4, 251-60	2.9	23
29	No effect on performance tests from a neuromuscular warm-up programme in youth female football: a randomised controlled trial. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2012</b> , 20, 2116-23	5.5	27
28	Hamstring muscle injuries in professional football: the correlation of MRI findings with return to play. <i>British Journal of Sports Medicine</i> , <b>2012</b> , 46, 112-7	10.3	306
27	Prevention of acute knee injuries in adolescent female football players: cluster randomised controlled trial. <i>BMJ, The</i> , <b>2012</b> , 344, e3042	5.9	245
26	Epidemiology of muscle injuries in professional football (soccer). <i>American Journal of Sports Medicine</i> , <b>2011</b> , 39, 1226-32	6.8	762
25	Comparison of injuries sustained on artificial turf and grass by male and female elite football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2011</b> , 21, 824-32	4.6	79
24	Anterior cruciate ligament injury in elite football: a prospective three-cohort study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2011</b> , 19, 11-9	5.5	188
23	The epidemiology of anterior cruciate ligament injury in football (soccer): a review of the literature from a gender-related perspective. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2011</b> , 19, 3-10	5.5	174
22	Epidemiology of patellar tendinopathy in elite male soccer players. <i>American Journal of Sports Medicine</i> , <b>2011</b> , 39, 1906-11	6.8	79
21	Injury incidence and injury patterns in professional football: the UEFA injury study. <i>British Journal of Sports Medicine</i> , <b>2011</b> , 45, 553-8	10.3	747
20	Epidemiology of patellar tendon injury in elite male soccer players. <i>British Journal of Sports Medicine</i> , <b>2011</b> , 45, 324-324	10.3	2
19	The importance of epidemiological research in sports medicine. <i>Apunts Medicine De L'Esport</i> , <b>2010</b> , 45, 57-59	0.6	7
18	UEFA injury study: a prospective study of hip and groin injuries in professional football over seven consecutive seasons. <i>British Journal of Sports Medicine</i> , <b>2009</b> , 43, 1036-40	10.3	173
17	UEFA injury study--an injury audit of European Championships 2006 to 2008. <i>British Journal of Sports Medicine</i> , <b>2009</b> , 43, 483-9	10.3	85

16	Preventing knee injuries in adolescent female football players - design of a cluster randomized controlled trial [NCT00894595]. <i>BMC Musculoskeletal Disorders</i> , <b>2009</b> , 10, 75	2.8	29
15	Injuries among male and female elite football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2009</b> , 19, 819-27	4.6	168
14	Football injuries during European Championships 2004-2005. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2007</b> , 15, 1155-62	5.5	59
13	Lower reinjury rate with a coach-controlled rehabilitation program in amateur male soccer: a randomized controlled trial. <i>American Journal of Sports Medicine</i> , <b>2007</b> , 35, 1433-42	6.8	62
12	Consensus statement on injury definitions and data collection procedures in studies of football (soccer) injuries. <i>Clinical Journal of Sport Medicine</i> , <b>2006</b> , 16, 97-106	3.2	314
11	High risk of new knee injury in elite footballers with previous anterior cruciate ligament injury. <i>British Journal of Sports Medicine</i> , <b>2006</b> , 40, 158-62; discussion 158-62	10.3	109
10	Consensus statement on injury definitions and data collection procedures in studies of football (soccer) injuries. <i>British Journal of Sports Medicine</i> , <b>2006</b> , 40, 193-201	10.3	611
9	Previous injury as a risk factor for injury in elite football: a prospective study over two consecutive seasons. <i>British Journal of Sports Medicine</i> , <b>2006</b> , 40, 767-72	10.3	357
8	Consensus statement on injury definitions and data collection procedures in studies of football (soccer) injuries. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2006</b> , 16, 83-92	4.6	293
7	Methods for epidemiological study of injuries to professional football players: developing the UEFA model. <i>British Journal of Sports Medicine</i> , <b>2005</b> , 39, 340-6	10.3	318
6	Injuries in Swedish elite football--a prospective study on injury definitions, risk for injury and injury pattern during 2001. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2005</b> , 15, 118-25	4.6	149
5	Injury incidence and distribution in elite football--a prospective study of the Danish and the Swedish top divisions. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2005</b> , 15, 21-8	4.6	159
4	UEFA Champions League study: a prospective study of injuries in professional football during the 2001-2002 season. <i>British Journal of Sports Medicine</i> , <b>2005</b> , 39, 542-6	10.3	234
3	A congested football calendar and the wellbeing of players: correlation between match exposure of European footballers before the World Cup 2002 and their injuries and performances during that World Cup. <i>British Journal of Sports Medicine</i> , <b>2004</b> , 38, 493-7	10.3	111
2	Risk for injury when playing in a national football team. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2004</b> , 14, 34-8	4.6	61
1	Exposure and injury risk in Swedish elite football: a comparison between seasons 1982 and 2001. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2003</b> , 13, 364-70	4.6	87