Adolfo Garcia-OcaÃ±a

List of Publications by Year
in descending order

46 papers	3,163 citations	201674 27 h-index	233421 45 g-index
50 all docs	50 docs citations	50 times ranked	4043 citing authors

#	Article	IF	Citations
1	Nrf2 Regulates Î²-Cell Mass by Suppressing Î²-Cell Death and Promoting Î²-Cell Proliferation. Diabetes, 2022, 71, 989-1011.	0.6	14
2	A novel therapeutic combination of sitagliptin and melatonin regenerates pancreatic Î²-cells in mouse and human islets. Biochimica Et Biophysica Acta - Molecular Cell Research, 2022, 1869, 119263.	4.1	8
3	Nrf2: The Master and Captain of Beta Cell Fate. Trends in Endocrinology and Metabolism, 2021, 32, 7-19.	7.1	56
4	The many lives of Myc in the pancreatic Î²-cell. Journal of Biological Chemistry, 2021, 296, 100122.	3.4	16
5	GLP-1 receptor signaling increases PCSK1 and Î² cell features in human Î± cells. JCI Insight, 2021, 6, .	5.0	24
6	DYRK1A Inhibitors as Potential Therapeutics for Î²-Cell Regeneration for Diabetes. Journal of Medicinal Chemistry, 2021, 64, 2901-2922.	6.4	38
7	Human Beta Cell Regenerative Drug Therapy for Diabetes: Past Achievements and Future Challenges. Frontiers in Endocrinology, 2021, 12, 671946.	3.5	24
8	A 3D atlas of the dynamic and regional variation of pancreatic innervation in diabetes. Science Advances, 2020, 6, .	10.3	33
9	Lactogens Reduce Endoplasmic Reticulum Stressâ€"Induced Rodent and Human Î²-Cell Death and Diabetes Incidence in Akita Mice. Diabetes, 2020, 69, 1463-1475.	0.6	10
10	Dextran Sulfate Protects Pancreatic Î²-Cells, Reduces Autoimmunity, and Ameliorates Type 1 Diabetes. Diabetes, 2020, 69, 1692-1707.	0.6	10
11	Glucose-dependent partitioning of arginine to the urea cycle protects Î²-cells from inflammation. Nature Metabolism, 2020, 2, 432-446.	11.9	27
12	GLP-1 receptor agonists synergize with DYRK1A inhibitors to potentiate functional human Î² cell regeneration. Science Translational Medicine, 2020, 12, .	12.4	81
13	Synthesis and Biological Validation of a Harmine-Based, Central Nervous System (CNS)-Avoidant, Selective, Human Î²-Cell Regenerative Dual-Specificity Tyrosine Phosphorylation-Regulated Kinase A (DYRK1A) Inhibitor. Journal of Medicinal Chemistry, 2020, 63, 2986-3003.	6.4	36
14	Pharmacologic and genetic approaches define human pancreatic Î² cell mitogenic targets of DYRK1A inhibitors. JCI Insight, 2020, 5, .	5.0	35
15	Integrated human pseudoislet system and microfluidic platform demonstrate differences in GPCR signaling in islet cells. JCI Insight, 2020, 5, .	5.0	35
16	SUN-654 Dynamic and Regional Variation of Pancreatic Innervation in Diabetes. Journal of the Endocrine Society, 2020, 4, .	0.2	0
17	Myc Is Required for Adaptive Î²-Cell Replication in Young Mice but Is Not Sufficient in One-Year-Old Mice Fed With a High-Fat Diet. Diabetes, 2019, 68, 1934-1949.	0.6	23
18	Adipsin preserves beta cells in diabetic mice and associates with protection from type 2 diabetes in humans. Nature Medicine, 2019, 25, 1739-1747.	30.7	100

#	Article	IF	Citations
19	Hypusine biosynthesis in Î² cells links polyamine metabolism to facultative cellular proliferation to maintain glucose homeostasis. Science Signaling, 2019, 12, .	3.6	37
20	Combined Inhibition of DYRK1A, SMAD, and Trithorax Pathways Synergizes to Induce Robust Replication in Adult Human Beta Cells. Cell Metabolism, 2019, 29, 638-652.e5.	16.2	113
21	Lambertâ€"Eaton myasthenic syndrome: mouse passiveâ€transfer model illuminates disease pathology and facilitates testing therapeutic leads. Annals of the New York Academy of Sciences, 2018, 1412, 73-81.	3.8	14
22	Inhibition of Atypical Protein Kinase C Reduces Inflammation-Induced Retinal Vascular Permeability. American Journal of Pathology, 2018, 188, 2392-2405.	3.8	18
23	Activation of Nrf2 Is Required for Normal and ChREBPÎ±-Augmented Glucose-Stimulated Î²-Cell Proliferation. Diabetes, 2018, 67, 1561-1575.	0.6	31
24	Circulating Levels of Bone and Inflammatory Markers in Gestational Diabetes Mellitus. BioResearch Open Access, 2018, 7, 123-130.	2.6	13
25	CDK4/6 Inhibition on Glucose and Pancreatic Beta Cell Homeostasis in Young and Aged Rats. Molecular Cancer Research, 2017, 15, 1531-1541.	3.4	15
26	Parathyroid Hormone-Related Peptide (1-36) Enhances Beta Cell Regeneration and Increases Beta Cell Mass in a Mouse Model of Partial Pancreatectomy. PLoS ONE, 2016, 11, e0158414.	2.5	19
27	PKCÎ¶ Is Essential for Pancreatic Î²-Cell Replication During Insulin Resistance by Regulating mTOR and Cyclin-D2. Diabetes, 2016, 65, 1283-1296.	0.6	40
28	Glucose Induces Mouse Î²-Cell Proliferation via IRS2, MTOR, and Cyclin D2 but Not the Insulin Receptor. Diabetes, 2016, 65, 981-995.	0.6	85
29	Human Î²-Cell Proliferation and Intracellular Signaling: Part 3. Diabetes, 2015, 64, 1872-1885.	0.6	120
30	Phospho-BAD BH3 Mimicry Protects Î² Cells and Restores Functional Î² Cell Mass in Diabetes. Cell Reports, 2015, 10, 497-504.	6.4	26
31	Diabetes mellitusâ€"advances and challenges in human Î²-cell proliferation. Nature Reviews Endocrinology, 2015, 11, 201-212.	9.6	169
32	Osteoprotegerin and Denosumab Stimulate Human Beta Cell Proliferation through Inhibition of the Receptor Activator of NF-ÎºB Ligand Pathway. Cell Metabolism, 2015, 22, 77-85.	16.2	128
33	MYC oncogene overexpression drives renal cell carcinoma in a mouse model through glutamine metabolism. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 6539-6544.	7.1	211
34	A high-throughput chemical screen reveals that harmine-mediated inhibition of DYRK1A increases human pancreatic beta cell replication. Nature Medicine, 2015, 21, 383-388.	30.7	313
35	Targeted delivery of HGF to the skeletal muscle improves glucose homeostasis in diet-induced obese mice. Journal of Physiology and Biochemistry, 2015, 71, 795-805.	3.0	12
36	Hepatocyte Growth Factor/c-Met Signaling Is Required for Î²-Cell Regeneration. Diabetes, 2014, 63, 216-223.	0.6	63

#	Article	IF	Citations
37	Human Î²-Cell Proliferation and Intracellular Signaling Part 2: Still Driving in the Dark Without a Road Map. Diabetes, 2014, 63, 819-831.	0.6	155
38	ChREBP Mediates Glucose-Stimulated Pancreatic Î²-Cell Proliferation. Diabetes, 2012, 61, 2004-2015.	0.6	98
39	Loss of HGF/c-Met Signaling in Pancreatic Î²-Cells Leads to Incomplete Maternal Î²-Cell Adaptation and Gestational Diabetes Mellitus. Diabetes, 2012, 61, 1143-1152.	0.6	96
40	Mechanisms in the adaptation of maternal Î²-cells during pregnancy. Diabetes Management, 2011, 1, 239-248.	0.5	81
41	Disruption of Hepatocyte Growth Factor/c-Met Signaling Enhances Pancreatic Î²-Cell Death and Accelerates the Onset of Diabetes. Diabetes, 2011, 60, 525-536.	0.6	104
42	Activation of Protein Kinase C-Î¶ in Pancreatic Î²-Cells In Vivo Improves Glucose Tolerance and Induces Î²-Cell Expansion via mTOR Activation. Diabetes, 2011, 60, 2546-2559.	0.6	42
43	Parathyroid Hormoneâ€"Related Protein Enhances Human Î²-Cell Proliferation and Function With Associated Induction of Cyclin-Dependent Kinase 2 and Cyclin E Expression. Diabetes, 2010, 59, 3131-3138.	0.6	55
44	Protein Kinase C-Î¶ Activation Markedly Enhances Î²-Cell Proliferation. Diabetes, 2007, 56, 2732-2743.	0.6	73
45	Glucose Infusion in Mice: A New Model to Induce Â-Cell Replication. Diabetes, 2007, 56, 1792-1801.	0.6	236
46	Hepatocyte Growth Factor Overexpression in the Islet of Transgenic Mice Increases Beta Cell Proliferation, Enhances Islet Mass, and Induces Mild Hypoglycemia. Journal of Biological Chemistry, 2000, 275, 1226-1232.	3.4	219