

Wei Guo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/569051/publications.pdf>

Version: 2024-02-01

226
papers

7,013
citations

87888

38
h-index

91884

69
g-index

239
all docs

239
docs citations

239
times ranked

9074
citing authors

#	ARTICLE	IF	CITATIONS
1	Prenatal inflammation exposure-programmed hypertension exhibits multi-generational inheritance via disrupting DNA methylome. <i>Acta Pharmacologica Sinica</i> , 2022, 43, 1419-1429.	6.1	3
2	The regulatory role of MiR-203 in oxidative stress induced cell injury through the CBS/H2S pathway. <i>Nitric Oxide - Biology and Chemistry</i> , 2022, 118, 31-38.	2.7	5
3	Liquid chromatography-tandem mass spectrometry (LC-MS/MS) based assay for the simultaneous quantification of 18-hydroxycorticosterone, 18-hydroxycortisol and 18-oxocortisol in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022, 1188, 123030.	2.3	9
4	Plasma extracellular vesicle microRNA profiling and the identification of a diagnostic signature for stage I lung adenocarcinoma. <i>Cancer Science</i> , 2022, 113, 648-659.	3.9	16
5	Combined strategy of knowledge-based rule selection and historical data percentile-based range determination to improve an autoverification system for clinical chemistry test results. <i>Journal of Clinical Laboratory Analysis</i> , 2022, , e24233.	2.1	2
6	Gene expression profiling and functional analysis of ventricular tissues from murine transverse aortic constriction. <i>Gene</i> , 2022, 813, 146093.	2.2	0
7	High serum soluble CD155 level predicts poor prognosis and correlates with an immunosuppressive tumor microenvironment in hepatocellular carcinoma. <i>Journal of Clinical Laboratory Analysis</i> , 2022, 36, e24259.	2.1	10
8	Genetic Characteristics of Incidental Pheochromocytoma and Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1835-e1842.	3.6	6
9	A LC-MS/MS method to simultaneously profile 14 free monosaccharides in biofluids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022, 1192, 123086.	2.3	5
10	An activatable fluorescent probe for imaging endogenous nitric oxide via the eNOS enzymatic pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2022, 59, 128544.	2.2	5
11	Molecular characterization of echovirus 9 strains isolated from hand-foot-and-mouth disease in Kunming, Yunnan Province, China. <i>Scientific Reports</i> , 2022, 12, 2293.	3.3	5
12	Phycocyanin ameliorates mouse colitis via phycocyanobilin-dependent antioxidant and anti-inflammatory protection of the intestinal epithelial barrier. <i>Food and Function</i> , 2022, 13, 3294-3307.	4.6	24
13	A novel prognostic model for hepatocellular carcinoma based on 5 microRNAs related to vascular invasion. <i>BMC Medical Genomics</i> , 2022, 15, 34.	1.5	6
14	Hsa_circ_0003945 promotes progression of hepatocellular carcinoma by mediating miR-34c-5p/LGR4/β-catenin axis activity. <i>Journal of Cellular and Molecular Medicine</i> , 2022, , .	3.6	4
15	Evaluation of the EUCAST Rapid Antimicrobial Susceptibility Test for Enterobacterales-Containing Blood Cultures in China. <i>Journal of Clinical Microbiology</i> , 2022, 60, e0255921.	3.9	2
16	Evaluation of a cardiac troponin process flow at the chest pain center with the shortest turnaround time. <i>Journal of Clinical Laboratory Analysis</i> , 2022, 36, e24335.	2.1	2
17	Loss of SIRT5 promotes bile acid-induced immunosuppressive microenvironment and hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2022, 77, 453-466.	3.7	50
18	Comprehensive Analysis of HHLA2 as a Prognostic Biomarker and Its Association With Immune Infiltrates in Hepatocellular Carcinoma. <i>Frontiers in Immunology</i> , 2022, 13, 831101.	4.8	7

#	ARTICLE	IF	CITATIONS
19	CD155/SRC complex promotes hepatocellular carcinoma progression via inhibiting the p38 MAPK signalling pathway and correlates with poor prognosis. <i>Clinical and Translational Medicine</i> , 2022, 12, e794.	4.0	13
20	Mass spectrometry-based cortisol profiling during adrenal venous sampling reveals misdiagnosis for subtyping primary aldosteronism. <i>Clinical Endocrinology</i> , 2022, 96, 680-689.	2.4	5
21	Complete Genome Analysis of A New Strain of Coxsackievirus A1 Associated with Severe HFMD in Yunnan, China.. <i>Biomedical and Environmental Sciences</i> , 2022, 35, 248-253.	0.2	0
22	Three-Year Follow-Up of Neoadjuvant Programmed Cell Death Protein-1 Inhibitor (Sintilimab) in NSCLC. <i>Journal of Thoracic Oncology</i> , 2022, 17, 909-920.	1.1	28
23	Dissecting transcriptional heterogeneity in multiple primary lung cancer by single cell RNA sequencing.. <i>Journal of Clinical Oncology</i> , 2022, 40, e20516-e20516.	1.6	0
24	An ultra-sensitive assay using cell-free DNA fragmentomics for multi-cancer early detection.. <i>Journal of Clinical Oncology</i> , 2022, 40, 3037-3037.	1.6	0
25	Circulating tumor cell detection and single-cell analysis using an integrated workflow based on ChimeraX [®] 120 Platform: A prospective study. <i>Molecular Oncology</i> , 2021, 15, 2345-2362.	4.6	9
26	Retrospective analysis of off-label medication use at a plastic surgery hospital in China and evidence-based evaluation. <i>Dermatologic Therapy</i> , 2021, 34, e14424.	1.7	1
27	Association of phosphoenolpyruvate carboxykinase 1 protein kinase activity-dependent sterol regulatory element-binding protein 1 activation with prognosis of oesophageal carcinoma. <i>European Journal of Cancer</i> , 2021, 142, 123-131.	2.8	11
28	Detection of circulating tumour cells enables early recurrence prediction in hepatocellular carcinoma patients undergoing liver transplantation. <i>Liver International</i> , 2021, 41, 562-573.	3.9	32
29	Identification of prognostic genes in lung adenocarcinoma immune microenvironment. <i>Chinese Medical Journal</i> , 2021, 134, 2125-2127.	2.3	2
30	PIWIL1 governs the crosstalk of cancer cell metabolism and immunosuppressive microenvironment in hepatocellular carcinoma. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 86.	17.1	25
31	Prognostic Impact of IGF2BP3 Expression in Patients with Surgically Resected Lung Adenocarcinoma. <i>DNA and Cell Biology</i> , 2021, 40, 316-331.	1.9	21
32	Miniaturized solid-phase extraction using a mesoporous molecular sieve SBA-15 as sorbent for the determination of triterpenoid saponins from <i>Pulsatilla chinensis</i> by ultrahigh-performance liquid chromatography-charged aerosol detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 194, 113810.	2.8	7
33	Prognostic Impact of PCK1 Protein Kinase Activity-Dependent Nuclear SREBP1 Activation in Non-Small-Cell Lung Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 561247.	2.8	13
34	Comprehensive Analysis of Ferroptosis Regulators in Lung Adenocarcinomas Identifies Prognostic and Immunotherapy-Related Biomarkers. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 587436.	3.5	13
35	Chemotherapy-associated clonal hematopoiesis mutations should be taken seriously in plasma cell-free DNA KRAS/NRAS/BRAF genotyping for metastatic colorectal cancer. <i>Clinical Biochemistry</i> , 2021, 92, 46-53.	1.9	12
36	The diagnostic value of plasma exosomal hsa_circ_0070396 for hepatocellular carcinoma. <i>Biomarkers in Medicine</i> , 2021, 15, 359-371.	1.4	32

#	ARTICLE	IF	CITATIONS
37	H3K14 hyperacetylation-mediated Myc binding to the miR-30a-5p gene promoter under hypoxia postconditioning protects senescent cardiomyocytes from hypoxia/reoxygenation injury. <i>Molecular Medicine Reports</i> , 2021, 23, .	2.4	2
38	Identification of prognostic genes and tumor-infiltrating immune cells in the tumor microenvironment of esophageal squamous cell carcinoma and esophageal adenocarcinoma. <i>Translational Cancer Research</i> , 2021, 10, 1787-1803.	1.0	4
39	<sc>PD-L1</sc> and <sc>CD47</sc> co-expression predicts survival and enlightens future dual-targeting immunotherapy in non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021, 12, 1743-1751.	1.9	12
40	Circulating tumor DNA as markers of dynamic recurrence risk and adjuvant chemotherapy benefit in resected non-small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, 3028-3028.	1.6	1
41	Correlation between steroid levels in follicular fluid and hormone synthesis related substances in its exosomes and embryo quality in patients with polycystic ovary syndrome. <i>Reproductive Biology and Endocrinology</i> , 2021, 19, 74.	3.3	32
42	Comprehensive Analysis of PD-L1 Expression, Immune Infiltrates, and m6A RNA Methylation Regulators in Esophageal Squamous Cell Carcinoma. <i>Frontiers in Immunology</i> , 2021, 12, 669750.	4.8	45
43	Single cell transcriptome revealed tumor associated antigen (TAA) profile in lung adenocarcinoma (LUAD). <i>Biomarker Research</i> , 2021, 9, 41.	6.8	1
44	Development and validation of m6A RNA methylation regulators-based signature in lung adenocarcinoma. <i>Chinese Medical Journal</i> , 2021, 134, 2128-2130.	2.3	3
45	Multi-omics profiling of primary small cell carcinoma of the esophagus reveals RB1 disruption and additional molecular subtypes. <i>Nature Communications</i> , 2021, 12, 3785.	12.8	16
46	Severe hypoglycemia and finger clubbing in a patient with a BRCA1 mutation in a solitary fibrous tumor: a case report. <i>Annals of Translational Medicine</i> , 2021, 9, 1093-1093.	1.7	3
47	Phagocytic rhabdomyosarcoma cells in bone marrow. <i>International Journal of Hematology</i> , 2021, 114, 305-306.	1.6	0
48	Patient-Derived Xenograft Models for Intrahepatic Cholangiocarcinoma and Their Application in Guiding Personalized Medicine. <i>Frontiers in Oncology</i> , 2021, 11, 704042.	2.8	5
49	Dissecting spatial heterogeneity and the immune-evasion mechanism of CTCs by single-cell RNA-seq in hepatocellular carcinoma. <i>Nature Communications</i> , 2021, 12, 4091.	12.8	90
50	Cross-platform comparison of next-generation sequencing and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for detecting KRAS/NRAS/BRAF/PIK3CA mutations in cfDNA from metastatic colorectal cancer patients. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23818.	2.1	2
51	A liquid chromatography-tandem mass spectrometry (LC-MS/MS)-based assay for simultaneous quantification of aldosterone, renin activity, and angiotensin II in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1179, 122740.	2.3	15
52	Regression-Adjusted Real-Time Quality Control. <i>Clinical Chemistry</i> , 2021, 67, 1342-1350.	3.2	18
53	Role of blood mSEPT9 in evaluating tumor burden and disease monitoring in colorectal cancer patients. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e24030.	2.1	4
54	A Multilocus Blood-Based Assay Targeting Circulating Tumor DNA Methylation Enables Early Detection and Early Relapse Prediction of Colorectal Cancer. <i>Gastroenterology</i> , 2021, 161, 2053-2056.e2.	1.3	31

#	ARTICLE	IF	CITATIONS
55	Detection of Metastatic Tumor Cells in the Bone Marrow Aspirate Smears by Artificial Intelligence (AI)-Based Morpho System. <i>Frontiers in Oncology</i> , 2021, 11, 742395.	2.8	8
56	A large-scale, multicentered trial evaluating the sensitivity and specificity of digital PCR versus ARMS-PCR for detecting ctDNA-based EGFR p.T790M in non-small-cell lung cancer patients. <i>Translational Lung Cancer Research</i> , 2021, 10, 3888-3901.	2.8	7
57	Comparison of surgical difficulty in patients with resectable non-small cell lung cancer under different neoadjuvant treatment modes: a retrospective cohort study. <i>Journal of Thoracic Disease</i> , 2021, 13, 5604-5616.	1.4	6
58	Mucin 1 promotes tumor progression through activating WNT/ β 2-catenin signaling pathway in intrahepatic cholangiocarcinoma. <i>Journal of Cancer</i> , 2021, 12, 6937-6947.	2.5	8
59	Programmed cell death ligand 1 expression in esophageal squamous cell carcinoma. <i>Chinese Medical Journal</i> , 2021, Publish Ahead of Print, 2890-2892.	2.3	2
60	The immunomodulatory activity of lenvatinib prompts the survival of patients with advanced hepatocellular carcinoma. <i>Cancer Medicine</i> , 2021, 10, 7977-7987.	2.8	16
61	Inverse Associations Between Circulating Secreted Frizzled Related Protein 2 (sFRP2) and Cardiometabolic Risk Factors. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 723205.	2.4	2
62	Establishment of the reference intervals of lymphocyte subsets for healthy Chinese Han adults and its influencing factors. <i>Annals of Translational Medicine</i> , 2021, 9, 1495-1495.	1.7	6
63	Evaluation and validation of a novel 10-color flow cytometer. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23834.	2.1	0
64	Dynamic recurrence risk and adjuvant chemotherapy benefit prediction by ctDNA in resected NSCLC. <i>Nature Communications</i> , 2021, 12, 6770.	12.8	105
65	Real-Time Monitoring Renal Impairment Due to Drug-Induced AKI and Diabetes-Caused CKD Using an NAG-Activatable NIR-II Nanoprobe. <i>Analytical Chemistry</i> , 2021, 93, 16158-16165.	6.5	16
66	First-Line Treatments for Extensive-Stage Small-Cell Lung Cancer With Immune Checkpoint Inhibitors Plus Chemotherapy: A Network Meta-Analysis and Cost-Effectiveness Analysis. <i>Frontiers in Oncology</i> , 2021, 11, 740091.	2.8	23
67	Plasma extracellular vesicle long RNA profiling identifies a diagnostic signature for stage I lung adenocarcinoma. <i>Translational Lung Cancer Research</i> , 2021, 11, 0-0.	2.8	2
68	Establishment of a hepatocellular carcinoma patient-derived xenograft platform and its application in biomarker identification. <i>International Journal of Cancer</i> , 2020, 146, 1606-1617.	5.1	32
69	Homocysteine accelerates atherosclerosis by inhibiting scavenger receptor class B member1 via DNMT3b/SP1 pathway. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 138, 34-48.	1.9	31
70	A Novel Rhynchophylline Analog, Y396, Inhibits Endothelial Dysfunction Induced by Oxidative Stress in Diabetes Through Epidermal Growth Factor Receptor. <i>Antioxidants and Redox Signaling</i> , 2020, 32, 743-765.	5.4	14
71	Role of circulating free DNA in evaluating clinical tumor burden and predicting survival in Chinese metastatic colorectal cancer patients. <i>BMC Cancer</i> , 2020, 20, 1006.	2.6	17
72	Integrated molecular characterization reveals potential therapeutic strategies for pulmonary sarcomatoid carcinoma. <i>Nature Communications</i> , 2020, 11, 4878.	12.8	27

#	ARTICLE	IF	CITATIONS
73	Elevated soluble programmed death-ligand 1 levels indicate immunosuppression and poor prognosis in hepatocellular carcinoma patients undergoing transcatheter arterial chemoembolization. <i>Clinica Chimica Acta</i> , 2020, 511, 67-74.	1.1	8
74	Tfr-Tfh index: A new predictor for recurrence of hepatocellular carcinoma patients with HBV infection after curative resection. <i>Clinica Chimica Acta</i> , 2020, 511, 282-290.	1.1	6
75	Collision tumor of the esophagus: a report of five cases. <i>Chinese Medical Journal</i> , 2020, 133, 2386-2388.	2.3	2
76	Glutamic-Pyruvic Transaminase 1 Facilitates Alternative Fuels for Hepatocellular Carcinoma Growth—A Small Molecule Inhibitor, Berberine. <i>Cancers</i> , 2020, 12, 1854.	3.7	20
77	Effect of surgical margin on recurrence based on preoperative circulating tumor cell status in hepatocellular carcinoma. <i>EBioMedicine</i> , 2020, 62, 103107.	6.1	23
78	<i>In Vivo</i> Imaging of Senescent Vascular Cells in Atherosclerotic Mice Using a β -Galactosidase-Activatable Nanoprobe. <i>Analytical Chemistry</i> , 2020, 92, 12613-12621.	6.5	33
79	Circulating tumor cells are an indicator for the administration of adjuvant transarterial chemoembolization in hepatocellular carcinoma: A single-center, retrospective, propensity-matched study. <i>Clinical and Translational Medicine</i> , 2020, 10, e137.	4.0	25
80	Prognostic value of tumor-infiltrating lymphocytes in esophageal cancer: an updated meta-analysis of 30 studies with 5,122 patients. <i>Annals of Translational Medicine</i> , 2020, 8, 822-822.	1.7	23
81	Sino-European Differences in the Genetic Landscape and Clinical Presentation of Pheochromocytoma and Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3295-3307.	3.6	34
82	Anlotinib suppresses tumor progression via blocking the VEGFR2/PI3K/AKT cascade in intrahepatic cholangiocarcinoma. <i>Cell Death and Disease</i> , 2020, 11, 573.	6.3	65
83	Assessment of patient-based real-time quality control algorithm performance on different types of analytical error. <i>Clinica Chimica Acta</i> , 2020, 511, 329-335.	1.1	20
84	BCL11B suppresses tumor progression and stem cell traits in hepatocellular carcinoma by restoring p53 signaling activity. <i>Cell Death and Disease</i> , 2020, 11, 895.	6.3	11
85	USP1 Maintains the Survival of Liver Circulating Tumor Cells by Deubiquitinating and Stabilizing TBLR1. <i>Frontiers in Oncology</i> , 2020, 10, 554809.	2.8	11
86	Chinese Medicines for Cancer Treatment from the Metabolomics Perspective. , 2020, , .		2
87	Monoacylglycerol Lipase Knockdown Inhibits Cell Proliferation and Metastasis in Lung Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 559568.	2.8	12
88	CD13 promotes hepatocellular carcinogenesis and sorafenib resistance by activating HDAC5–LSD1–NF- κ B oncogenic signaling. <i>Clinical and Translational Medicine</i> , 2020, 10, e233.	4.0	51
89	Suppression of lncRNA MALAT1 by betulinic acid inhibits hepatocellular carcinoma progression by targeting IAPs via miR-22-3p. <i>Clinical and Translational Medicine</i> , 2020, 10, e190.	4.0	35
90	Primary pulmonary epithelioid malignant peripheral nerve sheath tumor in a child: a case report. <i>Annals of Translational Medicine</i> , 2020, 8, 403-403.	1.7	0

#	ARTICLE	IF	CITATIONS
91	Cardioprotective Effect of (<i>Z</i>)-2-Acetoxy-3-(3,4-Dihydroxyphenyl) Acrylic Acid: Inhibition of Apoptosis in Cardiomyocytes. <i>Cardiovascular Therapeutics</i> , 2020, 2020, 1-10.	2.5	0
92	Herbal Medicine in the Treatment of Non-Alcoholic Fatty Liver Diseases-Efficacy, Action Mechanism, and Clinical Application. <i>Frontiers in Pharmacology</i> , 2020, 11, 601.	3.5	71
93	Preoperative systemic immune-inflammation index and prognostic nutritional index predict prognosis of patients with pulmonary neuroendocrine tumors after surgical resection. <i>Annals of Translational Medicine</i> , 2020, 8, 630-630.	1.7	20
94	Postoperative circulating tumor cells: An early predictor of extrahepatic metastases in patients with hepatocellular carcinoma undergoing curative surgical resection. <i>Cancer Cytopathology</i> , 2020, 128, 733-745.	2.4	19
95	Direct inhibition of the TLR4/MyD88 pathway by geniposide suppresses HIF-1 α -dependent VEGF expression and angiogenesis in hepatocellular carcinoma. <i>British Journal of Pharmacology</i> , 2020, 177, 3240-3257.	5.4	55
96	Development and validation of an immune-related prognostic signature in lung adenocarcinoma. <i>Cancer Medicine</i> , 2020, 9, 5960-5975.	2.8	79
97	Vasodilation activity of dipfluzine metabolites in isolated rat basilar arteries and their underlying mechanisms. <i>Environmental Toxicology and Pharmacology</i> , 2020, 79, 103430.	4.0	0
98	A liquid chromatography-tandem mass spectrometry (LC-MS/MS)-based assay to profile 20 plasma steroids in endocrine disorders. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1477-1487.	2.3	41
99	Elevated TOP2A and UBE2C expressions correlate with poor prognosis in patients with surgically resected lung adenocarcinoma: a study based on immunohistochemical analysis and bioinformatics. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 821-841.	2.5	22
100	Elevated SLC2A1 Expression Correlates with Poor Prognosis in Patients with Surgically Resected Lung Adenocarcinoma: A Study Based on Immunohistochemical Analysis and Bioinformatics. <i>DNA and Cell Biology</i> , 2020, 39, 631-644.	1.9	15
101	Targeting Cancer Metabolism to Resensitize Chemotherapy: Potential Development of Cancer Chemosensitizers from Traditional Chinese Medicines. <i>Cancers</i> , 2020, 12, 404.	3.7	39
102	Loss of SUSD2 expression correlates with poor prognosis in patients with surgically resected lung adenocarcinoma. <i>Journal of Cancer</i> , 2020, 11, 1648-1656.	2.5	6
103	ID1 overexpression increases gefitinib sensitivity in non-small cell lung cancer by activating RIP3/MLKL-dependent necroptosis. <i>Cancer Letters</i> , 2020, 475, 109-118.	7.2	24
104	Integrating Network Pharmacology and Experimental Models to Investigate the Efficacy of Coptidis and Scutellaria Containing Huanglian Jiedu Decoction on Hepatocellular Carcinoma. <i>The American Journal of Chinese Medicine</i> , 2020, 48, 161-182.	3.8	43
105	Metabolic profiling comparison of isovitexin in normal and kidney stone model rats by ultra-high-performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry. <i>Journal of Separation Science</i> , 2020, 43, 2363-2379.	2.5	4
106	Megakaryocytes in peripheral blood smears of non-hematological diseases. <i>International Journal of Hematology</i> , 2020, 112, 128-130.	1.6	7
107	Uncovering the Anticancer Mechanisms of Chinese Herbal Medicine Formulas: Therapeutic Alternatives for Liver Cancer. <i>Frontiers in Pharmacology</i> , 2020, 11, 293.	3.5	18
108	The Impacts of Herbal Medicines and Natural Products on Regulating the Hepatic Lipid Metabolism. <i>Frontiers in Pharmacology</i> , 2020, 11, 351.	3.5	30

#	ARTICLE	IF	CITATIONS
109	Elevated Heterogeneous Nuclear Ribonucleoprotein C Expression Correlates With Poor Prognosis in Patients With Surgically Resected Lung Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 598437.	2.8	17
110	Construction and Comprehensive Analyses of a METTL5-Associated Prognostic Signature With Immune Implication in Lung Adenocarcinomas. <i>Frontiers in Genetics</i> , 2020, 11, 617174.	2.3	12
111	Chinese Expert Consensus on the Nucleic Acid Detection of SARS-CoV-2. <i>Annals of Translational Medicine</i> , 2020, 8, 1631-1631.	1.7	4
112	Hydrogen Sulfide-Specific and NIR-Light-Controllable Synergistic Activation of Fluorescent Theranostic Prodrugs for Imaging-Guided Chemo-Photothermal Cancer Therapy. <i>CCS Chemistry</i> , 2020, 2, 527-538.	7.8	27
113	C5aR correlated with the dissemination capacity of circulating tumor cells in hepatocellular carcinoma by targeting INHBA-p-smad2/3-EMT/MMPs axis.. <i>Journal of Clinical Oncology</i> , 2020, 38, e16649-e16649.	1.6	1
114	CFL1 to promote proliferation and invasiveness and to regulate NF- κ B-mediated inflammatory factors in hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2020, 38, e16669-e16669.	1.6	0
115	Interactions between dipfluzine-based complexes and cytochrome P450 enzymes: Information on salt, cocrystal, and salt cocrystal complexes. <i>Environmental Toxicology and Pharmacology</i> , 2020, 80, 103487.	4.0	1
116	Analytical and clinical validation of a novel amplicon-based NGS assay for the evaluation of circulating tumor DNA in metastatic colorectal cancer patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1501-1510.	2.3	20
117	KPNA3 Confers Sorafenib Resistance to Advanced Hepatocellular Carcinoma via TWIST Regulated Epithelial-Mesenchymal Transition. <i>Journal of Cancer</i> , 2019, 10, 3914-3925.	2.5	27
118	Sphere-forming culture enriches liver cancer stem cells and reveals Stearoyl-CoA desaturase 1 as a potential therapeutic target. <i>BMC Cancer</i> , 2019, 19, 760.	2.6	78
119	Systemic immune-inflammation index (SII) is useful to predict survival outcomes in patients with surgically resected esophageal squamous cell carcinoma. <i>Journal of Cancer</i> , 2019, 10, 3188-3196.	2.5	54
120	ZYZ-803 Mitigates Endoplasmic Reticulum Stress-Related Necroptosis after Acute Myocardial Infarction through Downregulating the RIP3-CaMKII Signaling Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-18.	4.0	32
121	Tracheobronchial Adenoid Cystic Carcinoma: 50-Year Experience at the National Cancer Center, China. <i>Annals of Thoracic Surgery</i> , 2019, 108, 873-882.	1.3	26
122	Integrating Network Pharmacology and Pharmacological Evaluation for Deciphering the Action Mechanism of Herbal Formula Zuojin Pill in Suppressing Hepatocellular Carcinoma. <i>Frontiers in Pharmacology</i> , 2019, 10, 1185.	3.5	149
123	Chemotherapeutic perfusion of portal vein after tumor thrombectomy and hepatectomy benefits patients with advanced hepatocellular carcinoma: A propensity score-matched survival analysis. <i>Cancer Medicine</i> , 2019, 8, 6933-6944.	2.8	14
124	Phosphorylase Kinase β Represents a Novel Prognostic Biomarker and Inhibits Malignant Phenotypes of Liver Cancer Cell. <i>International Journal of Biological Sciences</i> , 2019, 15, 2596-2606.	6.4	15
125	Associations of PCK1 promoter hypomethylation and PCK1-mediated PDHK1 phosphorylation with cancer stage and prognosis: a TCGA pan-cancer analysis. <i>Cancer Communications</i> , 2019, 39, 1-17.	9.2	23
126	Platelet activation status in the diagnosis and postoperative prognosis of hepatocellular carcinoma. <i>Clinica Chimica Acta</i> , 2019, 495, 191-197.	1.1	20

#	ARTICLE	IF	CITATIONS
127	Knockdown of <i>KLF5</i> promotes cisplatin-induced cell apoptosis via regulating DNA damage checkpoint proteins in non-small cell lung cancer. <i>Thoracic Cancer</i> , 2019, 10, 1069-1077.	1.9	18
128	CD73 promotes hepatocellular carcinoma progression and metastasis via activating PI3K/AKT signaling by inducing Rap1-mediated membrane localization of P110 β and predicts poor prognosis. <i>Journal of Hematology and Oncology</i> , 2019, 12, 37.	17.0	150
129	Systemic immune-inflammation index (SII) is useful to predict survival outcomes in patients with surgically resected non-small cell lung cancer. <i>Thoracic Cancer</i> , 2019, 10, 761-768.	1.9	63
130	The functional roles of exosomes-derived long non-coding RNA in human cancer. <i>Cancer Biology and Therapy</i> , 2019, 20, 583-592.	3.4	38
131	The pretreatment platelet count is an independent predictor of tumor progression in patients undergoing transcatheter arterial chemoembolization with hepatitis B virus-related hepatocellular carcinoma. <i>Future Oncology</i> , 2019, 15, 827-839.	2.4	9
132	Clinicopathological characteristics and prognosis of lung cancer in young patients aged 30 years and younger. <i>Journal of Thoracic Disease</i> , 2019, 11, 4282-4291.	1.4	9
133	Prognostic Impact of Metabolism Reprogramming Markers Acetyl-CoA Synthetase 2 Phosphorylation and Ketoheokinase-A Expression in Non-Small-Cell Lung Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 1123.	2.8	21
134	Neuroprotective Effect of SCM-198 through Stabilizing Endothelial Cell Function. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-13.	4.0	22
135	Cystathionine β -lyase deficiency aggravates obesity-related insulin resistance <i>via</i> FoxO1-dependent hepatic gluconeogenesis. <i>FASEB Journal</i> , 2019, 33, 4212-4224.	0.5	28
136	ASO Author Reflections: Annexin A3 as a Potential Biomarker for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 529-530.	1.5	1
137	PD-L1 expression on tumor cells associated with favorable prognosis in surgically resected esophageal squamous cell carcinoma. <i>Human Pathology</i> , 2019, 84, 291-298.	2.0	18
138	Mean Corpuscular Volume Predicts In-Stent Restenosis Risk for Stable Coronary Artery Disease Patients Receiving Elective Percutaneous Coronary Intervention. <i>Medical Science Monitor</i> , 2019, 25, 3976-3982.	1.1	10
139	Experimental and DFT simulation study of a novel felodipine cocrystal: Characterization, dissolving properties and thermal decomposition kinetics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 154, 198-206.	2.8	12
140	Application of Serum Annexin A3 in Diagnosis, Outcome Prediction and Therapeutic Response Evaluation for Patients with Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2018, 25, 1686-1694.	1.5	25
141	UPLC-QTOF-MS/MS-guided dereplication of <i>Pulsatilla chinensis</i> to identify triterpenoid saponins. <i>Phytochemical Analysis</i> , 2018, 29, 516-527.	2.4	25
142	Circulating Tumor Cells with Stem-Like Phenotypes for Diagnosis, Prognosis, and Therapeutic Response Evaluation in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 2203-2213.	7.0	102
143	Discrimination and Chemical Phylogenetic Study of Four <i>Pulsatilla</i> Herbs Using UPLC-ESI-MS/MS Combined with Hierarchical Cluster Analysis. <i>Journal of Chromatographic Science</i> , 2018, 56, 216-224.	1.4	10
144	Circulating Tumor Cells from Different Vascular Sites Exhibit Spatial Heterogeneity in Epithelial and Mesenchymal Composition and Distinct Clinical Significance in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 547-559.	7.0	112

#	ARTICLE	IF	CITATIONS
145	Phosphorothioate-Modified AP613-1 Specifically Targets GPC3 when Used for Hepatocellular Carcinoma Cell Imaging. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 13, 376-386.	5.1	28
146	Self-Nanoemulsifying Drug Delivery System of Tetrandrine for Improved Bioavailability: Physicochemical Characterization and Pharmacokinetic Study. <i>BioMed Research International</i> , 2018, 2018, 1-10.	1.9	19
147	Lipidomic signature of serum from the rats exposed to alcohol for one year. <i>Toxicology Letters</i> , 2018, 294, 166-176.	0.8	13
148	MiR-125b-5p is involved in oxygen and glucose deprivation injury in PC-12 cells via CBS/H ₂ S pathway. <i>Nitric Oxide - Biology and Chemistry</i> , 2018, 78, 11-21.	2.7	30
149	Significance of PIVKA-II levels for predicting microvascular invasion and tumor cell proliferation in Chinese patients with hepatitis B virus-associated hepatocellular carcinoma. <i>Oncology Letters</i> , 2018, 15, 8396-8404.	1.8	13
150	Repression of WT1-Mediated LEF1 Transcription by Mangiferin Governs β -Catenin-Independent Wnt Signalling Inactivation in Hepatocellular Carcinoma. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 1819-1834.	1.6	28
151	Therapy Effects of Advanced Hypopharyngeal and Laryngeal Squamous Cell Carcinoma: Evaluated using Dual-Energy CT Quantitative Parameters. <i>Scientific Reports</i> , 2018, 8, 9064.	3.3	13
152	Deciphering hepatocellular carcinoma through metabolomics: from biomarker discovery to therapy evaluation. <i>Cancer Management and Research</i> , 2018, Volume 10, 715-734.	1.9	43
153	Hypermethylation of endoplasmic reticulum disulfide oxidase 1 α leads to trophoblast cell apoptosis through endoplasmic reticulum stress in preeclampsia. <i>Journal of Cellular Biochemistry</i> , 2018, 119, 8588-8599.	2.6	7
154	Structural and computational insights into the enhanced solubility of dipfluzine by complexation: salt and salt-cocystal. <i>New Journal of Chemistry</i> , 2018, 42, 15068-15078.	2.8	25
155	Targeting tumour microenvironment by tyrosine kinase inhibitor. <i>Molecular Cancer</i> , 2018, 17, 43.	19.2	71
156	PDXliver: a database of liver cancer patient derived xenograft mouse models. <i>BMC Cancer</i> , 2018, 18, 550.	2.6	20
157	Mitochondria-targeting BODIPY-loaded micelles as novel class of photosensitizer for photodynamic therapy. <i>European Journal of Medicinal Chemistry</i> , 2018, 157, 599-609.	5.5	21
158	Platelet satellitism around cytoplasmic fragments of neoplastic lymphocytes. <i>Blood</i> , 2018, 131, 2599-2599.	1.4	3
159	The rostromedial tegmental nucleus is essential for non-rapid eye movement sleep. <i>PLoS Biology</i> , 2018, 16, e2002909.	5.6	61
160	Prognostic value of PD-L1 in esophageal squamous cell carcinoma: a meta-analysis. <i>Oncotarget</i> , 2018, 9, 13920-13933.	1.8	60
161	Simultaneous determination of 12 active components in the roots of <i>Pulsatilla chinensis</i> using tissue-smashing extraction with liquid chromatography and mass spectrometry. <i>Journal of Separation Science</i> , 2017, 40, 1283-1292.	2.5	23
162	Plasma cell myeloma with histiocyte-like morphology. <i>International Journal of Hematology</i> , 2017, 106, 307-309.	1.6	0

#	ARTICLE	IF	CITATIONS
163	Diagnostic value of single-source dual-energy spectral computed tomography for papillary thyroid microcarcinomas. <i>Journal of X-Ray Science and Technology</i> , 2017, 25, 793-802.	1.0	5
164	Cocaine modifies brain lipidome in mice. <i>Molecular and Cellular Neurosciences</i> , 2017, 85, 29-44.	2.2	21
165	Multiplex picoliter-droplet digital PCR for quantitative assessment of EGFR mutations in circulating cell-free DNA derived from advanced non-small cell lung cancer patients. <i>Molecular Medicine Reports</i> , 2017, 16, 1157-1166.	2.4	29
166	Novel rhynchophylline analogues as microvascular relaxation agents for the treatment of microvascular dysfunction caused by diabetes. <i>European Journal of Medicinal Chemistry</i> , 2017, 139, 657-664.	5.5	15
167	Signet-ring histiocytes in typhoid fever. <i>Blood</i> , 2017, 130, 2574-2574.	1.4	7
168	Atherosclerosis and the Hydrogen Sulfide Signaling Pathway – Therapeutic Approaches to Disease Prevention. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 859-875.	1.6	36
169	Exosomes: New players in cancer. <i>Oncology Reports</i> , 2017, 38, 665-675.	2.6	122
170	A new use for an old index: preoperative high-density lipoprotein predicts recurrence in patients with hepatocellular carcinoma after curative resections. <i>Lipids in Health and Disease</i> , 2017, 16, 123.	3.0	11
171	Circulating CD14 ⁺ HLA-DR ^{low} myeloid-derived suppressor cells predicted early recurrence of hepatocellular carcinoma after surgery. <i>Hepatology Research</i> , 2017, 47, 1061-1071.	3.4	56
172	Identification of WT1 as determinant of hepatocellular carcinoma and its inhibition by Chinese herbal medicine <i>Salvia chinensis</i> Benth and its active ingredient protocatechualdehyde. <i>Oncotarget</i> , 2017, 8, 105848-105859.	1.8	15
173	Supplementation of Micronutrient Selenium in Metabolic Diseases: Its Role as an Antioxidant. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-13.	4.0	175
174	Serum IgG4:IgG Ratio Predicts Recurrence of Patients with Hepatocellular Carcinoma after Curative Resection. <i>Journal of Cancer</i> , 2017, 8, 1338-1346.	2.5	11
175	Dynamic contrast-enhanced magnetic resonance imaging for pretreatment prediction of early chemo-radiotherapy response in larynx and hypopharynx carcinoma. <i>Oncotarget</i> , 2017, 8, 33836-33843.	1.8	8
176	Prognostic value of fever grade combined with neutrophil percentage in hepatocellular carcinoma patients presenting fever as the initial manifestation. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 6281-6290.	2.0	5
177	Apolipoprotein A1: a novel serum biomarker for predicting the prognosis of hepatocellular carcinoma after curative resection. <i>Oncotarget</i> , 2016, 7, 70654-70668.	1.8	44
178	Crystal structure of 6,7-dihydroxy-6,7-dihydro-3H-imidazo[1,2-a]purin-9(5H)-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 1147-1149.	0.5	0
179	Post-Natal Inhibition of NF- κ B Activation Prevents Renal Damage Caused by Prenatal LPS Exposure. <i>PLoS ONE</i> , 2016, 11, e0153434.	2.5	16
180	Pretreatment Intra-Voxel Incoherent Motion Diffusion-Weighted Imaging (IVIM-DWI) in Predicting Induction Chemotherapy Response in Locally Advanced Hypopharyngeal Carcinoma. <i>Medicine (United States of America)</i> , 2017, 96(10), e5210.	0.0	0

#	ARTICLE	IF	CITATIONS
181	Prenatal inflammation-induced NF- κ B dyshomeostasis contributes to renin-angiotensin system over-activity resulting in prenatally programmed hypertension in offspring. <i>Scientific Reports</i> , 2016, 6, 21692.	3.3	21
182	Resveratrol-4-O-D-(2-galloyl)-glucopyranoside exerts an anticancer effect on leukemia cells via inducing apoptosis. <i>Molecular Medicine Reports</i> , 2016, 13, 2281-2286.	2.4	3
183	Association of preoperative EpCAM Circulating Tumor Cells and peripheral Treg cell levels with early recurrence of hepatocellular carcinoma following radical hepatic resection. <i>BMC Cancer</i> , 2016, 16, 506.	2.6	69
184	Modulation of FABP4 hypomethylation by DNMT1 and its inverse interaction with miR-148a/152 in the placenta of preeclamptic rats and HTR-8 cells. <i>Placenta</i> , 2016, 46, 49-62.	1.5	24
185	Quantitative Metabolomic Profiling of Plasma, Urine, and Liver Extracts by ¹ H NMR Spectroscopy Characterizes Different Stages of Atherosclerosis in Hamsters. <i>Journal of Proteome Research</i> , 2016, 15, 3500-3510.	3.7	25
186	Application of the albumin-bilirubin grade for predicting prognosis after curative resection of patients with early-stage hepatocellular carcinoma. <i>Clinica Chimica Acta</i> , 2016, 462, 15-22.	1.1	47
187	Sustained elevation of NF- κ B activity sensitizes offspring of maternal inflammation to hypertension via impairing PGC-1 α recovery. <i>Scientific Reports</i> , 2016, 6, 32642.	3.3	6
188	Basal Forebrain Cholinergic Neurons Primarily Contribute to Inhibition of Electroencephalogram Delta Activity, Rather Than Inducing Behavioral Wakefulness in Mice. <i>Neuropsychopharmacology</i> , 2016, 41, 2133-2146.	5.4	104
189	Dynamic change of the systemic immune inflammation index predicts the prognosis of patients with hepatocellular carcinoma after curative resection. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1963-1969.	2.3	61
190	Combined thoracoscopic-laparoscopic esophagectomy versus open esophagectomy: a meta-analysis of outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 3873-3881.	2.4	121
191	Screening and Identifying a Novel ssDNA Aptamer against Alpha-fetoprotein Using CE-SELEX. <i>Scientific Reports</i> , 2015, 5, 15552.	3.3	83
192	Complete Blood Count Reference Intervals for Healthy Han Chinese Adults. <i>PLoS ONE</i> , 2015, 10, e0119669.	2.5	50
193	Structure Elucidation of the Metabolites of 2', 3', 5'-Tri-O-Acetyl-N6-(3-Hydroxyphenyl) Adenosine in Rat Urine by HPLC-DAD, ESI-MS and Off-Line Microprobe NMR. <i>PLoS ONE</i> , 2015, 10, e0127583.	2.5	6
194	Serum GRP78 as a Tumor Marker and Its Prognostic Significance in Non-Small Cell Lung Cancers: A Retrospective Study. <i>Disease Markers</i> , 2015, 2015, 1-6.	1.3	22
195	The Cardioprotective Effects of Hydrogen Sulfide in Heart Diseases: From Molecular Mechanisms to Therapeutic Potential. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-13.	4.0	107
196	Antinociceptive and hypnotic activities of pregabalin in a neuropathic pain-like model in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 135, 31-39.	2.9	24
197	Reference Intervals of Serum Sodium, Potassium, and Chlorine in Chinese Han Population and Comparison of Two ISE Methods. <i>Journal of Clinical Laboratory Analysis</i> , 2015, 29, 226-234.	2.1	13
198	miRNA-30 Family Inhibition Protects Against Cardiac Ischemic Injury by Regulating Cystathionine- β -Lyase Expression. <i>Antioxidants and Redox Signaling</i> , 2015, 22, 224-240.	5.4	96

#	ARTICLE	IF	CITATIONS
199	Systemic Immune-Inflammation Index Predicts Prognosis of Patients after Curative Resection for Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2014, 20, 6212-6222.	7.0	1,012
200	Serum Clusterin as a Tumor Marker and Prognostic Factor for Patients with Esophageal Cancer. <i>Disease Markers</i> , 2014, 2014, 1-7.	1.3	15
201	Identification of the rat liver cytochrome P450 enzymes involved in the metabolism of the calcium channel blocker dipfluzine hydrochloride. <i>Environmental Toxicology and Pharmacology</i> , 2014, 38, 901-912.	4.0	8
202	S-Propargyl-Cysteine, a Novel Water-Soluble Modulator of Endogenous Hydrogen Sulfide, Promotes Angiogenesis Through Activation of Signal Transducer and Activator of Transcription 3. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 2303-2316.	5.4	76
203	A Magnetic Nanoparticle Stabilized Gas Containing Emulsion for Multimodal Imaging and Triggered Drug Release. <i>Pharmaceutical Research</i> , 2014, 31, 1477-1484.	3.5	5
204	Clinical Significance of <i>EpCAM</i> mRNA-Positive Circulating Tumor Cells in Hepatocellular Carcinoma by an Optimized Negative Enrichment and qRT-PCR-Based Platform. <i>Clinical Cancer Research</i> , 2014, 20, 4794-4805.	7.0	99
205	Determination of carbohydrate-deficient transferrin in a Han Chinese population. <i>BMC Biochemistry</i> , 2014, 15, 5.	4.4	5
206	Pharmacokinetic evaluation of dipfluzine and its three metabolites in rat plasma using liquid chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 947-948, 151-155.	2.3	2
207	SPRC protects hypoxia and re-oxygenation injury by improving rat cardiac contractile function and intracellular calcium handling. <i>Nitric Oxide - Biology and Chemistry</i> , 2014, 41, 113-119.	2.7	13
208	Patients carrying CYP2C19 loss of function alleles have a reduced response to clopidogrel therapy and a greater risk of in-stent restenosis after endovascular treatment of lower extremity peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2014, 60, 993-1001.	1.1	36
209	Elevated PIVKA-II is Associated with Early Recurrence and Poor Prognosis in BCLC 0-A Hepatocellular Carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 6673-6678.	1.2	19
210	Extent of lymph node dissection: common hepatic artery lymph node dissection can be omitted for esophageal squamous cell carcinoma. <i>Journal of Thoracic Disease</i> , 2014, 6 Suppl 3, S325-32.	1.4	4
211	3,5-Dimethoxy-4-(3-(2-carbonyl-ethyl-disulfanyl)-propionyl)-benzoic acid 4-guanidino-butyl ester: A novel twin drug that prevents primary cardiac myocytes from hypoxia-induced apoptosis. <i>European Journal of Pharmacology</i> , 2013, 700, 118-126.	3.5	10
212	Circulating stem cell-like epithelial cell adhesion molecule-positive tumor cells indicate poor prognosis of hepatocellular carcinoma after curative resection. <i>Hepatology</i> , 2013, 57, 1458-1468.	7.3	331
213	Synthesis and Biological Assays of 9-(Acylamino)homocamptothecins as DNA Topoisomerase I Inhibitors. <i>Chemistry and Biodiversity</i> , 2013, 10, 1804-1815.	2.1	1
214	Hydrogen sulfide and translational medicine. <i>Acta Pharmacologica Sinica</i> , 2013, 34, 1284-1291.	6.1	80
215	S-PROPARGYL-CYSTEINE (SPRC)-INDUCED ANGIOGENESIS AND STAT3-MEDIATED MECHANISMS. <i>Heart</i> , 2012, 98, E99.3-E99.	2.9	0
216	Unlabeled-probe high-resolution melting to detect KRAS codon 12 and 13 mutations in pancreatic adenocarcinoma tissues. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 1035-40.	2.3	2

#	ARTICLE	IF	CITATIONS
217	Examining the Interactome of Huperzine A by Magnetic Biopanning. PLoS ONE, 2012, 7, e37098.	2.5	4
218	Hydrogen Sulfide as an Endogenous Modulator in Mitochondria and Mitochondria Dysfunction. Oxidative Medicine and Cellular Longevity, 2012, 2012, 1-9.	4.0	71
219	Leonurine-cysteine analog conjugates as a new class of multifunctional anti-myocardial ischemia agent. European Journal of Medicinal Chemistry, 2011, 46, 3996-4009.	5.5	33
220	Synthesis of 9-((Heteroaryl)methylidene)amino Derivatives of Homocamptothecin with Biological Activities. Chemistry and Biodiversity, 2011, 8, 1266-1273.	2.1	6
221	Topoisomerase I-Mediated Antiproliferative Activity of 10-Substituted and 12-Substituted Homocamptothecins. Chemistry and Biodiversity, 2011, 8, 1539-1549.	2.1	5
222	Anti-ischaemic effects of bilobalide on neonatal rat cardiomyocytes and the involvement of the platelet-activating factor receptor. Bioscience Reports, 2011, 31, 439-447.	2.4	27
223	Hydrogen sulfide attenuates cardiac dysfunction in a rat model of heart failure: a mechanism through cardiac mitochondrial protection. Bioscience Reports, 2011, 31, 87-98.	2.4	86
224	Synthesis and evaluation of 9-benzylideneamino derivatives of homocamptothecin as potent inhibitors of DNA topoisomerase I. European Journal of Medicinal Chemistry, 2010, 45, 2223-2228.	5.5	19
225	Simultaneous Determination of Baicalin, Baicalein, Wogonin, Oxysophocarpine, Oxymatrine and Matrine in the Chinese Herbal Preparation of Sanwu-Huangqin-Tang by Ion-Paired HPLC. Chromatographia, 2007, 66, 115-120.	1.3	14
226	Medicinal Plants for the Treatment of Gastrointestinal Cancers From the Metabolomics Perspective. Frontiers in Pharmacology, 0, 13, .	3.5	4