

Patrick Asbach

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5690920/publications.pdf>

Version: 2024-02-01

116
papers

4,188
citations

159585

30
h-index

133252

59
g-index

128
all docs

128
docs citations

128
times ranked

5058
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility of Intestinal MR Elastography in Inflammatory Bowel Disease. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 55, 815-822.	3.4	13
2	Fully automated quantification of in vivo viscoelasticity of prostate zones using magnetic resonance elastography with Dense U-net segmentation. <i>Scientific Reports</i> , 2022, 12, 2001.	3.3	2
3	Are Congenital Cervical Block Vertebrae a Risk Factor for Adjacent Segment Disease? A Retrospective Cross-Sectional CT and MR Imaging Study. <i>Diagnostics</i> , 2022, 12, 90.	2.6	4
4	Inter-Reader Variability Using PI-RADS v2 Versus PI-RADS v2.1: Most New Disagreement Stems from Scores 1 and 2. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2022, 194, 852-861.	1.3	3
5	Solid fraction determines stiffness and viscosity in decellularized pancreatic tissues. , 2022, , 212999.		3
6	Evolution of Targeted Prostate Biopsy by Adding Micro-Ultrasound to the Magnetic Resonance Imaging Pathway. <i>European Urology Focus</i> , 2021, 7, 1292-1299.	3.1	30
7	Using routine MRI data of depressed patients to predict individual responses to electroconvulsive therapy. <i>Experimental Neurology</i> , 2021, 335, 113505.	4.1	10
8	Distinguishing pancreatic cancer and autoimmune pancreatitis with in vivo tomoelastography. <i>European Radiology</i> , 2021, 31, 3366-3374.	4.5	27
9	Comparing surface digitization techniques in palaeontology using visual perceptual metrics and distance computations between 3D meshes. <i>Palaeontology</i> , 2021, 64, 179-202.	2.2	17
10	Introducing the Node Reporting and Data System 1.0 (Node-RADS): a concept for standardized assessment of lymph nodes in cancer. <i>European Radiology</i> , 2021, 31, 6116-6124.	4.5	44
11	Infection rate and complications after 621 transperineal MRI-TRUS fusion biopsies in local anesthesia without standard antibiotic prophylaxis. <i>World Journal of Urology</i> , 2021, 39, 3861-3866.	2.2	17
12	Tomoelastography Based on Multifrequency MR Elastography for Prostate Cancer Detection: Comparison with Multiparametric MRI. <i>Radiology</i> , 2021, 299, 362-370.	7.3	23
13	Spatial heterogeneity of hepatic fibrosis in primary sclerosing cholangitis vs. viral hepatitis assessed by MR elastography. <i>Scientific Reports</i> , 2021, 11, 9820.	3.3	8
14	Rarity of congenital malformation and deformity in the fossil record of vertebrates – A non-human perspective. <i>International Journal of Paleopathology</i> , 2021, 33, 30-42.	1.4	4
15	Influence of fibrosis progression on the viscous properties of in vivo liver tissue elucidated by shear wave dispersion in multifrequency MR elastography. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 121, 104645.	3.1	14
16	Diagnostic performance of tomoelastography of the liver and spleen for staging hepatic fibrosis. <i>European Radiology</i> , 2020, 30, 1719-1729.	4.5	26
17	Diagnostic performance of PI-RADS version 2.1 compared to version 2.0 for detection of peripheral and transition zone prostate cancer. <i>Scientific Reports</i> , 2020, 10, 15982.	3.3	29
18	In Vivo Quantification of Water Diffusion, Stiffness, and Tissue Fluidity in Benign Prostatic Hyperplasia and Prostate Cancer. <i>Investigative Radiology</i> , 2020, 55, 524-530.	6.2	26

#	ARTICLE	IF	CITATIONS
19	A comprehensive diagnostic approach combining phylogenetic disease bracketing and CT imaging reveals osteomyelitis in a <i>Tyrannosaurus rex</i> . <i>Scientific Reports</i> , 2020, 10, 18897.	3.3	6
20	Clinical utility of combined T2-weighted imaging and T2-mapping in the detection of prostate cancer: a multi-observer study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 1811-1822.	2.0	7
21	Accuracy of various criteria for lymph node staging in ductal adenocarcinoma of the pancreatic head by computed tomography and magnetic resonance imaging. <i>World Journal of Surgical Oncology</i> , 2020, 18, 213.	1.9	20
22	Validation of the PI-RADS language: predictive values of PI-RADS lexicon descriptors for detection of prostate cancer. <i>European Radiology</i> , 2020, 30, 4262-4271.	4.5	8
23	Radiation Dose Reduction in Preprocedural CT Imaging for TAVI/TAVR Using a Novel 3-Phase Protocol: A Single Institution's Experience. <i>RoFo Fortschritte Auf Dem Gebiet Der Röntgenstrahlen Und Der Bildgebenden Verfahren</i> , 2020, 192, 1174-1182.	1.3	7
24	Optimizing size thresholds for detection of clinically significant prostate cancer on MRI: Peripheral zone cancers are smaller and more predictable than transition zone tumors. <i>European Journal of Radiology</i> , 2020, 129, 109071.	2.6	2
25	DCE-MR imaging of orbital lesions: diagnostic performance of the tumor flow residence time \bar{t}_b , calculated by a multi-compartmental pharmacokinetic tumor model based on individual factors. <i>Acta Radiologica</i> , 2019, 60, 643-652.	1.1	12
26	Permian metabolic bone disease revealed by microCT: Paget's disease-like pathology in vertebrae of an early amniote. <i>PLoS ONE</i> , 2019, 14, e0219662.	2.5	5
27	Dynamic contrast-enhanced MR imaging of the prostate: intraindividual comparison of gadoterate meglumine and gadobutrol. <i>European Radiology</i> , 2019, 29, 6982-6990.	4.5	2
28	Tomoelastography Distinguishes Noninvasively between Benign and Malignant Liver Lesions. <i>Cancer Research</i> , 2019, 79, 5704-5710.	0.9	58
29	Pancreaticobiliary involvement in treated type 1 autoimmune pancreatitis: Imaging pattern and risk factors for disease relapse. <i>European Journal of Radiology</i> , 2019, 120, 108673.	2.6	9
30	Triassic Cancer—Osteosarcoma in a 240-Million-Year-Old Stem-Turtle. <i>JAMA Oncology</i> , 2019, 5, 425.	7.1	31
31	Leptin induces TNF α -dependent inflammation in acquired generalized lipodystrophy and combined Crohn's disease. <i>Nature Communications</i> , 2019, 10, 5629.	12.8	27
32	Native T1 mapping of autoimmune pancreatitis as a quantitative outcome surrogate. <i>European Radiology</i> , 2019, 29, 4436-4446.	4.5	8
33	Modified breath-hold compressed-sensing 3D MR cholangiopancreatography with a small field-of-view and high resolution acquisition: Clinical feasibility in biliary and pancreatic disorders. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1389-1399.	3.4	27
34	Primary magnetic resonance imaging/ultrasonography fusion-guided biopsy of the prostate. <i>BJU International</i> , 2018, 122, 211-218.	2.5	37
35	Tomoelastography of the prostate using multifrequency MR elastography and externally placed pressurized-air drivers. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 1325-1333.	3.0	34
36	Patient-adapted respiratory training: Effect on navigator-triggered 3D MRCP in painful pancreaticobiliary disorders. <i>Magnetic Resonance Imaging</i> , 2018, 45, 43-50.	1.8	6

#	ARTICLE	IF	CITATIONS
37	Validation of Prostate Imaging Reporting and Data System Version 2 for the Detection of Prostate Cancer. <i>Journal of Urology</i> , 2018, 200, 767-773.	0.4	52
38	Comparison of non-invasive assessment of liver fibrosis in patients with alpha1-antitrypsin deficiency using magnetic resonance elastography (MRE), acoustic radiation force impulse (ARFI) Quantification, and 2D-shear wave elastography (2D-SWE). <i>PLoS ONE</i> , 2018, 13, e0196486.	2.5	24
39	In-vivo three-dimensional MR imaging of the intact anterior cruciate ligament shows a variable insertion pattern of the femoral and tibial footprints. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3667-3672.	4.2	19
40	Magnetic Resonance Imaging of the Prostate in the PI-RADS Era. <i>IDKD Springer Series</i> , 2018, , 99-115.	0.8	3
41	Magnetic permeability as a predictor of the artefact size caused by orthodontic appliances at 1.5T magnetic resonance imaging. <i>Clinical Oral Investigations</i> , 2017, 21, 281-289.	3.0	16
42	The addition of a sagittal image fusion improves the prostate cancer detection in a sensor-based MRI /ultrasound fusion guided targeted biopsy. <i>BMC Urology</i> , 2017, 17, 7.	1.4	8
43	Predictive Parameters Identifying Men Eligible for a Sole MRI/Ultrasound Fusion-Guided Targeted Biopsy without an Additional Systematic Biopsy. <i>Urologia Internationalis</i> , 2017, 98, 15-21.	1.3	6
44	Is the Ellipsoid Formula the New Standard for 3-Tesla MRI Prostate Volume Calculation without Endorectal Coil?. <i>Urologia Internationalis</i> , 2017, 98, 49-53.	1.3	13
45	Diagnostic accuracy of magnetic resonance elastography in liver transplant recipients: A pooled analysis. <i>Annals of Hepatology</i> , 2016, 15, 363-376.	1.5	37
46	MRT der Prostata: Empfehlungen zur Vorbereitung und Durchführung. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2016, 189, 21-28.	1.3	14
47	Equilibrium-phase MR angiography: Comparison of unspecific extracellular and protein-binding gadolinium-based contrast media with respect to image quality. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 71-76.	0.8	2
48	Prostate cancer detection on transrectal ultrasonography-guided random biopsy despite negative real-time magnetic resonance imaging/ultrasonography fusion-guided targeted biopsy: reasons for targeted biopsy failure. <i>BJU International</i> , 2016, 118, 35-43.	2.5	86
49	Response: Letter to the Editor. <i>European Journal of Radiology</i> , 2016, 85, 1685.	2.6	0
50	Subchondral cysts at synovial vertebral joints as analogies of Schmorl's nodes in a sauropod dinosaur from Niger. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1080719.	1.0	9
51	Characterization of orbital masses by multiparametric MRI. <i>European Journal of Radiology</i> , 2016, 85, 324-336.	2.6	65
52	Magnetic resonance elastography for staging liver fibrosis in non-alcoholic fatty liver disease: a diagnostic accuracy systematic review and individual participant data pooled analysis. <i>European Radiology</i> , 2016, 26, 1431-1440.	4.5	195
53	The detection of significant prostate cancer is correlated with the Prostate Imaging Reporting and Data System (PI-RADS) in MRI/transrectal ultrasound fusion biopsy. <i>World Journal of Urology</i> , 2016, 34, 525-532.	2.2	93
54	Predicting Lens Diameter: Ocular Biometry With High-Resolution MRI. , 2015, 56, 6847.		20

#	ARTICLE	IF	CITATIONS
55	Dynamic contrast-enhanced MRI of ocular melanoma. <i>Melanoma Research</i> , 2015, 25, 149-156.	1.2	11
56	Prostate Imaging – An Update. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2015, 187, 751-759.	1.3	7
57	MRI with intraoral orthodontic appliance – a comparative <i>in vitro</i> and <i>in vivo</i> study of image artefacts at 1.5T. <i>Dentomaxillofacial Radiology</i> , 2015, 44, 20140416.	2.7	15
58	Magnetic resonance imaging based morphologic evaluation of the pineal gland for suspected pineoblastoma in retinoblastoma patients and age-matched controls. <i>Journal of the Neurological Sciences</i> , 2015, 359, 185-192.	0.6	15
59	Diagnostic Performance of Magnetic Resonance Elastography in Staging Liver Fibrosis: A Systematic Review and Meta-analysis of Individual Participant Data. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 440-451.e6.	4.4	427
60	Continuously moving table aorto-iliofemoral run-off contrast-enhanced magnetic resonance angiography: image quality analysis in comparison to the multistep acquisition. <i>Acta Radiologica</i> , 2014, 55, 266-272.	1.1	4
61	Patient-Activated Three-Dimensional Multifrequency Magnetic Resonance Elastography for High-Resolution Mechanical Imaging of the Liver and Spleen. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2014, 186, 260-266.	1.3	15
62	In vivo high-resolution magnetic resonance elastography of the uterine corpus and cervix. <i>European Radiology</i> , 2014, 24, 3025-3033.	4.5	40
63	A benign bone-forming tumour (osteoma) on the skull of a fossil balaenopterid whale from the Pliocene of Chile. <i>Alcheringa</i> , 2014, 38, 266-272.	1.2	5
64	Tract-based spatial statistics of the olfactory brain in patients with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2014, 346, 235-240.	0.6	12
65	MR imaging of distal ileal and colorectal chronic inflammatory bowel disease – diagnostic accuracy of 1.5T and 3T MRI compared to colonoscopy. <i>International Journal of Colorectal Disease</i> , 2014, 29, 1541-1550.	2.2	17
66	Wideband MRE and static mechanical indentation of human liver specimen: Sensitivity of viscoelastic constants to the alteration of tissue structure in hepatic fibrosis. <i>Journal of Biomechanics</i> , 2014, 47, 1665-1674.	2.1	41
67	Congenital Malformations of the Vertebral Column in Ancient Amphibians. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2014, 43, 90-102.	0.7	24
68	Evidence of Spondyloarthropathy in the Spine of a Phytosaur (Reptilia: Archosauriformes) from the Late Triassic of Halberstadt, Germany. <i>PLoS ONE</i> , 2014, 9, e85511.	2.5	27
69	Impact of Magnetic Field Strength and Receiver Coil – Ocular MRI: A Phantom and Patient Study. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2013, 185, 830-837.	1.3	10
70	Diffusion-Weighted Imaging of Ocular Melanoma. <i>Investigative Radiology</i> , 2013, 48, 702-707.	6.2	39
71	High-Field Open versus Short-Bore Magnetic Resonance Imaging of the Spine: A Randomized Controlled Comparison of Image Quality. <i>PLoS ONE</i> , 2013, 8, e83427.	2.5	12
72	Ocular MR Imaging: Evaluation of Different Coil Setups in a Phantom Study. <i>Magnetic Resonance in Medical Sciences</i> , 2013, 12, 177-182.	2.0	2

#	ARTICLE	IF	CITATIONS
73	Viscoelasticity-Based Magnetic Resonance Elastography for the Assessment of Liver Fibrosis in Hepatitis C Patients after Liver Transplantation. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2012, 184, 1013-1019.	1.3	20
74	Use of an Ultrasound-Based Navigation System for an Accurate Acetabular Positioning in Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 687-694.	3.1	22
75	A Prospective Study for Comparison of MR and CT Imaging for Detection of Coronary Artery Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 50-61.	5.3	99
76	Computed tomography for preoperative planning in minimal-invasive total hip arthroplasty: Radiation exposure and cost analysis. <i>European Journal of Radiology</i> , 2011, 78, 406-413.	2.6	79
77	Paget disease of bone in a Jurassic dinosaur. <i>Current Biology</i> , 2011, 21, R647-R648.	3.9	19
78	Reduction of claustrophobia during magnetic resonance imaging: methods and design of the "CLAUSTRO" randomized controlled trial. <i>BMC Medical Imaging</i> , 2011, 11, 4.	2.7	61
79	Vertebral Anomaly in Fossil Sea Cows (Mammalia, Sirenia). <i>Anatomical Record</i> , 2011, 294, 980-986.	1.4	5
80	Reduction of Claustrophobia with Short-Bore versus Open Magnetic Resonance Imaging: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2011, 6, e23494.	2.5	38
81	Manganese-Based Oral Contrast Agent for Liver Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2010, 45, 565-571.	6.2	13
82	Degenerative changes of the deltoid muscle have impact on clinical outcome after reversed total shoulder arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2010, 130, 177-183.	2.4	50
83	Influence of body mass index and thickness of soft tissue on accuracy of ultrasound and pointer based registration in navigation of cup in hip arthroplasty. <i>Technology and Health Care</i> , 2010, 18, 341-351.	1.2	13
84	Viscoelasticity-based Staging of Hepatic Fibrosis with Multifrequency MR Elastography. <i>Radiology</i> , 2010, 257, 80-86.	7.3	198
85	Whole-Body MR Imaging versus Sequential Multimodal Diagnostic Algorithm for Staging Patients with Rectal Cancer: Cost Analysis. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2010, 182, 793-802.	1.3	24
86	Frontal plane alignment: An imageless method to predict the mechanical femoral-tibial angle (mFTA) based on functional determination of joint centres and axes. <i>Gait and Posture</i> , 2010, 31, 204-208.	1.4	14
87	Gadofosveset trisodium-enhanced magnetic resonance angiography of the left atrium—A feasibility study. <i>European Journal of Radiology</i> , 2010, 75, 166-172.	2.6	14
88	3D CT Analysis of Combined Cup and Stem Anteversion in Cases of Cup Navigation in Hip Arthroplasty. <i>Orthopedics</i> , 2010, 33, 48-51.	1.1	14
89	Nondestructive Insights into Composition of the Sculpture of Egyptian Queen Nefertiti with CT. <i>Radiology</i> , 2009, 251, 233-240.	7.3	12
90	Magnetic resonance imaging of double-bundle anterior cruciate ligament reconstruction. <i>Skeletal Radiology</i> , 2009, 38, 309-315.	2.0	13

#	ARTICLE	IF	CITATIONS
91	Detection of focal liver lesions in unenhanced and ferucarbotran-enhanced magnetic resonance imaging: a comparison of T2-weighted breath-hold and respiratory-triggered sequences. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1223-1229.	1.8	8
92	Statin-associated focal myositis. <i>International Journal of Cardiology</i> , 2009, 133, e33-e34.	1.7	26
93	Beyond blood brain barrier breakdown – in vivo detection of occult neuroinflammatory foci by magnetic nanoparticles in high field MRI. <i>Journal of Neuroinflammation</i> , 2009, 6, 20.	7.2	41
94	Biphasic Blood Pool Contrast Agent-Enhanced Whole-Body MR Angiography for Treatment Planning in Patients With Significant Arterial Stenosis. <i>Investigative Radiology</i> , 2009, 44, 422-432.	6.2	5
95	Ultrasound-Based Navigation and 3D CT Compared in Acetabular Cup Position. <i>Orthopedics</i> , 2009, 32, 6-10.	1.1	15
96	Efficient Whole-Body MRI Interpretation: Evaluation of a Dedicated Software Prototype. <i>Journal of Digital Imaging</i> , 2008, 21, 50-58.	2.9	30
97	Assessment of liver viscoelasticity using multifrequency MR elastography. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 373-379.	3.0	227
98	Vertebral Pathology in an Ornithomorph Dinosaur: A Hemivertebra in <i>Dysalotosaurus lettowvorbecki</i> from the Jurassic of Tanzania. <i>Anatomical Record</i> , 2008, 291, 1149-1155.	1.4	28
99	Acute partial segmental thrombosis of the corpus cavernosum: imaging findings on ultrasound, computed tomography, and magnetic resonance imaging. <i>Clinical Imaging</i> , 2008, 32, 400-402.	1.5	18
100	High-resolution t2-weighted abdominal magnetic resonance imaging using respiratory triggering: impact of butylscopolamine on image quality. <i>Acta Radiologica</i> , 2008, 49, 376-382.	1.1	22
101	Free-Breathing Echo-Planar Imaging Based Diffusion-Weighted Magnetic Resonance Imaging of the Liver With Prospective Acquisition Correction. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 372-378.	0.9	18
102	High Spatial Resolution T1-Weighted MR Imaging of Liver and Biliary Tract During Uptake Phase of a Hepatocyte-Specific Contrast Medium. <i>Investigative Radiology</i> , 2008, 43, 809-815.	6.2	42
103	MRI of enthesitis of the appendicular skeleton in spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1553-1559.	0.9	161
104	First-Pass Whole-Body Magnetic Resonance Angiography (MRA) Using the Blood-Pool Contrast Medium Gadofosveset Trisodium. <i>Investigative Radiology</i> , 2007, 42, 659-664.	6.2	65
105	Noninvasive assessment of the rheological behavior of human organs using multifrequency MR elastography: a study of brain and liver viscoelasticity. <i>Physics in Medicine and Biology</i> , 2007, 52, 7281-7294.	3.0	295
106	Magnetic resonance imaging findings of atypical focal nodular hyperplasia of the liver. <i>Clinical Imaging</i> , 2007, 31, 244-252.	1.5	14
107	Effect of 7.0 Tesla MRI on Upper Eyelid Implants. <i>Ophthalmic Plastic and Reconstructive Surgery</i> , 2006, 22, 480-482.	0.8	17
108	In Vivo Determination of Hepatic Stiffness Using Steady-State Free Precession Magnetic Resonance Elastography. <i>Investigative Radiology</i> , 2006, 41, 841-848.	6.2	105

#	ARTICLE	IF	CITATIONS
109	Behavior of metal implants used in ENT surgery in 7 Tesla magnetic resonance imaging. <i>European Archives of Oto-Rhino-Laryngology</i> , 2006, 263, 900-905.	1.6	15
110	Respiratory-triggered MRCP applying parallel acquisition techniques. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 1095-1100.	3.4	34
111	Cine magnetic resonance imaging of the small bowel: comparison of different oral contrast media. <i>Acta Radiologica</i> , 2006, 47, 899-906.	1.1	11
112	Magnetic resonance cholangiopancreatography using a free-breathing T2-weighted turbo spin-echo sequence with navigator-triggered prospective acquisition correction. <i>Magnetic Resonance Imaging</i> , 2005, 23, 939-945.	1.8	54
113	Magnetic resonance imaging of the upper abdomen using a free-breathing T2-weighted turbo spin echo sequence with navigator triggered prospective acquisition correction. <i>Journal of Magnetic Resonance Imaging</i> , 2005, 21, 576-582.	3.4	113
114	Posterior "nutcracker" phenomenon: hemodynamic relevant aorto-retroaortal renal vein fistula leading to fatal right heart failure. <i>Acta Radiologica</i> , 2005, 46, 193-195.	1.1	4
115	Complex genital malformation in a female with congenital adrenal hyperplasia: evaluation with magnetic resonance imaging. <i>Acta Radiologica</i> , 2005, 46, 891-894.	1.1	9
116	Teleconsultation Practice Guidelines: Report from G8 Global Health Applications Subproject 4. <i>Telemedicine Journal and E-Health</i> , 2002, 8, 411-418.	2.8	31