

# Pere Puig

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/569285/pere-puig-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153  
papers

6,794  
citations

48  
h-index

78  
g-index

163  
ext. papers

7,574  
ext. citations

4.3  
avg, IF

5.6  
L-index

#	Paper	IF	Citations
153	Effects of long-lasting massive dumping of dredged material on bottom sediment and water turbidity during port expansion works. <i>Ocean and Coastal Management</i> , <b>2022</b> , 223, 106113	3.9	0
152	Natural vs. trawling-induced water turbidity and suspended sediment transport variability within the Palamà Canyon (NW Mediterranean). <i>Marine Geophysical Researches</i> , <b>2021</b> , 42, 1	2.3	1
151	Effects of bottom trawling on trace metal contamination of sediments along the submarine canyons of the Gulf of Palermo (southwestern Mediterranean).. <i>Science of the Total Environment</i> , <b>2021</b> , 152658	10.2	0
150	Mediterranean Coral Provinces as a Sponge Diversity Reservoir: Is There a Mediterranean Cold-Water Coral Sponge Fauna?. <i>Frontiers in Marine Science</i> , <b>2021</b> , 8,	4.5	1
149	Persistent, Depth-Intensified Mixing During The Western Mediterranean Transition's Initial Stages. <i>Journal of Geophysical Research: Oceans</i> , <b>2021</b> , 126, e2020JC016535	3.3	
148	Evidence of large increases in sedimentation rates due to fish trawling in submarine canyons of the Gulf of Palermo (SW Mediterranean). <i>Marine Pollution Bulletin</i> , <b>2021</b> , 172, 112861	6.7	3
147	Persistence of Biogeochemical Alterations of Deep-Sea Sediments by Bottom Trawling. <i>Geophysical Research Letters</i> , <b>2021</b> , 48, e2020GL091279	4.9	12
146	Trace metal variability controlled by hydrodynamic processes in a polluted inner shelf environment (Bessa prodelta, NW Mediterranean). <i>Science of the Total Environment</i> , <b>2020</b> , 735, 139482	10.2	3
145	First deep-sea Hamigera (Demospongiae: Porifera) species associated with Cold-Water Corals (CWC) on antipodal latitudes of the world. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2020</b> , 164, 103325	2.5	2
144	Effects of flushing flows on the transport of mercury-polluted particulate matter from the Flix Reservoir to the Ebro Estuary. <i>Journal of Environmental Management</i> , <b>2020</b> , 260, 110028	7.9	2
143	Mobile robotic platforms for the acoustic tracking of deep-sea demersal fishery resources. <i>Science Robotics</i> , <b>2020</b> , 5,	18.6	8
142	Environmental controls on particle fluxes in the Gulf of Valencia, NW Mediterranean.. <i>Marine Geology</i> , <b>2020</b> , 430, 106377	3.3	0
141	First report of the carnivorous sponge <i>Lycopodina hypogea</i> (Cladorhizidae) associated with marine debris, and its possible implications on deep-sea connectivity. <i>Marine Pollution Bulletin</i> , <b>2020</b> , 159, 111501	6.7	7
140	Impact of storms on residence times and export of coastal waters during a mild autumn/winter period in the Gulf of Lion. <i>Continental Shelf Research</i> , <b>2020</b> , 207, 104192	2.4	3
139	Sediment characteristics and internal architecture of offshore sand ridges on a tideless continental shelf (western Mediterranean). <i>Earth Surface Processes and Landforms</i> , <b>2020</b> , 45, 3592-3606	3.7	0
138	Evidence of trawling-induced resuspension events in the generation of nepheloid layers in the Foix submarine canyon (NW Mediterranean). <i>Journal of Marine Systems</i> , <b>2019</b> , 196, 86-96	2.7	7
137	27 Submarine Canyons in the Mediterranean: A Shelter for Cold-Water Corals. <i>Coral Reefs of the World</i> , <b>2019</b> , 285-289	2.1	3

136	Organic matter contents and degradation in a highly trawled area during fresh particle inputs (Gulf of Castellammare, southwestern Mediterranean). <i>Biogeosciences</i> , <b>2019</b> , 16, 4307-4320	4.6	11
135	Large sediment waves over the Gulf of Roses upper continental slope (NW Mediterranean). <i>Marine Geology</i> , <b>2018</b> , 399, 84-96	3.3	9
134	Enhancement of sedimentation rates in the Foix Canyon after the renewal of trawling fleets in the early XXIst century. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2018</b> , 132, 51-59	2.5	7
133	Spatial distribution of sedimentation-rate increases in Blanes Canyon caused by technification of bottom trawling fleet. <i>Progress in Oceanography</i> , <b>2018</b> , 169, 241-252	3.8	14
132	Coastal oceanographic signatures of heat waves and extreme events of dense water formation during the period 2002-2012 (Barcelona, NW Mediterranean). <i>Scientia Marina</i> , <b>2018</b> , 82, 189	1.8	6
131	Submarine Canyons and Gullies. <i>Springer Geology</i> , <b>2018</b> , 251-272	0.8	11
130	Fishing Activities. <i>Springer Geology</i> , <b>2018</b> , 503-534	0.8	9
129	Particle fluxes induced by benthic storms during the 2012 dense shelf water cascading and open sea convection period in the northwestern Mediterranean basin. <i>Marine Geology</i> , <b>2018</b> , 406, 119-131	3.3	5
128	Bridging the gap between the shallow and deep oceans: The key role of submarine canyons. <i>Progress in Oceanography</i> , <b>2018</b> , 169, 1-5	3.8	4
127	Numerical modeling of bottom trawling-induced sediment transport and accumulation in La Fonera submarine canyon, northwestern Mediterranean Sea. <i>Marine Geology</i> , <b>2017</b> , 386, 107-125	3.3	10
126	Submarine canyon-head morphologies and inferred sediment transport processes in the Alàs-Almanzora canyon system (SW Mediterranean): On the role of the sediment supply. <i>Marine Geology</i> , <b>2017</b> , 393, 21-34	3.3	23
125	Decline of trace metal pollution in the bottom sediments of the Barcelona City continental shelf (NW Mediterranean). <i>Science of the Total Environment</i> , <b>2017</b> , 579, 755-767	10.2	20
124	Internal wave turbulence in the Llobregat prodelta (NW Mediterranean) under stratified conditions: A mechanism for sediment waves generation?. <i>Marine Geology</i> , <b>2017</b> , 388, 1-11	3.3	8
123	Bottom-trawling along submarine canyons impacts deep sedimentary regimes. <i>Scientific Reports</i> , <b>2017</b> , 7, 43332	4.9	19
122	Large Sediment Waves Over the Gulf of Roses Continental Slope (NW Mediterranean) <b>2017</b> , 259-264		1
121	Sand Ridges on the Mid-Outer Valencia Continental Shelf <b>2017</b> , 173-177		
120	Large-Scale Fine-Grained Sediment Waves Over the Gulf of Valencia Continental Slope (NW Mediterranean) <b>2017</b> , 265-271		
119	Dense Shelf Water Cascading and Associated Bedforms <b>2017</b> , 35-40		2

118	Ecological Role of Submarine Canyons and Need for Canyon Conservation: A Review. <i>Frontiers in Marine Science</i> , <b>2017</b> , 4,	4.5	91
117	High spatiotemporal variability in meiofaunal assemblages in Blanes Canyon (NW Mediterranean) subject to anthropogenic and natural disturbances. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2016</b> , 117, 70-83	2.5	16
116	Oceanographic processes and morphosedimentary products along the Iberian margins: A new multidisciplinary approach. <i>Marine Geology</i> , <b>2016</b> , 378, 127-156	3.3	46
115	Spatio-temporal evolution of sediment waves developed on the Gulf of Valencia margin (NW Mediterranean) during the Plio-Quaternary. <i>Marine Geology</i> , <b>2016</b> , 378, 276-291	3.3	12
114	Morphobathymetric analysis of the large fine-grained sediment waves over the Gulf of Valencia continental slope (NW Mediterranean). <i>Geomorphology</i> , <b>2016</b> , 253, 22-37	4.3	46
113	Fine-scale water mass variability inside a narrow submarine canyon (the Bes Canyon) in the NW Mediterranean Sea. <i>Scientia Marina</i> , <b>2016</b> , 80, 195-204	1.8	5
112	Delivery of unprecedented amounts of perfluoroalkyl substances towards the deep-sea. <i>Science of the Total Environment</i> , <b>2015</b> , 526, 41-8	10.2	26
111	Glider monitoring of shelf suspended particle dynamics and transport during storm and flooding conditions. <i>Continental Shelf Research</i> , <b>2015</b> , 109, 135-149	2.4	22
110	A MSFD complementary approach for the assessment of pressures, knowledge and data gaps in Southern European Seas: The PERSEUS experience. <i>Marine Pollution Bulletin</i> , <b>2015</b> , 95, 28-39	6.7	35
109	Hydrodynamics over the Gulf of Valencia continental slope and their role in sediment transport. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2015</b> , 95, 54-66	2.5	12
108	SAND RIDGES IN THE MID-OUTER SHELF AS POTENTIAL SAND BORROWS AREAS (NW MEDITERRANEAN) <b>2015</b> ,		3
107	Increasing sediment accumulation rates in La Fonera (Palam) submarine canyon axis and their relationship with bottom trawling activities. <i>Geophysical Research Letters</i> , <b>2015</b> , 42, 8106-8113	4.9	26
106	Sediment dynamics over sand ridges on a tideless mid-outer continental shelf. <i>Marine Geology</i> , <b>2015</b> , 361, 25-40	3.3	25
105	Contemporary sediment-transport processes in submarine canyons. <i>Annual Review of Marine Science</i> , <b>2014</b> , 6, 53-77	15.4	141
104	Massive accumulation of highly polluted sedimentary deposits by river damming. <i>Science of the Total Environment</i> , <b>2014</b> , 497-498, 369-381	10.2	35
103	Effects of bottom trawling on the Ebro continental shelf sedimentary system (NW Mediterranean). <i>Continental Shelf Research</i> , <b>2014</b> , 72, 83-98	2.4	54
102	Trawling-induced daily sediment resuspension in the flank of a Mediterranean submarine canyon. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2014</b> , 104, 174-183	2.3	67
101	Impact of bottom trawling on deep-sea sediment properties along the flanks of a submarine canyon. <i>PLoS ONE</i> , <b>2014</b> , 9, e104536	3.7	59

100	Commercial bottom trawling as a driver of sediment dynamics and deep seascape evolution in the Anthropocene. <i>Anthropocene</i> , <b>2014</b> , 7, 1-15	3.9	57
99	Space-for-time substitution and the evolution of a submarine canyon channel system in a passive progradational margin. <i>Geomorphology</i> , <b>2014</b> , 221, 34-50	4.3	19
98	Chronic and intensive bottom trawling impairs deep-sea biodiversity and ecosystem functioning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 8861-6	11.5	229
97	Origin and accumulation of trace elements in sediments of the northwestern Mediterranean margin. <i>Chemical Geology</i> , <b>2014</b> , 380, 61-73	4.2	37
96	Interaction of dense shelf water cascading and open-sea convection in the northwestern Mediterranean during winter 2012. <i>Geophysical Research Letters</i> , <b>2013</b> , 40, 1379-1385	4.9	116
95	Nepheloid layer distribution in the Gulf of Valencia, northwestern Mediterranean. <i>Journal of Marine Systems</i> , <b>2013</b> , 111-112, 130-138	2.7	15
94	Megaflutes in a continental shelf setting, Placentia Bay, Newfoundland. <i>Geomorphology</i> , <b>2013</b> , 189, 12-25	4.3	11
93	Sediment transport processes at the head of Halibut Canyon, eastern Canada margin: An interplay between internal tides and dense shelf-water cascading. <i>Marine Geology</i> , <b>2013</b> , 341, 14-28	3.3	27
92	(Sub-)inertial wave boundary turbulence in the Gulf of Valencia. <i>Journal of Geophysical Research: Oceans</i> , <b>2013</b> , 118, 2067-2073	3.3	18
91	Thick bottom nepheloid layers in the western Mediterranean generated by deep dense shelf water cascading. <i>Progress in Oceanography</i> , <b>2013</b> , 111, 1-23	3.8	75
90	Sediment transport along the Cap de Creus Canyon flank during a mild, wet winter. <i>Biogeosciences</i> , <b>2013</b> , 10, 3221-3239	4.6	18
89	External forcings, oceanographic processes and particle flux dynamics in Cap de Creus submarine canyon, NW Mediterranean Sea. <i>Biogeosciences</i> , <b>2013</b> , 10, 3493-3505	4.6	10
88	Long-term monitoring programme of the hydrological variability in the Mediterranean Sea: a first overview of the HYDROCHANGES network. <i>Ocean Science</i> , <b>2013</b> , 9, 301-324	4	39
87	Organic biomarkers in deep-sea regions affected by bottom trawling: pigments, fatty acids, amino acids and carbohydrates in surface sediments from the La Fonera (Palamós) Canyon, NW Mediterranean Sea. <i>Biogeosciences</i> , <b>2013</b> , 10, 8093-8108	4.6	12
86	Bathymetrical distribution and size structure of cold-water coral populations in the Cap de Creus and Lacaze-Duthiers canyons (northwestern Mediterranean). <i>Biogeosciences</i> , <b>2013</b> , 10, 2049-2060	4.6	97
85	Ploughing the deep sea floor. <i>Nature</i> , <b>2012</b> , 489, 286-9	50.4	301
84	Sediment transport to the deep canyons and open-slope of the western Gulf of Lions during the 2006 intense cascading and open-sea convection period. <i>Progress in Oceanography</i> , <b>2012</b> , 106, 1-15	3.8	55
83	Habitats of the Cap de Creus Continental Shelf and Cap de Creus Canyon, Northwestern Mediterranean <b>2012</b> , 457-469		13

82	Mixing dynamics on the inner shelf of the Ebro Delta. <i>Scientia Marina</i> , <b>2012</b> , 76, 31-43	1.8	7
81	Distinguishing Sediment Bedforms from Sediment Deformation in Prodeltas of the Mediterranean Sea <b>2012</b> , 233-244		
80	Effects of storm events on the shelf-to-basin sediment transport in the southwestern end of the Gulf of Lions (Northwestern Mediterranean). <i>Natural Hazards and Earth System Sciences</i> , <b>2011</b> , 11, 843-850	2.0	18
79	Activity rhythms in the deep-sea: a chronobiological approach. <i>Frontiers in Bioscience - Landmark</i> , <b>2011</b> , 16, 131-50	2.8	47
78	A review of undulated sediment features on Mediterranean prodeltas: distinguishing sediment transport structures from sediment deformation. <i>Marine Geophysical Researches</i> , <b>2011</b> , 32, 49-69	2.3	51
77	Dense shelf water cascades in the Cap de Creus and Palamós submarine canyons during winters 2007 and 2008. <i>Marine Geology</i> , <b>2011</b> , 284, 175-188	3.3	29
76	The new Seafloor Observatory (OBSEA) for remote and long-term coastal ecosystem monitoring. <i>Sensors</i> , <b>2011</b> , 11, 5850-72	3.8	60
75	Flux and composition of settling particles across the continental margin of the Gulf of Lion: the role of dense shelf water cascading. <i>Biogeosciences</i> , <b>2010</b> , 7, 217-231	4.6	50
74	Reexposure and advection of <sup>14</sup> C-depleted organic carbon from old deposits at the upper continental slope. <i>Global Biogeochemical Cycles</i> , <b>2010</b> , 24, n/a-n/a	5.9	7
73	Large-scale bedforms along a tideless outer shelf setting in the western Mediterranean. <i>Continental Shelf Research</i> , <b>2010</b> , 30, 1802-1813	2.4	28
72	Lateral advection of organic matter in cascading-dominated submarine canyons. <i>Progress in Oceanography</i> , <b>2010</b> , 84, 185-203	3.8	41
71	Cascades in Mediterranean Submarine Grand Canyons. <i>Oceanography</i> , <b>2009</b> , 22, 26-43	2.3	140
70	Hydrodynamic, non-photic modulation of biorhythms in the Norway lobster, <i>Nephrops norvegicus</i> (L.). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2009</b> , 56, 366-373	2.5	9
69	Deep sediment transport induced by storms and dense shelf-water cascading in the northwestern Mediterranean basin. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2009</b> , 56, 425-434	2.5	49
68	Cold-water corals in the Cap de Creus canyon, northwestern Mediterranean: spatial distribution, density and anthropogenic impact. <i>Marine Ecology - Progress Series</i> , <b>2009</b> , 397, 37-51	2.6	190
67	Across margin export of organic matter by cascading events traced by stable isotopes, northwestern Mediterranean Sea. <i>Limnology and Oceanography</i> , <b>2009</b> , 54, 1488-1500	4.8	52
66	Impact of dense shelf water cascading on the transfer of organic matter to the deep western Mediterranean basin. <i>Geophysical Research Letters</i> , <b>2008</b> , 35,	4.9	57
65	Dense shelf water cascading in the northwestern Mediterranean during the cold winter 2005: Quantification of the export through the Gulf of Lion and the Catalan margin. <i>Geophysical Research Letters</i> , <b>2008</b> , 35, n/a-n/a	4.9	79

64	Sediment accumulation in the western Gulf of Lions, France: The role of Cap de Creus Canyon in linking shelf and slope sediment dispersal systems. <i>Continental Shelf Research</i> , <b>2008</b> , 28, 2031-2047	2.4	47
63	Sediment delivery, resuspension, and transport in two contrasting canyon environments in the southwest Gulf of Lions. <i>Continental Shelf Research</i> , <b>2008</b> , 28, 2000-2016	2.4	43
62	Storm-driven shelf-to-canyon suspended sediment transport at the southwestern Gulf of Lions. <i>Continental Shelf Research</i> , <b>2008</b> , 28, 1947-1956	2.4	72
61	Dense shelf water cascades and sedimentary furrow formation in the Cap de Creus Canyon, northwestern Mediterranean Sea. <i>Continental Shelf Research</i> , <b>2008</b> , 28, 2017-2030	2.4	103
60	Alteration of bottom roughness by benthic organisms in a sandy coastal environment. <i>Continental Shelf Research</i> , <b>2008</b> , 28, 2382-2392	2.4	17
59	Comparison of horizontal and downward particle fluxes across canyons of the Gulf of Lions (NW Mediterranean): Meteorological and hydrodynamical forcing. <i>Continental Shelf Research</i> , <b>2008</b> , 28, 1957-1970	2.4	40
58	Climate influence on deep sea populations. <i>PLoS ONE</i> , <b>2008</b> , 3, e1431	3.7	152
57	Anthropogenic trace metals in the sedimentary record of the Llobregat continental shelf and adjacent Foix Submarine Canyon (northwestern Mediterranean). <i>Marine Geology</i> , <b>2008</b> , 248, 213-227	3.3	44
56	Effect of commercial trawling on the deep sedimentation in a Mediterranean submarine canyon. <i>Marine Geology</i> , <b>2008</b> , 252, 150-155	3.3	58
55	Near-bottom horizontal transfer of particulate matter in the Palamós Submarine Canyon (NW Mediterranean). <i>Journal of Marine Research</i> , <b>2007</b> , 65, 193-218	1.5	27
54	High occurrence of the elasipodid holothurian <i>Penilpidia ludwigi</i> (von Marenzeller, 1893) in bathyal sediment traps moored in a western Mediterranean submarine canyon. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2007</b> , 54, 2170-2180	2.5	10
53	Sediment transport processes from the topset to the foreset of a crenulated clinoform (Adriatic Sea). <i>Continental Shelf Research</i> , <b>2007</b> , 27, 452-474	2.4	48
52	Sequence of hydrographic changes in NW Mediterranean deep water due to the exceptional winter of 2005. <i>Scientia Marina</i> , <b>2007</b> , 71, 339-346	1.8	76
51	Suspended sediment fluxes and transport processes in the Gulf of Lions submarine canyons. The role of storms and dense water cascading. <i>Marine Geology</i> , <b>2006</b> , 234, 43-61	3.3	208
50	Massive sand beds attributed to deposition by dense water cascades in the Bourcart canyon head, Gulf of Lions (northwestern Mediterranean Sea). <i>Marine Geology</i> , <b>2006</b> , 234, 111-128	3.3	55
49	Composition and variability of downward particulate matter fluxes in the Palamós submarine canyon (NW Mediterranean). <i>Journal of Marine Systems</i> , <b>2006</b> , 60, 75-97	2.7	80
48	Evidence of sediment gravity flows induced by trawling in the Palamós (Fonera) submarine canyon (northwestern Mediterranean). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2006</b> , 53, 201-214	2.5	80
47	Flushing submarine canyons. <i>Nature</i> , <b>2006</b> , 444, 354-7	50.4	600

46	Sediment dynamics during wet and dry storm events on the Tiber inner shelf (SW Gulf of Lions). <i>Marine Geology</i> , <b>2006</b> , 234, 129-142	3.3	101
45	Relationships between Antarctic coastal and deep-sea particle fluxes: implications for the deep-sea benthos. <i>Polar Biology</i> , <b>2006</b> , 29, 249-256	2	12
44	Downward particle fluxes in the Guadiaro submarine canyon depositional system (north-western Alboran Sea), a river flood dominated system. <i>Marine Geology</i> , <b>2005</b> , 220, 23-40	3.3	39
43	General patterns of circulation, sediment fluxes and ecology of the Palamós (La Fonera) submarine canyon, northwestern Mediterranean. <i>Progress in Oceanography</i> , <b>2005</b> , 66, 89-119	3.8	91
42	Bottom Sediment Variability in the Active Layer of the Inner Shelf off the Ebro Delta. <i>Journal of Coastal Research</i> , <b>2005</b> , 213, 482-496	0.6	2
41	Cliniform Generation on Mediterranean Margins. <i>Oceanography</i> , <b>2004</b> , 17, 104-117	2.3	32
40	Sediment deposition in a modern submarine canyon: Eel Canyon, northern California. <i>Marine Geology</i> , <b>2004</b> , 211, 101-119	3.3	68
39	Sedimentation of biogenic constituents during the last century in western Bransfield and Gerlache Straits, Antarctica: a relation to currents, primary production, and sea floor relief. <i>Marine Geology</i> , <b>2004</b> , 209, 265-277	3.3	32
38	Storm-induced sediment gravity flows at the head of the Eel submarine canyon, northern California margin. <i>Journal of Geophysical Research</i> , <b>2004</b> , 109,		115
37	Role of internal waves in the generation of nepheloid layers on the northwestern Alboran slope: Implications for continental margin shaping. <i>Journal of Geophysical Research</i> , <b>2004</b> , 109,		82
36	Shelf-to-canyon sediment-transport processes on the Eel continental margin (northern California). <i>Marine Geology</i> , <b>2003</b> , 193, 129-149	3.3	182
35	Duration and timing of reproduction in decapod crustaceans of the NW Mediterranean continental margin: is there a general pattern?. <i>Marine Ecology - Progress Series</i> , <b>2003</b> , 261, 201-216	2.6	45
34	Annual evolution of downward particle fluxes in the Western Bransfield Strait (Antarctica) during the FRUELA project. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2002</b> , 49, 903-920	2.3	43
33	Sediment accumulation rates and carbon fluxes to bottom sediments at the Western Bransfield Strait (Antarctica). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2002</b> , 49, 921-933	2.3	53
32	Sediment accumulation rates and carbon burial in the bottom sediment in a high-productivity area: Gerlache Strait (Antarctica). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2002</b> , 49, 3275-3287	2.3	23
31	Near-bottom suspended sediment fluxes on the microtidal low-energy Ebro continental shelf (NW Mediterranean). <i>Continental Shelf Research</i> , <b>2002</b> , 22, 285-303	2.4	66
30	Sediment resuspension across a microtidal, low-energy inner shelf. <i>Continental Shelf Research</i> , <b>2002</b> , 22, 305-325	2.4	38
29	Downward particle fluxes and sediment accumulation rates in the western Bransfield Strait: Implications of lateral transport for carbon cycle studies in Antarctic marginal seas. <i>Journal of Marine Research</i> , <b>2002</b> , 60, 347-365	1.5	16



28	Fluxes and composition of settling particles during summer in an Antarctic shallow bay of Livingston Island, South Shetlands <b>2002</b> , 133-139		
27	Fluxes and composition of settling particles during summer in an Antarctic shallow bay of Livingston Island, South Shetlands. <i>Polar Biology</i> , <b>2001</b> , 24, 670-676	2	15
26	Near-bottom suspended sediment variability caused by storms and near-inertial internal waves on the Ebro mid continental shelf (NW Mediterranean). <i>Marine Geology</i> , <b>2001</b> , 178, 81-93	3.3	73
25	Responses of deep-water shrimp populations to intermediate nepheloid layer detachments on the Northwestern Mediterranean continental margin. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2001</b> , 48, 2195-2207	2.5	47
24	Impact of bottom trawling on water turbidity and muddy sediment of an unfished continental shelf. <i>Limnology and Oceanography</i> , <b>2001</b> , 46, 1100-1110	4.8	125
23	Resting stages in a submarine canyon: a component of shallow-deep-sea coupling?. <i>Hydrobiologia</i> , <b>2000</b> , 440, 249-260	2.4	9
22	Deep slope currents and suspended particle fluxes in and around the Foix submarine canyon (NW Mediterranean). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2000</b> , 47, 343-366	2.5	71
21	A multidisciplinary approach to the understanding of hydromedusan populations inhabiting Mediterranean submarine canyons. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2000</b> , 47, 1513-1533	2.5	44
20	Field calibration of optical sensors for measuring suspended sediment concentration in the western Mediterranean. <i>Scientia Marina</i> , <b>2000</b> , 64, 427-435	1.8	62
19	Deep-water Hydromedusae from the Lacaze-Duthiers submarine canyon (Banyuls, northwestern Mediterranean) and description of two new genera, Guillea and Parateclaia. <i>Scientia Marina</i> , <b>2000</b> , 64, 87-95	1.8	10
18	Resting stages in a submarine canyon: a component of shallow-deep-sea coupling? <b>2000</b> , 249-260		
17	Water and sediment fluxes on the Ebro Delta shoreface: on the role of low frequency currents. <i>Marine Geology</i> , <b>1999</b> , 157, 219-239	3.3	23
16	Heavy metals in particulate matter and sediments in the southern Barcelona sedimentation system (North-western Mediterranean). <i>Marine Chemistry</i> , <b>1999</b> , 63, 311-329	3.7	68
15	Submarine canyons as habitats of prolific plankton populations: three new deep-sea Hydroidomedusae in the western Mediterranean. <i>Zoological Journal of the Linnean Society</i> , <b>1999</b> , 125, 313-329	2.4	41
14	Sediment accumulation rates in the southern Barcelona continental margin (NW Mediterranean Sea) derived from <sup>210</sup> Pb and <sup>137</sup> Cs chronology. <i>Progress in Oceanography</i> , <b>1999</b> , 44, 313-332	3.8	78
13	Zinc contamination in the bottom and suspended sediments of the Guadalquivir estuary after the Aznalcollar spill (south-western Spain). Control of hydrodynamic processes. <i>Science of the Total Environment</i> , <b>1999</b> , 242, 211-220	10.2	23
12	Nepheloid structure and hydrographic control on the Barcelona continental margin, northwestern Mediterranean. <i>Marine Geology</i> , <b>1998</b> , 149, 39-54	3.3	77
11	Temporal variability and composition of settling particle fluxes on the Barcelona continental margin (Northwestern Mediterranean). <i>Journal of Marine Research</i> , <b>1998</b> , 56, 639-654	1.5	72

10	Sediment Delivery to the Seabed on Continental Margins49-99		32
9	Submarine Mass Movements on Continental Margins213-274		42
8	The Mechanics of Marine Sediment Gravity Flows275-337		27
7	New records of rare species in the Mediterranean Sea (November 2020). <i>Mediterranean Marine Science</i> ,	2.7	4
6	Violent storms within the Sea: dense water formation episodes in the NW Mediterranean. <i>Advances in Geosciences</i> ,26, 53-59		16
5	Settling particle fluxes across the continental margin of the Gulf of Lion: the role of dense shelf water cascading		1
4	External forcings, oceanographic processes and particle flux dynamics in Cap de Creus submarine canyon, NW Mediterranean Sea		2
3	Bathymetrical distribution and size structure of cold-water coral populations in the Cap de Creus and Lacaze-Duthiers canyons (northwestern Mediterranean)		2
2	Long-term monitoring programme of the hydrological variability in the Mediterranean Sea: a first overview of the HYDROCHANGES network		1
1	Sediment transport along the Cap de Creus Canyon flank during a mild, wet winter		1