## Lawal Billa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5695367/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The feasibility of using a low-cost near-infrared, sensitive, consumer-grade digital camera mounted on a commercial UAV to assess Bambara groundnut yield. International Journal of Remote Sensing, 2022, 43, 393-423.	2.9	10
2	Spatial analysis and CIS in the study of COVID-19. A review. Science of the Total Environment, 2020, 739, 140033.	8.0	401
3	Geospatial and statistical interpretation of lineaments: salinity intrusion in the Kribi-Campo coastland of Cameroon. Advances in Space Research, 2020, 66, 844-853.	2.6	24
4	Challenges and considerations of applying nature-based solutions in low- and middle-income countries in Southeast and East Asia. Blue-Green Systems, 2020, 2, 331-351.	2.0	47
5	Geospatial Modelling of Watershed Peak Flood Discharge in Selangor, Malaysia. Water (Switzerland), 2019, 11, 2490.	2.7	16
6	Priming and temperature effects on germination and early seedling growth of someBrassicaspp Acta Horticulturae, 2018, , 407-414.	0.2	4
7	Post-flood land use damage estimation using improved Normalized Difference Flood Index (NDFI3) on Landsat 8 datasets: December 2014 floods, Kelantan, Malaysia. Arabian Journal of Geosciences, 2018, 11, 1.	1.3	10
8	Effect of climate change on seasonal monsoon in Asia and its impact on the variability of monsoon rainfall in Southeast Asia. Geoscience Frontiers, 2015, 6, 817-823.	8.4	369
9	Coupling effect of ozone column and atmospheric infrared sounder data reveal evidence of earthquake precursor phenomena of Bam earthquake, Iran. Arabian Journal of Geosciences, 2014, 7, 1517-1527.	1.3	9
10	Modelling urban growth evolution and land-use changes using GIS based cellular automata and SLEUTH models: the case of Sana'a metropolitan city, Yemen. Environmental Earth Sciences, 2013, 70, 425-437.	2.7	143
11	Manifestation of Remote Sensing Data in Modeling Urban Sprawl Using the SLEUTH Model and Brute Force Calibration: A Case Study of Sana'a City, Yemen. Journal of the Indian Society of Remote Sensing, 2013, 41, 405-416.	2.4	21
12	Potential fish habitat mapping using MODIS-derived sea surface salinity, temperature and chlorophyll-a data: South China Sea Coastal areas, Malaysia. Geocarto International, 2013, 28, 546-560.	3.5	13
13	Mesoscale grid rainfall estimation from AVHRR and GMS data. International Journal of Remote Sensing, 2012, 33, 2892-2908.	2.9	2
14	Preâ€flood inundation mapping for flood early warning. Journal of Flood Risk Management, 2011, 4, 318-327.	3.3	13
15	Semi-automated procedures for shoreline extraction using single RADARSAT-1 SAR image. Estuarine, Coastal and Shelf Science, 2011, 95, 395-400.	2.1	66
16	Comparison of recorded rainfall with quantitative precipitation forecast in a rainfall-runoff simulation for the Langat River Basin, Malaysia. Open Geosciences, 2011, 3, .	1.7	5
17	Modelling rainfall intensity from NOAA AVHRR data for operational flood forecasting in Malaysia. International Journal of Remote Sensing, 2006, 27, 5225-5234.	2.9	7
18	Comprehensive planning and the role of SDSS in flood disaster management in Malaysia. Disaster Prevention and Management, 2006, 15, 233-240.	1.2	63

#	Article	IF	CITATIONS
19	AVHRR Data for Real-Time Operational Flood Forecasting in Malaysia. , 2005, , 1357-1379.		5
20	Spatial technology for natural risk management. Disaster Prevention and Management, 2004, 13, 364-373.	1.2	36
21	Spatial information technology in flood early warning systems: an overview of theory, application and latest developments in Malaysia. Disaster Prevention and Management, 2004, 13, 356-363.	1.2	27