

Paul Moss

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5695683/publications.pdf>

Version: 2024-02-01

198
papers

13,525
citations

23500

58
h-index

27345

106
g-index

204
all docs

204
docs citations

204
times ranked

17412
citing authors

#	ARTICLE	IF	CITATIONS
1	The T cell immune response against SARS-CoV-2. <i>Nature Immunology</i> , 2022, 23, 186-193.	7.0	785
2	Adoptive transfer of cytomegalovirus-specific CTL to stem cell transplant patients after selection by HLA-peptide tetramers. <i>Journal of Experimental Medicine</i> , 2005, 202, 379-386.	4.2	466
3	Adoptive cellular therapy for early cytomegalovirus infection after allogeneic stem-cell transplantation with virus-specific T-cell lines. <i>Lancet</i> , 2003, 362, 1375-1377.	6.3	445
4	Differential Regulation of Vitamin D Receptor and Its Ligand in Human Monocyte-Derived Dendritic Cells. <i>Journal of Immunology</i> , 2003, 170, 5382-5390.	0.4	407
5	The number of human peripheral blood CD4+ CD25high regulatory T cells increases with age. <i>Clinical and Experimental Immunology</i> , 2005, 140, 540-546.	1.1	359
6	Azacitidine augments expansion of regulatory T cells after allogeneic stem cell transplantation in patients with acute myeloid leukemia (AML). <i>Blood</i> , 2012, 119, 3361-3369.	0.6	355
7	Robust SARS-CoV-2-specific T cell immunity is maintained at 6 months following primary infection. <i>Nature Immunology</i> , 2021, 22, 620-626.	7.0	320
8	Herpesvirus-Specific CD8 T Cell Immunity in Old Age: Cytomegalovirus Impairs the Response to a Coresident EBV Infection. <i>Journal of Immunology</i> , 2004, 173, 7481-7489.	0.4	319
9	Induction of a CD8+ T-cell response to the MAGE cancer testis antigen by combined treatment with azacitidine and sodium valproate in patients with acute myeloid leukemia and myelodysplasia. <i>Blood</i> , 2010, 116, 1908-1918.	0.6	304
10	Immunodeficiency and immunotherapy in multiple myeloma. <i>British Journal of Haematology</i> , 2007, 138, 563-579.	1.2	297
11	CRISPR screens identify genomic ribonucleotides as a source of PARP-trapping lesions. <i>Nature</i> , 2018, 559, 285-289.	13.7	297
12	Perturbation of the normal immune system in patients with CLL. <i>Blood</i> , 2015, 126, 573-581.	0.6	290
13	The PARP inhibitor olaparib induces significant killing of ATM-deficient lymphoid tumor cells in vitro and in vivo. <i>Blood</i> , 2010, 116, 4578-4587.	0.6	271
14	Cytomegalovirus-seropositivity has a profound influence on the magnitude of major lymphoid subsets within healthy individuals. <i>Clinical and Experimental Immunology</i> , 2009, 155, 423-432.	1.1	225
15	Mutation Status of the Residual ATM Allele Is an Important Determinant of the Cellular Response to Chemotherapy and Survival in Patients With Chronic Lymphocytic Leukemia Containing an 11q Deletion. <i>Journal of Clinical Oncology</i> , 2007, 25, 5448-5457.	0.8	224
16	ATR inhibition induces synthetic lethality and overcomes chemoresistance in TP53- or ATM-defective chronic lymphocytic leukemia cells. <i>Blood</i> , 2016, 127, 582-595.	0.6	214
17	Mutations in the ATM gene lead to impaired overall and treatment-free survival that is independent of IGVH mutation status in patients with B-CLL. <i>Blood</i> , 2005, 106, 3175-3182.	0.6	209
18	Chronic graft-versus-host disease is associated with increased numbers of peripheral blood CD4+CD25high regulatory T cells. <i>Blood</i> , 2004, 103, 2410-2416.	0.6	196

#	ARTICLE	IF	CITATIONS
19	The Cytomegalovirus-Specific CD4 + T-Cell Response Expands with Age and Markedly Alters the CD4 + T-Cell Repertoire. <i>Journal of Virology</i> , 2007, 81, 7759-7765.	1.5	191
20	Cytomegalovirus infection is associated with increased mortality in the older population. <i>Aging Cell</i> , 2013, 12, 381-387.	3.0	174
21	The impact of donor KIR and patient HLA-C genotypes on outcome following HLA-identical sibling hematopoietic stem cell transplantation for myeloid leukemia. <i>Blood</i> , 2004, 103, 1521-1526.	0.6	173
22	The age-related increase in low-grade systemic inflammation (Inflammaging) is not driven by cytomegalovirus infection. <i>Aging Cell</i> , 2012, 11, 912-915.	3.0	165
23	CMV and Immunosenescence: from basics to clinics. <i>Immunity and Ageing</i> , 2012, 9, 23.	1.8	158
24	Donor KIR genotype has a major influence on the rate of cytomegalovirus reactivation following T-cell replete stem cell transplantation. <i>Blood</i> , 2005, 107, 1230-1232.	0.6	155
25	Children develop robust and sustained cross-reactive spike-specific immune responses to SARS-CoV-2 infection. <i>Nature Immunology</i> , 2022, 23, 40-49.	7.0	145
26	Fetal-Specific CD8+ Cytotoxic T Cell Responses Develop during Normal Human Pregnancy and Exhibit Broad Functional Capacity. <i>Journal of Immunology</i> , 2012, 189, 1072-1080.	0.4	137
27	Cellular immunotherapy for viral infection after HSC transplantation. <i>Nature Reviews Immunology</i> , 2005, 5, 9-20.	10.6	130
28	A novel CDK inhibitor, CYC202 (R-roscovitine), overcomes the defect in p53-dependent apoptosis in B-CLL by down-regulation of genes involved in transcription regulation and survival. <i>Blood</i> , 2005, 105, 4484-4491.	0.6	129
29	Cytomegalovirus Infection Leads to Development of High Frequencies of Cytotoxic Virus-Specific CD4+ T Cells Targeted to Vascular Endothelium. <i>PLoS Pathogens</i> , 2016, 12, e1005832.	2.1	124
30	CD8+ T-cell immunity to cytomegalovirus. <i>Human Immunology</i> , 2004, 65, 456-464.	1.2	117
31	CXCL10-CXCR3 interactions play an important role in the pathogenesis of acute graft-versus-host disease in the skin following allogeneic stem-cell transplantation. <i>Blood</i> , 2007, 110, 3827-3832.	0.6	112
32	Patients with Wegener's granulomatosis demonstrate a relative deficiency and functional impairment of T-regulatory cells. <i>Immunology</i> , 2010, 130, 64-73.	2.0	110
33	Biallelic ATM Inactivation Significantly Reduces Survival in Patients Treated on the United Kingdom Leukemia Research Fund Chronic Lymphocytic Leukemia 4 Trial. <i>Journal of Clinical Oncology</i> , 2012, 30, 4524-4532.	0.8	109
34	Decidual T Cells Exhibit a Highly Differentiated Phenotype and Demonstrate Potential Fetal Specificity and a Strong Transcriptional Response to IFN. <i>Journal of Immunology</i> , 2017, 199, 3406-3417.	0.4	104
35	Extended interval BNT162b2 vaccination enhances peak antibody generation. <i>Npj Vaccines</i> , 2022, 7, 14.	2.9	101
36	Antibody responses after first and second Covid-19 vaccination in patients with chronic lymphocytic leukaemia. <i>Blood Cancer Journal</i> , 2021, 11, 136.	2.8	100

#	ARTICLE	IF	CITATIONS
37	Cytomegalovirus viral load within blood increases markedly in healthy people over the age of 70 years. <i>Immunity and Ageing</i> , 2016, 13, 1.	1.8	97
38	Microarray analysis reveals that TP53- and ATM-mutant B-CLLs share a defect in activating proapoptotic responses after DNA damage but are distinguished by major differences in activating prosurvival responses. <i>Blood</i> , 2004, 103, 291-300.	0.6	94
39	Progesterone promotes maternal-fetal tolerance by reducing human maternal cell polyfunctionality and inducing a specific cytokine profile. <i>European Journal of Immunology</i> , 2015, 45, 2858-2872.	1.6	93
40	COVID-19 therapeutics: Challenges and directions for the future. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2119893119.	3.3	92
41	Adenovirus Infections in Stem Cell Transplant Recipients: Recent Developments in Understanding of Pathogenesis, Diagnosis and Management. <i>Leukemia and Lymphoma</i> , 2004, 45, 873-885.	0.6	90
42	T Cell Recognition Patterns of Immunodominant Cytomegalovirus Antigens in Primary and Persistent Infection. <i>Journal of Immunology</i> , 2007, 178, 4455-4465.	0.4	86
43	Serological responses and vaccine effectiveness for extended COVID-19 vaccine schedules in England. <i>Nature Communications</i> , 2021, 12, 7217.	5.8	80
44	Biology and management of relapsed acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2005, 129, 18-34.	1.2	78
45	Selective accumulation of virus-specific CD8+ T cells with unique homing phenotype within the human bone marrow. <i>Blood</i> , 2008, 112, 3293-3302.	0.6	78
46	Rudimentary signs of immunosenescence in Cytomegalovirus-seropositive healthy young adults. <i>Age</i> , 2014, 36, 287-297.	3.0	76
47	Atypical chemokine receptor 1 on nucleated erythroid cells regulates hematopoiesis. <i>Nature Immunology</i> , 2017, 18, 753-761.	7.0	76
48	Latent Cytomegalovirus infection amplifies CD8 T-lymphocyte mobilisation and egress in response to exercise. <i>Brain, Behavior, and Immunity</i> , 2010, 24, 1362-1370.	2.0	74
49	Early reconstitution of effector memory CD4+ CMV-specific T cells protects against CMV reactivation following allogeneic SCT. <i>Bone Marrow Transplantation</i> , 2009, 43, 853-861.	1.3	73
50	The role of allogeneic stem cell transplantation in the management of acute myeloid leukaemia: a triumph of hope and experience. <i>British Journal of Haematology</i> , 2020, 188, 129-146.	1.2	73
51	Functional HY-Specific CD8+ T Cells Are Found in a High Proportion of Women Following Pregnancy with a Male Fetus. <i>Biology of Reproduction</i> , 2007, 76, 96-101.	1.2	72
52	Chemokine-mediated tissue recruitment of CXCR3+ CD4+ T cells plays a major role in the pathogenesis of chronic GVHD. <i>Blood</i> , 2012, 120, 4246-4255.	0.6	71
53	Consistent associations between measures of psychological stress and CMV antibody levels in a large occupational sample. <i>Brain, Behavior, and Immunity</i> , 2014, 38, 133-141.	2.0	67
54	B cells immortalized by a mini-Epstein-Barr virus encoding a foreign antigen efficiently reactivate specific cytotoxic T cells. <i>Blood</i> , 2002, 100, 1755-1764.	0.6	66

#	ARTICLE	IF	CITATIONS
55	Donor HLA-C Genotype Has a Profound Impact on the Clinical Outcome Following Liver Transplantation. <i>American Journal of Transplantation</i> , 2008, 8, 1931-1941.	2.6	66
56	EBV-associated mononucleosis leads to long-term global deficit in T-cell responsiveness to IL-15. <i>Blood</i> , 2006, 108, 11-18.	0.6	63
57	Safety and Efficacy of Antiviral Therapy for Prevention of Cytomegalovirus Reactivation in Immunocompetent Critically Ill Patients. <i>JAMA Internal Medicine</i> , 2017, 177, 774.	2.6	61
58	USP7 inhibition alters homologous recombination repair and targets CLL cells independently of ATM/p53 functional status. <i>Blood</i> , 2017, 130, 156-166.	0.6	60
59	Differential immunogenicity of BNT162b2 or ChAdOx1 vaccines after extended-interval homologous dual vaccination in older people. <i>Immunity and Ageing</i> , 2021, 18, 34.	1.8	60
60	The Transcription Factor Hobit Identifies Human Cytotoxic CD4+ T Cells. <i>Frontiers in Immunology</i> , 2017, 8, 325.	2.2	58
61	A phase I trial evaluating the safety and immunogenicity of a candidate tuberculosis vaccination regimen, ChAdOx1 85A prime + MVA85A boost in healthy UK adults. <i>Vaccine</i> , 2020, 38, 779-789.	1.7	58
62	Systematic analysis of infectious disease outcomes by age shows lowest severity in school-age children. <i>Scientific Data</i> , 2020, 7, 329.	2.4	57
63	Identification of Cytomegalovirus-Specific Cytotoxic T Lymphocytes In Vitro Is Greatly Enhanced by the Use of Recombinant Virus Lacking the US2 to US11 Region or Modified Vaccinia Virus Ankara Expressing Individual Viral Genes. <i>Journal of Virology</i> , 2005, 79, 2869-2879.	1.5	56
64	CD4+CD28 ^{hi} T cell expansion in granulomatosis with polyangiitis (Wegener's) is driven by latent cytomegalovirus infection and is associated with an increased risk of infection and mortality. <i>Arthritis and Rheumatism</i> , 2011, 63, 2127-2137.	6.7	56
65	Asymptomatic Primary Infection with Epstein-Barr Virus: Observations on Young Adult Cases. <i>Journal of Virology</i> , 2017, 91, .	1.5	56
66	“The ancient and the new” is there an interaction between cytomegalovirus and SARS-CoV-2 infection?. <i>Immunity and Ageing</i> , 2020, 17, 14.	1.8	56
67	Genotypic analysis of two hypervariable human cytomegalovirus genes. <i>Journal of Medical Virology</i> , 2008, 80, 1615-1623.	2.5	54
68	Cytomegalovirus is associated with depression and anxiety in older adults. <i>Brain, Behavior, and Immunity</i> , 2008, 22, 52-55.	2.0	53
69	TALEN-mediated genetic inactivation of the glucocorticoid receptor in cytomegalovirus-specific T cells. <i>Blood</i> , 2015, 126, 2781-2789.	0.6	53
70	Apoptotic resistance to ionizing radiation in pediatric B-precursor acute lymphoblastic leukemia frequently involves increased NF- κ B survival pathway signaling. <i>Blood</i> , 2004, 104, 1465-1473.	0.6	52
71	The distribution of 13 killer-cell immunoglobulin-like receptor loci in UK blood donors from three ethnic groups. <i>International Journal of Immunogenetics</i> , 2003, 30, 213-221.	1.2	49
72	Origin and subset distribution of peripheral blood dendritic cells in patients with chronic graft-versus-host disease ¹ . <i>Transplantation</i> , 2003, 75, 221-225.	0.5	49

#	ARTICLE	IF	CITATIONS
73	The number of cytomegalovirus-specific CD4+ T cells is markedly expanded in patients with B-cell chronic lymphocytic leukemia and determines the total CD4+ T-cell repertoire. <i>Blood</i> , 2010, 116, 2968-2974.	0.6	49
74	NK cell function is markedly impaired in patients with chronic lymphocytic leukaemia but is preserved in patients with small lymphocytic lymphoma. <i>Oncotarget</i> , 2016, 7, 68513-68526.	0.8	48
75	Recruitment mechanisms of primary and malignant B cells to the human liver. <i>Hepatology</i> , 2012, 56, 1521-1531.	3.6	45
76	Differential pattern of CD4+ and CD8+ T-cell immunity to MAGE-A1/A2/A3 in patients with monoclonal gammopathy of undetermined significance (MGUS) and multiple myeloma. <i>Blood</i> , 2008, 112, 3362-3372.	0.6	44
77	Chronic lymphocytic leukaemia cells drive the global CD4+ T cell repertoire towards a regulatory phenotype and leads to the accumulation of CD4+ forkhead box P3+ T cells. <i>Clinical and Experimental Immunology</i> , 2011, 166, 154-163.	1.1	42
78	Citrullination of histone H3 drives IL-6 production by bone marrow mesenchymal stem cells in MGUS and multiple myeloma. <i>Leukemia</i> , 2017, 31, 373-381.	3.3	42
79	Soluble syndecan-1 level at diagnosis is an independent prognostic factor in multiple myeloma and the extent of fall from diagnosis to plateau predicts for overall survival. <i>British Journal of Haematology</i> , 2005, 130, 542-548.	1.2	41
80	The emerging role of cytomegalovirus in driving immune senescence: a novel therapeutic opportunity for improving health in the elderly. <i>Current Opinion in Immunology</i> , 2010, 22, 529-534.	2.4	41
81	Impact of Cytomegalovirus on Long-term Mortality and Cancer Risk After Organ Transplantation. <i>Transplantation</i> , 2015, 99, 1989-1994.	0.5	40
82	Breastfeeding promotes early neonatal regulatory T cell expansion and immune tolerance of non-inherited maternal antigens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2447-2460.	2.7	40
83	Greatly reduced risk of EBV reactivation in rituximab-experienced recipients of alemtuzumab-conditioned allogeneic HSCT. <i>Bone Marrow Transplantation</i> , 2016, 51, 825-832.	1.3	39
84	Cytomegalovirus-Specific T Cells Restricted by HLA-Cw*0702 Increase Markedly with Age and Dominate the CD8+ T-Cell Repertoire in Older People. <i>Frontiers in Immunology</i> , 2017, 8, 1776.	2.2	39
85	Cytomegalovirus infection and cognitive abilities in old age. <i>Neurobiology of Aging</i> , 2013, 34, 1846-1852.	1.5	38
86	Profile of maternal CD4 T-cell effector function during normal pregnancy and in women with a history of recurrent miscarriage. <i>Clinical Science</i> , 2014, 126, 347-354.	1.8	38
87	NK cells in pancreatic cancer demonstrate impaired cytotoxicity and a regulatory IL-10 phenotype. <i>OncImmunology</i> , 2020, 9, 1845424.	2.1	38
88	CD4+ T cells specific for glycoprotein B from cytomegalovirus exhibit extreme conservation of T-cell receptor usage between different individuals. <i>Blood</i> , 2008, 111, 2053-2061.	0.6	37
89	A first-in-human phase 1 trial to evaluate the safety and immunogenicity of the candidate tuberculosis vaccine MVA85A-IMX313, administered to BCG-vaccinated adults. <i>Vaccine</i> , 2016, 34, 1412-1421.	1.7	37
90	Secondary anchor polymorphism in the HA-1 minor histocompatibility antigen critically affects MHC stability and TCR recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 3889-3894.	3.3	36

#	ARTICLE	IF	CITATIONS
91	Ethnic variability in human leukocyte antigenâ€E haplotypes. <i>Tissue Antigens</i> , 2009, 73, 39-45.	1.0	36
92	Report from the second cytomegalovirus and immunosenescence workshop. <i>Immunity and Ageing</i> , 2011, 8, 10.	1.8	35
93	Cytomegalovirus-Associated CD4+CD28null Cells in NKG2D-Dependent Glomerular Endothelial Injury and Kidney Allograft Dysfunction. <i>American Journal of Transplantation</i> , 2016, 16, 1113-1128.	2.6	35
94	Variations in ATM Protein Expression During Normal Lymphoid Differentiation and Among B-Cell-Derived Neoplasias. <i>American Journal of Pathology</i> , 2003, 163, 423-432.	1.9	34
95	Antiviral Therapy Can Reverse the Development of Immune Senescence in Elderly Mice with Latent Cytomegalovirus Infection. <i>Journal of Virology</i> , 2013, 87, 779-789.	1.5	34
96	Long-Term Ibrutinib Therapy Reverses CD8+ T Cell Exhaustion in B Cell Chronic Lymphocytic Leukaemia. <i>Frontiers in Immunology</i> , 2019, 10, 2832.	2.2	34
97	Covid-19 infection in therapy-naive patients with B-cell chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2020, 93, 106366.	0.4	34
98	Robust antibody responses in 70â€“80-year-olds 3 weeks after the first or second doses of Pfizer/BioNTech COVID-19 vaccine, United Kingdom, January to February 2021. <i>Eurosurveillance</i> , 2021, 26, .	3.9	34
99	Cytomegalovirus Seropositivity Is Associated with Increased Arterial Stiffness in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e55686.	1.1	33
100	A Phase I, Open-Label Trial, Evaluating the Safety and Immunogenicity of Candidate Tuberculosis Vaccines AERAS-402 and MVA85A, Administered by Prime-Boost Regime in BCG-Vaccinated Healthy Adults. <i>PLoS ONE</i> , 2015, 10, e0141687.	1.1	33
101	ATM germline heterozygosity does not play a role in chronic lymphocytic leukemia initiation but influences rapid disease progression through loss of the remaining ATM allele. <i>Haematologica</i> , 2012, 97, 142-146.	1.7	32
102	Cytomegalovirus infection is associated with an increase in systolic blood pressure in older individuals. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 595-600.	0.2	32
103	The CD4+ T-cell response to adenovirus is focused against conserved residues within the hexon protein. <i>Journal of General Virology</i> , 2007, 88, 2417-2425.	1.3	31
104	Memory B-cell reconstitution following allogeneic hematopoietic stem cell transplantation is an EBV-associated transformation event. <i>Blood</i> , 2015, 126, 2665-2675.	0.6	31
105	Targeting ÅŸ2 adrenergic receptors regulate human T cell function directly and indirectly. <i>Brain, Behavior, and Immunity</i> , 2015, 45, 211-218.	2.0	31
106	HIV patients on antiretroviral therapy have high frequencies of CD8 T cells specific for Immediate Early protein-1 of cytomegalovirus. <i>Aids</i> , 2005, 19, 555-562.	1.0	29
107	Single nucleotide polymorphism analysis of the NKG2D ligand cluster on the long arm of chromosome 6: Extensive polymorphisms and evidence of diversity between human populations. <i>Human Immunology</i> , 2010, 71, 610-620.	1.2	29
108	NK cells produce high levels of ILâ€“10 early after allogeneic stem cell transplantation and suppress development of acute GVHD. <i>European Journal of Immunology</i> , 2018, 48, 316-329.	1.6	29

#	ARTICLE	IF	CITATIONS
109	Seropositivity for CMV and IL-6 levels are associated with grip strength and muscle size in the elderly. <i>Immunity and Ageing</i> , 2013, 10, 33.	1.8	28
110	Optimization of a Human Bacille Calmette-Guérin Challenge Model: A Tool to Evaluate Antimycobacterial Immunity. <i>Journal of Infectious Diseases</i> , 2016, 213, 824-830.	1.9	28
111	mRNA vaccination in people over 80 years of age induces strong humoral immune responses against SARS-CoV-2 with cross neutralization of P.1 Brazilian variant. <i>ELife</i> , 2021, 10, .	2.8	28
112	Virus-specific Cytotoxic T Lymphocytes Differentially Express Cell Surface Leukocyte Immunoglobulin-like Receptor 1, an Inhibitory Receptor for Class I Major Histocompatibility Complex Molecules. <i>Journal of Infectious Diseases</i> , 2005, 191, 1842-1853.	1.9	27
113	Maternal effector T cells within decidua: The adaptive immune response to pregnancy?. <i>Placenta</i> , 2017, 60, 140-144.	0.7	27
114	South Asian chronic lymphocytic leukaemia patients have more rapid disease progression in comparison to White patients. <i>British Journal of Haematology</i> , 2008, 142, 606-609.	1.2	26
115	Subclinical Reactivation of Cytomegalovirus Drives CD4+CD28null T-Cell Expansion and Impaired Immune Response to Pneumococcal Vaccination in Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Journal of Infectious Diseases</i> , 2019, 219, 234-244.	1.9	26
116	Cytomegalovirus sero positivity dramatically alters the maternal CD8+ T cell repertoire and leads to the accumulation of highly differentiated memory cells during human pregnancy. <i>Human Reproduction</i> , 2011, 26, 3355-3365.	0.4	25
117	The number of CD56dim NK cells in the graft has a major impact on risk of disease relapse following allo-HSCT. <i>Blood Advances</i> , 2017, 1, 1589-1597.	2.5	25
118	Progression of mycosis fungoides occurs through divergence of tumor immunophenotype by differential expression of HLA-DR. <i>Blood Advances</i> , 2019, 3, 519-530.	2.5	25
119	Direct observations of the kinetics of migrating T cells suggest active retention by endothelial cells with continual bidirectional migration. <i>Journal of Leukocyte Biology</i> , 2009, 85, 98-107.	1.5	24
120	Post-transplant T cell chimerism predicts graft versus host disease but not disease relapse in patients undergoing an alemtuzumab based reduced intensity conditioned allogeneic transplant. <i>Leukemia Research</i> , 2013, 37, 561-565.	0.4	24
121	Cord Blood T Cells Retain Early Differentiation Phenotype Suitable for Immunotherapy After TCR Gene Transfer to Confer EBV Specificity. <i>American Journal of Transplantation</i> , 2013, 13, 45-55.	2.6	23
122	A disease-linked <i>ULBP6</i> polymorphism inhibits NKG2D-mediated target cell killing by enhancing the stability of NKG2D ligand binding. <i>Science Signaling</i> , 2017, 10, .	1.6	23
123	A multicentre phase I trial of the PARP inhibitor olaparib in patients with relapsed chronic lymphocytic leukaemia, prolymphocytic leukaemia or mantle cell lymphoma. <i>British Journal of Haematology</i> , 2018, 182, 429-433.	1.2	23
124	Study Protocol: Understanding SARS-Cov-2 infection, immunity and its duration in care home residents and staff in England (VIVALDI). <i>Wellcome Open Research</i> , 2020, 5, 232.	0.9	23
125	Fetal microchimerism: the cellular and immunological legacy of pregnancy. <i>Expert Reviews in Molecular Medicine</i> , 2009, 11, e33.	1.6	22
126	DNA Fusion Vaccines Induce Epitope-Specific Cytotoxic CD8+ T Cells against Human Leukemia-Associated Minor Histocompatibility Antigens. <i>Cancer Research</i> , 2006, 66, 5436-5442.	0.4	21

#	ARTICLE	IF	CITATIONS
127	Persistent viral infection in humans can drive high frequency low-affinity T cell expansions. <i>Immunology</i> , 2010, 131, 537-548.	2.0	21
128	Classical Ataxia Telangiectasia Patients Have a Congenitally Aged Immune System with High Expression of CD95. <i>Journal of Immunology</i> , 2012, 189, 261-268.	0.4	21
129	Impaired Direct Priming of CD8 T Cells by Donor-Derived Cytomegalovirus Following Kidney Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1698-1708.	3.0	21
130	Cytomegalovirus drives V β 2neg $\gamma\delta$ T cell inflation in many healthy virus carriers with increasing age. <i>Clinical and Experimental Immunology</i> , 2014, 176, 418-428.	1.1	21
131	From immunosenescence to immune modulation TM : a re-appraisal of the role of cytomegalovirus as major regulator of human immune function. <i>Medical Microbiology and Immunology</i> , 2019, 208, 271-280.	2.6	21
132	Study Protocol: Understanding SARS-Cov-2 infection, immunity and its duration in care home residents and staff in England (VIVALDI). <i>Wellcome Open Research</i> , 2020, 5, 232.	0.9	21
133	The genotype of <i>RAET1L</i> (<i>ULBP6</i>), a ligand for human <i>NKG2D</i> (<i>KLRK1</i>), markedly influences the clinical outcome of allogeneic stem cell transplantation. <i>British Journal of Haematology</i> , 2012, 159, 589-598.	1.2	20
134	Health state utilities for chronic lymphocytic leukemia: importance of prolonging progression-free survival. <i>Leukemia and Lymphoma</i> , 2015, 56, 1320-1326.	0.6	20
135	The host cellular immune response to cytomegalovirus targets the endothelium and is associated with increased arterial stiffness in ANCA-associated vasculitis. <i>Arthritis Research and Therapy</i> , 2018, 20, 194.	1.6	20
136	Ninety day mortality following pancreatoduodenectomy in England: has the optimum centre volume been identified?. <i>Hpb</i> , 2018, 20, 1012-1020.	0.1	20
137	Mixed chimerism established by hematopoietic stem cell transplantation is maintained by host and donor T regulatory cells. <i>Blood Advances</i> , 2019, 3, 734-743.	2.5	20
138	KIR and HLA-C Interactions Promote Differential Dendritic Cell Maturation and Is a Major Determinant of Graft Failure following Kidney Transplantation. <i>PLoS ONE</i> , 2011, 6, e23631.	1.1	20
139	CMV infection of human sinusoidal endothelium regulates hepatic T cell recruitment and activation. <i>Journal of Hepatology</i> , 2015, 63, 38-49.	1.8	19
140	Alterations in bone marrow metabolism are an early and consistent feature during the development of MGUS and multiple myeloma. <i>Blood Cancer Journal</i> , 2015, 5, e359-e359.	2.8	19
141	CD117 (c-Kit) Is Expressed During CD8+ T Cell Priming and Stratifies Sensitivity to Apoptosis According to Strength of TCR Engagement. <i>Frontiers in Immunology</i> , 2019, 10, 468.	2.2	19
142	Persistence of fetal cells in the mother: friend or foe?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 1321-1325.	1.1	18
143	The Cellular Localization of Human Cytomegalovirus Glycoprotein Expression Greatly Influences the Frequency and Functional Phenotype of Specific CD4+ T Cell Responses. <i>Journal of Immunology</i> , 2015, 195, 3803-3815.	0.4	18
144	Spontaneous CD4 ⁺ and CD8 ⁺ T cell responses directed against cancer testis antigens are present in the peripheral blood of testicular cancer patients. <i>European Journal of Immunology</i> , 2017, 47, 1232-1242.	1.6	18

#	ARTICLE	IF	CITATIONS
145	The Biological Influence and Clinical Relevance of Polymorphism Within the NKG2D Ligands. <i>Frontiers in Immunology</i> , 2018, 9, 1820.	2.2	18
146	Integrative analysis of spontaneous CLL regression highlights genetic and microenvironmental interdependency in CLL. <i>Blood</i> , 2020, 135, 411-428.	0.6	17
147	CD8+ T-cell immunity against cancer-testis antigens develops following allogeneic stem cell transplantation and reveals a potential mechanism for the graft-versus-leukemia effect. <i>Haematologica</i> , 2010, 95, 1572-1578.	1.7	16
148	HLA-Peptide Multimer Selection of Adenovirus-specific T Cells For Adoptive T-Cell Therapy. <i>Journal of Immunotherapy</i> , 2013, 36, 423-431.	1.2	15
149	Homeostatic Cytokines Drive Epigenetic Reprogramming of Activated T Cells into a "Naive-Memory" Phenotype. <i>iScience</i> , 2020, 23, 100989.	1.9	15
150	PD-1 is imprinted on cytomegalovirus-specific CD4+ T cells and attenuates Th1 cytokine production whilst maintaining cytotoxicity. <i>PLoS Pathogens</i> , 2021, 17, e1009349.	2.1	15
151	Hypovitaminosis-D and EBV: no interdependence between two MS risk factors in a healthy young UK autumn cohort. <i>Multiple Sclerosis Journal</i> , 2014, 20, 751-753.	1.4	14
152	Acyclovir Therapy Reduces the CD4+ T Cell Response against the Immunodominant pp65 Protein from Cytomegalovirus in Immune Competent Individuals. <i>PLoS ONE</i> , 2015, 10, e0125287.	1.1	14
153	Cytomegalovirus infection does not impact on survival or time to first treatment in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016, 91, 776-781.	2.0	14
154	Targeting the Ataxia Telangiectasia Mutated-null phenotype in chronic lymphocytic leukemia with pro-oxidants. <i>Haematologica</i> , 2015, 100, 1076-85.	1.7	13
155	Characterisation of CMV-specific CD4+ T-cell reconstitution following stem cell transplantation through the use of HLA Class II-peptide tetramers identifies patients at high risk of recurrent CMV reactivation. <i>Haematologica</i> , 2015, 100, e318-22.	1.7	13
156	Dynamic changes in clonal cytogenetic architecture during progression of chronic lymphocytic leukemia in patients and patient-derived murine xenografts. <i>Oncotarget</i> , 2017, 8, 44749-44760.	0.8	13
157	Elevated HbA1c levels and the accumulation of differentiated T cells in CMV+ individuals. <i>Diabetologia</i> , 2015, 58, 2596-2605.	2.9	12
158	Valaciclovir to prevent Cytomegalovirus mediated adverse modulation of the immune system in ANCA-associated vasculitis (CANVAS): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 338.	0.7	12
159	The UPTAKE study: implications for the future of COVID-19 vaccination trial recruitment in UK and beyond. <i>Trials</i> , 2021, 22, 296.	0.7	12
160	ZAP70 is highly expressed in most cases of childhood pre-B cell acute lymphoblastic leukemia. <i>International Journal of Laboratory Hematology</i> , 2008, 30, 149-157.	0.7	10
161	Structural and energetic evidence for highly peptide-specific tumor antigen targeting via allo-MHC restriction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 21176-21181.	3.3	10
162	Analysis of the effects of stromal cells on the migration of lymphocytes into and through inflamed tissue using 3-D culture models. <i>Journal of Immunological Methods</i> , 2013, 400-401, 45-57.	0.6	10

#	ARTICLE	IF	CITATIONS
163	Sociodemographic factors associated with IgG and IgM seroprevalence for human cytomegalovirus infection in adult populations of Pakistan: a seroprevalence survey. <i>BMC Public Health</i> , 2016, 16, 1112.	1.2	9
164	Unique features and clinical importance of acute alloreactive immune responses. <i>JCI Insight</i> , 2018, 3, .	2.3	9
165	Adenovirus vector-specific T cells demonstrate a unique memory phenotype with high proliferative potential and coexpression of CCR5 and integrin $\alpha 4\beta 7$. <i>Aids</i> , 2010, 24, 205-210.	1.0	8
166	An attenuated temperature-sensitive strain of cytomegalovirus (<i>tsm5</i>) establishes immunity without development of CD8 ⁺ T cell memory inflation. <i>Journal of Medical Virology</i> , 2013, 85, 1968-1974.	2.5	8
167	Poor functional antibody responses are present in nearly all patients with chronic lymphocytic leukaemia, irrespective of total IgG concentration, and are associated with increased risk of infection. <i>British Journal of Haematology</i> , 2015, 171, 887-890.	1.2	8
168	Very early lineage-specific chimerism after reduced intensity stem cell transplantation is highly predictive of clinical outcome for patients with myeloid disease. <i>Leukemia Research</i> , 2019, 83, 106173.	0.4	8
169	A rare complication of bone marrow aspiration and trephine biopsy: <i>Staphylococcus aureus</i> osteomyelitis and septicaemia. <i>British Journal of Haematology</i> , 2019, 184, 7-7.	1.2	8
170	Dominant responses with conservation of T-cell receptor usage in the CD8 ⁺ T-cell recognition of a cancer testis antigen peptide presented through HLA-Cw7 in patients with multiple myeloma. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1751-1761.	2.0	7
171	T-cell number and subtype influence the disease course of primary chronic lymphocytic leukaemia xenografts in lymphoid mice. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 1401-12.	1.2	7
172	Phase I Trial Evaluating the Safety and Immunogenicity of Candidate TB Vaccine MVA85A, Delivered by Aerosol to Healthy M.tb-Infected Adults. <i>Vaccines</i> , 2021, 9, 396.	2.1	7
173	Neoplastic plasma cells generate an inflammatory environment within bone marrow and markedly alter the distribution of T cells between lymphoid compartments. <i>Oncotarget</i> , 2017, 8, 30383-30394.	0.8	7
174	The cellular immunotherapy of viral infection. <i>Transfusion Medicine</i> , 2003, 13, 405-415.	0.5	6
175	Analysis of ZAP70 expression in adult acute lymphoblastic leukaemia by real time quantitative PCR. <i>Molecular Cytogenetics</i> , 2012, 5, 22.	0.4	5
176	Primary care management of early stage chronic lymphocytic leukaemia is safe and effective. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015, 108, 789-794.	0.2	5
177	ULBPs: regulators of human lymphocyte stress recognition. <i>Oncotarget</i> , 2017, 8, 106157-106158.	0.8	5
178	Anticytomegalovirus antibody titres are not associated with caregiving burden in younger caregivers. <i>British Journal of Health Psychology</i> , 2015, 20, 68-84.	1.9	4
179	Humoral immunity to memory antigens and pathogens is maintained in patients with chronic kidney disease. <i>PLoS ONE</i> , 2018, 13, e0195730.	1.1	4
180	Early T Cell Differentiation with Well-Maintained Function across the Adult Life Course in Sub-Saharan Africa. <i>Journal of Immunology</i> , 2019, 203, 1160-1171.	0.4	4

#	ARTICLE	IF	CITATIONS
181	Cytomegalovirus seropositivity is independently associated with cardiovascular disease in non-dialysis dependent chronic kidney disease. QJM - Monthly Journal of the Association of Physicians, 2020, 113, 253-257.	0.2	4
182	Robust SARS-CoV-2-specific and heterologous immune responses in vaccine-naïve residents of long-term care facilities who survive natural infection. Nature Aging, 0, , .	5.3	4
183	Chronic Graft Versus Host Disease Is Associated With an Immune Response to Autologous Human Leukocyte Antigen-Derived Peptides. Transplantation, 2010, 90, 555-563.	0.5	3
184	ES02.03 Principles of immunotherapy. Vox Sanguinis, 2004, 87, 26-29.	0.7	2
185	Ibrutinib and Obinutuzumab in CLL: MRD Responses Sustained for Several Years with Deepest MRD Depletion in Patients with >1 Year Prior Ibrutinib Exposure. Blood, 2020, 136, 27-28.	0.6	2
186	PALB2 variant status in hematological malignancies – a potential therapeutic target?. Leukemia and Lymphoma, 2019, 60, 1823-1826.	0.6	1
187	CD52/GPI ⁺ T-Cells Are Enriched for Alloreactive Specificity and Predict Acute Graft-Versus-Host-Disease After Stem Cell Transplantation. Transplantation and Cellular Therapy, 2021, 27, 475.e1-475.e9.	0.6	1
188	Normal Lymphocytes and Non-Neoplastic Lymphocyte Disorders. , 0, , 330-357.		1
189	Immune dysfunction in multiple myeloma. , 0, , 84-95.		0
190	Cytomegalovirus in Patients in the Intensive Care Unit—Reply. JAMA Internal Medicine, 2017, 177, 1543.	2.6	0
191	–T-cell versus T-cell™: Tumour infiltrating lymphocytes in mycosis fungoides show a remarkably homogeneous exhaustion profile across a heterogeneous patient population. European Journal of Cancer, 2018, 101, S11-S12.	1.3	0
192	The tumour phenotype of mycosis fungoides clusters into three heterogeneous surface expression profiles. European Journal of Cancer, 2018, 101, S12.	1.3	0
193	146 Successful identification of copy number variations using next generation sequencing with a tumour panel in plaque/tumour mycosis fungoides. Journal of Investigative Dermatology, 2018, 138, S25.	0.3	0
194	Single-cell RNA sequencing with TCR repertoire profiling of mycosis fungoides. European Journal of Cancer, 2019, 119, S7.	1.3	0
195	DNA and modified vaccinia Ankara prime—boost vaccination generates strong CD8 + T cell responses against minor histocompatibility antigen HA1. British Journal of Haematology, 2021, 195, 433-446.	1.2	0
196	Targeting an RNaseH2 Defect in Chronic Lymphocytic Leukaemia with PARP Inhibitors. Blood, 2018, 132, 1835-1835.	0.6	0
197	The Proportion of CD52/GPI Negative T Cells Early Following Alemtuzumab Conditioned Haematopoietic Stem Cell Transplantation Is an Independent Risk Factor for Acute GvHD. Blood, 2019, 134, 4543-4543.	0.6	0
198	Low Numbers of CD27- IgD- 'Double Negative' Senescent B-Cells Early after Reduced Intensity T Cell Depleted Haematopoietic Stem Cell Transplantation Are Predictive of Subsequent Chronic GvHD. Blood, 2019, 134, 4529-4529.	0.6	0