

Carlos Wong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5695846/carlos-wong-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

215
papers

2,640
citations

25
h-index

35
g-index

245
ext. papers

3,707
ext. citations

4.9
avg, IF

5.63
L-index

#	Paper	IF	Citations
215	Carditis After COVID-19 Vaccination With a Messenger RNA Vaccine and an Inactivated Virus Vaccine : A Case-Control Study.. <i>Annals of Internal Medicine</i> , 2022 ,	8	17
214	COVID-19 vaccines and risks of hematological abnormalities: nested case-control and self-controlled case series study.. <i>American Journal of Hematology</i> , 2022 ,	7.1	6
213	Multimorbidity and adverse events of special interest associated with Covid-19 vaccines in Hong Kong.. <i>Nature Communications</i> , 2022 , 13, 411	17.4	10
212	Post-Covid-19-vaccination adverse events and healthcare utilization among individuals with or without previous SARS-CoV-2 infection.. <i>Journal of Internal Medicine</i> , 2022 ,	10.8	4
211	Herpes zoster related hospitalization after inactivated (CoronaVac) and mRNA (BNT162b2) SARS-CoV-2 vaccination: A self-controlled case series and nested case-control study.. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 21, 100393	5	6
210	Self-reported reactogenicity of CoronaVac (Sinovac) compared with Comirnaty (Pfizer-BioNTech): A prospective cohort study with intensive monitoring.. <i>Vaccine</i> , 2022 , 40, 1390-1390	4.1	1
209	Lack of inflammatory bowel disease flare-up following two-dose BNT162b2 vaccine: a population-based cohort study.. <i>Gut</i> , 2022 ,	19.2	5
208	Psychometric performance of proxy-reported EQ-5D youth version 5-level (EQ-5D-Y-5L) in comparison with three-level (EQ-5D-Y-3L) in children and adolescents with scoliosis.. <i>European Journal of Health Economics</i> , 2022 , 1	3.6	1
207	Impact of a delayed second dose of mRNA vaccine (BNT162b2) and inactivated SARS-CoV-2 vaccine (CoronaVac) on risks of all-cause mortality, emergency department visit, and unscheduled hospitalization.. <i>BMC Medicine</i> , 2022 , 20, 119	11.4	1
206	Adverse Events of Special Interest Following the Use of BNT162b2 in Adolescents: A Population-Based Retrospective Cohort Study.. <i>Emerging Microbes and Infections</i> , 2022 , 1-17	18.9	5
205	Metformin Use in Relation to Clinical Outcomes and Hyperinflammatory Syndrome Among COVID-19 Patients With Type 2 Diabetes: A Propensity Score Analysis of a Territory-Wide Cohort.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 810914	5.7	1
204	Safety of inactivated and mRNA COVID-19 vaccination among patients treated for hypothyroidism: a population-based cohort study.. <i>Thyroid</i> , 2022 ,	6.2	6
203	Comorbid depression and obesity, and its transition on the risk of functional disability among middle-aged and older Chinese: a cohort study.. <i>BMC Geriatrics</i> , 2022 , 22, 275	4.1	3
202	Switching to Versus Addition of Incretin-Based Drugs Among Patients With Type 2 Diabetes Taking Sodium-Glucose Cotransporter-2 Inhibitors.. <i>Journal of the American Heart Association</i> , 2022 , e023489	6	0
201	Remdesivir use and risks of acute kidney injury and acute liver injury among patients hospitalised with COVID-19: A self-controlled case series study.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 ,	6.1	2
200	Slower Recovery with Early Lopinavir/Ritonavir use in Pediatric COVID-19 Patients: A Retrospective Observational Study.. <i>Paediatric Drugs</i> , 2022 , 24, 269	4.2	0
199	Autoimmune conditions following mRNA (BNT162b2) and inactivated (CoronaVac) COVID-19 vaccination: A descriptive cohort study among 1.1 million vaccinated people in Hong Kong.. <i>Journal of Autoimmunity</i> , 2022 , 130, 102830	15.5	2

198	Combined electroacupuncture and auricular acupuncture to alleviate pain after gynaecological abdominal surgery: a randomised sham-controlled trial (abridged secondary publication).. <i>Hong Kong Medical Journal</i> , 2022 , 28 Suppl 1, 27-30	0.7	
197	COVID-19 Vaccination Preferences of University Students and Staff in Hong Kong.. <i>JAMA Network Open</i> , 2022 , 5, e2212681	10.4	0
196	Safety of two-dose COVID-19 vaccination (BNT162b2 and CoronaVac) in adults with cancer: a territory-wide cohort study.. <i>Journal of Hematology and Oncology</i> , 2022 , 15, 66	22.4	1
195	Development and validation of a diabetes mellitus and prediabetes risk prediction function for case finding in primary care in Hong Kong: a cross-sectional study and a prospective study protocol paper. <i>BMJ Open</i> , 2022 , 12, e059430	3	
194	Effects of bariatric surgery on kidney diseases, cardiovascular diseases, mortality and severe hypoglycaemia among patients with Type 2 diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1440-1451	4.3	2
193	Comparing self-reported reactogenicity between adolescents and adults following the use of BNT162b2 (Pfizer-BioNTech) messenger RNA Covid-19 vaccine: a prospective cohort study.. <i>International Journal of Infectious Diseases</i> , 2021 ,	10.5	2
192	Two-dose COVID-19 vaccination and possible arthritis flare among patients with rheumatoid arthritis in Hong Kong. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	25
191	Use of DPP4i reduced odds of clinical deterioration and hyperinflammatory syndrome in COVID-19 patients with type 2 diabetes: propensity score analysis of a territory-wide cohort in Hong Kong. <i>Diabetes and Metabolism</i> , 2021 , 48, 101307	5.4	2
190	Impact of varying wave periods of COVID-19 on in-hospital mortality and length of stay for admission through emergency department: A territory-wide observational cohort study. <i>Influenza and Other Respiratory Viruses</i> , 2021 ,	5.6	2
189	The validity, reliability, sensitivity and responsiveness of a modified Patient Enablement Instrument (PEI-2) as a tool for serial measurements of health enablement. <i>Family Practice</i> , 2021 , 38, 339-345	1.9	2
188	SGLT2i as fourth-line therapy and risk of mortality, end-stage renal diseases and cardiovascular diseases in patients with type 2 diabetes mellitus. <i>Diabetes and Metabolism</i> , 2021 , 47, 101196	5.4	3
187	Outcomes of Graves' Disease Patients Following Antithyroid Drugs, Radioactive Iodine, or Thyroidectomy as the First-line Treatment. <i>Annals of Surgery</i> , 2021 , 273, 1197-1206	7.8	5
186	Nowcasting epidemics of novel pathogens: lessons from COVID-19. <i>Nature Medicine</i> , 2021 , 27, 388-395	50.5	11
185	Association between bariatric surgery and risks of cancer among Chinese patients with type 2 diabetes mellitus: A retrospective cohort study. <i>Journal of Diabetes</i> , 2021 , 13, 868-881	3.8	0
184	Associations of Family Meals with Adolescent Perception of Family Relationship and Compliance with Parental Guidance in Hong Kong: Results of a Representative Cross-Sectional Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
183	Impact of sleep duration, physical activity, and screen time on health-related quality of life in children and adolescents. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 145	3	3
182	Responsiveness of the EuroQoL 5-Dimension (EQ-5D) questionnaire in patients with spondyloarthritis. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 439	2.8	3
181	Author response to: Bariatric surgery is expensive but improves co-morbidity: 5-year assessment of patients with obesity and type 2 diabetes. <i>British Journal of Surgery</i> , 2021 , 108, e281	5.3	1

180	Clinical improvement, outcomes, antiviral activity, and costs associated with early treatment with remdesivir for patients with COVID-19. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	8
179	Repurposing sodium-glucose co-transporter 2 inhibitors (SGLT2i) for cancer treatment - A Review. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021 , 1	10.5	1
178	Repurposing DPP-4 Inhibitors for Colorectal Cancer: A Retrospective and Single Center Study. <i>Cancers</i> , 2021 , 13,	6.6	1
177	Does bariatric surgery reduce future hospital costs? A propensity score-matched analysis using UK Biobank Study data. <i>International Journal of Obesity</i> , 2021 , 45, 2205-2213	5.5	0
176	Acceptance of COVID-19 Vaccination in Cancer Patients in Hong Kong: Approaches to Improve the Vaccination Rate. <i>Vaccines</i> , 2021 , 9,	5.3	9
175	Retrospective cohort study to investigate the 10-year trajectories of disease patterns in patients with hypertension and/or diabetes mellitus on subsequent cardiovascular outcomes and health service utilisation: a study protocol. <i>BMJ Open</i> , 2021 , 11, e038775	3	0
174	Impact of COVID-19 on Child Maltreatment: Income Instability and Parenting Issues. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	11
173	Clinical outcomes of different therapeutic options for COVID-19 in two Chinese case cohorts: A propensity-score analysis. <i>EClinicalMedicine</i> , 2021 , 32, 100743	11.3	8
172	Association between health behaviours and cardiometabolic dysregulation: a population-based survey among healthy adults in Hong Kong. <i>BMJ Open</i> , 2021 , 11, e043503	3	1
171	Importance of attributes and willingness to pay for oral anticoagulant therapy in patients with atrial fibrillation in China: A discrete choice experiment. <i>PLoS Medicine</i> , 2021 , 18, e1003730	11.6	2
170	Optimal timing of remdesivir initiation in hospitalized COVID-19 patients administered with dexamethasone. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	7
169	Cardio-renal outcomes and the direct medical cost of type 2 diabetes patients treated with sodium glucose cotransporter-2 inhibitors and glucagon-like peptide-1 receptor agonists: A population-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 180, 109071	7.4	0
168	Exploration of the psychometric properties of the Person-Centred Primary Care Measure (PCPCM) in a Chinese primary care population in Hong Kong: a cross-sectional validation study. <i>BMJ Open</i> , 2021 , 11, e052655	3	1
167	A pilot study on the validity and psychometric properties of the electronic EQ-5D-5L in routine clinical practice.. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 266	3	1
166	Bariatric surgery is expensive but improves co-morbidity: 5-year assessment of patients with obesity and type 2 diabetes. <i>British Journal of Surgery</i> , 2021 , 108, 554-565	5.3	2
165	Association of Individual Health Literacy with Preventive Behaviours and Family Well-Being during COVID-19 Pandemic: Mediating Role of Family Information Sharing. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	16
164	Development and pilot evaluation of a mobile app on parent-child exercises to improve physical activity and psychosocial outcomes of Hong Kong Chinese children. <i>BMC Public Health</i> , 2020 , 20, 1544	4.1	7
163	Healthcare utilization and direct medical cost in the years during and after cancer diagnosis in patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 1661-1672	3.9	3

162	DPP4i, thiazolidinediones, or insulin and risks of cancer in patients with type 2 diabetes mellitus on metformin-sulfonylurea dual therapy with inadequate control. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	1
161	Comparative study of the use of Paediatric Quality Of Life Inventory 4.0 generic core scales in paediatric patients with spine and limb pathologies. <i>Bone and Joint Journal</i> , 2020 , 102-B, 890-898	5.6	1
160	Feasibility of Proxy-Reported EQ-5D-3L-Y and Its Agreement in Self-reported EQ-5D-3L-Y for Patients With Adolescent Idiopathic Scoliosis. <i>Spine</i> , 2020 , 45, E799-E807	3.3	3
159	Trend in health-related quality of life and health utility and their decrements due to non-communicable diseases and risk factors: analysis of four population-based surveys between 1998 and 2015. <i>Quality of Life Research</i> , 2020 , 29, 2921-2934	3.7	1
158	Effectiveness of WhatsApp online group discussion for smoking relapse prevention: protocol for a pragmatic randomized controlled trial. <i>Addiction</i> , 2020 , 115, 1777-1785	4.6	4
157	Cost-effectiveness analysis of pembrolizumab compared to standard of care as first line treatment for patients with advanced melanoma in Hong Kong. <i>Cost Effectiveness and Resource Allocation</i> , 2020 , 18, 2	2.4	3
156	Lifetime cost-effectiveness analysis of first-line dialysis modalities for patients with end-stage renal disease under peritoneal dialysis first policy. <i>BMC Nephrology</i> , 2020 , 21, 42	2.7	6
155	Effectiveness of routine measurement of health-related quality of life in improving the outcomes of patients with musculoskeletal problems-a cluster randomised controlled trial: protocol paper. <i>BMJ Open</i> , 2020 , 10, e040373	3	1
154	Impact of National Containment Measures on Decelerating the Increase in Daily New Cases of COVID-19 in 54 Countries and 4 Epicenters of the Pandemic: Comparative Observational Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19904	7.6	23
153	Cost analysis comparison between conventional microsurgical decompression and full-endoscopic interlaminar decompression for lumbar spinal stenosis surgery. <i>Journal of Spine Surgery</i> , 2020 , 6, 721-728	2.5	0
152	Five-year effectiveness of bariatric surgery on disease remission, weight loss, and changes of metabolic parameters in obese patients with type 2 diabetes: A population-based propensity score-matched cohort study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36, e3236	7.5	9
151	A randomized trial comparing health-related quality-of-life and utility measures between routine fine-needle aspiration cytology (FNAC) and surveillance alone in patients with thyroid incidentaloma measuring 1-2 cm. <i>Endocrine</i> , 2020 , 67, 397-405	4	1
150	Do Negative Emotional States Play a Role in the Association Between Intimate Partner Violence and Poor Health-Related Quality of Life in Chinese Women From Low-Income Families?. <i>Violence Against Women</i> , 2020 , 26, 2041-2061	2.6	1
149	Effectiveness of a Brief Self-determination Theory-Based Smoking Cessation Intervention for Smokers at Emergency Departments in Hong Kong: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2020 , 180, 206-214	11.5	14
148	Cultural adaptation and content validity of a Chinese translation of the 'Person-Centered Primary Care Measure': findings from cognitive debriefing. <i>Family Medicine and Community Health</i> , 2020 , 8,	4.7	4
147	Prediction models for the risk of cardiovascular diseases in Chinese patients with type 2 diabetes mellitus: a systematic review. <i>Public Health</i> , 2020 , 186, 144-156	4	1
146	Prevalence and prognostic impact of comorbidities and peripheral blood indices in sarcomas. <i>ESMO Open</i> , 2020 , 5, e001035	6	1
145	Clinical presentations, laboratory and radiological findings, and treatments for 11,028 COVID-19 patients: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2020 , 10, 19765	4.9	31

144	Cost-effectiveness analysis of ceritinib vs. crizotinib in previously untreated anaplastic lymphoma kinase (ALK)-positive non-small cell lung cancer (NSCLC) in Hong Kong. <i>Cost Effectiveness and Resource Allocation</i> , 2020 , 18, 50	2.4	0
143	Improvement in patient-reported outcomes in Chinese adults after bariatric surgery: 1-year follow-up of a prospective cohort. <i>Surgery for Obesity and Related Diseases</i> , 2020 , 16, 1563-1572	3	1
142	A cluster-randomized study on the Risk Assessment and Management Program for home blood pressure monitoring in an older population with inadequate health literacy. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1565-1576	2.3	1
141	Cost Effectiveness of PD-L1-Based Test-and-Treat Strategy with Pembrolizumab as the First-Line Treatment for Metastatic NSCLC in Hong Kong. <i>PharmacoEconomics - Open</i> , 2020 , 4, 235-247	2.1	12
140	The Association of Health Literacy with High-Quality Home Blood Pressure Monitoring for Hypertensive Patients in Outpatient Settings. <i>International Journal of Hypertension</i> , 2020 , 2020, 7502468	2.4	1
139	Cost-effectiveness of fine-needle aspiration cytology (FNAC) and watchful observation for incidental thyroid nodules. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1645-1654	5.2	5
138	Differential Psychometric Properties of EuroQoL 5-Dimension 5-Level and Short-Form 6-Dimension Utility Measures in Low Back Pain. <i>Spine</i> , 2019 , 44, E679-E686	3.3	15
137	Psychometric validation of the EuroQoL 5-dimension (EQ-5D) questionnaire in patients with spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2019 , 21, 41	5.7	18
136	The relative effects of determinants on Chinese adults' decision for influenza vaccination choice: What is the effect of priming?. <i>Vaccine</i> , 2019 , 37, 4124-4132	4.1	10
135	An Insight Into the Health-Related Quality of Life of Adolescent Idiopathic Scoliosis Patients Who Are Braced, Observed, and Previously Braced. <i>Spine</i> , 2019 , 44, E596-E605	3.3	20
134	Cultural adaptation and psychometric properties of the Chinese Burden of Treatment Questionnaire (C-TBQ) in primary care patients with multi-morbidity. <i>Family Practice</i> , 2019 , 36, 657-665	1.9	8
133	Direct medical costs in the preceding, event and subsequent years of a first severe hypoglycaemia episode requiring hospitalization: A population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1330-1339	6.7	2
132	Long-term cost-effectiveness of a Patient Empowerment Programme for type 2 diabetes mellitus in primary care. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 73-83	6.7	5
131	Health-related quality of life and health utility of Chinese patients undergoing nocturnal home haemodialysis in comparison with other modes of dialysis. <i>Nephrology</i> , 2019 , 24, 630-637	2.2	10
130	Mapping the kidney disease quality of life 36-item short form survey (KDQOL-36) to the EQ-5D-3L and the EQ-5D-5L in patients undergoing dialysis. <i>European Journal of Health Economics</i> , 2019 , 20, 1195-1206	3.6	10
129	SF-6D utility scores of smokers and ex-smokers with or without respiratory symptoms attending primary care clinics. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 48	3	2
128	Direct and indirect costs of end-stage renal disease patients in the first and second years after initiation of nocturnal home haemodialysis, hospital haemodialysis and peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1565-1576	4.3	15
127	Responsiveness of EQ-5D Youth version 5-level (EQ-5D-5L-Y) and 3-level (EQ-5D-3L-Y) in Patients With Idiopathic Scoliosis. <i>Spine</i> , 2019 , 44, 1507-1514	3.3	13

126	Intensification with dipeptidyl peptidase-4 inhibitor, insulin, or thiazolidinediones and risks of all-cause mortality, cardiovascular diseases, and severe hypoglycemia in patients on metformin-sulfonylurea dual therapy: A retrospective cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002999	11.6	5
125	A head-to-head comparison of five-level (EQ-5D-5L-Y) and three-level EQ-5D-Y questionnaires in paediatric patients. <i>European Journal of Health Economics</i> , 2019 , 20, 647-656	3.6	19
124	A propensity-matched analysis of clinical outcomes between open thyroid lobectomy and high-intensity focused ultrasound (HIFU) ablation of benign thyroid nodules. <i>Surgery</i> , 2019 , 165, 85-91	3.6	16
123	Hypertriglyceridaemic-waist phenotype and risk of diabetes in people with impaired fasting glucose in primary care: a cohort study. <i>Diabetic Medicine</i> , 2018 , 35, 576-582	3.5	3
122	Psychometric validation of the cross-culturally adapted traditional Chinese version of the Back Beliefs Questionnaire (BBQ) and Fear-Avoidance Beliefs Questionnaire (FABQ). <i>European Spine Journal</i> , 2018 , 27, 1724-1733	2.7	13
121	A prospective cohort study to investigate parental stress and child health in low-income Chinese families: protocol paper. <i>BMJ Open</i> , 2018 , 8, e018792	3	6
120	Direct medical costs of diabetes mellitus in the year of mortality and year preceding the year of mortality. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1470-1478	6.7	6
119	Measurement properties of ThyPRO short-form (ThyPRO-39) for use in Chinese patients with benign thyroid diseases. <i>Quality of Life Research</i> , 2018 , 27, 2177-2187	3.7	4
118	Assessing Participation and Effectiveness of the Peer-Led Approach in Youth Sexual Health Education: Systematic Review and Meta-Analysis in More Developed Countries. <i>Journal of Sex Research</i> , 2018 , 55, 31-44	4	45
117	Psychometric Validation of the Adapted Traditional Chinese (Hong Kong) Version of the Japanese Orthopaedic Association Cervical Myelopathy Evaluation Questionnaire (JOACMEQ). <i>Spine</i> , 2018 , 43, E242-E249	3.3	7
116	Towards a Transparent, Credible, Evidence-Based Decision-Making Process of New Drug Listing on the Hong Kong Hospital Authority Drug Formulary: Challenges and Suggestions. <i>Applied Health Economics and Health Policy</i> , 2018 , 16, 5-14	3.4	1
115	Responsiveness of the EuroQoL 5-dimension (EQ-5D) in adolescent idiopathic scoliosis. <i>European Spine Journal</i> , 2018 , 27, 278-285	2.7	19
114	Temporal trends in quality of primary care for patients with type 2 diabetes mellitus: A population-based retrospective cohort study after implementation of a quality improvement initiative. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2952	7.5	2
113	Psychometric validation of the adapted Traditional Chinese version of the Japanese Orthopaedic Association Back Pain Evaluation Questionnaire (JOABPEQ). <i>Journal of Orthopaedic Science</i> , 2018 , 23, 750-757	1.6	8
112	Combined electroacupuncture and auricular acupuncture for postoperative pain after abdominal surgery for gynecological diseases: study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 8	2.8	4
111	Spillover Effects of Maternal Chronic Disease on Children's Quality of Life and Behaviors Among Low-Income Families. <i>Patient</i> , 2018 , 11, 625-635	3.7	5
110	A Mobile App for Identifying Individuals With Undiagnosed Diabetes and Prediabetes and for Promoting Behavior Change: 2-Year Prospective Study. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e10662	5.5	7
109	Mothers' Preferences and Willingness to Pay for Human Papillomavirus Vaccination for Their Daughters: A Discrete Choice Experiment in Hong Kong. <i>Value in Health</i> , 2018 , 21, 622-629	3.3	19

108	Five-Year Effectiveness of the Multidisciplinary Risk Assessment and Management Programme-Diabetes Mellitus (RAMP-DM) on Diabetes-Related Complications and Health Service Uses-A Population-Based and Propensity-Matched Cohort Study. <i>Diabetes Care</i> , 2018 , 41, 49-59	14.6	52
107	Combined pentagonal resection and inferior retractor plication in involutional entropion. <i>BMC Ophthalmology</i> , 2018 , 18, 329	2.3	1
106	Five-year effectiveness of short messaging service (SMS) for pre-diabetes. <i>BMC Research Notes</i> , 2018 , 11, 709	2.3	3
105	Effects of health-related quality of life on health service utilisation in patients with colorectal neoplasms. <i>European Journal of Cancer Care</i> , 2018 , 27, e12926	2.4	2
104	SF-6D population norms for the Hong Kong Chinese general population. <i>Quality of Life Research</i> , 2018 , 27, 2349-2359	3.7	18
103	Effect of Thyroid Remnant Volume on the Risk of Hypothyroidism After Hemithyroidectomy: A Prospective Study. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1525-1532	3.1	25
102	Systematic review on the cost-effectiveness of self-management education programme for type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2017 , 127, 21-34	7.4	22
101	Five-year cost-effectiveness of the Patient Empowerment Programme (PEP) for type 2 diabetes mellitus in primary care. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1312-1316	6.7	5
100	EQ-5D-5L and SF-6D Utility Measures in Symptomatic benign Thyroid Nodules: Acceptability and Psychometric Evaluation. <i>Patient</i> , 2017 , 10, 447-454	3.7	6
99	The association between daytime napping and risk of diabetes: a systematic review and meta-analysis of observational studies. <i>Sleep Medicine</i> , 2017 , 37, 105-112	4.6	24
98	High-Intensity Focused Ultrasound for Treatment of Symptomatic Benign Thyroid Nodules: A Prospective Study. <i>Radiology</i> , 2017 , 284, 897-906	20.5	47
97	Traditional growing rod versus magnetically controlled growing rod for treatment of early onset scoliosis: Cost analysis from implantation till skeletal maturity. <i>Journal of Orthopaedic Surgery</i> , 2017 , 25, 2309499017705022	1.4	23
96	Cost-effectiveness analysis of vaccinations and decision makings on vaccination programmes in Hong Kong: A systematic review. <i>Vaccine</i> , 2017 , 35, 3153-3161	4.1	12
95	Effects of risk assessment and management programme for hypertension on clinical outcomes and cardiovascular disease risks after 12 months: a population-based matched cohort study. <i>Journal of Hypertension</i> , 2017 , 35, 627-636	1.9	6
94	Annual direct medical costs associated with diabetes-related complications in the event year and in subsequent years in Hong Kong. <i>Diabetic Medicine</i> , 2017 , 34, 1276-1283	3.5	13
93	Development and validation study of a non-alcoholic fatty liver disease risk scoring model among adults in China. <i>Family Practice</i> , 2017 , 34, 667-672	1.9	6
92	Single-session high intensity focussed ablation (HIFU) versus open cervical hemithyroidectomy for benign thyroid nodule: analysis on early efficacy, safety and voice quality. <i>International Journal of Hyperthermia</i> , 2017 , 33, 868-874	3.7	8
91	Systematic review and meta-analysis on intra-operative neuro-monitoring in high-risk thyroidectomy. <i>International Journal of Surgery</i> , 2017 , 38, 21-30	7.5	66

90	Mapping the SRS-22r questionnaire onto the EQ-5D-5L utility score in patients with adolescent idiopathic scoliosis. <i>PLoS ONE</i> , 2017 , 12, e0175847	3.7	21
89	Maternal mental quality of life mediates the associations between intimate partner abuse against mothers and their children's behaviours and quality of life in low-income Chinese families. <i>Quality of Life Research</i> , 2017 , 26, 3297-3306	3.7	6
88	Use of the International Prostate Symptom Score (IPSS) in Chinese male patients with benign prostatic hyperplasia. <i>Aging Male</i> , 2017 , 20, 241-249	2.1	10
87	Health-related quality of life and health preference of Chinese patients with diabetes mellitus managed in primary care and secondary care setting: decrements associated with individual complication and number of complications. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 125	3	13
86	Effectiveness of a multidisciplinary risk assessment and management programme-diabetes mellitus (RAMP-DM) on patient-reported outcomes. <i>Endocrine</i> , 2017 , 55, 416-426	4	8
85	Innovative non-invasive model for screening reduced estimated glomerular filtration rate in a working population. <i>Nephrology</i> , 2017 , 22, 892-898	2.2	2
84	A Peer-Led, Social Media-Delivered, Safer Sex Intervention for Chinese College Students: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017 , 19, e284	7.6	22
83	Poverty and health-related quality of life of people living in Hong Kong: comparison of individuals from low-income families and the general population. <i>Journal of Public Health</i> , 2017 , 39, 258-265	3.5	17
82	Postoperative nomogram for predicting disease-specific death and recurrence in papillary thyroid carcinoma. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1256-63	4.2	18
81	Effectiveness of the multidisciplinary Risk Assessment and Management Program for Patients with Diabetes Mellitus (RAMP-DM) for diabetic microvascular complications: A population-based cohort study. <i>Diabetes and Metabolism</i> , 2016 , 42, 424-432	5.4	19
80	Lobectomy is a more Cost-Effective Option than Total Thyroidectomy for 1 to 4 cm Papillary Thyroid Carcinoma that do not Possess Clinically Recognizable High-Risk Features. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3641-3652	3.1	28
79	Evaluation of patient-reported outcomes data in structured diabetes education intervention: 2-year follow-up data of patient empowerment programme. <i>Endocrine</i> , 2016 , 54, 422-432	4	8
78	Methodological and Reporting Quality of Comparative Studies Evaluating Health-Related Quality of Life of Colorectal Cancer Patients and Controls: A Systematic Review. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 1073-1086	3.1	4
77	Validation of a nomogram for predicting regression from impaired fasting glucose to normoglycaemia to facilitate clinical decision making. <i>Family Practice</i> , 2016 , 33, 401-7	1.9	7
76	The internal and external responsiveness of Functional Assessment of Cancer Therapy-Prostate (FACT-P) and Short Form-12 Health Survey version 2 (SF-12 v2) in patients with prostate cancer. <i>Quality of Life Research</i> , 2016 , 25, 2379-93	3.7	10
75	Validity and reliability of the 19-item Audit of Diabetes-Dependent Quality of Life (ADDQoL-19) questionnaire in Chinese patients with type 2 diabetes mellitus in primary care. <i>Quality of Life Research</i> , 2016 , 25, 2373-8	3.7	10
74	Macrovascular and microvascular disease in obese patients with type 2 diabetes attending structured diabetes education program: a population-based propensity-matched cohort analysis of Patient Empowerment Programme (PEP). <i>Endocrine</i> , 2016 , 53, 412-22	4	19
73	Health-related quality of life of Chinese patients with prostate cancer in comparison to general population and other cancer populations. <i>Supportive Care in Cancer</i> , 2016 , 24, 1849-56	3.9	13

72	A systematic review and meta-analysis on acoustic voice parameters after uncomplicated thyroidectomy. <i>Laryngoscope</i> , 2016 , 126, 528-37	3.6	20
71	Main predictors in health-related quality of life in Chinese patients with type 2 diabetes mellitus. <i>Quality of Life Research</i> , 2016 , 25, 2957-2965	3.7	13
70	Effect of a structured diabetes education programme in primary care on hospitalizations and emergency department visits among people with Type 2 diabetes mellitus: results from the Patient Empowerment Programme. <i>Diabetic Medicine</i> , 2016 , 33, 1427-36	3.5	19
69	Psychological health and HIV transmission among female sex workers: a systematic review and meta-analysis. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28, 816-24	2.2	19
68	Can the colour of per-rectal bleeding estimate the risk of lower gastrointestinal bleeding caused by malignant lesion?. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 335-42	3	
67	Association of Hemoglobin A1c Levels With Cardiovascular Disease and Mortality in Chinese Patients With Diabetes. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 456-458	15.1	17
66	Cost-Effectiveness of a Short Message Service Intervention to Prevent Type 2 Diabetes from Impaired Glucose Tolerance. <i>Journal of Diabetes Research</i> , 2016 , 2016, 1219581	3.9	20
65	Potential Cost-Effectiveness of an Influenza Vaccination Program Offering Microneedle Patch for Vaccine Delivery in Children. <i>PLoS ONE</i> , 2016 , 11, e0169030	3.7	12
64	Mothers' health-related quality of life: Its relationship with children's health-related quality of life and behavior in low-income families. <i>Family Medicine and Community Health</i> , 2016 , 4, 4-12	4.7	6
63	Simple non-laboratory- and laboratory-based risk assessment algorithms and nomogram for detecting undiagnosed diabetes mellitus. <i>Journal of Diabetes</i> , 2016 , 8, 414-21	3.8	15
62	Psychometric Validation of the Traditional Chinese Version of the Early Onset Scoliosis-24 Item Questionnaire (EOSQ-24). <i>Spine</i> , 2016 , 41, E1460-E1469	3.3	14
61	Psychometric validation of the EuroQoL 5-Dimension 5-Level (EQ-5D-5L) in Chinese patients with adolescent idiopathic scoliosis. <i>Scoliosis and Spinal Disorders</i> , 2016 , 11, 19	1.7	46
60	Development of a Health Empowerment Programme to improve the health of working poor families: protocol for a prospective cohort study in Hong Kong. <i>BMJ Open</i> , 2016 , 6, e010015	3	14
59	Translation and Validation of a Condom Self-Efficacy Scale (CSES) Chinese Version. <i>AIDS Education and Prevention</i> , 2016 , 28, 499-510	2	4
58	A systematic review of quality of thyroid-specific health-related quality-of-life instruments recommends ThyPRO for patients with benign thyroid diseases. <i>Journal of Clinical Epidemiology</i> , 2016 , 78, 63-72	5.7	44
57	Possible Impact of Incremental Cost-Effectiveness Ratio (ICER) on Decision Making for Cancer Screening in Hong Kong: A Systematic Review. <i>Applied Health Economics and Health Policy</i> , 2016 , 14, 647-657	3.4	5
56	Quality of care and volume for patients with diabetes mellitus in the primary care setting: A population based retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 120, 171-81	7.4	3
55	Clinical and patient-reported outcomes of Chinese patients undergoing haemodialysis in hospital or in the community: A 1-year longitudinal study. <i>Nephrology</i> , 2016 , 21, 617-23	2.2	7

54	Initial attributable cost and economic burden of clinically-relevant differentiated thyroid cancer: A health care service provider perspective. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 758-65	3.6	10
53	Validation and Comparison of Nomograms in Predicting Disease-Specific Survival for Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2015 , 39, 1951-8	3.3	13
52	Psychometric properties of Functional Assessment of Cancer Therapy-Prostate (FACT-P) in Chinese patients with prostate cancer. <i>Quality of Life Research</i> , 2015 , 24, 2397-402	3.7	8
51	Having a family doctor was associated with lower utilization of hospital-based health services. <i>BMC Health Services Research</i> , 2015 , 15, 42	2.9	24
50	Patient Empowerment Programme in primary care reduced all-cause mortality and cardiovascular diseases in patients with type 2 diabetes mellitus: a population-based propensity-matched cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2015 , 17, 128-35	6.7	41
49	Patient Empowerment Programme (PEP) and Risk of Microvascular Diseases Among Patients With Type 2 Diabetes in Primary Care: A Population-Based Propensity-Matched Cohort Study. <i>Diabetes Care</i> , 2015 , 38, e116-7	14.6	19
48	Patterns of health-related quality of life and associated factors in Chinese patients undergoing haemodialysis. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 108	3	16
47	Can HbA1c replace OGTT for the diagnosis of diabetes mellitus among Chinese patients with impaired fasting glucose?. <i>Family Practice</i> , 2015 , 32, 631-8	1.9	12
46	A cost-effectiveness comparison between early surgery and non-surgical approach for incidental papillary thyroid microcarcinoma. <i>European Journal of Endocrinology</i> , 2015 , 173, 367-75	6.5	50
45	Evaluation of the quality of care of a multi-disciplinary Risk Factor Assessment and Management Programme for Hypertension (RAMP-HT). <i>BMC Family Practice</i> , 2015 , 16, 71	2.6	5
44	Increased number of structured diabetes education attendance was not associated with the improvement in patient-reported health-related quality of life: results from Patient Empowerment Programme (PEP). <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 126	3	16
43	A systematic review and meta-analysis evaluating completeness and outcomes of robotic thyroidectomy. <i>Laryngoscope</i> , 2015 , 125, 509-18	3.6	28
42	Cost-effectiveness simulation and analysis of colorectal cancer screening in Hong Kong Chinese population: comparison amongst colonoscopy, guaiac and immunologic fecal occult blood testing. <i>BMC Cancer</i> , 2015 , 15, 705	4.8	18
41	Long-term effects of the multidisciplinary risk assessment and management program for patients with diabetes mellitus (RAMP-DM): a population-based cohort study. <i>Cardiovascular Diabetology</i> , 2015 , 14, 105	8.7	26
40	Effect of metformin monotherapy on cardiovascular diseases and mortality: a retrospective cohort study on Chinese type 2 diabetes mellitus patients. <i>Cardiovascular Diabetology</i> , 2015 , 14, 137	8.7	38
39	Association of more negative attitude towards commencing insulin with lower glycosylated hemoglobin (HbA1c) level: a survey on insulin-naïve type 2 diabetes mellitus Chinese patients. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015 , 15, 3	2.5	7
38	Assessing medical student empathy in a family medicine clinical test: validity of the CARE measure. <i>Medical Education Online</i> , 2015 , 20, 27346	4.4	4
37	The Psychometric Properties of the Center for Epidemiologic Studies Depression Scale in Chinese Primary Care Patients: Factor Structure, Construct Validity, Reliability, Sensitivity and Responsiveness. <i>PLoS ONE</i> , 2015 , 10, e0135131	3.7	80

36	Systematic review recommends the European Organization for Research and Treatment of Cancer colorectal cancer-specific module for measuring quality of life in colorectal cancer patients. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 266-78	5.7	27
35	Health-related quality of life in patients with colorectal neoplasm and cost-effectiveness of colorectal cancer screening in Hong Kong. <i>Hong Kong Medical Journal</i> , 2015 , 21 Suppl 6, 4-8	0.7	
34	A systematic review and meta-analysis comparing surgically-related complications between robotic-assisted thyroidectomy and conventional open thyroidectomy. <i>Annals of Surgical Oncology</i> , 2014 , 21, 850-61	3.1	68
33	A cost-utility analysis for prophylactic central neck dissection in clinically nodal-negative papillary thyroid carcinoma. <i>Annals of Surgical Oncology</i> , 2014 , 21, 767-77	3.1	13
32	A cost-minimization analysis comparing total thyroidectomy alone and total thyroidectomy with prophylactic central neck dissection in clinically nodal-negative papillary thyroid carcinoma. <i>Annals of Surgical Oncology</i> , 2014 , 21, 416-25	3.1	7
31	Cost-Effectiveness of A Short Message Service (Sms) Intervention To Prevent Type 2 Diabetes Among Adults With Impaired Glucose Tolerance. <i>Value in Health</i> , 2014 , 17, A348	3.3	1
30	Patient-Level Estimates of Diabetic Complications on Direct Medical Cost. <i>Value in Health</i> , 2014 , 17, A340	3.3	2
29	Effects of the Multidisciplinary Risk Assessment and Management Program for Patients with Diabetes Mellitus (RAMP-DM) on biomedical outcomes, observed cardiovascular events and cardiovascular risks in primary care: a longitudinal comparative study. <i>Cardiovascular Diabetology</i> , 2014 , 13, 127	8.7	27
28	Evaluating the cost-effectiveness of laryngeal examination after elective total thyroidectomy. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3548-56	3.1	20
27	Improving the mapping of condition-specific health-related quality of life onto SF-6D score. <i>Quality of Life Research</i> , 2014 , 23, 2343-53	3.7	18
26	Health-related quality of life and risk of colorectal cancer recurrence and All-cause death among advanced stages of colorectal cancer 1-year after diagnosis. <i>BMC Cancer</i> , 2014 , 14, 337	4.8	18
25	A systematic review and meta-analysis comparing outcomes between robotic-assisted thyroidectomy and non-robotic endoscopic thyroidectomy. <i>Journal of Surgical Research</i> , 2014 , 191, 389-95	3.5	21
24	Prevention of gram-positive infections in peritoneal dialysis patients in Hong Kong: a cost-effectiveness analysis. <i>American Journal of Infection Control</i> , 2014 , 42, 412-6	3.8	11
23	Responsiveness was similar between direct and mapped SF-6D in colorectal cancer patients who declined. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 219-27	5.7	16
22	Effects of Patient Empowerment Programme (PEP) on clinical outcomes and health service utilization in type 2 diabetes mellitus in primary care: an observational matched cohort study. <i>PLoS ONE</i> , 2014 , 9, e95328	3.7	53
21	A comparison between the EQ-5D and the SF-6D in patients with chronic obstructive pulmonary disease (COPD). <i>PLoS ONE</i> , 2014 , 9, e112389	3.7	33
20	Having a Family Doctor is Associated with Some Better Patient-Reported Outcomes of Primary Care Consultations. <i>Frontiers in Medicine</i> , 2014 , 1, 29	4.9	6
19	Progression from impaired fasting glucose to type 2 diabetes mellitus among Chinese subjects with and without hypertension in a primary care setting. <i>Journal of Diabetes</i> , 2014 , 6, 438-46	3.8	5

18	Prevalence, correlates, attitude and treatment seeking of erectile dysfunction among type 2 diabetic Chinese men attending primary care outpatient clinics. <i>Asian Journal of Andrology</i> , 2014 , 16, 755-60	2.8	9
17	Comparison of direct-measured and derived short form six dimensions (SF-6D) health preference values among chronic hepatitis B patients. <i>Quality of Life Research</i> , 2013 , 22, 2973-81	3.7	11
16	Measurement invariance of the Functional Assessment of Cancer Therapy-Colorectal quality-of-life instrument among modes of administration. <i>Quality of Life Research</i> , 2013 , 22, 1415-26	3.7	16
15	Predicting SF-6D from the European Organization for Treatment and Research of Cancer Quality of Life Questionnaire scores in patients with colorectal cancer. <i>Value in Health</i> , 2013 , 16, 373-84	3.3	15
14	The associations of body mass index with physical and mental aspects of health-related quality of life in Chinese patients with type 2 diabetes mellitus: results from a cross-sectional survey. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 142	3	28
13	A short message service (SMS) intervention to prevent diabetes in Chinese professional drivers with pre-diabetes: a pilot single-blinded randomized controlled trial. <i>Diabetes Research and Clinical Practice</i> , 2013 , 102, 158-66	7.4	50
12	Condition-specific measure was more responsive than generic measure in colorectal cancer: all but social domains. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 557-65	5.7	20
11	Clinical correlates of health preference and generic health-related quality of life in patients with colorectal neoplasms. <i>PLoS ONE</i> , 2013 , 8, e58341	3.7	30
10	Development and validation of the Chinese Attitudes to Starting Insulin Questionnaire (Ch-ASIQ) for primary care patients with type 2 diabetes. <i>PLoS ONE</i> , 2013 , 8, e78933	3.7	11
9	Validity and reliability study on traditional Chinese FACT-C in Chinese patients with colorectal neoplasm. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 1186-95	2.5	23
8	Direct medical costs of care for Chinese patients with colorectal neoplasia: a health care service provider perspective. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 1203-10	2.5	23
7	Prevalence of undiagnosed diabetes mellitus and cardiovascular risk factors in Hong Kong professional drivers. <i>Diabetes Research and Clinical Practice</i> , 2012 , 96, 60-7	7.4	26
6	What shapes student attitudes to providing psychological care?. <i>Medical Education</i> , 2012 , 46, 1131-2	3.7	
5	Mapping the Functional Assessment of Cancer Therapy-general or -Colorectal to SF-6D in Chinese patients with colorectal neoplasm. <i>Value in Health</i> , 2012 , 15, 495-503	3.3	25
4	Evaluation of the quality of care of a multi-disciplinary risk factor assessment and management programme (RAMP) for diabetic patients. <i>BMC Family Practice</i> , 2012 , 13, 116	2.6	45
3	The impact of work nature, lifestyle, and obesity on health-related quality of life in Chinese professional drivers. <i>Journal of Occupational and Environmental Medicine</i> , 2012 , 54, 989-94	2	24
2	Development of a tool to assess the impact of a brief counseling curriculum: Validation of the Attitudes to Psychological Interventions and Counseling in Primary Care (APIC-PC) survey. <i>Patient Education and Counseling</i> , 2011 , 85, 481-6	3.1	1
1	Impact of National Containment Measures on Decelerating the Increase in Daily New Cases of COVID-19 in 54 Countries and 4 Epicenters of the Pandemic: Comparative Observational Study (Preprint)		1

