

Angela Pistorio

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5695970/angela-pistorio-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

291
papers

12,165
citations

61
h-index

97
g-index

320
ext. papers

14,016
ext. citations

4.4
avg, IF

5.45
L-index

#	Paper	IF	Citations
291	EULAR/PRINTO/PRES criteria for Henoch-Schlelein purpura, childhood polyarteritis nodosa, childhood Wegener granulomatosis and childhood Takayasu arteritis: Ankara 2008. Part II: Final classification criteria. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 798-806	2.4	769
290	Development and validation of a composite disease activity score for juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 61, 658-66		424
289	Preliminary diagnostic guidelines for macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Journal of Pediatrics</i> , 2005 , 146, 598-604	3.6	304
288	Recapitulation of B cell differentiation in the central nervous system of patients with multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 11064-9	11.5	280
287	A randomized trial of parenteral methotrexate comparing an intermediate dose with a higher dose in children with juvenile idiopathic arthritis who failed to respond to standard doses of methotrexate. <i>Arthritis and Rheumatism</i> , 2004 , 50, 2191-201		267
286	2016 Classification Criteria for Macrophage Activation Syndrome Complicating Systemic Juvenile Idiopathic Arthritis: A European League Against Rheumatism/American College of Rheumatology/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. <i>Annals of the Rheumatic Diseases</i> , 2016 , 65, 481-9	2.4	247
285	2016 Classification Criteria for Macrophage Activation Syndrome Complicating Systemic Juvenile Idiopathic Arthritis: A European League Against Rheumatism/American College of Rheumatology/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. <i>Arthritis and Rheumatology</i> , 2016 , 68, 566-76	9.5	216
284	Macrophage activation syndrome in juvenile systemic lupus erythematosus: a multinational multicenter study of thirty-eight patients. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3388-99		192
283	TNF-alpha and IFN-gamma are overexpressed in the bone marrow of Fanconi anemia patients and TNF-alpha suppresses erythropoiesis in vitro. <i>Blood</i> , 2003 , 102, 2053-9	2.2	188
282	Methotrexate withdrawal at 6 vs 12 months in juvenile idiopathic arthritis in remission: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 1266-73	27.4	184
281	Patients with antinuclear antibody-positive juvenile idiopathic arthritis constitute a homogeneous subgroup irrespective of the course of joint disease. <i>Arthritis and Rheumatism</i> , 2005 , 52, 826-32		171
280	Long-term outcome and prognostic factors of juvenile dermatomyositis: a multinational, multicenter study of 490 patients. <i>Arthritis Care and Research</i> , 2010 , 62, 63-72	4.7	164
279	Functional and prognostic relevance of the -173 polymorphism of the macrophage migration inhibitory factor gene in systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1398-407		156
278	EULAR/PRINTO/PRES criteria for Henoch-Schlelein purpura, childhood polyarteritis nodosa, childhood Wegener granulomatosis and childhood Takayasu arteritis: Ankara 2008. Part I: Overall methodology and clinical characterisation. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 790-7	2.4	140
277	Toward New Classification Criteria for Juvenile Idiopathic Arthritis: First Steps, Pediatric Rheumatology International Trials Organization International Consensus. <i>Journal of Rheumatology</i> , 2019 , 46, 190-197	4.1	139
276	Assessment of damage in juvenile-onset systemic lupus erythematosus: a multicenter cohort study. <i>Arthritis and Rheumatism</i> , 2003 , 49, 501-7		126
275	Prednisone versus prednisone plus ciclosporin versus prednisone plus methotrexate in new-onset juvenile dermatomyositis: a randomised trial. <i>Lancet, The</i> , 2016 , 387, 671-678	40	124

274	Remission, minimal disease activity, and acceptable symptom state in juvenile idiopathic arthritis: defining criteria based on the juvenile arthritis disease activity score. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2366-74		123
273	A new approach to clinical care of juvenile idiopathic arthritis: the Juvenile Arthritis Multidimensional Assessment Report. <i>Journal of Rheumatology</i> , 2011 , 38, 938-53	4.1	122
272	An international consensus survey of diagnostic criteria for macrophage activation syndrome in systemic juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 764-8	4.1	120
271	Development and validation of a clinical index for assessment of long-term damage in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2092-102		115
270	The provisional Paediatric Rheumatology International Trials Organisation/American College of Rheumatology/European League Against Rheumatism Disease activity core set for the evaluation of response to therapy in juvenile dermatomyositis: a prospective validation study. <i>Arthritis and Rheumatism</i> , 2008 , 59, 4-13		114
269	A proposal for a pediatric version of the Systemic Lupus International Collaborating Clinics/American College of Rheumatology Damage Index based on the analysis of 1,015 patients with juvenile-onset systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2989-96		111
268	Antinuclear antibody-positive patients should be grouped as a separate category in the classification of juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2011 , 63, 267-75		109
267	Proxy-reported health-related quality of life of patients with juvenile idiopathic arthritis: the Pediatric Rheumatology International Trials Organization multinational quality of life cohort study. <i>Arthritis and Rheumatism</i> , 2007 , 57, 35-43		106
266	Polymorphisms in the osteopontin promoter affect its transcriptional activity. <i>Physiological Genomics</i> , 2004 , 20, 87-96	3.6	104
265	Magnetic resonance imaging, ultrasonography, and conventional radiography in the assessment of bone erosions in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1764-72		102
264	Evaluation of 21-numbered circle and 10-centimeter horizontal line visual analog scales for physician and parent subjective ratings in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2010 , 37, 1534-41	4.1	98
263	Holter monitoring in AL amyloidosis: prognostic implications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001 , 24, 1228-33	1.6	97
262	Whole-body MRI in the assessment of disease activity in juvenile dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1083-90	2.4	94
261	Health-related quality of life of patients with juvenile idiopathic arthritis coming from 3 different geographic areas. The PRINTO multinational quality of life cohort study. <i>Rheumatology</i> , 2007 , 46, 314-20 ^{3.9}		93
260	Smoke exposure, wheezing, and asthma development: a systematic review and meta-analysis in unselected birth cohorts. <i>Pediatric Pulmonology</i> , 2015 , 50, 353-62	3.5	92
259	Development and validation of a new short and simple measure of physical function for juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 913-20		88
258	Prognostic factors for radiographic progression, radiographic damage, and disability in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3509-17		88
257	Cross-cultural adaptation and psychometric evaluation of the Childhood Health Assessment Questionnaire (CHAQ) and the Child Health Questionnaire (CHQ) in 32 countries. Review of the general methodology. <i>Clinical and Experimental Rheumatology</i> , 2001 , 19, S1-9	2.2	86

256	Performance of current guidelines for diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2871-80	9.5	84
255	The PRINTO criteria for clinically inactive disease in juvenile dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 686-93	2.4	84
254	Nephrotic-range proteinuria, the major risk factor for early atherosclerosis in juvenile-onset systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2000 , 43, 1405-9		84
253	Development and validation of a preliminary definition of minimal disease activity in patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1120-7		80
252	A controlled trial of intra-articular corticosteroids with or without methotrexate in oligoarticular juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2014 , 12,	3.5	78
251	Defining criteria for disease activity states in nonsystemic juvenile idiopathic arthritis based on a three-variable juvenile arthritis disease activity score. <i>Arthritis Care and Research</i> , 2014 , 66, 1703-9	4.7	78
250	The PRINTO provisional definition of remission in juvenile dermatomyositis. <i>Pediatric Rheumatology</i> , 2011 , 9,	3.5	78
249	Therapeutic approaches for the treatment of new onset and flared juvenile systemic lupus erythematosus with active renal disease: an international multicenter PRINTO study. <i>Pediatric Rheumatology</i> , 2011 , 9,	3.5	78
248	Impact of involvement of individual joint groups on subdimensions of functional ability scales in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2008 , 6,	3.5	78
247	Health-related quality of life in juvenile-onset systemic lupus erythematosus and its relationship to disease activity and damage. <i>Arthritis and Rheumatism</i> , 2004 , 51, 458-64		78
246	Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2001 , 119, 30-5	2.1	76
245	An Italian national multicenter study for the definition of reference ranges for normal values of peripheral blood lymphocyte subsets in healthy adults. <i>Haematologica</i> , 1999 , 84, 499-504	6.6	74
244	Endothelial and smooth muscle cells from abdominal aortic aneurysm have increased oxidative stress and telomere attrition. <i>PLoS ONE</i> , 2012 , 7, e35312	3.7	72
243	Adapted versions of the Sharp/van der Heijde score are reliable and valid for assessment of radiographic progression in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3087-95		71
242	The corticosteroid-induced inhibitory effect on NK cell function reflects down-regulation and/or dysfunction of triggering receptors involved in natural cytotoxicity. <i>European Journal of Immunology</i> , 2004 , 34, 3028-38	6.1	70
241	The Pediatric Rheumatology International Trials Organization criteria for the evaluation of response to therapy in juvenile systemic lupus erythematosus: prospective validation of the disease activity core set. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2854-64		70
240	Clinical features of childhood granulomatosis with polyangiitis (wegener® granulomatosis). <i>Pediatric Rheumatology</i> , 2014 , 12, 18	3.5	69
239	Relationship between damage accrual, disease flares and cumulative drug therapies in juvenile-onset systemic lupus erythematosus. <i>Lupus</i> , 2006 , 15, 515-20	2.6	68

238	Humoral response to recombinant hepatitis B virus vaccine at birth: role of HLA and beyond. <i>Clinical Immunology</i> , 2000 , 97, 234-40	9	67
237	The Pediatric Rheumatology International Trials Organization/American College of Rheumatology provisional criteria for the evaluation of response to therapy in juvenile systemic lupus erythematosus: prospective validation of the definition of improvement. <i>Arthritis and Rheumatism</i> , 2004 , 55, 277-83		66
236	Cross-cultural adaptation and psychometric evaluation of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR) in 54 languages across 52 countries: review of the general methodology. <i>Rheumatology International</i> , 2018 , 38, 5-17	3.6	64
235	Parent and child acceptable symptom state in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 856-63	4.1	64
234	Insulin resistance and secretion indexes in healthy Italian children and adolescents: a multicentre study. <i>Acta Biomedica</i> , 2009 , 80, 21-8	3.2	64
233	The Paediatric Rheumatology International Trials Organisation provisional criteria for the evaluation of response to therapy in juvenile dermatomyositis. <i>Arthritis Care and Research</i> , 2010 , 62, 1533-41	4.7	63
232	Therapeutic potential of proteasome inhibition in Duchenne and Becker muscular dystrophies. <i>American Journal of Pathology</i> , 2010 , 176, 1863-77	5.8	62
231	Risk factors for severe RSV-induced lower respiratory tract infection over four consecutive epidemics. <i>European Journal of Pediatrics</i> , 2007 , 166, 1267-72	4.1	61
230	Level of agreement between children, parents, and physicians in rating pain intensity in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 55, 177-83		60
229	Phenotypic variability and disparities in treatment and outcomes of childhood arthritis throughout the world: an observational cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 255-263	14.5	58
228	Impact of allergic rhinitis on asthma: effects on spirometric parameters. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008 , 63, 255-60	9.3	58
227	Differential recognition of heat-shock protein dnaJ-derived epitopes by effector and Treg cells leads to modulation of inflammation in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1648-57		57
226	Low-molecular-weight heparin versus warfarin for secondary prophylaxis of venous thromboembolism: a cost-effectiveness analysis. <i>American Journal of Medicine</i> , 2001 , 111, 130-9	2.4	57
225	Prevalence and impact of symptoms suggestive of gastroesophageal reflux disease. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 1848-52	4	57
224	Defining criteria for high disease activity in juvenile idiopathic arthritis based on the juvenile arthritis disease activity score. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1380-3	2.4	56
223	Use of the Sharp and Larsen scoring methods in the assessment of radiographic progression in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 55, 717-23		56
222	Control of viral rebound through therapeutic immunization with DermaVir. <i>Aids</i> , 2005 , 19, 35-43	3.5	56
221	Oct-4+/Tenascin C+ neuroblastoma cells serve as progenitors of tumor-derived endothelial cells. <i>Cell Research</i> , 2011 , 21, 1470-86	24.7	55

220	Immune cell-mediated antitumor activities of GD2-targeted liposomal c-myc antisense oligonucleotides containing CpG motifs. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1171-80	9.7	55
219	Homozygosis for (12) CA repeats in the first intron of the human IFN-gamma gene is significantly associated with the risk of aplastic anaemia in Caucasian population. <i>British Journal of Haematology</i> , 2004 , 126, 682-5	4.5	53
218	The magnitude of early response to methotrexate therapy predicts long-term outcome of patients with juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 370-4	2.4	51
217	Bloodstream infections and invasive mycoses in children undergoing acute leukaemia treatment: a 13-year experience at a single Italian institution. <i>European Journal of Cancer</i> , 2005 , 41, 1439-45	7.5	51
216	The extended oligoarticular subtype is the best predictor of methotrexate efficacy in juvenile idiopathic arthritis. <i>Journal of Pediatrics</i> , 1999 , 135, 316-20	3.6	49
215	Outcome and predicting factors of single and multiple intra-articular corticosteroid injections in children with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2011 , 50, 1627-34	3.9	48
214	Long-term home parenteral nutrition in children with chronic intestinal failure: A 15-year experience at a single Italian centre. <i>Digestive and Liver Disease</i> , 2011 , 43, 28-33	3.3	47
213	Achievement of a state of inactive disease at least once in the first 5 years predicts better outcome of patients with polyarticular juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 628-34	4.1	47
212	Assessing current outcomes of juvenile idiopathic arthritis: a cross-sectional study in a tertiary center sample. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1571-9		47
211	Expert consensus on dynamics of laboratory tests for diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>RMD Open</i> , 2016 , 2, e000161	5.9	46
210	Development and preliminary validation of a paediatric-targeted MRI scoring system for the assessment of disease activity and damage in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 440-6	2.4	46
209	Myoelectric manifestations of muscle changes in stroke patients. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001 , 82, 661-5	2.8	46
208	A longitudinal PRINTO study on growth and puberty in juvenile systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 511-7	2.4	44
207	Methotrexate improves the health-related quality of life of children with juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 309-14	2.4	44
206	Impact of allergic rhinitis on asthma: effects on bronchial hyperreactivity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009 , 64, 439-44	9.3	43
205	Is it time to move to active comparator trials in juvenile idiopathic arthritis?: a review of current study designs. <i>Arthritis and Rheumatism</i> , 2010 , 62, 3131-9		43
204	Therapeutic approaches in the treatment of juvenile dermatomyositis in patients with recent-onset disease and in those experiencing disease flare: an international multicenter PRINTO study. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3142-52		42
203	Pharmacovigilance in juvenile idiopathic arthritis patients treated with biologic or synthetic drugs: combined data of more than 15,000 patients from Pharmachild and national registries. <i>Arthritis Research and Therapy</i> , 2018 , 20, 285	5.7	41

202	Consensus procedures and their role in pediatric rheumatology. <i>Current Rheumatology Reports</i> , 2008 , 10, 142-6	4.9	40
201	Factors associated with achievement of inactive disease in children with juvenile idiopathic arthritis treated with etanercept. <i>Journal of Rheumatology</i> , 2013 , 40, 192-200	4.1	39
200	Familial occurrence of febrile seizures and epilepsy in severe myoclonic epilepsy of infancy (SMEI) patients with SCN1A mutations. <i>Epilepsia</i> , 2006 , 47, 1629-35	6.4	39
199	Methotrexate therapy may prevent the onset of uveitis in juvenile idiopathic arthritis. <i>Journal of Pediatrics</i> , 2013 , 163, 879-84	3.6	38
198	Clofarabine, cyclophosphamide and etoposide for the treatment of relapsed or resistant acute leukemia in pediatric patients. <i>Leukemia and Lymphoma</i> , 2012 , 53, 1693-8	1.9	38
197	Coarse vs. fine needle aspiration biopsy for the assessment of diffuse liver disease from hepatitis C virus-related chronic hepatitis. <i>Journal of Hepatology</i> , 2004 , 40, 501-6	13.4	38
196	Predictors of poor response to methotrexate in polyarticular-course juvenile idiopathic arthritis: analysis of the PRINTO methotrexate trial. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1479-83	2.4	37
195	Correlation between juvenile idiopathic arthritis activity and damage measures in early, advanced, and longstanding disease. <i>Arthritis and Rheumatism</i> , 2006 , 55, 843-9		37
194	Discordance between proxy-reported and observed assessment of functional ability of children with juvenile idiopathic arthritis. <i>Rheumatology</i> , 2001 , 40, 914-9	3.9	37
193	2016 American College of Rheumatology/European League Against Rheumatism Criteria for Minimal, Moderate, and Major Clinical Response in Juvenile Dermatomyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. <i>Arthritis and Rheumatology</i> , 2017 , 69, 911-923	9.5	36
192	A new short and simple health-related quality of life measurement for paediatric rheumatic diseases: initial validation in juvenile idiopathic arthritis. <i>Rheumatology</i> , 2010 , 49, 1272-80	3.9	36
191	Health-related quality of life of patients with juvenile dermatomyositis: results from the Pediatric Rheumatology International Trials Organisation multinational quality of life cohort study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 509-17		36
190	Image-defined risk factors in unresectable neuroblastoma: SIOPEN study on incidence, chemotherapy-induced variation, and impact on surgical outcomes. <i>Pediatric Blood and Cancer</i> , 2017 , 64, e26605	3	35
189	Intra-articular corticosteroids versus intra-articular corticosteroids plus methotrexate in oligoarticular juvenile idiopathic arthritis: a multicentre, prospective, randomised, open-label trial. <i>Lancet, The</i> , 2017 , 389, 909-916	4.0	34
188	Immunological profile of Fanconi anemia: a multicentric retrospective analysis of 61 patients. <i>American Journal of Hematology</i> , 2013 , 88, 472-6	7.1	34
187	Phenotypic and functional characterization of switch memory B cells from patients with oligoarticular juvenile idiopathic arthritis. <i>Arthritis Research and Therapy</i> , 2009 , 11, R150	5.7	34
186	Five-year follow-up of a cognitive-behavioural lifestyle multidisciplinary programme for childhood obesity outpatient treatment. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 1047-57	5.2	34
185	Factors affecting the efficacy of intraarticular corticosteroid injection of knees in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2001 , 28, 2100-2	4.1	34

184	2016 American College of Rheumatology/European League Against Rheumatism Criteria for Minimal, Moderate, and Major Clinical Response in Adult Dermatomyositis and Polymyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. <i>Arthritis and Rheumatology</i> , 2017 , 69, 898-910	9.5	33
183	Body mass index, respiratory function and bronchial hyperreactivity in allergic rhinitis and asthma. <i>Respiratory Medicine</i> , 2009 , 103, 289-95	4.6	33
182	Detection of neuroblastoma cells in bone marrow and peripheral blood by different techniques: accuracy and relationship with clinical features of patients. <i>Clinical Cancer Research</i> , 2004 , 10, 7978-85	12.9	33
181	Graves disease in children: thyroid-stimulating hormone receptor antibodies as remission markers. <i>Journal of Pediatrics</i> , 2014 , 164, 1189-1194.e1	3.6	32
180	A novel balanced isotonic sodium solution vs normal saline during major surgery in children up to 36 months: a multicenter RCT. <i>Paediatric Anaesthesia</i> , 2014 , 24, 980-6	1.8	32
179	Delineating the role of multiple intraarticular corticosteroid injections in the management of juvenile idiopathic arthritis in the biologic era. <i>Arthritis Care and Research</i> , 2013 , 65, 1112-20	4.7	32
178	Temporomandibular Joint Involvement in Association With Quality of Life, Disability, and High Disease Activity in Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2017 , 69, 677-686	4.7	32
177	Genetic Inhibition Of The Ubiquitin Ligase Rnf5 Attenuates Phenotypes Associated To F508del Cystic Fibrosis Mutation. <i>Scientific Reports</i> , 2015 , 5, 12138	4.9	32
176	Acute myeloid leukemia (AML) having evolved from essential thrombocythemia (ET): distinctive chromosome abnormalities in patients treated with pipobroman or hydroxyurea. <i>Leukemia</i> , 2002 , 16, 2078-83	10.7	32
175	Intratumoral diversity of telomere length in individual neuroblastoma tumors. <i>Oncotarget</i> , 2015 , 6, 7493-503	5.03	32
174	Development and testing of reduced joint counts in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 183-90	4.1	31
173	IL-10 and IL-4 co-operate to normalize in vitro IgA production in IgA-deficient (IgAD) patients. <i>Clinical and Experimental Immunology</i> , 1998 , 112, 528-32	6.2	31
172	Validation of the Childhood Health Assessment Questionnaire in active juvenile systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1112-9		31
171	Comparison of clinical features and drug therapies among European and Latin American patients with juvenile dermatomyositis. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, 117-24	2.2	31
170	Development and initial validation of a radiographic scoring system for the hip in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2010 , 37, 432-9	4.1	30
169	Hepatitis C virus infection among institutionalised psychiatric patients: a regression analysis of indicators of risk. <i>Journal of Hepatology</i> , 1997 , 27, 455-63	13.4	30
168	Discordance between physician and parent global assessments in juvenile idiopathic arthritis. <i>Rheumatology</i> , 2007 , 46, 141-5	3.9	30
167	Impact of allergic rhinitis on asthma: effects on bronchodilation testing. <i>Annals of Allergy, Asthma and Immunology</i> , 2008 , 101, 42-6	3.2	29

166	The Italian version of the Childhood Health Assessment Questionnaire (CHAQ) and the Child Health Questionnaire (CHQ). <i>Clinical and Experimental Rheumatology</i> , 2001 , 19, S91-5	2.2	29
165	MRI versus conventional measures of disease activity and structural damage in evaluating treatment efficacy in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 363-8	2.4	28
164	MRI of the wrist in juvenile idiopathic arthritis: proposal of a paediatric synovitis score by a consensus of an international working group. Results of a multicentre reliability study. <i>Pediatric Radiology</i> , 2012 , 42, 1047-55	2.8	28
163	High levels of PROM1 (CD133) transcript are a potential predictor of poor prognosis in medulloblastoma. <i>Neuro-Oncology</i> , 2011 , 13, 500-8	1	28
162	A longitudinal analysis of physical functional disability over the course of juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 1159-64	2.4	28
161	Physicians and parents ratings of inactive disease are frequently discordant in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2007 , 34, 1773-6	4.1	28
160	Vein of Galen aneurysmal malformation (VGAM) in the fetus: retrospective analysis of perinatal prognostic indicators in a two-center series of 49 cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017 , 50, 192-199	5.8	27
159	Immunogenicity of hepatitis B vaccine in term and preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 87, 336-338	3.1	27
158	Responsiveness of outcome measures in juvenile chronic arthritis. Italian Pediatric Rheumatology Study Group. <i>British Journal of Rheumatology</i> , 1999 , 38, 176-80		27
157	Responsiveness of clinical measures in children with oligoarticular juvenile chronic arthritis. <i>Journal of Rheumatology</i> , 1999 , 26, 1827-30	4.1	27
156	Enhancement of Muscle T Regulatory Cells and Improvement of Muscular Dystrophic Process in mdx Mice by Blockade of Extracellular ATP/P2X Axis. <i>American Journal of Pathology</i> , 2015 , 185, 3349-60	5.8	26
155	Diagnostic potential of hepcidin testing in pediatrics. <i>European Journal of Haematology</i> , 2013 , 90, 323-30	3.8	26
154	Relative responsiveness of condition specific and generic health status measures in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 257-61	2.4	26
153	Revaccination against hepatitis B virus of non-responding and low-responding infants immunised at birth. A parallel evaluation of rubella and tetanus vaccine. <i>Vaccine</i> , 1998 , 16, 399-402	4.1	25
152	Chemokine receptor expression and function in childhood acute lymphoblastic leukemia of B-lineage. <i>Leukemia Research</i> , 2006 , 30, 365-72	2.7	25
151	2016 American College of Rheumatology/European League Against Rheumatism Criteria for Minimal, Moderate, and Major Clinical Response in Juvenile Dermatomyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 782-791	2.4	24
150	Breathlessness perception assessed by visual analogue scale and lung function in children with asthma: a real-life study. <i>Pediatric Allergy and Immunology</i> , 2012 , 23, 537-42	4.2	24
149	Multiple target molecular monitoring of bone marrow and peripheral blood samples from patients with localized neuroblastoma and healthy donors. <i>Pediatric Blood and Cancer</i> , 2012 , 58, 43-9	3	24

148	Positive family history of psoriasis does not affect the clinical expression and course of juvenile idiopathic arthritis patients with oligoarthritis. <i>Arthritis and Rheumatism</i> , 2003 , 49, 488-93		24
147	Course of joint disease in patients with antinuclear antibody-positive juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 1805-10	4.1	24
146	2016 ACR-EULAR adult dermatomyositis and polymyositis and juvenile dermatomyositis response criteria-methodological aspects. <i>Rheumatology</i> , 2017 , 56, 1884-1893	3.9	23
145	Viral excretion in cervicovaginal secretions of HIV-1-infected women receiving antiretroviral therapy. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2001 , 20, 91-6	5.3	23
144	Early immunisation with hepatitis B vaccine: a five-year study. <i>Vaccine</i> , 2000 , 18, 1307-11	4.1	23
143	Prenatal diagnosis of total and partial anomalous pulmonary venous connection: multicenter cohort study and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 24-34	5.8	22
142	Deficiency of INFgamma producing cells in adenoids of children exposed to passive smoke. <i>International Journal of Immunopathology and Pharmacology</i> , 2006 , 19, 609-16	3	22
141	Expanding the spectrum of congenital anomalies of the diencephalic-mesencephalic junction. <i>Neuroradiology</i> , 2016 , 58, 33-44	3.2	21
140	Female sex and oligoarthritis category are not risk factors for uveitis in Italian children with juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2014 , 41, 1416-25	4.1	21
139	Criteria to define response to therapy in paediatric rheumatic diseases. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67 Suppl 1, 125-31	2.8	21
138	Epilepsy associated with supratentorial brain tumors under 3 years of life. <i>Epilepsy Research</i> , 2009 , 87, 184-9	3	21
137	Predictors of Effectiveness of Anakinra in Systemic Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2019 , 46, 416-421	4.1	20
136	Soluble HLA-G and HLA-A,-B,-C serum levels in patients with allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008 , 63, 1335-8	9.3	20
135	Fetal spine ossification: the gender and individual differences illustrated by ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2005 , 31, 733-8	3.5	20
134	Congenital Lung Malformations: Shifting from Open to Thoracoscopic Surgery. <i>Pediatrics and Neonatology</i> , 2016 , 57, 463-466	1.8	19
133	Circulating levels of soluble E-selectin, P-selectin and intercellular adhesion molecule-1 in patients with juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2000 , 27, 2246-50	4.1	19
132	Sublingual immunotherapy reduces soluble HLA-G and HLA-A,-B,-C serum levels in patients with allergic rhinitis. <i>International Immunopharmacology</i> , 2009 , 9, 253-7	5.8	18
131	Effect of epidural clonidine on minimum local anesthetic concentration (ED50) of levobupivacaine for caudal block in children. <i>Paediatric Anaesthesia</i> , 2011 , 21, 128-35	1.8	17

130	Presence of 1q gain and absence of 7p gain are new predictors of local or metastatic relapse in localized resectable neuroblastoma. <i>Neuro-Oncology</i> , 2009 , 11, 192-200	1	17
129	Discrepancy between sensitization to inhaled allergens and respiratory symptoms in pediatric patients with type 1 diabetes mellitus. <i>Pediatric Allergy and Immunology</i> , 2009 , 20, 385-91	4.2	17
128	Failure of anti tumor-derived endothelial cell immunotherapy depends on augmentation of tumor hypoxia. <i>Oncotarget</i> , 2014 , 5, 10368-81	3.3	17
127	Functional ability and physical and psychosocial well-being of hypermobile schoolchildren. <i>Clinical and Experimental Rheumatology</i> , 2004 , 22, 495-8	2.2	17
126	Activating Killer Immunoglobulin Receptors and HLA-C: a successful combination providing HIV-1 control. <i>Scientific Reports</i> , 2017 , 7, 42470	4.9	16
125	Midbrain-hindbrain involvement in septo-optic dysplasia. <i>American Journal of Neuroradiology</i> , 2014 , 35, 1586-92	4.4	16
124	Increment of recombinant hepatitis B surface antigen-specific T-cell precursors after revaccination of slow responder children. <i>Vaccine</i> , 2001 , 19, 2819-24	4.1	16
123	Development and initial validation of a composite disease activity score for systemic juvenile idiopathic arthritis. <i>Rheumatology</i> , 2020 , 59, 3505-3514	3.9	16
122	Role of MRI T2-DRIVE in the assessment of pituitary stalk abnormalities without gadolinium in pituitary diseases. <i>European Journal of Endocrinology</i> , 2018 , 178, 613-622	6.5	15
121	Acid and weakly acid gastroesophageal refluxes and type of respiratory symptoms in children. <i>Respiratory Medicine</i> , 2011 , 105, 972-8	4.6	15
120	Development and initial validation of composite parent- and child-centered disease assessment indices for juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , 2011 , 63, 1262-70	4.7	15
119	IgE in childhood asthma: relevance of demographic characteristics and polysensitisation. <i>Archives of Disease in Childhood</i> , 2010 , 95, 979-84	2.2	15
118	Development and Testing of a Hybrid Measure of Muscle Strength in Juvenile Dermatomyositis for Use in Routine Care. <i>Arthritis Care and Research</i> , 2018 , 70, 1312-1319	4.7	14
117	Sublingual immunotherapy affects specific antibody and TGF-beta serum levels in patients with allergic rhinitis. <i>International Journal of Immunopathology and Pharmacology</i> , 2009 , 22, 1089-96	3	14
116	Relationship between rhinitis duration and worsening of nasal function. <i>Otolaryngology - Head and Neck Surgery</i> , 2008 , 138, 725-9	5.5	14
115	Agreement between physicians and parents in rating functional ability of children with juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2007 , 5, 23	3.5	14
114	"Early" cat ownership and the risk of sensitization and allergic rhinitis in Ligurian children with respiratory symptoms. <i>Annals of Allergy, Asthma and Immunology</i> , 2005 , 94, 561-5	3.2	14
113	Tele-monitoring in paediatric and young home-ventilated neuromuscular patients: A multicentre case-control trial. <i>Journal of Telemedicine and Telecare</i> , 2019 , 25, 414-424	6.8	13

112	Walnut anaphylaxis: the usefulness of molecular-based allergy diagnostics. <i>Immunology Letters</i> , 2014 , 161, 138-9	4.1	13
111	Delineating the Application of Ultrasound in Detecting Synovial Abnormalities of the Subtalar Joint in Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2016 , 68, 1346-53	4.7	13
110	The Paediatric Rheumatology International Trials Organization (PRINTO). <i>Lupus</i> , 2007 , 16, 670-6	2.6	12
109	IFN-gamma low production capacity in type 1 diabetes mellitus patients at onset of disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2005 , 113, 313-7	2.3	12
108	Extended anticoagulation for prevention of recurrent venous thromboembolism in carriers of factor V Leiden--cost-effectiveness analysis. <i>Thrombosis and Haemostasis</i> , 2000 , 84, 752-7	7	12
107	Therapeutic approaches for the treatment of renal disease in juvenile systemic lupus erythematosus: an international multicentre PRINTO study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1503-9	2.4	11
106	Pediatric airway tumors: A report from the International Network of Pediatric Airway Teams (INPAT). <i>Laryngoscope</i> , 2020 , 130, E243-E251	3.6	11
105	Accuracy of Coracoid Bone Graft Placement: Open versus Arthroscopic Latarjet. <i>Joints</i> , 2017 , 5, 85-88	1.1	10
104	Does removal of aids/devices and help make a difference in the Childhood Health Assessment Questionnaire disability index?. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 82-7	2.4	10
103	Determinants of exhaled nitric oxide levels (FeNO) in childhood atopic asthma: evidence for neonatal respiratory distress as a factor associated with low FeNO levels. <i>Journal of Asthma</i> , 2010 , 47, 810-6	1.9	10
102	A polymorphic variant inside the osteopontin gene shows association with disease course in oligoarticular juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 662-5	2.4	10
101	The polymorphisms -318C>T in the promoter and 49A>G in exon 1 of CTLA4 and the risk of aplastic anemia in a Caucasian population. <i>Bone Marrow Transplantation</i> , 2005 , 35 Suppl 1, S89-92	4.4	10
100	A Meta-Analysis to Estimate the Placebo Effect in Randomized Controlled Trials in Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1540-50	9.5	10
99	Differential diagnosis of Krukenberg tumors using multivariate analysis. <i>Tumori</i> , 2002 , 88, 284-7	1.7	10
98	p38 Mitogen-activated protein kinase inhibition enhances in vitro erythropoiesis of Fanconi anemia, complementation group A-deficient bone marrow cells. <i>Experimental Hematology</i> , 2015 , 43, 295-9	3.1	9
97	Opportunistic infections in immunosuppressed patients with juvenile idiopathic arthritis: analysis by the Pharmachild Safety Adjudication Committee. <i>Arthritis Research and Therapy</i> , 2020 , 22, 71	5.7	9
96	Chronic inflammatory demyelinating polyneuropathy of childhood: clinical and neuroradiological findings. <i>Neuroradiology</i> , 2013 , 55, 1233-9	3.2	9
95	Dexamethasone prophylaxis in pediatric open heart surgery is associated with increased blood long pentraxin PTX3: potential clinical implications. <i>Clinical and Developmental Immunology</i> , 2011 , 2011, 730828		9

94	Transfusion-transmitted virus infection in HIV-1-seropositive patients. <i>Clinical Microbiology and Infection</i> , 2000 , 6, 246-50	9.5	9
93	Quantification of HIV-1 proviral DNA in patients with undetectable plasma viremia over long-term highly active antiretroviral therapy. <i>International Journal of Infectious Diseases</i> , 2000 , 4, 187-93	10.5	9
92	Immunogenicity of hepatitis B vaccine in term and preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1998 , 87, 336-8	3.1	9
91	Responsiveness of clinical measures to flare of disease activity in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2005 , 23, 421-5	2.2	9
90	Retinopathy screening in patients with type 1 diabetes diagnosed in young age using a non-mydratic digital stereoscopic retinal imaging. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 389-94	5.2	9
89	The PRINTO evidence-based proposal for glucocorticoids tapering/discontinuation in new onset juvenile dermatomyositis patients. <i>Pediatric Rheumatology</i> , 2019 , 17, 24	3.5	8
88	Hydronephrosis and crossing vessels in children: Optimization of diagnostic-therapeutic pathway and analysis of color Doppler ultrasound and magnetic resonance urography diagnostic accuracy. <i>Journal of Pediatric Urology</i> , 2018 , 14, 68.e1-68.e6	1.5	8
87	Peanut anaphylaxis: the usefulness of molecular-based allergy diagnostics. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 129-30	9.3	8
86	Weighting improves the information provided by joint counts on the severity of arthritis and its impact on patients' well-being in juvenile idiopathic arthritis. <i>Rheumatology</i> , 2006 , 45, 343-7	3.9	8
85	Relationship Between Body Mass Index and Asthma Characteristics in a Group of Italian Children and Adolescents. <i>Journal of Asthma</i> , 2005 , 42, 185-189	1.9	8
84	Clustering analysis in outpatients with allergic rhinitis in clinical practice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 607-610	9.3	8
83	Development and validation of a composite disease activity score for measurement of muscle and skin involvement in juvenile dermatomyositis. <i>Rheumatology</i> , 2019 , 58, 1196-1205	3.9	7
82	Egg allergy: the relevance of molecular-based allergy diagnostics. <i>Clinical and Experimental Allergy</i> , 2014 , 44, 1094-5	4.1	7
81	Early impairment of somatosensory evoked potentials in very young children with achondroplasia with foramen magnum stenosis. <i>Developmental Medicine and Child Neurology</i> , 2017 , 59, 192-198	3.3	7
80	Frequency of radiographic damage and progression in individual joints in children with juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , 2014 , 66, 27-33	4.7	7
79	Beta-cell autoimmunity in pediatric celiac disease: the case for routine screening?. <i>Diabetes Care</i> , 2009 , 32, 254-6	14.6	7
78	Natural course of HCV infection in childhood cancer survivors. <i>Supportive Care in Cancer</i> , 2010 , 18, 1413-20	3.0	7
77	Relationship between rhinitis duration and response to nasal decongestion test. <i>Laryngoscope</i> , 2008 , 118, 1139-41	3.6	7

76	Learning curve for robotic surgery in children: a systematic review of outcomes and fellowship programs. <i>Journal of Robotic Surgery</i> , 2020 , 14, 531-541	2.9	7
75	Increased expression of alpha(1,3)-fucosyltransferase-VII and P-selectin binding of synovial fluid T cells in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2003 , 30, 1611-5	4.1	7
74	Inter-observer agreement of the physician's global assessment of disease activity in children with juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2005 , 23, 113-6	2.2	7
73	Ebastine increases IFN-gamma production in patients with persistent allergic rhinitis. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2009 , 23, 31-6	0.7	7
72	Loss of whole chromosome X predicts prognosis of neuroblastoma patients with numerical genomic profile. <i>Pediatric Blood and Cancer</i> , 2019 , 66, e27635	3	6
71	Type 1 diabetes mellitus and asthma: A follow-up study. <i>Allergologia Et Immunopathologia</i> , 2015 , 43, 225-7	1.9	6
70	Insulin pump failures in Italian children with Type 1 diabetes: retrospective 1-year cohort study. <i>Diabetic Medicine</i> , 2017 , 34, 621-624	3.5	6
69	Hospitalization for lower respiratory tract disease in preterm infants: effects of prophylaxis with palivizumab. <i>Journal of Chemotherapy</i> , 2010 , 22, 30-5	2.3	6
68	Usefulness and safety of double endoscopy in children with gastroesophageal reflux and respiratory symptoms. <i>Respiratory Medicine</i> , 2010 , 104, 593-9	4.6	6
67	TP53 codon 72 polymorphism may predict early tumour progression in paediatric pilocytic astrocytoma. <i>Oncotarget</i> , 2016 , 7, 47918-47926	3.3	6
66	Pediatric optic neuritis and anti MOG antibodies: a cohort of Italian patients. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 39, 101917	4	6
65	A Promyelocytic Leukemia Protein-Thrombospondin-2 Axis and the Risk of Relapse in Neuroblastoma. <i>Clinical Cancer Research</i> , 2016 , 22, 3398-409	12.9	6
64	Relationship between body mass index and asthma characteristics in a group of Italian children and adolescents. <i>Journal of Asthma</i> , 2005 , 42, 185-9	1.9	6
63	The impact of age on serum allergen-specific IgE to inhaled molecular components. <i>Allergologia Et Immunopathologia</i> , 2017 , 45, 265-271	1.9	5
62	Comparative Study Between Functional MR Urography and Renal Scintigraphy to Evaluate Drainage Curves and Split Renal Function in Children With Congenital Anomalies of Kidney and Urinary Tract (CAKUT). <i>Frontiers in Pediatrics</i> , 2019 , 7, 527	3.4	5
61	Persistent allergic rhinitis includes different pathophysiologic types. <i>Laryngoscope</i> , 2008 , 118, 385-8	3.6	5
60	Food anaphylaxis in children: Peculiarity of characteristics. <i>Allergologia Et Immunopathologia</i> , 2015 , 43, 421-3	1.9	4
59	Defining a diagnostic marker: a pragmatic requirement. <i>International Forum of Allergy and Rhinology</i> , 2017 , 7, 632-633	6.3	4

58	Allergen-specific IgE to food molecular components and age: From early childhood to adulthood. <i>Allergologia Et Immunopathologia</i> , 2017 , 45, 87-92	1.9	4
57	Allergic sensitization and symptoms, body mass index, and respiratory function in children with type 1 diabetes mellitus. <i>Annals of Allergy, Asthma and Immunology</i> , 2012 , 108, 128-9	3.2	4
56	Impairment of lung function might be related to IL-10 and IFN- γ defective production in allergic children. <i>Immunology Letters</i> , 2011 , 140, 104-6	4.1	4
55	Urinary levels of bombesin-related peptides in a population sample from northern Italy: potential role in the pathogenesis of chronic obstructive pulmonary disease. <i>American Journal of the Medical Sciences</i> , 1998 , 315, 258-65	2.2	4
54	Surgical validation of functional magnetic resonance urography in the study of ureteropelvic junction obstruction in a pediatric cohort. <i>Journal of Pediatric Urology</i> , 2019 , 15, 168-175	1.5	4
53	Evaluation of the efficacy of the Italian guidelines on COPD: a cluster randomized trial. <i>Monaldi Archives for Chest Disease</i> , 2003 , 59, 199-206	2.7	4
52	Impact of involvement of individual joint groups on subdimensions of functional ability scales in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2009 , 27, 527-33	2.2	4
51	Predictors of renal complications in pediatric patients with type 1 diabetes mellitus: A prospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 955-960	3.2	3
50	Agreement among musculoskeletal pediatric specialists in the assessment of radiographic joint damage in juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , 2014 , 66, 34-9	4.7	3
49	Early classification of childhood focal idiopathic epilepsies: is it possible at the first seizure?. <i>European Journal of Paediatric Neurology</i> , 2014 , 18, 376-80	3.8	3
48	Loss of 10q26.1-q26.3 in association with 7q34-q36.3 gain or 17q24.3-q25.3 gain predict poor outcome in pediatric medulloblastoma. <i>Cancer Letters</i> , 2011 , 308, 215-24	9.9	3
47	Detection of cell-free RNA in children with neuroblastoma and comparison with that of whole blood cell RNA. <i>Pediatric Blood and Cancer</i> , 2010 , 54, 897-903	3	3
46	Regional comparison of absolute gravimeters SIM.M.G-K1 key comparison. <i>Metrologia</i> , 2017 , 54, 07019-07019	0.019	3
45	Italian cohort of Lafora disease: Clinical features, disease evolution, and genotype-phenotype correlations. <i>Journal of the Neurological Sciences</i> , 2021 , 424, 117409	3.2	3
44	Prolonged antibiotic administration for surgical site infection in pediatric laryngotracheal surgery. <i>Laryngoscope</i> , 2019 , 129, 2634-2639	3.6	3
43	Growth and Puberty in Juvenile Dermatomyositis: A Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , 2020 , 72, 265-273	4.7	3
42	Agreement between multi-dimensional and renal-specific response criteria in patients with juvenile systemic lupus erythematosus and renal disease. <i>Clinical and Experimental Rheumatology</i> , 2010 , 28, 424-33	3.2	3
41	Morbidity and Risk Factors of Laparoscopic-Assisted Ileostomies in Children With Ulcerative Colitis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 62, 858-62	2.8	2

40	IL12RB2 Polymorphisms correlate with risk of lung adenocarcinoma. <i>Immunobiology</i> , 2016 , 221, 291-9	3.4	2
39	A prediction rule for lack of achievement of inactive disease with methotrexate as the sole disease-modifying antirheumatic therapy in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2019 , 17, 50	3.5	2
38	Mental status and pain perception during stressor tests in patients with coronary artery disease. <i>European Journal of Pain</i> , 1997 , 1, 173-83	3.7	2
37	Development and initial validation of the parent acceptable symptom state in juvenile idiopathic arthritis (JIA). <i>Pediatric Rheumatology</i> , 2008 , 6,	3.5	2
36	Coarse vs. fine needle aspiration biopsy. <i>Journal of Hepatology</i> , 2004 , 41, 503-4; author reply 504	13.4	2
35	Prevalence and histologic features of transfusion transmitted virus and hepatitis C virus coinfection in a group of HIV patients. <i>Digestive and Liver Disease</i> , 2000 , 32, 617-20	3.3	2
34	Psychiatric information system of Liguria Region: preliminary results. The case register of Liguria Region. <i>Epidemiologia E Psichiatria Sociale</i> , 1994 , 3, 115-122		2
33	Tocilizumab may slow radiographic progression in patients with systemic or polyarticular-course juvenile idiopathic arthritis: post hoc radiographic analysis from two randomized controlled trials. <i>Arthritis Research and Therapy</i> , 2020 , 22, 211	5.7	2
32	Endocrine Outcomes In Central Diabetes Insipidus: the Predictive Value of Neuroimaging "Mismatch Pattern". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
31	CASK related disorder: Epilepsy and developmental outcome. <i>European Journal of Paediatric Neurology</i> , 2021 , 31, 61-69	3.8	2
30	Cow@ Milk Allergy: the Relevance of IgE. <i>Allergy, Asthma and Immunology Research</i> , 2016 , 8, 86-7	5.3	2
29	Clustering analysis in asthmatic outpatients: An experience in clinical practice. <i>Journal of Asthma</i> , 2019 , 56, 475-477	1.9	2
28	Development and Testing of Reduced Versions of the Manual Muscle Test-8 in Juvenile Dermatomyositis. <i>Journal of Rheumatology</i> , 2021 , 48, 898-906	4.1	2
27	Management and outcome of benign acute childhood myositis in pediatric emergency department. <i>Italian Journal of Pediatrics</i> , 2021 , 47, 57	3.2	2
26	Insulin resistance in children and adolescents after bone marrow transplantation for malignancies. <i>Haematologica</i> , 2006 , 91, ELT12; author reply ELT13	6.6	2
25	Relationship between severity of rhinitis symptoms and nasal airflow. <i>Rhinology</i> , 2008 , 46, 209-12	7	2
24	A prospective observational cohort study on the incidence of postoperative sore throat in the pediatric population. <i>Paediatric Anaesthesia</i> , 2019 , 29, 1179-1185	1.8	1
23	The Italian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018 , 38, 251-258	3.6	1

22	OP0062 The Addition of One or More Biologics to Methotrexate in Children with Juvenile Idiopathic Arthritis Increases the Incidence of Infections and Serious Adverse Events. The 5882 Pharmachild Cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 91-91	2.4	1
21	A66: Assessment of Radiographic Progression in Patients With Systemic Juvenile Idiopathic Arthritis Treated With Tocilizumab: 2-Year Results From the TENDER Trial. <i>Arthritis and Rheumatology</i> , 2014 , 66, S96-S97	9.5	1
20	OP0004 Predictors of achievement of inactive disease in children with juvenile idiopathic arthritis treated with etanercept. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 53.2-53	2.4	1
19	Relationship between Responses to Bronchodilation Testing and to Nasal Decongestion Testing in Patients with Allergic Rhinitis Alone. <i>European Journal of Inflammation</i> , 2009 , 7, 153-160	0.3	1
18	Strong association between time watching television and blood glucose control in children and adolescents with type 1 diabetes: response to Margeirsdottir et al. <i>Diabetes Care</i> , 2007 , 30, e137	14.6	1
17	Anakinra in patients with systemic juvenile idiopathic arthritis: long-term safety from the Pharmachild registry.. <i>Journal of Rheumatology</i> , 2022 ,	4.1	1
16	Bone marrow changes in heart transplant recipients with peripheral cytopenia. <i>Transplantation</i> , 1999 , 67, 840-6	1.8	1
15	ControlAsthma Project: new insights. <i>Pediatric Allergy and Immunology</i> , 2020 , 31 Suppl 26, 23-25	4.2	1
14	Diffusion-Weighted MRI in the Evaluation of Renal Parenchymal Involvement during Febrile Urinary Tract Infections in Children: Preliminary Data. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
13	Hazelnut anaphylaxis: The usefulness of molecular-based allergy diagnostics. <i>Revue Francaise D'allergologie</i> , 2015 , 55, 100-102	0.2	0
12	Increased adiposity at diagnosis in younger children with type 1 diabetes does not persist: response to Clarke et al. <i>Diabetes Care</i> , 2007 , 30, e9; author reply e10	14.6	0
11	OP0217 Adjudication of Infections in The Pharmacovigilance in Juvenile Idiopathic Arthritis Patients (Pharmachild) Treated with Biologic Agents and/or Methotrexate. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 139.1-139	2.4	
10	PP11. Assessment of radiographic progression in patients with systemic juvenile idiopathic arthritis treated with tocilizumab: 2-year data from tender. <i>Rheumatology</i> , 2015 , 54, ii9-ii9	3.9	
9	FRI0363 Do serum biomarkers of bone and OF cartilage degradation reflect structural damage in juvenile idiopathic arthritis (JIA)?. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 437.1-437	2.4	
8	CowMilk Allergy: the Relevance of IgE. <i>Allergy, Asthma and Immunology Research</i> , 2016 , 8, 86	5.3	
7	Asthma in children and adolescents: the ControlAsthma project. <i>Acta Biomedica</i> , 2020 , 91, e2020002	3.2	
6	Bet v 1 sensitization modulates allergenic molecular immune response. <i>European Annals of Allergy and Clinical Immunology</i> , 2019 , 51, 21-31	1.3	
5	The PRINTO juvenile dermatomyositis trial - AuthorsReply. <i>Lancet, The</i> , 2016 , 387, 2601	4.0	

- 4 Non-contrast-enhanced magnetic resonance angiography for detecting crossing renal vessels in infants and young children: comparison with contrast-enhanced angiography and surgical findings. *Pediatric Radiology*, **2019**, 49, 105-113 2.8
- 3 A national policentric study for the definition of a reference range for normal values of peripheral blood lymphocyte subsets in healthy adults. *European Journal of Histochemistry*, **1997**, 41 Suppl 2, 205-6^{2.1}
- 2 A project for the evaluation of awareness of under-aged patients involved in clinical trials. Development of the IGG- Awareness Scale. *Minerva Pediatrica*, **2009**, 61, 483-8 1.6
- 1 MEDB-35. Relationship between genetic profile, histology, clinical features and long-term outcome in young children medulloblastoma (YCMB) treated with upfront high dose chemotherapy (HDCT) in Italy. *Neuro-Oncology*, **2022**, 24, i112-i113 1