

# Duncan J Campbell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5696365/publications.pdf>

Version: 2024-02-01

83  
papers

3,421  
citations

126708

33  
h-index

143772

57  
g-index

83  
all docs

83  
docs citations

83  
times ranked

3715  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quality of life and associations with health-related behaviours among older adults with increased cardiovascular risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1146-1153.	1.1	2
2	Kidney age - chronological age difference (KCD) score provides an age-adapted measure of kidney function. <i>BMC Nephrology</i> , 2021, 22, 152.	0.8	5
3	Mis-reporting of energy intake among older Australian adults: Prevalence, characteristics, and associations with quality of life. <i>Nutrition</i> , 2021, 90, 111259.	1.1	5
4	Risk factors for asymptomatic echocardiographic abnormalities that predict symptomatic heart failure. <i>ESC Heart Failure</i> , 2021, , .	1.4	5
5	Age-related longitudinal change in cardiac structure and function in adults at increased cardiovascular risk. <i>ESC Heart Failure</i> , 2020, 7, 1344-1361.	1.4	11
6	Threshold body mass index and sex-specific waist circumference for increased risk of heart failure with preserved ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1594-1602.	0.8	21
7	Age-specific diastolic dysfunction improves prediction of symptomatic heart failure by Stage B heart failure. <i>ESC Heart Failure</i> , 2019, 6, 747-757.	1.4	6
8	Prediction of incident heart failure by serum amino-terminal pro-B-type natriuretic peptide level in a community-based cohort. <i>European Journal of Heart Failure</i> , 2019, 21, 449-459.	2.9	21
9	Risk factor management in a contemporary Australian population at increased cardiovascular disease risk. <i>Internal Medicine Journal</i> , 2018, 48, 688-698.	0.5	10
10	Risk factors for incident heart failure with preserved or reduced ejection fraction, and valvular heart failure, in a community-based cohort. <i>Open Heart</i> , 2018, 5, e000782.	0.9	39
11	Neprilysin Inhibitors and Bradykinin. <i>Frontiers in Medicine</i> , 2018, 5, 257.	1.2	51
12	Long-term neprilysin inhibition – implications for ARNIs. <i>Nature Reviews Cardiology</i> , 2017, 14, 171-186.	6.1	111
13	Noninvasive Cardiac Imaging and the Prediction of Heart Failure Progression in Preclinical Stage A/B Subjects. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 1504-1519.	2.3	21
14	Letter by Campbell Regarding Article, “T Cells Mediate Angiotensin II-Induced Hypertension and Vascular Injury”. <i>Circulation</i> , 2017, 136, 2198-2199.	1.6	0
15	Can cardiovascular disease guidelines that advise treatment decisions based on absolute risk be improved?. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 221.	0.7	2
16	Therapeutic modulation of tissue kallikrein expression. <i>Biological Chemistry</i> , 2016, 397, 1293-1297.	1.2	0
17	The clinical utility curve: a proposal to improve the translation of information provided by prediction models to clinicians. <i>BMC Research Notes</i> , 2016, 9, 219.	0.6	5
18	Letter by Campbell Regarding Article, “Coronary Microvascular Rarefaction and Myocardial Fibrosis in Heart Failure With Preserved Ejection Fraction”. <i>Circulation</i> , 2015, 132, e205.	1.6	2

#	ARTICLE	IF	CITATIONS
19	Calibrated integrated backscatter and myocardial fibrosis in patients undergoing cardiac surgery. <i>Open Heart</i> , 2015, 2, e000278.	0.9	15
20	Prorenin stimulates a pro-angiogenic and pro-inflammatory response in retinal endothelial cells and an M1 phenotype in retinal microglia. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 537-548.	0.9	22
21	Primary prevention of cardiovascular disease: new guidelines, technologies and therapies. <i>Medical Journal of Australia</i> , 2014, 200, 146-148.	0.8	1
22	Clinical Relevance of Local Renin Angiotensin Systems. <i>Frontiers in Endocrinology</i> , 2014, 5, 113.	1.5	54
23	Amino-terminal-pro-B-type natriuretic peptide levels and low diastolic blood pressure. <i>Journal of Hypertension</i> , 2014, 32, 2158-2165.	0.3	2
24	The Operating Surgeon Is an Independent Predictor of Chest Tube Drainage Following Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2014, 28, 242-246.	0.6	31
25	Do intravenous and subcutaneous angiotensin <scp>II</scp> increase blood pressure by different mechanisms?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 560-570.	0.9	19
26	Reduced microvascular density in non-ischemic myocardium of patients with recent non-ST-segment-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 167, 1027-1037.	0.8	21
27	NT-proB natriuretic peptide, risk factors and asymptomatic left ventricular dysfunction: Results of the SCReening Evaluation of the Evolution of New Heart Failure Study (SCREEN-HF). <i>International Journal of Cardiology</i> , 2013, 169, 133-138.	0.8	13
28	Introduction. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 525-526.	0.9	1
29	Obesity Is Associated with Lower Coronary Microvascular Density. <i>PLoS ONE</i> , 2013, 8, e81798.	1.1	45
30	Increased Angiotensin II-Induced Hypertension and Inflammatory Cytokines in Mice Lacking Angiotensin-Converting Enzyme N Domain Activity. <i>Hypertension</i> , 2012, 59, 283-290.	1.3	13
31	Angiotensin II generation in vivo: does it involve enzymes other than renin and angiotensin-converting enzyme?. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2012, 13, 314-316.	1.0	12
32	Vaccination Against High Blood Pressure. <i>Current Pharmaceutical Design</i> , 2012, 18, 1005-1010.	0.9	6
33	Diastolic Dysfunction of Aging Is Independent of Myocardial Structure but Associated with Plasma Advanced Glycation End-Product Levels. <i>PLoS ONE</i> , 2012, 7, e49813.	1.1	44
34	Not much need for ambulatory blood pressure monitoring. <i>Medical Journal of Australia</i> , 2012, 196, 241-241.	0.8	0
35	Differences in Myocardial Structure and Coronary Microvasculature Between Men and Women With Coronary Artery Disease. <i>Hypertension</i> , 2011, 57, 186-192.	1.3	45
36	Aliskiren increases bradykinin and tissue kallikrein mRNA levels in the heart. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2011, 38, 623-631.	0.9	23

#	ARTICLE	IF	CITATIONS
37	Impact of type 2 diabetes and the metabolic syndrome on myocardial structure and microvasculature of men with coronary artery disease. <i>Cardiovascular Diabetology</i> , 2011, 10, 80.	2.7	47
38	Increased dietary NaCl potentiates the effects of elevated prorenin levels on blood pressure and organ disease. <i>Journal of Hypertension</i> , 2010, 28, 1429-1437.	0.3	0
39	RILLKKMPSV Influences the Vasculature, Neurons and Glia, and (Pro)Renin Receptor Expression in the Retina. <i>Hypertension</i> , 2010, 55, 1454-1460.	1.3	61
40	Activity Assays and Immunoassays for Plasma Renin and Prorenin: Information Provided and Precautions Necessary for Accurate Measurement. <i>Clinical Chemistry</i> , 2009, 55, 867-877.	1.5	172
41	Prorenin Contributes to Angiotensin Peptide Formation in Transgenic Rats With Rat Prorenin Expression Targeted to the Liver. <i>Hypertension</i> , 2009, 54, 1248-1253.	1.3	27
42	(Pro)renin Receptor: A Treatment Target for Diabetic Retinopathy?. <i>Diabetes</i> , 2009, 58, 1485-1487.	0.3	10
43	Angiotensin vaccination: What is the prospect of success?. <i>Current Hypertension Reports</i> , 2009, 11, 63-68.	1.5	4
44	GENETIC MODELS PROVIDE UNIQUE INSIGHT INTO ANGIOTENSIN AND BRADYKININ PEPTIDES IN THE EXTRAVASCULAR COMPARTMENT OF THE HEART <i>&lt;i&gt;IN VIVO&lt;/i&gt;</i> . <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, 547-553.	0.9	2
45	CAN MEASUREMENT OF Bâ€TYPE NATRIURETIC PEPTIDE LEVELS IMPROVE CARDIOVASCULAR DISEASE PREVENTION?. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008, 35, 442-446.	0.9	11
46	Critical Review of Prorenin and (Pro)renin Receptor Research. <i>Hypertension</i> , 2008, 51, 1259-1264.	1.3	85
47	Interpretation of Plasma Renin Concentration in Patients Receiving Aliskiren Therapy. <i>Hypertension</i> , 2008, 51, 15-18.	1.3	62
48	Mice expressing ACE only in the heart show that increased cardiac angiotensin II is not associated with cardiac hypertrophy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H659-H667.	1.5	21
49	Response to the Renin Rise With Aliskiren: Itâ€™s Simply Stoichiometry. <i>Hypertension</i> , 2008, 51, .	1.3	0
50	Low-density lipoprotein particles and risk of intracerebral haemorrhage in subjects with cerebrovascular disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 413-418.	3.1	6
51	Perindopril-based blood pressure-lowering therapy reduces amino-terminal-pro-B-type natriuretic peptide in individuals with cerebrovascular disease. <i>Journal of Hypertension</i> , 2007, 25, 699-705.	0.3	8
52	Putting blood pressure in its place. <i>Journal of Hypertension</i> , 2007, 25, 921-923.	0.3	1
53	Soluble Vascular Cell Adhesion Molecule 1 and N-terminal Proâ€™B-Type Natriuretic Peptide in Predicting Ischemic Stroke in Patients With Cerebrovascular Disease. <i>Archives of Neurology</i> , 2006, 63, 60.	4.9	41
54	L-NAME hypertension: trying to fit the pieces together. <i>Journal of Hypertension</i> , 2006, 24, 33-36.	0.3	10

#	ARTICLE	IF	CITATIONS
55	AT1 receptor-activated signaling mediates angiotensin IV-induced renal cortical vasoconstriction in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, F1024-F1033.	1.3	54
56	A review of Perindopril in the reduction of cardiovascular events. <i>Vascular Health and Risk Management</i> , 2006, 2, 117-124.	1.0	13
57	Angiotensinogen and angiotensin-converting enzyme gene copy number and angiotensin and bradykinin peptide levels in mice. <i>Journal of Hypertension</i> , 2005, 23, 945-954.	0.3	36
58	Losartan Increases Bradykinin Levels in Hypertensive Humans. <i>Circulation</i> , 2005, 111, 315-320.	1.6	172
59	Prediction of Myocardial Infarction by N-Terminal-Pro-B-Type Natriuretic Peptide, C-Reactive Protein, and Renin in Subjects With Cerebrovascular Disease. <i>Circulation</i> , 2005, 112, 110-116.	1.6	71
60	Prediction of Heart Failure by Amino Terminal-pro-B-Type Natriuretic Peptide and C-Reactive Protein in Subjects With Cerebrovascular Disease. <i>Hypertension</i> , 2005, 45, 69-74.	1.3	39
61	Associations of Inflammatory and Hemostatic Variables With the Risk of Recurrent Stroke. <i>Stroke</i> , 2005, 36, 2143-2147.	1.0	123
62	Plasma lipids predict myocardial infarction, but not stroke, in patients with established cerebrovascular disease. <i>European Heart Journal</i> , 2005, 26, 1910-1915.	1.0	47
63	Effect of Reduced Angiotensin-Converting Enzyme Gene Expression and Angiotensin-Converting Enzyme Inhibition on Angiotensin and Bradykinin Peptide Levels in Mice. <i>Hypertension</i> , 2004, 43, 854-859.	1.3	84
64	Mice with Cardiac-Restricted Angiotensin-Converting Enzyme (ACE) Have Atrial Enlargement, Cardiac Arrhythmia, and Sudden Death. <i>American Journal of Pathology</i> , 2004, 165, 1019-1032.	1.9	234
65	Evidence against a major role for angiotensin converting enzyme-related carboxypeptidase (ACE2) in angiotensin peptide metabolism in the human coronary circulation. <i>Journal of Hypertension</i> , 2004, 22, 1971-1976.	0.3	77
66	The renin-angiotensin and the kallikrein-kinin systems. <i>International Journal of Biochemistry and Cell Biology</i> , 2003, 35, 784-791.	1.2	121
67	Myocardial Uptake and Biochemical and Hemodynamic Effects of ACE Inhibitors in Humans. <i>Hypertension</i> , 2003, 41, 482-487.	1.3	28
68	Hypertension in the (mRen-2) <sup>27</sup> Rat Is Not Explained by Enhanced Kinetics of Transgenic Ren-2 Renin. <i>Hypertension</i> , 2003, 42, 523-527.	1.3	11
69	Heart failure: how can we prevent the epidemic?. <i>Medical Journal of Australia</i> , 2003, 179, 422-425.	0.8	32
70	β-blockers, angiotensin II, and ACE inhibitors in patients with heart failure. <i>Lancet</i> , 2001, 358, 1609-1610.	6.3	72
71	The Peripheral Renin-Angiotensin System Is Not Involved In The Hypertension Of Sheep Exposed To Prenatal Dexamethasone. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 306-311.	0.9	31
72	The Kallikrein-Kinin System In Humans. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 1060-1065.	0.9	135

#	ARTICLE	IF	CITATIONS
73	Kinins in humans. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2000, 278, R897-R904.	0.9	52
74	Plasma amino-terminal pro-brain natriuretic peptide: A novel approach to the diagnosis of cardiac dysfunction. Journal of Cardiac Failure, 2000, 6, 130-139.	0.7	30
75	Plasma amino-terminal pro-brain natriuretic peptide: A novel approach to the diagnosis of cardiac dysfunction. Journal of Cardiac Failure, 2000, 6, 130-139.	0.7	31
76	Angiotensin-Converting Enzyme Inhibition Modifies Angiotensin but Not Kinin Peptide Levels in Human Atrial Tissue. Hypertension, 1999, 34, 171-175.	1.3	31
77	Effects of Losartan on Angiotensin and Bradykinin Peptides and Angiotensin-Converting Enzyme. Journal of Cardiovascular Pharmacology, 1995, 26, 233-240.	0.8	143
78	Angiotensin and Bradykinin Peptides in the TGR(mRen-2)27 Rat. Hypertension, 1995, 25, 1014-1020.	1.3	100
79	Angiotensin Peptides in Spontaneously Hypertensive and Normotensive Donryu Rats. Hypertension, 1995, 25, 928-934.	1.3	75
80	Characterization of angiotensin peptides in plasma of anephric man. Journal of Hypertension, 1991, 9, 265-266.	0.3	54
81	An alternative strategy for the radioimmunoassay of angiotensin peptides using amino-terminal-directed antisera: measurement of eight angiotensin peptides in human plasma. Journal of Hypertension, 1990, 8, 715-724.	0.3	92
82	The Site of Angiotensin Production. Journal of Hypertension, 1985, 3, 199-207.	0.3	153
83	Cellophane Perinephritis Hypertension and Its Reversal in Rabbits. Circulation Research, 1973, 33, 105-112.	2.0	28