

Steen Joop Bonnema

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5697070/steen-joop-bonnema-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

3,606
citations

34
h-index

58
g-index

88
ext. papers

4,268
ext. citations

5.5
avg, IF

5.41
L-index

#	Paper	IF	Citations
85	European Thyroid Association Guidelines for Ultrasound Malignancy Risk Stratification of Thyroid Nodules in Adults: The EU-TIRADS. <i>European Thyroid Journal</i> , 2017 , 6, 225-237	4.2	446
84	Radioiodine therapy in benign thyroid diseases: effects, side effects, and factors affecting therapeutic outcome. <i>Endocrine Reviews</i> , 2012 , 33, 920-80	27.2	187
83	Risk of malignancy in thyroid incidentalomas detected by 18F-fluorodeoxyglucose positron emission tomography: a systematic review. <i>Thyroid</i> , 2012 , 22, 918-25	6.2	157
82	Quality of life in patients with benign thyroid disorders. A review. <i>European Journal of Endocrinology</i> , 2006 , 154, 501-10	6.5	146
81	Validity and reliability of the novel thyroid-specific quality of life questionnaire, ThyPRO. <i>European Journal of Endocrinology</i> , 2010 , 162, 161-7	6.5	123
80	B lymphocyte depletion with the monoclonal antibody rituximab in GravesDisease: a controlled pilot study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1769-72	5.6	110
79	The Feasibility of High Dose Iodine 131 Treatment as an Alternative to Surgery in Patients with a Very Large Goiter: Effect on Thyroid Function and Size and Pulmonary Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 3636-3641	5.6	94
78	Selenium Supplementation Significantly Reduces Thyroid Autoantibody Levels in Patients with Chronic Autoimmune Thyroiditis: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2016 , 26, 1681-1692	6.2	88
77	The thyroid-related quality of life measure ThyPRO has good responsiveness and ability to detect relevant treatment effects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3708-17	5.6	82
76	Urinary markers of nucleic acid oxidation and long-term mortality of newly diagnosed type 2 diabetic patients. <i>Diabetes Care</i> , 2011 , 34, 2594-6	14.6	80
75	Management of the nontoxic multinodular goitre: a European questionnaire study. <i>Clinical Endocrinology</i> , 2000 , 53, 5-12	3.4	78
74	Disease-Specific as Well as Generic Quality of Life Is Widely Impacted in Autoimmune Hypothyroidism and Improves during the First Six Months of Levothyroxine Therapy. <i>PLoS ONE</i> , 2016 , 11, e0156925	3.7	78
73	Randomized prospective study comparing a single radioiodine dose and a single laser therapy session in autonomously functioning thyroid nodules. <i>European Journal of Endocrinology</i> , 2007 , 157, 95-100	6.5	70
72	Selenium in thyroid disorders - essential knowledge for clinicians. <i>Nature Reviews Endocrinology</i> , 2020 , 16, 165-176	15.2	69
71	Improvement of goiter volume reduction after 0.3 mg recombinant human thyrotropin-stimulated radioiodine therapy in patients with a very large goiter: a double-blinded, randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3424-8	5.6	68
70	Propylthiouracil before 131I therapy of hyperthyroid diseases: effect on cure rate evaluated by a randomized clinical trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 4439-44	5.6	66
69	Genetic and environmental causes of individual differences in thyroid size: a study of healthy Danish twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2071-7	5.6	65

68	Establishing construct validity for the thyroid-specific patient reported outcome measure (ThyPRO): an initial examination. <i>Quality of Life Research</i> , 2009 , 18, 483-96	3.7	62
67	Which domains of thyroid-related quality of life are most relevant? Patients and clinicians provide complementary perspectives. <i>Thyroid</i> , 2007 , 17, 647-54	6.2	62
66	Association between urinary markers of nucleic acid oxidation and mortality in type 2 diabetes: a population-based cohort study. <i>Diabetes Care</i> , 2013 , 36, 669-76	14.6	61
65	Time to reconsider nonsurgical therapy of benign non-toxic multinodular goitre: focus on recombinant human TSH augmented radioiodine therapy. <i>European Journal of Endocrinology</i> , 2009 , 160, 517-28	6.5	59
64	Improving a newly developed patient-reported outcome for thyroid patients, using cognitive interviewing. <i>Quality of Life Research</i> , 2008 , 17, 1009-17	3.7	54
63	Development of a Short Version of the Thyroid-Related Patient-Reported Outcome ThyPRO. <i>Thyroid</i> , 2015 , 25, 1069-79	6.2	50
62	Does selenium supplementation affect thyroid function? Results from a randomized, controlled, double-blinded trial in a Danish population. <i>European Journal of Endocrinology</i> , 2015 , 172, 657-67	6.5	45
61	Is Thyroid Autoimmunity per se a Determinant of Quality of Life in Patients with Autoimmune Hypothyroidism?. <i>European Thyroid Journal</i> , 2012 , 1, 186-92	4.2	43
60	Transient goiter enlargement after administration of 0.3 mg of recombinant human thyrotropin in patients with benign nontoxic nodular goiter: a randomized, double-blind, crossover trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1317-22	5.6	43
59	Recombinant human thyrotropin markedly changes the 131I kinetics during 131I therapy of patients with nodular goiter: an evaluation by a randomized double-blinded trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 79-83	5.6	42
58	Cross-cultural validity of the thyroid-specific quality-of-life patient-reported outcome measure, ThyPRO. <i>Quality of Life Research</i> , 2015 , 24, 769-80	3.7	41
57	Recombinant human thyrotropin-stimulated radioiodine therapy of large nodular goiters facilitates tracheal decompression and improves inspiration. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3981-4	5.6	40
56	Effects of 0.9 mg recombinant human thyrotropin on thyroid size and function in normal subjects: a randomized, double-blind, cross-over trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2242-7	5.6	39
55	Quality of life in patients with benign nontoxic goiter: impact of disease and treatment response, and comparison with the general population. <i>Thyroid</i> , 2015 , 25, 284-91	6.2	37
54	Quality-of-Life Impairments Persist Six Months After Treatment of GravesTHyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study. <i>Thyroid</i> , 2016 , 26, 1010-8	6.2	37
53	Recombinant human thyrotropin-stimulated radioiodine therapy of nodular goiter allows major reduction of the radiation burden with retained efficacy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3719-25	5.6	36
52	Increased risk of long-term sickness absence, lower rate of return to work, and higher risk of unemployment and disability pensioning for thyroid patients: a Danish register-based cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3184-92	5.6	35
51	Approach to management of the patient with primary or secondary intrathoracic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 5155-62	5.6	33

50	The majority of Danish nontoxic goitre patients are ineligible for Levothyroxine suppressive therapy. <i>Clinical Endocrinology</i> , 2008 , 69, 653-8	3.4	33
49	Prestimulation with recombinant human thyrotropin (rhTSH) improves the long-term outcome of radioiodine therapy for multinodular nontoxic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 2653-60	5.6	32
48	Continuous methimazole therapy and its effect on the cure rate of hyperthyroidism using radioactive iodine: an evaluation by a randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2946-51	5.6	32
47	Resumption of methimazole after 131I therapy of hyperthyroid diseases: effect on thyroid function and volume evaluated by a randomized clinical trial. <i>European Journal of Endocrinology</i> , 2003 , 149, 485-92	6.5	32
46	Controversies in radioiodine therapy: relation to ophthalmopathy, the possible radioprotective effect of antithyroid drugs, and use in large goitres. <i>European Journal of Endocrinology</i> , 2002 , 147, 1-11	6.5	32
45	The impact of goitre and its treatment on the trachea, airflow, oesophagus and swallowing function. A systematic review. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 481-94	6.5	31
44	Optimizing 131I uptake after rhTSH stimulation in patients with nontoxic multinodular goiter: evidence from a prospective, randomized, double-blind study. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 732-7	8.9	29
43	Management of the nontoxic multinodular goiter in Latin America: comparison with North America and Europe, an electronic survey. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 117-23	5.6	29
42	Urinary markers of nucleic acid oxidation and cancer in type 2 diabetes. <i>Redox Biology</i> , 2015 , 4, 34-9	11.3	28
41	Dose-dependent acute effects of recombinant human TSH (rhTSH) on thyroid size and function: comparison of 0.1, 0.3 and 0.9 mg of rhTSH. <i>Clinical Endocrinology</i> , 2010 , 72, 411-6	3.4	28
40	Glucocorticoids do not influence the effect of radioiodine therapy in GravesDisease. <i>European Journal of Endocrinology</i> , 2005 , 153, 15-21	6.5	28
39	Does radioiodine therapy have an equal effect on substernal and cervical goiter volumes? Evaluation by magnetic resonance imaging. <i>Thyroid</i> , 2002 , 12, 313-7	6.2	27
38	The effects of recombinant human thyrotropin, in normal subjects and patients with goitre. <i>Clinical Endocrinology</i> , 2004 , 61, 655-63	3.4	26
37	Few items in the thyroid-related quality of life instrument ThyPRO exhibited differential item functioning. <i>Quality of Life Research</i> , 2014 , 23, 327-38	3.7	25
36	Long-term effects of radioiodine on thyroid function, size and patient satisfaction in non-toxic diffuse goitre. <i>European Journal of Endocrinology</i> , 2004 , 150, 439-45	6.5	23
35	MR imaging of large multinodular goiters: observer agreement on volume versus observer disagreement on dimensions of the involved trachea. <i>American Journal of Roentgenology</i> , 2002 , 179, 259-66	5.4	23
34	Respiratory Manifestations of Hypothyroidism: A Systematic Review. <i>Thyroid</i> , 2016 , 26, 1519-1527	6.2	23
33	Anxiety and depression are more prevalent in patients with gravesDisease than in patients with nodular goitre. <i>European Thyroid Journal</i> , 2014 , 3, 173-8	4.2	22

32	A 30-year perspective on radioiodine therapy of benign nontoxic multinodular goiter. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2009 , 16, 379-84	4	22
31	The relative importance of genetic and environmental factors in the aetiology of thyroid nodularity: a study of healthy Danish twins. <i>Clinical Endocrinology</i> , 2005 , 62, 380-6	3.4	21
30	Development and implementation of PROgmatic: A clinical trial management system for pragmatic multi-centre trials, optimised for electronic data capture and patient-reported outcomes. <i>Clinical Trials</i> , 2014 , 11, 344-354	2.2	20
29	Radioiodine therapy in non-toxic multinodular goitre. The possibility of effect-amplification with recombinant human TSH (rhTSH). <i>Acta Oncologica</i> , 2006 , 45, 1051-8	3.2	15
28	Is the reproducibility of shear wave elastography of thyroid nodules high enough for clinical use? A methodological study. <i>Clinical Endocrinology</i> , 2017 , 86, 606-613	3.4	14
27	The role of radioiodine therapy in benign nodular goitre. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 619-31	6.5	14
26	Benefit of measuring basal serum calcitonin to detect medullary thyroid carcinoma in a Danish population with a high prevalence of thyroid nodules. <i>Head and Neck</i> , 2010 , 32, 612-8	4.2	14
25	Exploring the experiences of people with hypo- and hyperthyroidism. <i>Qualitative Health Research</i> , 2015 , 25, 945-53	3.9	13
24	Non-surgical approach to the benign nodular goiter: new opportunities by recombinant human TSH-stimulated 131I-therapy. <i>Endocrine</i> , 2011 , 40, 344-53	4	13
23	Reappraisal of shear wave elastography as a diagnostic tool for identifying thyroid carcinoma. <i>Endocrine Connections</i> , 2019 , 8, 1195-1205	3.5	10
22	The Impact of Post-thyroidectomy Paresis on Quality of Life in Patients with Nodular Thyroid Disease. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 161, 589-597	5.5	9
21	Changes in Swallowing Symptoms and Esophageal Motility After Thyroid Surgery: A Prospective Cohort Study. <i>World Journal of Surgery</i> , 2018 , 42, 998-1004	3.3	9
20	Patients with Benign Thyroid Diseases Experience an Impaired Sex Life. <i>Thyroid</i> , 2018 , 28, 1261-1269	6.2	9
19	Sarcoidosis causes abnormal seasonal variation in 1,25-dihydroxy-cholecalciferol. <i>Journal of Internal Medicine</i> , 1996 , 239, 393-8	10.8	9
18	Thyroidectomy Improves Tracheal Anatomy and Airflow in Patients with Nodular Goiter: A Prospective Cohort Study. <i>European Thyroid Journal</i> , 2017 , 6, 307-314	4.2	8
17	Radioiodine therapy of benign non-toxic goitre. Potential role of recombinant human TSH. <i>Annales D'Endocrinologie</i> , 2011 , 72, 129-35	1.7	8
16	Serum thyroxine and age--rather than thyroid volume and serum TSH--are determinants of the thyroid radioiodine uptake in patients with nodular goiter. <i>Journal of Endocrinological Investigation</i> , 2011 , 34, e52-7	5.2	6
15	The Impact of Esophageal Compression on Goiter Symptoms before and after Thyroid Surgery. <i>European Thyroid Journal</i> , 2019 , 8, 16-23	4.2	5

14	The compensatory enlargement of the remaining thyroid lobe following hemithyroidectomy is small and without impact on symptom relief. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 161-167	3.5	4
13	Effects of diabetes, insulin treatment, and osmolality on contractility of isolated rat resistance arteries. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1995 , 77, 209-15		4
12	Conversion of standard retrospective patient-reported outcomes to momentary versions: cognitive interviewing reveals varying degrees of momentary compatibility. <i>Quality of Life Research</i> , 2018 , 27, 1065-1076	3.7	4
11	The Impact of Goiter and Thyroid Surgery on Goiter Related Esophageal Dysfunction. A Systematic Review. <i>Frontiers in Endocrinology</i> , 2018 , 9, 679	5.7	4
10	Thyroid-specific questions on work ability showed known-groups validity among Danes with thyroid diseases. <i>Quality of Life Research</i> , 2015 , 24, 1615-27	3.7	3
9	ThyPROgr: the Greek edition of the ThyPRO questionnaires for patients with benign thyroid diseases. <i>Hormones</i> , 2018 , 17, 107-112	3.1	3
8	Systemic oxidative stress to nucleic acids is unaltered following radioiodine therapy of patients with benign nodular goiter. <i>European Thyroid Journal</i> , 2015 , 4, 20-5	4.2	3
7	A randomized trial evaluating a block-replacement regimen during radioiodine therapy. <i>European Journal of Clinical Investigation</i> , 2011 , 41, 693-702	4.6	3
6	Too early to dismiss the block & replace regime for GravesDisease. <i>Clinical Endocrinology</i> , 2015 , 83, 435-4	5.4	2
5	Response to Treglia et al. <i>Thyroid</i> , 2013 , 23, 126-7	6.2	2
4	Pretreatment with a single, low dose of recombinant human thyrotropin allows dose reduction of radioiodine therapy in patients with nodular goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 6113-4; author reply 6114-5	5.6	2
3	Substantial interobserver variation of thyroid volume and function by visual evaluation of thyroid (99m)Tc scintigraphy. <i>Danish Medical Journal</i> , 2014 , 61, A4768	3.8	2
2	Restoration of euthyroidism in women with Hashimoto's thyroiditis changes bone microarchitecture but not estimated bone strength. <i>Endocrine</i> , 2021 , 71, 397-406	4	1
1	Response to stack et Al. <i>Thyroid</i> , 2013 , 23, 637-8	6.2	