

Sang Hyun Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5697301/publications.pdf>

Version: 2024-02-01

113
papers

2,924
citations

218381

26
h-index

205818

48
g-index

115
all docs

115
docs citations

115
times ranked

3546
citing authors

#	ARTICLE	IF	CITATIONS
1	Visualization Score of Gadoteric Acid-Enhanced Magnetic Resonance Imaging: The Effect on the Diagnostic Accuracy for Hepatocellular Carcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 2023, 57, 941-949.	1.9	3
2	Surveillance failure in ultrasound for hepatocellular carcinoma: a systematic review and meta-analysis. <i>Gut</i> , 2022, 71, 212-213.	6.1	5
3	Accuracy of the ultrasound attenuation coefficient for the evaluation of hepatic steatosis: a systematic review and meta-analysis of prospective studies. <i>Ultrasonography</i> , 2022, 41, 83-92.	1.0	18
4	Transient Severe Motion Artifact on Arterial Phase in Gadoteric Acid-Enhanced Liver Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2022, 57, 62-70.	3.5	14
5	Thermal ablation in the treatment of intrahepatic cholangiocarcinoma: a systematic review and meta-analysis. <i>European Radiology</i> , 2022, 32, 1205-1215.	2.3	16
6	Inter-reader agreement of abbreviated magnetic resonance imaging for hepatocellular carcinoma detection: a systematic review and meta-analysis. <i>Abdominal Radiology</i> , 2022, 47, 123-132.	1.0	4
7	CT/MRI and CEUS LI-RADS Major Features Association with Hepatocellular Carcinoma: Individual Patient Data Meta-Analysis. <i>Radiology</i> , 2022, 302, 326-335.	3.6	32
8	Abbreviated magnetic resonance imaging vs ultrasound for surveillance of hepatocellular carcinoma in high-risk patients. <i>Liver International</i> , 2022, 42, 2080-2092.	1.9	28
9	Comparison of gadoteric disodium-enhanced MRI sequences for measuring hepatic observation size and its implication of LI-RADS classification. <i>Abdominal Radiology</i> , 2022, 47, 1024-1031.	1.0	5
10	Diagnostic value of [⁶⁸ Ga]Ga-DOTA-labeled-somatostatin analogue PET/MRI for detecting liver metastasis in patients with neuroendocrine tumors: a systematic review and meta-analysis. <i>European Radiology</i> , 2022, 32, 4628-4637.	2.3	8
11	Diagnostic performance of liver fibrosis assessment by quantification of liver surface nodularity on computed tomography and magnetic resonance imaging: systematic review and meta-analysis. <i>European Radiology</i> , 2022, 32, 3377-3387.	2.3	4
12	Preoperative magnetic resonance imaging-based prognostic model for mass-forming intrahepatic cholangiocarcinoma. <i>Liver International</i> , 2022, 42, 930-941.	1.9	7
13	Impact of the Liver Imaging Reporting and Data System on Research Studies of Diagnosing Hepatocellular Carcinoma Using MRI. <i>Korean Journal of Radiology</i> , 2022, 23, 529.	1.5	7
14	Clinical usefulness of multiple arterial-phase images in gadoteric disodium-enhanced magnetic resonance imaging: a systematic review and meta-analysis. <i>European Radiology</i> , 2022, 32, 5413-5423.	2.3	6
15	Accuracy and Efficiency of Right-Lobe Graft Weight Estimation Using Deep-Learning-Assisted CT Volumetry for Living-Donor Liver Transplantation. <i>Diagnostics</i> , 2022, 12, 590.	1.3	6
16	Impact of Reference Standard on CT, MRI, and Contrast-enhanced US LI-RADS Diagnosis of Hepatocellular Carcinoma: A Meta-Analysis. <i>Radiology</i> , 2022, 303, 544-545.	3.6	15
17	Imaging features of hepatocellular carcinoma in nonalcoholic fatty liver disease and nonalcoholic steatohepatitis: a systematic review and meta-analysis. <i>Abdominal Radiology</i> , 2022, , 1.	1.0	2
18	MRI features for differentiation of autoimmune pancreatitis from pancreatic ductal adenocarcinoma: A systematic review and meta-analysis. <i>Digestive and Liver Disease</i> , 2022, 54, 849-856.	0.4	8

#	ARTICLE	IF	CITATIONS
19	Liver Imaging Reporting and Data System Categories: Long-term Imaging Outcomes in a Prospective Surveillance Cohort. <i>Liver International</i> , 2022, , .	1.9	3
20	New strategy for Liver Imaging Reporting and Data System category M to improve diagnostic performance of MRI for hepatocellular carcinoma. <i>Abdominal Radiology</i> , 2022, , .	1.0	3
21	Author's reply: ADC values from diffusion-weighted imaging may be lower for autoimmune pancreatitis than for pancreatic ductal adenocarcinoma. <i>Digestive and Liver Disease</i> , 2022, , .	0.4	0
22	Transient severe motion artifacts on gadoxetic acid-enhanced MRI: risk factor analysis in 2230 patients. <i>European Radiology</i> , 2022, 32, 8629-8638.	2.3	1
23	Meta-analysis of CT and MRI for differentiation of autoimmune pancreatitis from pancreatic adenocarcinoma. <i>European Radiology</i> , 2021, 31, 3427-3438.	2.3	16
24	Importance of Imaging Plane of Gadoxetic Acid-Enhanced Magnetic Resonance Cholangiography for Bile Duct Anatomy in Healthy Liver Donors. <i>Transplantation Proceedings</i> , 2021, 53, 49-53.	0.3	1
25	The Liver Imaging Reporting and Data System tumor-in-vein category: a systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 2497-2506.	2.3	12
26	MRI Features for Predicting Microvascular Invasion of Hepatocellular Carcinoma: A Systematic Review and Meta-Analysis. <i>Liver Cancer</i> , 2021, 10, 94-106.	4.2	70
27	US LI-RADS visualization score: diagnostic outcome of ultrasound-guided focal hepatic lesion biopsy in patients at risk for hepatocellular carcinoma. <i>Ultrasonography</i> , 2021, 40, 167-175.	1.0	9
28	Is the Mixed Use of Magnetic Resonance Enterography and Computed Tomography Enterography Adequate for Routine Periodic Follow-Up of Bowel Inflammation in Patients with Crohn's Disease?. <i>Korean Journal of Radiology</i> , 2021, 22, .	1.5	5
29	Diagnostic performance of Liver Imaging Reporting and Data System treatment response algorithm: a systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 4785-4793.	2.3	11
30	Performance of Prostate Imaging Reporting and Data System Version 2.1 for Diagnosis of Prostate Cancer: A Systematic Review and Meta-Analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 103-112.	1.9	38
31	Interreader Reliability of Liver Imaging Reporting and Data System Treatment Response: A Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2021, 11, 237.	1.3	5
32	Combined Hepatocellular-Cholangiocarcinoma: Magnetic Resonance Imaging Features and Prognosis According to Risk Factors for Hepatocellular Carcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 1803-1812.	1.9	9
33	Inter-reader reliability of CT Liver Imaging Reporting and Data System according to imaging analysis methodology: a systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 6856-6867.	2.3	12
34	Preoperative prediction of postsurgical outcomes in mass-forming intrahepatic cholangiocarcinoma based on clinical, radiologic, and radiomics features. <i>European Radiology</i> , 2021, 31, 8638-8648.	2.3	28
35	Radio-pathologic correlation of biphenotypic primary liver cancer (combined hepatocellular) liver MRI. <i>European Radiology</i> , 2021, 31, 9479-9488.	2.3	8
36	Combined computed tomography and magnetic resonance imaging improves diagnosis of hepatocellular carcinoma. <i>Hepatology International</i> , 2021, 15, 676-684.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Inter-reader reliability of contrast-enhanced ultrasound Liver Imaging Reporting and Data System: a meta-analysis. <i>Abdominal Radiology</i> , 2021, 46, 4671-4681.	1.0	0
38	Meta-Analysis of the Accuracy of Abbreviated Magnetic Resonance Imaging for Hepatocellular Carcinoma Surveillance: Non-Contrast versus Hepatobiliary Phase-Abbreviated Magnetic Resonance Imaging. <i>Cancers</i> , 2021, 13, 2975.	1.7	15
39	Diagnostic performance of ultrasonography-guided core-needle biopsy according to MRI LI-RADS diagnostic categories. <i>Ultrasonography</i> , 2021, 40, 387-397.	1.0	6
40	Systematic review and meta-analysis of diagnostic performance of CT imaging for assessing resectability of pancreatic ductal adenocarcinoma after neoadjuvant therapy: importance of CT criteria. <i>Abdominal Radiology</i> , 2021, 46, 5201-5217.	1.0	10
41	Inadequate Ultrasound Examination in Hepatocellular Carcinoma Surveillance: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3535.	1.0	6
42	Clinical Staging of Mass-Forming Intrahepatic Cholangiocarcinoma: Computed Tomography Versus Magnetic Resonance Imaging. <i>Hepatology Communications</i> , 2021, 5, 2009-2018.	2.0	14
43	Magnetic Resonance Imaging for Surveillance of Hepatocellular Carcinoma: A Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2021, 11, 1665.	1.3	6
44	Radiologic Evaluation and Structured Reporting Form for Extrahepatic Bile Duct Cancer: 2019 Consensus Recommendations from the Korean Society of Abdominal Radiology. <i>Korean Journal of Radiology</i> , 2021, 22, 41.	1.5	19
45	Meta-analysis of MRI for the diagnosis of liver metastasis in patients with pancreatic adenocarcinoma. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1737-1744.	1.9	12
46	Non-enhanced magnetic resonance imaging as a surveillance tool for hepatocellular carcinoma: Comparison with ultrasound. <i>Journal of Hepatology</i> , 2020, 72, 718-724.	1.8	86
47	Diagnostic performance of MRI for HCC according to contrast agent type: a systematic review and meta-analysis. <i>Hepatology International</i> , 2020, 14, 1009-1022.	1.9	11
48	Accuracy of contrast-enhanced ultrasound liver imaging reporting and data system: a systematic review and meta-analysis. <i>Hepatology International</i> , 2020, 14, 1104-1113.	1.9	8
49	Selection of MRI contrast agent and diagnostic criteria for HCC to maximize the advantages of contrast agents. <i>Journal of Hepatology</i> , 2020, 73, 714-715.	1.8	3
50	Liver imaging reporting and data system category M: A systematic review and meta-analysis. <i>Liver International</i> , 2020, 40, 1477-1487.	1.9	19
51	Interreader Agreement of Liver Imaging Reporting and Data System on MRI: A Systematic Review and Meta-Analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 795-804.	1.9	24
52	MR tumor regression grade for pathological complete response in rectal cancer post neoadjuvant chemoradiotherapy: a systematic review and meta-analysis for accuracy. <i>European Radiology</i> , 2020, 30, 2312-2323.	2.3	32
53	Ancillary features in the Liver Imaging Reporting and Data System: how to improve diagnosis of hepatocellular carcinoma on magnetic resonance imaging. <i>European Radiology</i> , 2020, 30, 2881-2889.	2.3	15
54	Comparison between neuroendocrine carcinomas and well-differentiated neuroendocrine tumors of the pancreas using dynamic enhanced CT. <i>European Radiology</i> , 2020, 30, 4772-4782.	2.3	27

#	ARTICLE	IF	CITATIONS
55	Accuracy of thyroid imaging reporting and data system category 4 or 5 for diagnosing malignancy: a systematic review and meta-analysis. <i>European Radiology</i> , 2020, 30, 5611-5624.	2.3	15
56	Comparison of the diagnostic performance of imaging criteria for HCCs on gadoxetate disodium-enhanced MRI. <i>Hepatology International</i> , 2020, 14, 534-543.	1.9	21
57	Interreader Agreement with Prostate Imaging Reporting and Data System Version 2 for Prostate Cancer Detection: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020, 204, 661-670.	0.2	43
58	Risk Stratification of Prostate Cancer According to PI-RADS® Version 2 Categories: Meta-Analysis for Prospective Studies. <i>Journal of Urology</i> , 2020, 204, 1141-1149.	0.2	44
59	MRI Assessment of Complete Response to Preoperative Chemoradiation Therapy for Rectal Cancer: 2020 Guide for Practice from the Korean Society of Abdominal Radiology. <i>Korean Journal of Radiology</i> , 2020, 21, 812.	1.5	36
60	Indirect Doppler ultrasound abnormalities of significant portal vein stenosis after liver transplantation. <i>Journal of Medical Ultrasonics (2001)</i> , 2019, 46, 89-98.	0.6	0
61	Visibility of B1 and Right/Left Dissociation Using Gd-EOB-DTPA-enhanced T1-weighted Magnetic Resonance Cholangiography in Live Liver Transplant Donors. <i>Transplantation Proceedings</i> , 2019, 51, 2735-2739.	0.3	2
62	Meta-analysis of the accuracy of Liver Imaging Reporting and Data System category 4 or 5 for diagnosing hepatocellular carcinoma. <i>Gut</i> , 2019, 68, 1719-1721.	6.1	22
63	Validation of US Liver Imaging Reporting and Data System Version 2017 in Patients at High Risk for Hepatocellular Carcinoma. <i>Radiology</i> , 2019, 292, 390-397.	3.6	41
64	Feasibility, safety, and adequacy of research biopsies for cancer clinical trials at an academic medical center. <i>PLoS ONE</i> , 2019, 14, e0221065.	1.1	11
65	SAT-458-Subtraction arterial images of hepatocyte-specific contrast-enhanced MRI: Added value for the diagnosis of hepatocellular carcinoma in the liver imaging reporting and data system v2018. <i>Journal of Hepatology</i> , 2019, 70, e834.	1.8	0
66	CT of acute rejection after liver transplantation: a matched case-control study. <i>European Radiology</i> , 2019, 29, 3736-3745.	2.3	8
67	Clinical usefulness of gadoxetic acid-enhanced MRI for evaluating biliary anatomy in living donor liver transplantation. <i>European Radiology</i> , 2019, 29, 6508-6518.	2.3	12
68	Dilatation of left portal vein after right portal vein embolization: a simple estimation for growth of future liver remnant. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019, 26, 300-309.	1.4	2
69	Arterial subtraction images of gadoxetate-enhanced MRI improve diagnosis of early-stage hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2019, 71, 534-542.	1.8	36
70	Gadoxetic Acid-enhanced MRI of Hepatocellular Carcinoma: Value of Washout in Transitional and Hepatobiliary Phases. <i>Radiology</i> , 2019, 291, 651-657.	3.6	62
71	Hepatic Artery Occlusion after Liver Transplantation in Patients with Doppler Ultrasound Abnormality: Increasing Sensitivity of Contrast-Enhanced Ultrasound Diagnosis. <i>Korean Journal of Radiology</i> , 2019, 20, 459.	1.5	6
72	Diagnostic performance of [18F]FDG-PET/MRI for liver metastasis in patients with primary malignancy: a systematic review and meta-analysis. <i>European Radiology</i> , 2019, 29, 3553-3563.	2.3	21

#	ARTICLE	IF	CITATIONS
73	Comparison of Radioembolization and Sorafenib for the Treatment of Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis: A Systematic Review and Meta-Analysis of Safety and Efficacy. Korean Journal of Radiology, 2019, 20, 385.	1.5	29
74	Imaging study for colorectal liver metastasis: beyond the diagnosis and to the prognosis. Hepatobiliary Surgery and Nutrition, 2019, 8, 666-668.	0.7	3
75	Intraindividual Comparison between Gadoxetate-Enhanced Magnetic Resonance Imaging and Dynamic Computed Tomography for Characterizing Focal Hepatic Lesions: A Multicenter, Multireader Study. Korean Journal of Radiology, 2019, 20, 1616.	1.5	22
76	LI-RADS Classification and Prognosis of Primary Liver Cancers at Gadoteric Acid-enhanced MRI. Radiology, 2019, 290, 388-397.	3.6	125
77	Liver Imaging Reporting and Data System: Patient Outcomes for Category 4 and 5 Nodules. Radiology, 2018, 287, 515-524.	3.6	17
78	Visibility of the graft hepatic artery using superb microvascular imaging in liver transplantation recipients: initial experience. Acta Radiologica, 2018, 59, 1326-1335.	0.5	7
79	Low Graft Attenuation at Unenhanced CT: Association with 1-Month Mortality or Graft Failure after Liver Transplantation. Radiology, 2018, 287, 167-175.	3.6	3
80	Computed tomography findings in ABO-incompatible living donor liver transplantation recipients with biliary strictures. European Radiology, 2018, 28, 2572-2581.	2.3	5
81	Diagnostic performance of CT, gadoteric acid-enhanced MRI, and PET/CT for the diagnosis of colorectal liver metastasis: Systematic review and meta-analysis. Journal of Magnetic Resonance Imaging, 2018, 47, 1237-1250.	1.9	69
82	Efficacy and Safety of Microwave Ablation for Malignant Renal Tumors: An Updated Systematic Review and Meta-Analysis of the Literature Since 2012. Korean Journal of Radiology, 2018, 19, 938.	1.5	42
83	Two Small Intravenous Catheters for High-Rate Contrast Medium Injection for Computed Tomography in Patients Lacking Superficial Veins to Accommodate a Large Catheter. Korean Journal of Radiology, 2018, 19, 489.	1.5	1
84	Evaluation of drug mechanism and efficacy of a novel anti-angiogenic agent, TTAC-0001, using multi-modality bioimaging in a mouse breast cancer orthotopic model. PLoS ONE, 2018, 13, e0187063.	1.1	2
85	DPC4 gene expression in primary pancreatic ductal adenocarcinoma: relationship with CT characteristics. British Journal of Radiology, 2017, 90, 20160403.	1.0	5
86	Subtraction Images of Gadoteric Acid-enhanced MRI: Effect on the Diagnostic Performance for Focal Hepatic Lesions in Patients at Risk for Hepatocellular Carcinoma. American Journal of Roentgenology, 2017, 209, 584-591.	1.0	20
87	MR cholangiography in potential liver donors: quantitative and qualitative improvement with administration of an oral effervescent agent. Journal of Magnetic Resonance Imaging, 2017, 46, 1656-1663.	1.9	3
88	Progression of Unresected Intraductal Papillary Mucinous Neoplasms of the Pancreas to Cancer: A Systematic Review and Meta-analysis. Clinical Gastroenterology and Hepatology, 2017, 15, 1509-1520.e4.	2.4	71
89	Feasibility of UltraFast Doppler in Post-operative Evaluation of Hepatic Artery in Recipients following Liver Transplantation. Ultrasound in Medicine and Biology, 2017, 43, 2611-2618.	0.7	6
90	Measurement of liver volumes by portal vein flow by Doppler ultrasound in living donor liver transplantation. Clinical Transplantation, 2017, 31, e13050.	0.8	11

#	ARTICLE	IF	CITATIONS
91	Computed Tomography Features Predictive of Lymph Node Involvement in Patients With a Nonfunctioning Pancreatic Neuroendocrine Tumor. <i>Pancreas</i> , 2017, 46, 1056-1063.	0.5	14
92	Detection of Local Tumor Recurrence After Definitive Treatment of Head and Neck Squamous Cell Carcinoma: Histogram Analysis of Dynamic Contrast-Enhanced T1-Weighted Perfusion MRI. <i>American Journal of Roentgenology</i> , 2017, 208, 42-47.	1.0	14
93	Intrahepatic Cholangiocarcinoma in Patients with Cirrhosis: Differentiation from Hepatocellular Carcinoma by Using Gadoteric Acid-enhanced MR Imaging and Dynamic CT. <i>Radiology</i> , 2017, 282, 771-781.	3.6	73
94	Diffusion-weighted Magnetic Resonance Enterography for Evaluating Bowel Inflammation in Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 669-679.	0.9	84
95	Initial clinical experience with BRAF ^{V600E} mutation analysis of core-needle biopsy specimens from thyroid nodules. <i>Clinical Endocrinology</i> , 2016, 84, 607-613.	1.2	7
96	Perfusion MRI as the predictive/prognostic and pharmacodynamic biomarkers in recurrent malignant glioma treated with bevacizumab: a systematic review and a time-to-event meta-analysis. <i>Journal of Neuro-Oncology</i> , 2016, 128, 185-194.	1.4	37
97	Comparisons of clinical outcomes in patients with and without a preoperative tissue diagnosis in the persistent malignant-looking, ground-glass-opacity nodules. <i>Medicine (United States)</i> , 2016, 95, e4359.	0.4	17
98	Reply to: "Conclusive HCC diagnosis with hepatocyte-specific contrast-enhanced magnetic resonance imaging? Not yet" <i>Journal of Hepatology</i> , 2016, 65, 650-651.	1.8	1
99	Liver Imaging Reporting and Data System v2014 With Gadoteric Acid-enhanced Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2016, 51, 483-490.	3.5	72
100	Focal hepatic solid lesions incidentally detected on initial ultrasonography in 542 asymptomatic patients. <i>Abdominal Radiology</i> , 2016, 41, 265-272.	1.0	11
101	Diagnostic criteria for hepatocellular carcinoma ≤ 3 cm with hepatocyte-specific contrast-enhanced magnetic resonance imaging. <i>Journal of Hepatology</i> , 2016, 64, 1099-1107.	1.8	93
102	Diagnosis of Metastasis to the Thyroid Gland. <i>Otolaryngology - Head and Neck Surgery</i> , 2016, 154, 618-625.	1.1	28
103	Noninvasive quantitative estimation of hepatic steatosis by ultrasound: a comparison of the hepato-renal index and ultrasound attenuation index. <i>Medical Ultrasonography</i> , 2016, 18, 431.	0.4	11
104	Systematic Review and Meta-Analysis of Studies Evaluating Diagnostic Test Accuracy: A Practical Review for Clinical Researchers-Part I. General Guidance and Tips. <i>Korean Journal of Radiology</i> , 2015, 16, 1175.	1.5	255
105	Systematic Review and Meta-Analysis of Studies Evaluating Diagnostic Test Accuracy: A Practical Review for Clinical Researchers-Part II. Statistical Methods of Meta-Analysis. <i>Korean Journal of Radiology</i> , 2015, 16, 1188.	1.5	350
106	Evaluation of the Clinical Usefulness of BRAF ^{V600E} Mutation Analysis of Core-Needle Biopsy Specimens in Thyroid Nodules with Previous Atypia of Undetermined Significance or Follicular Lesions of Undetermined Significance Results. <i>Thyroid</i> , 2015, 25, 897-903.	2.4	16
107	The Usefulness of Gadoteric Acid-Enhanced Dynamic Magnetic Resonance Imaging in Hepatocellular Carcinoma: Toward Improved Staging. <i>Annals of Surgical Oncology</i> , 2015, 22, 819-825.	0.7	19
108	Recurrent Bilateral Breast Abscess Due to Nontuberculous Mycobacterial Infection. <i>Journal of Breast Cancer</i> , 2014, 17, 295.	0.8	7

#	ARTICLE	IF	CITATIONS
109	Thyroid nodules with initially non-diagnostic, fine-needle aspiration results: comparison of core-needle biopsy and repeated fine-needle aspiration. <i>European Radiology</i> , 2014, 24, 2819-2826.	2.3	70
110	Sonography of hepatic hemangioma accompanied by arteriportal shunt. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 85.	4.5	0
111	Percutaneous CT-Guided Aspiration and Core Biopsy of Pulmonary Nodules Smaller Than 1 cm: Analysis of Outcomes of 305 Procedures From a Tertiary Referral Center. <i>American Journal of Roentgenology</i> , 2013, 201, 964-970.	1.0	90
112	Semiautomated spleen volumetry with diffusion-weighted MR imaging. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 305-310.	1.9	8
113	Hepatic Arterial Injuries in 3110 Patients Following Percutaneous Transhepatic Biliary Drainage. <i>Radiology</i> , 2011, 261, 969-975.	3.6	72