

Matthias David

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5698682/publications.pdf>

Version: 2024-02-01

89
papers

2,043
citations

471509

17
h-index

265206

42
g-index

115
all docs

115
docs citations

115
times ranked

2045
citing authors

#	ARTICLE	IF	CITATIONS
1	Focused ultrasound treatment of uterine fibroid tumors: Safety and feasibility of a noninvasive thermoablative technique. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 48-54.	1.3	405
2	Advanced cervical dilatation as a predictor for low emergency cesarean delivery: a comparison between migrant and non-migrant Primiparae – secondary analysis in Berlin, Germany. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 1.	2.4	307
3	Pregnancy outcome after magnetic resonance–guided focused ultrasound surgery (MRgFUS) for conservative treatment of uterine fibroids. <i>Fertility and Sterility</i> , 2010, 93, 199-209.	1.0	214
4	Emergency cerclage versus bed rest for amniotic sac prolapse before 27 gestational weeks. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 139, 32-37.	1.1	101
5	Perinatal outcome in Berlin (Germany) among immigrants from Turkey. <i>Archives of Gynecology and Obstetrics</i> , 2006, 274, 271-278.	1.7	71
6	Aromatase inhibitors and cyclooxygenase-2 (COX-2) inhibitors in endometriosis: New questions–old answers?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 122, 144-150.	1.1	70
7	Menopausal symptoms in an intercultural context: a comparison between German women, Chinese women and migrant Chinese women using the Menopause Rating Scale (MRS II). <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 963-971.	1.7	60
8	Doctor's perception of doctor-patient relationships in emergency departments: What roles do gender and ethnicity play?. <i>BMC Health Services Research</i> , 2008, 8, 82.	2.2	36
9	Comparison of Perinatal Data of Immigrant Women of Turkish Origin and German Women – Results of a Prospective Study in Berlin. <i>Geburtshilfe Und Frauenheilkunde</i> , 2014, 74, 441-448.	1.8	35
10	Emergency outpatient services in the city of Berlin: factors for appropriate use and predictors for hospital admission. <i>European Journal of Emergency Medicine</i> , 2006, 13, 352-357.	1.1	33
11	Histological Confirmation of Endometriosis in a 9-Year-Old Girl Suffering from Unexplained Cyclic Pelvic Pain since Her Eighth Year of Life. <i>Gynecologic and Obstetric Investigation</i> , 2009, 67, 158-161.	1.6	32
12	Obstetric and perinatal outcomes among immigrant and non-immigrant women in Berlin, Germany. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 745-762.	1.7	28
13	Comparison of magnetic resonance imaging of inhaled SF6 with respiratory gas analysis. <i>Magnetic Resonance Imaging</i> , 2009, 27, 549-556.	1.8	27
14	Caesarean Section Frequency among Immigrants, Second- and Third-Generation Women, and Non-Immigrants: Prospective Study in Berlin/Germany. <i>PLoS ONE</i> , 2015, 10, e0127489.	2.5	24
15	Contribution of overweight and obesity to adverse pregnancy outcomes among immigrant and non-immigrant women in Berlin, Germany. <i>European Journal of Public Health</i> , 2015, 25, 839-844.	0.3	23
16	Smoking During Pregnancy Among Turkish Immigrants in Germany--Are There Associations With Acculturation?. <i>Nicotine and Tobacco Research</i> , 2015, 17, 643-652.	2.6	21
17	Prior cesarean section–An acceptable risk for vaginal delivery at free-standing midwife-led birth centers? Results of the analysis of vaginal birth after cesarean section (VBAC) in German birth centers. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 142, 106-110.	1.1	19
18	Perinatal outcomes of immigrant women of Turkish, Middle Eastern and North African origin in Berlin, Germany: a comparison of two time periods. <i>Archives of Gynecology and Obstetrics</i> , 2014, 289, 505-512.	1.7	18

#	ARTICLE	IF	CITATIONS
19	Intrapartum transfer from a birth centre to a hospital – reasons, procedures, and consequences ¹ . <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 422-428.	2.8	17
20	Risk factors for fetal-to-maternal transfusion in Rh D-negative women – results of a prospective study on 942 pregnant women. <i>Journal of Perinatal Medicine</i> , 2004, 32, 254-7.	1.4	15
21	A distributional approach to obtain adjusted comparisons of proportions of a population at risk. <i>Emerging Themes in Epidemiology</i> , 2016, 13, 8.	2.7	15
22	Comparison of isosorbide mononitrate (Mono Mack) and misoprostol (Cytotec) for cervical ripening in the first trimester missed abortion. <i>Archives of Gynecology and Obstetrics</i> , 2005, 273, 144-145.	1.7	14
23	Myoma-associated pain frequency and intensity: a retrospective evaluation of 1548 myoma patients. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 199, 137-140.	1.1	14
24	Analysis of presurgical uterine artery embolization (PUAE) for very large uterus myomatosis; patient’s desire to preserve the uterus; case series and literature review. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2018, 190, 616-622.	1.3	14
25	The influence of migration on women’s satisfaction during pregnancy and birth: results of a comparative prospective study with the Migrant Friendly Maternity Care Questionnaire (MFMCQ). <i>Archives of Gynecology and Obstetrics</i> , 2019, 300, 555-567.	1.7	14
26	Knowledge among German and Turkish Women about Specifically Female Bodily Functions, Contraception, Preventative Medical Examinations and Menopause. <i>Ethnicity and Health</i> , 2000, 5, 101-112.	2.5	13
27	Isosorbide mononitrate vaginal gel versus misoprostol vaginal gel versus Dilapan-SÂ® for cervical ripening before first trimester curettage. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 138, 176-179.	1.1	13
28	Ethnic Turkish fathers in birth support roles in a Berlin labour and delivery room – motives, preparation and incidence in a 10-year comparison. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2009, 30, 5-10.	2.1	13
29	Early antenatal care visit as indicator for health equity monitoring. <i>The Lancet Global Health</i> , 2018, 6, e35.	6.3	13
30	Comparing provision and appropriateness of health care between immigrants and non-immigrants in Germany using the example of neuraxial anaesthesia during labour: cross-sectional study. <i>BMJ Open</i> , 2017, 7, e015913.	1.9	12
31	Turkish and German patients’ recall of diagnosis and therapy before and following informed consent. <i>Ethnicity and Health</i> , 2004, 9, 213-223.	2.5	11
32	Treatment of uterine fibroids by embolization – Advantages, disadvantages, and pitfalls. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 123, 131-138.	1.1	11
33	Do immigration and acculturation have an impact on hyperemesis gravidarum? Results of a study in Berlin/Germany. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2012, 33, 78-84.	2.1	11
34	Operative Therapy for Heterotopic Scar Pregnancy and Successful Birth of the Intrauterine Foetus – Case Report and Review of the Literature. <i>Geburtshilfe Und Frauenheilkunde</i> , 2015, 75, 384-388.	1.8	11
35	Uterine Artery Embolization (UAE) for Fibroid Treatment: Results of the 6th Radiological Gynecological Expert Meeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2017, 189, 511-514.	1.3	11
36	The growth of uterine myomas in untreated women: influence factors and ultrasound monitoring. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 131-137.	1.7	11

#	ARTICLE	IF	CITATIONS
37	Uterine Artery Embolization (UAE) for Fibroid Treatment – Results of the 7th Radiological Gynecological Expert Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019, 79, 688-692.	1.8	11
38	Do social factors and country of origin contribute towards explaining a “Latina paradox” among immigrant women giving birth in Germany?. <i>BMC Public Health</i> , 2019, 19, 181.	2.9	11
39	Sexually assaulted women: Results of a retrospective analysis of 850 women in Germany. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 250, 117-123.	1.1	11
40	Migration and symptom reporting at menopause. <i>Menopause</i> , 2013, 20, 169-178.	2.0	10
41	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 4th Radiological-Gynecological Expert Meeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2019, 191, 626-629.	1.3	9
42	Effects of epigallocatechin gallate-enriched green tea extract capsules in uterine myomas: results of an observational study. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 1235-1243.	1.7	9
43	Obstetric care quality indicators and outcomes based on the degree of acculturation of immigrants – results from a cross-sectional study in Berlin. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 313-322.	1.7	8
44	The influence of migration on women’s use of different aspects of maternity care in the German health care system: Secondary analysis of a comparative prospective study with the Migrant Friendly Maternity Care Questionnaire (MFMCQ). <i>Birth</i> , 2020, 47, 39-48.	2.2	8
45	Adequate Utilization of Emergency Services in Germany: Is There a Differential by Migration Background?. <i>Frontiers in Public Health</i> , 2020, 8, 613250.	2.7	8
46	Co-Occurrence of Atypical Endometriosis, Subserous Uterine Leiomyomata, Sactosalpinx, Serous Cystadenoma and Bilateral Hemorrhagic Corpora Lutea in a Perimenopausal Adipose Patient Taking Tamoxifen (20 mg/Day) for Invasive Lobular Breast Cancer. <i>Gynecologic and Obstetric Investigation</i> , 2008, 66, 209-213.	1.6	7
47	Fears and Concerns of Patients with Uterine Fibroids – a Survey of 807 Women. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017, 77, 976-983.	1.8	7
48	Does an Immigrant Background Affect the Indication, Incidence or Outcome of Emergency Cesarean Section? Results of the Prospective Data Collection of 111 Births. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 167-172.	1.8	7
49	Effects of maternal obesity, excessive gestational weight gain and fetal macrosomia on the frequency of cesarean deliveries among migrant and non-migrant women – a prospective study. <i>Journal of Perinatal Medicine</i> , 2019, 47, 402-408.	1.4	7
50	Are Social Status and Migration Background Associated with Utilization of Non-medical Antenatal Care? Analyses from Two German Studies. <i>Maternal and Child Health Journal</i> , 2020, 24, 943-952.	1.5	7
51	Comparison of the relaxation effect in vitro of nitroglycerin vs. fenoterol on human myometrial strips. <i>Journal of Perinatal Medicine</i> , 2000, 28, 232-42.	1.4	6
52	The association of pre-pregnancy overweight and obesity with delivery outcomes: a comparison of immigrant and non-immigrant women in Berlin, Germany. <i>International Journal of Public Health</i> , 2016, 61, 455-463.	2.3	6
53	Rare Ectopic Pregnancies – A Literature Review for the Period 2007–2019 on Locations Outside the Uterus and Fallopian Tubes. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020, 80, 686-701.	1.8	6
54	Uterine Artery Embolization (UAE) for Fibroid Treatment: Results of the 6th Radiological Gynecological Expert Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017, 77, 689-692.	1.8	5

#	ARTICLE	IF	CITATIONS
55	Anxiety of myoma patients: results of standardized interviews with the State Trait Anxiety Inventory and the Kessler 10 questionnaire. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2020, 41, 122-130.	2.1	5
56	Attitudes toward mode of hysterectomy: a survey-based study among German gynecologists. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 164, 216-220.	1.1	4
57	Perinatal Outcome in Women with a Vietnamese Migration Background – Retrospective Comparative Data Analysis of 3000 Deliveries. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 697-706.	1.8	4
58	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 4th Radiological-Gynecological Expert Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , 2019, 79, 693-696.	1.8	4
59	The role of acculturation in migrants’ use of gynecologic emergency departments. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 149, 24-30.	2.3	4
60	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 3rd Radiological-Gynecological Expert Meeting. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017, 77, 686-688.	1.8	3
61	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 3rd Radiological-Gynecological Expert Meeting. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2017, 189, 515-518.	1.3	3
62	The impact of migration background on maternal near miss. <i>Archives of Gynecology and Obstetrics</i> , 2019, 300, 285-292.	1.7	3
63	Placental weight in first generation migrant mothers in Germany. Do the length of stay, acculturation or migrant status play a role?. <i>Placenta</i> , 2021, 108, 103-108.	1.5	3
64	Preoperative Uterine Artery Embolization in Women Undergoing Uterus-Preserving Myomectomy for Extensive Fibroid Disease: A Retrospective Analysis. <i>Gynecologic and Obstetric Investigation</i> , 2022, 87, 38-45.	1.6	3
65	Recommendations for Care and Support of Female Rape Victims. <i>Geburtshilfe Und Frauenheilkunde</i> , 2022, 82, 384-391.	1.8	3
66	Peritoneal and upper genital tract tuberculosis. <i>Medicinski Glasnik</i> , 2020, 17, 86-91.	0.4	3
67	Patients’ beliefs about the causes of myomas: a pilot study from a large European city. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2017, 38, 301-309.	2.1	2
68	Factors Influencing Postoperative Recovery and Time Off Work of Patients with Benign Indications for Surgery – Results of a Prospective Study. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020, 80, 723-732.	1.8	2
69	Evaluation of Biomarkers in Myoma Patients: A Prospective Study Investigating the Role of LDH, CA 125, and IGF-1 after Uterus-Preserving Surgical Therapy. <i>Gynecologic and Obstetric Investigation</i> , 2021, 86, 100-107.	1.6	2
70	Subjective theories of illness in fibroid and endometriosis patients: Similarities, differences, and influencing factors. <i>Journal of Endometriosis and Pelvic Pain Disorders</i> , 0, , 228402652110730.	0.5	2
71	Reasons for a Lower Rate of Epidural Anesthesia During Birth for Immigrant Women in the Eyes of Medical Staff: A Mixed-Methods Analysis. <i>Journal of Immigrant and Minority Health</i> , 2022, 24, 1501-1507.	1.6	2
72	Geschlechterspezifische Versorgungsforschung am Beispiel der Inanspruchnahme von Notfallambulanzen. <i>Public Health Forum</i> , 2008, 16, 16-18.	0.2	1

#	ARTICLE	IF	CITATIONS
73	Consensus Meetings Regarding Uterine Artery Embolization and Focused Ultrasound in Fibroid Treatment: an Analysis. <i>Geburtshilfe Und Frauenheilkunde</i> , 2017, 77, 693-695.	1.8	1
74	Does the Degree of Acculturation Influence Breastfeeding Intention and Start or the Frequency of Early Weaning? Results of a Prospective Observational Study. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 596-604.	1.8	1
75	Comparison of Clinical Symptoms of Assumed vs. Actual Uterine Fibroids – Symptoms Described by Patients and Ultrasound Findings. <i>Geburtshilfe Und Frauenheilkunde</i> , 2020, 80, 316-323.	1.8	1
76	“Fair to all interests and impartial towards all schools of thought” in honour of the 150th anniversary of the foundation of the “Archiv/Archives”. <i>Archives of Gynecology and Obstetrics</i> , 2020, 302, 539-543.	1.7	1
77	Activities of self-treatment and help-seeking before emergency department presentation: A gender- and ethnicity-specific analysis. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2010, 18, 505-512.	1.6	0
78	Perinataldaten bei Migrantinnen – “besser, schlechter oder gleich gut?”. <i>Public Health Forum</i> , 2015, 23, 67-69.	0.2	0
79	Perinataldaten von Migrantinnen im internationalen Vergleich. <i>Public Health Forum</i> , 2021, 29, 157-159.	0.2	0
80	Data Not Correctly Calculated. <i>Deutsches A&#x0308;rztblatt International</i> , 2012, 109, 158-9; author reply 159-60.	0.9	0
81	First results of Expression V Study, a survey by the North-Eastern-German Society of Gynaecological Oncology (NOGGO), assessing the therapy expectations of breast and ovarian cancer patients with different ethnicity in Germany.. <i>Journal of Clinical Oncology</i> , 2015, 33, e16582-e16582.	1.6	0
82	Ethnizität und Inanspruchnahme von Notaufnahmen. , 2018, , 543-551.		0
83	Migration Background Should Be Considered. <i>Deutsches A&#x0308;rztblatt International</i> , 2018, 115, 453-454.	0.9	0
84	Perinataldaten besser als gedacht! Zum Einfluss von Migration und Akkulturation auf die Gesundheit schwangerer Frauen und ihrer Neugeborenen. <i>Springer Reference Psychologie</i> , 2019, , 1-12.	0.0	0
85	Perinataldaten besser als gedacht! Zum Einfluss von Migration und Akkulturation auf die Gesundheit schwangerer Frauen und ihrer Neugeborenen. , 2020, , 519-530.		0
86	<i>Gynaekumenes</i>: A Nonrepresentative Selection of Notable Articles Published in the <i>Monatsschrift</i> and <i>Gynaecologia</i> from 1896 to 1969. <i>Gynecologic and Obstetric Investigation</i> , 2020, 85, 501-508.	1.6	0
87	“Ever Forward” In Memory of the Foundation of <i>Monatsschrift für Geburtshälfte und Gynaekologie</i> (<i>Monthly Review of Obstetrics and Gynecology</i>) 125 Years Ago. <i>Gynecologic and Obstetric Investigation</i> , 2020, 85, 457-463.	1.6	0
88	Prof. Ludwig Seitz (1872–1961): The Last <i>Schriftfür</i> (Editor) of the <i>Monatsschrift für Geburtshilfe und Gynäkologie</i> (<i>Monthly Review of Obstetrics</i>) Tj ETQq0 0 0 rgBT /Overlock 10 <i>Geburtshilfe und Frauenheilkunde</i> (<i>Obstetrics and Gynecology</i>) (Starting) Tj ETQq0 0 0 rgBT /Overlock 10	1.6	0
89	Influence of appropriate emergency department utilization and verbal communication on physicians’ (dis)satisfaction with doctor–patient interactions with special consideration of migrational backgrounds. <i>Wiener Medizinische Wochenschrift</i> , 0, , .	1.1	0