Matthias David

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5698682/publications.pdf

Version: 2024-02-01

471371 265120 2,043 89 17 42 citations h-index g-index papers 115 115 115 2045 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Preoperative Uterine Artery Embolization in Women Undergoing Uterus-Preserving Myomectomy for Extensive Fibroid Disease: A Retrospective Analysis. Gynecologic and Obstetric Investigation, 2022, 87, 38-45.	0.7	3
2	Reasons for a Lower Rate of Epidural Anesthesia During Birth for Immigrant Women in the Eyes of Medical Staff: A Mixed-Methods Analysis. Journal of Immigrant and Minority Health, 2022, 24, 1501-1507.	0.8	2
3	Recommendations for Care and Support of Female Rape Victims. Geburtshilfe Und Frauenheilkunde, 2022, 82, 384-391.	0.8	3
4	Evaluation of Biomarkers in Myoma Patients: A Prospective Study Investigating the Role of LDH, CA 125, and IGF-1 after Uterus-Preserving Surgical Therapy. Gynecologic and Obstetric Investigation, 2021, 86, 100-107.	0.7	2
5	Effects of epigallocatechin gallate-enriched green tea extract capsules in uterine myomas: results of an observational study. Archives of Gynecology and Obstetrics, 2021, 303, 1235-1243.	0.8	9
6	Placental weight in first generation migrant mothers in Germany. Do the length of stay, acculturation or migrant status play a role?. Placenta, 2021, 108, 103-108.	0.7	3
7	Perinataldaten von Migrantinnen im internationalen Vergleich. Public Health Forum, 2021, 29, 157-159.	0.1	0
8	Anxiety of myoma patients: results of standardized interviews with the State Trait Anxiety Inventory and the Kessler 10 questionnaire. Journal of Psychosomatic Obstetrics and Gynaecology, 2020, 41, 122-130.	1.1	5
9	Comparison of Clinical Symptoms of Assumed vs. Actual Uterine Fibroids – Symptoms Described by Patients and Ultrasound Findings. Geburtshilfe Und Frauenheilkunde, 2020, 80, 316-323.	0.8	1
10	The influence of migration on women's use of different aspects of maternity care in the German health care system: Secondary analysis of a comparative prospective study with the Migrant Friendly Maternity Care Questionnaire (MFMCQ). Birth, 2020, 47, 39-48.	1.1	8
11	Factors Influencing Postoperative Recovery and Time Off Work of Patients with Benign Indications for Surgery – Results of a Prospective Study. Geburtshilfe Und Frauenheilkunde, 2020, 80, 723-732.	0.8	2
12	"Fair to all interests and impartial towards all schools of thought― in honour of the 150th anniversary of the foundation of the "Archiv/Archives― Archives of Gynecology and Obstetrics, 2020, 302, 539-543.	0.8	1
13	Rare Ectopic Pregnancies – A Literature Review for the Period 2007 – 2019 on Locations Outside the Uterus and Fallopian Tubes. Geburtshilfe Und Frauenheilkunde, 2020, 80, 686-701.	0.8	6
14	Sexually assaulted women: Results of a retrospective analysis of 850 women in Germany. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 250, 117-123.	0.5	11
15	The role of acculturation in migrants' use of gynecologic emergency departments. International Journal of Gynecology and Obstetrics, 2020, 149, 24-30.	1.0	4
16	Adequate Utilization of Emergency Services in Germany: Is There a Differential by Migration Background?. Frontiers in Public Health, 2020, 8, 613250.	1.3	8
17	Perinataldaten besser als gedacht! Zum Einfluss von Migration und Akkulturation auf die Gesundheit schwangerer Frauen und ihrer Neugeborenen. , 2020, , 519-530.		0
18	<i>Gynaekeumenes</i> : A Nonrepresentative Selection of Notable Articles Published in the <i>Monatsschrift</i> and <i>Gynaecologia</i> from 1896 to 1969. Gynecologic and Obstetric Investigation, 2020, 85, 501-508.	0.7	0

#	Article	IF	Citations
19	Are Social Status and Migration Background Associated with Utilization of Non-medical Antenatal Care? Analyses from Two German Studies. Maternal and Child Health Journal, 2020, 24, 943-952.	0.7	7
20	"Ever Forward― In Memory of the Foundation of <i>Monatsschrift fÃ⅓r GeburtshÃ⅓lfe und Gynaekologie</i> (<i>Monthly Review of Obstetrics and Gynecology</i>) 125 Years Ago. Gynecologic and Obstetric Investigation, 2020, 85, 457-463.	0.7	0
21	Prof. Ludwig Seitz (1872a€ 1961): The Last <i>SchriftfA-/4hrer</i> (Editor) of the <i>Monatsschrift fÃ-/4r Geburtshilfe und GynÃ-Rologie</i> (<i>Monthly Review of Obstetrics) Tj ETQq1</i>	1 0.7843 0.7	14 rgBT /
21	<i>Geburtshilfe und Frauenheilkunde</i> (<i>Obstetrics and Gynecology</i>) (Starting) Tj ETQq1		0 14 rgBT /0
22	Peritoneal and upper genital tract tuberculosis. Medicinski Glasnik, 2020, 17, 86-91.	0.3	3
23	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 4th Radiological-Gynecological Expert Meeting. Geburtshilfe Und Frauenheilkunde, 2019, 79, 693-696.	0.8	4
24	Uterine Artery Embolization (UAE) for Fibroid Treatment – Results of the 7th Radiological Gynecological Expert Meeting. Geburtshilfe Und Frauenheilkunde, 2019, 79, 688-692.	0.8	11
25	The influence of migration on women's satisfaction during pregnancy and birth: results of a comparative prospective study with the Migrant Friendly Maternity Care Questionnaire (MFMCQ). Archives of Gynecology and Obstetrics, 2019, 300, 555-567.	0.8	14
26	Advanced cervical dilatation as a predictor for low emergency cesarean delivery: a comparison between migrant and non-migrant Primiparae $\hat{a} \in \text{``secondary analysis in Berlin, Germany. BMC Pregnancy and Childbirth, 2019, 19, 1.}$	0.9	307
27	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 4th Radiological-Gynecological Expert Meeting. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2019, 191, 626-629.	0.7	9
28	The impact of migration background on maternal near miss. Archives of Gynecology and Obstetrics, 2019, 300, 285-292.	0.8	3
29	Do social factors and country of origin contribute towards explaining a "Latina paradox―among immigrant women giving birth in Germany?. BMC Public Health, 2019, 19, 181.	1.2	11
30	Effects of maternal obesity, excessive gestational weight gain and fetal macrosomia on the frequency of cesarean deliveries among migrant and non-migrant women – a prospective study. Journal of Perinatal Medicine, 2019, 47, 402-408.	0.6	7
31	Perinataldaten besser als gedacht! Zum Einfluss von Migration und Akkulturation auf die Gesundheit schwangerer Frauen und ihrer Neugeborenen. Springer Reference Psychologie, 2019, , 1-12.	0.0	O
32	Early antenatal care visit as indicator for health equity monitoring. The Lancet Global Health, 2018, 6, e35.	2.9	13
33	Does an Immigrant Background Affect the Indication, Incidence or Outcome of Emergency Cesarean Section? Results of the Prospective Data Collection of 111 Births. Geburtshilfe Und Frauenheilkunde, 2018, 78, 167-172.	0.8	7
34	Analysis of presurgical uterine artery embolization (PUAE) for very large uterus myomatosus; patient's desire to preserve the uterus; case series and literature review. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2018, 190, 616-622.	0.7	14
35	Obstetric care quality indicators and outcomes based on the degree of acculturation of immigrantsâ€"results from a cross-sectional study in Berlin. Archives of Gynecology and Obstetrics, 2018, 297, 313-322.	0.8	8
36	The growth of uterine myomas in untreated women: influence factors and ultrasound monitoring. Archives of Gynecology and Obstetrics, 2018, 297, 131-137.	0.8	11

#	Article	IF	CITATIONS
37	Perinatal Outcome in Women with a Vietnamese Migration Background – Retrospective Comparative Data Analysis of 3000 Deliveries. Geburtshilfe Und Frauenheilkunde, 2018, 78, 697-706.	0.8	4
38	Does the Degree of Acculturation Influence Breastfeeding Intention and Start or the Frequency of Early Weaning? Results of a Prospective Observational Study. Geburtshilfe Und Frauenheilkunde, 2018, 78, 596-604.	0.8	1
39	Ethnizitäund Inanspruchnahme von Notaufnahmen. , 2018, , 543-551.		O
40	Migration Background Should Be Considered. Deutsches Ärzteblatt International, 2018, 115, 453-454.	0.6	0
41	Uterine Artery Embolization (UAE) for Fibroid Treatment: Results of the 6th Radiological Gynecological Expert Meeting. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2017, 189, 511-514.	0.7	11
42	Patients' beliefs about the causes of myomas: a pilot study from a large European city. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 301-309.	1.1	2
43	Fears and Concerns of Patients with Uterine Fibroids – a Survey of 807 Women. Geburtshilfe Und Frauenheilkunde, 2017, 77, 976-983.	0.8	7
44	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 3rd Radiological-Gynecological Expert Meeting. Geburtshilfe Und Frauenheilkunde, 2017, 77, 686-688.	0.8	3
45	Comparing provision and appropriateness of health care between immigrants and non-immigrants in Germany using the example of neuraxial anaesthesia during labour: cross-sectional study. BMJ Open, 2017, 7, e015913.	0.8	12
46	MR-Guided Focused Ultrasound in Fibroid Treatment – Results of the 3rd Radiological-Gynecological Expert Meeting. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2017, 189, 515-518.	0.7	3
47	Obstetric and perinatal outcomes among immigrant and non-immigrant women in Berlin, Germany. Archives of Gynecology and Obstetrics, 2017, 296, 745-762.	0.8	28
48	Uterine Artery Embolization (UAE) for Fibroid Treatment: Results of the 6th Radiological Gynecological Expert Meeting. Geburtshilfe Und Frauenheilkunde, 2017, 77, 689-692.	0.8	5
49	Consensus Meetings Regarding Uterine Artery Embolization and Focused Ultrasound in Fibroid Treatment: an Analysis. Geburtshilfe Und Frauenheilkunde, 2017, 77, 693-695.	0.8	1
50	Myoma-associated pain frequency and intensity: a retrospective evaluation of 1548 myoma patients. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 199, 137-140.	0.5	14
51	A distributional approach to obtain adjusted comparisons of proportions of a population at risk. Emerging Themes in Epidemiology, 2016, 13, 8.	1.2	15
52	The association of pre-pregnancy overweight and obesity with delivery outcomes: a comparison of immigrant and non-immigrant women in Berlin, Germany. International Journal of Public Health, 2016, 61, 455-463.	1.0	6
53	Perinataldaten bei Migrantinnen – besser, schlechter oder gleich gut?. Public Health Forum, 2015, 23, 67-69.	0.1	0
54	Caesarean Section Frequency among Immigrants, Second- and Third-Generation Women, and Non-Immigrants: Prospective Study in Berlin/Germany. PLoS ONE, 2015, 10, e0127489.	1.1	24

#	Article	IF	Citations
55	Smoking During Pregnancy Among Turkish Immigrants in GermanyAre There Associations With Acculturation?. Nicotine and Tobacco Research, 2015, 17, 643-652.	1.4	21
56	Operative Therapy for Heterotopic Scar Pregnancy and Successful Birth of the Intrauterine Foetus – Case Report and Review of the Literature. Geburtshilfe Und Frauenheilkunde, 2015, 75, 384-388.	0.8	11
57	Contribution of overweight and obesity to adverse pregnancy outcomes among immigrant and non-immigrant women in Berlin, Germany. European Journal of Public Health, 2015, 25, 839-844.	0.1	23
58	First results of Expression V Study, a survey by the North-Eastern-German Society of Gynaecological Oncology (NOGGO), assessing the therapy expectations of breast and ovarian cancer patients with different ethnicity in Germany Journal of Clinical Oncology, 2015, 33, e16582-e16582.	0.8	0
59	Comparison of Perinatal Data of Immigrant Women of Turkish Origin and German Women – Results of a Prospective Study in Berlin. Geburtshilfe Und Frauenheilkunde, 2014, 74, 441-448.	0.8	35
60	Menopausal symptoms in an intercultural context: a comparison between German women, Chinese women and migrant Chinese women using the Menopause Rating Scale (MRS II). Archives of Gynecology and Obstetrics, 2014, 290, 963-971.	0.8	60
61	Perinatal outcomes of immigrant women of Turkish, Middle Eastern and North African origin in Berlin, Germany: a comparison of two time periods. Archives of Gynecology and Obstetrics, 2014, 289, 505-512.	0.8	18
62	Migration and symptom reporting at menopause. Menopause, 2013, 20, 169-178.	0.8	10
63	Do immigration and acculturation have an impact on hyperemesis gravidarum? Results of a study in Berlin/Germany. Journal of Psychosomatic Obstetrics and Gynaecology, 2012, 33, 78-84.	1.1	11
64	Attitudes toward mode of hysterectomy: a survey-based study among German gynecologists. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 164, 216-220.	0.5	4
65	Data Not Correctly Calculated. Deutsches Ärzteblatt International, 2012, 109, 158-9; author reply 159-60.	0.6	0
66	Activities of self-treatment and help-seeking before emergency department presentation: A gender- and ethnicity-specific analysis. Zeitschrift Fur Gesundheitswissenschaften, 2010, 18, 505-512.	0.8	0
67	Pregnancy outcome after magnetic resonance–guided focused ultrasound surgery (MRgFUS) for conservative treatment of uterine fibroids. Fertility and Sterility, 2010, 93, 199-209.	0.5	214
68	Ethnic Turkish fathers in birth support roles in a Berlin labour and delivery room – motives, preparation and incidence in a 10-year comparison. Journal of Psychosomatic Obstetrics and Gynaecology, 2009, 30, 5-10.	1.1	13
69	Histological Confirmation of Endometriosis in a 9-Year-Old Girl Suffering from Unexplained Cyclic Pelvic Pain since Her Eighth Year of Life. Gynecologic and Obstetric Investigation, 2009, 67, 158-161.	0.7	32
70	Comparison of magnetic resonance imaging of inhaled SF6 with respiratory gas analysis. Magnetic Resonance Imaging, 2009, 27, 549-556.	1.0	27
71	Prior cesarean sectionâ€"An acceptable risk for vaginal delivery at free-standing midwife-led birth centers? Results of the analysis of vaginal birth after cesarean section (VBAC) in German birth centers. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 142, 106-110.	0.5	19
72	Doctor's perception of doctor-patient relationships in emergency departments: What roles do gender and ethnicity play?. BMC Health Services Research, 2008, 8, 82.	0.9	36

#	Article	IF	Citations
73	Geschlechterspezifische Versorgungsforschung am Beispiel der Inanspruchnahme von Notfallambulanzen. Public Health Forum, 2008, 16, 16-18.	0.1	1
74	Isosorbide mononitrate vaginal gel versus misoprostol vaginal gel versus Dilapan-S $\hat{A}^{@}$ for cervical ripening before first trimester curettage. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 138, 176-179.	0.5	13
75	Emergency cerclage versus bed rest for amniotic sac prolapse before 27 gestational weeks. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 139, 32-37.	0.5	101
76	Co-Occurrence of Atypical Endometriosis, Subserous Uterine Leiomyomata, Sactosalpinx, Serous Cystadenoma and Bilateral Hemorrhagic Corpora Lutea in a Perimenopausal Adipose Patient Taking Tamoxifen (20 mg/Day) for Invasive Lobular Breast Cancer. Gynecologic and Obstetric Investigation, 2008, 66, 209-213.	0.7	7
77	Emergency outpatient services in the city of Berlin: factors for appropriate use and predictors for hospital admission. European Journal of Emergency Medicine, 2006, 13, 352-357.	0.5	33
78	Intrapartum transfer from a birth centre to a hospital – reasons, procedures, and consequences1. Acta Obstetricia Et Gynecologica Scandinavica, 2006, 85, 422-428.	1.3	17
79	Perinatal outcome in Berlin (Germany) among immigrants from Turkey. Archives of Gynecology and Obstetrics, 2006, 274, 271-278.	0.8	71
80	Comparison of isosorbide mononitrate (Mono Mack) and misoprostol (Cytotec) for cervical ripening in the first trimester missed abortion. Archives of Gynecology and Obstetrics, 2005, 273, 144-145.	0.8	14
81	Aromatase inhibitors and cyclooxygenase-2 (COX-2) inhibitors in endometriosis: New questions—old answers?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 122, 144-150.	0.5	70
82	Treatment of uterine fibroids by embolizationâ€"Advantages, disadvantages, and pitfalls. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 123, 131-138.	0.5	11
83	Turkish and German patients' recall of diagnosis and therapy before and following informed consent. Ethnicity and Health, 2004, 9, 213-223.	1.5	11
84	Risk factors for fetal-to-maternal transfusion in Rh D-negative women – results of a prospective study on 942 pregnant women. Journal of Perinatal Medicine, 2004, 32, 254-7.	0.6	15
85	Focused ultrasound treatment of uterine fibroid tumors: Safety and feasibility of a noninvasive thermoablative technique. American Journal of Obstetrics and Gynecology, 2003, 189, 48-54.	0.7	405
86	Comparison of the relaxation effect in vitro of nitroglycerin vs. fenoterol on human myometrial strips. Journal of Perinatal Medicine, 2000, 28, 232-42.	0.6	6
87	Knowledge among German and Turkish Women about Specifically Female Bodily Functions, Contraception, Preventative Medical Examinations and Menopause. Ethnicity and Health, 2000, 5, 101-112.	1.5	13
88	Subjective theories of illness in fibroid and endometriosis patients: Similarities, differences, and influencing factors. Journal of Endometriosis and Pelvic Pain Disorders, 0, , 228402652110730.	0.3	2
89	Influence of appropriate emergency department utilization and verbal communication on physicians' (dis)satisfaction with doctor–patient interactions with special consideration of migrational backgrounds. Wiener Medizinische Wochenschrift, 0, , .	0.5	0