

Lena Specht

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5699009/lena-specht-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

261
papers

16,418
citations

57
h-index

124
g-index

282
ext. papers

18,920
ext. citations

3.7
avg, IF

6.11
L-index

#	Paper	IF	Citations
261	Revised response criteria for malignant lymphoma. <i>Journal of Clinical Oncology</i> , 2007 , 25, 579-86	2.2	3483
260	A prognostic score for advanced Hodgkin's disease. International Prognostic Factors Project on Advanced Hodgkin's Disease. <i>New England Journal of Medicine</i> , 1998 , 339, 1506-14	59.2	1298
259	Early interim 2-[18F]fluoro-2-deoxy-D-glucose positron emission tomography is prognostically superior to international prognostic score in advanced-stage Hodgkin's lymphoma: a report from a joint Italian-Danish study. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3746-52	2.2	667
258	FDG-PET after two cycles of chemotherapy predicts treatment failure and progression-free survival in Hodgkin lymphoma. <i>Blood</i> , 2006 , 107, 52-9	2.2	592
257	Five compared with six fractions per week of conventional radiotherapy of squamous-cell carcinoma of head and neck: DAHANCA 6 and 7 randomised controlled trial. <i>Lancet, The</i> , 2003 , 362, 933-40	40	506
256	A randomized double-blind phase III study of nimorazole as a hypoxic radiosensitizer of primary radiotherapy in supraglottic larynx and pharynx carcinoma. Results of the Danish Head and Neck Cancer Study (DAHANCA) Protocol 5-85. <i>Radiotherapy and Oncology</i> , 1998 , 46, 135-46	5.3	451
255	Prognostic factors for relapse in stage I seminoma managed by surveillance: a pooled analysis. <i>Journal of Clinical Oncology</i> , 2002 , 20, 4448-52	2.2	410
254	Modern radiation therapy for Hodgkin lymphoma: field and dose guidelines from the international lymphoma radiation oncology group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 854-62	4	350
253	Involved-node radiotherapy (INRT) in patients with early Hodgkin lymphoma: concepts and guidelines. <i>Radiotherapy and Oncology</i> , 2006 , 79, 270-7	5.3	298
252	Early Positron Emission Tomography Response-Adapted Treatment in Stage I and II Hodgkin Lymphoma: Final Results of the Randomized EORTC/LYSA/FIL H10 Trial. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1786-1794	2.2	264
251	Modern radiation therapy for extranodal lymphomas: field and dose guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 11-31	4	211
250	Osteoradionecrosis of the jaws: clinical characteristics and relation to the field of irradiation. <i>Journal of Oral and Maxillofacial Surgery</i> , 2000 , 58, 1088-93; discussion 1093-5	1.8	201
249	Surveillance following orchidectomy for stage I seminoma of the testis. <i>European Journal of Cancer</i> , 1993 , 29A, 1931-4	7.5	197
248	Routine bone marrow biopsy has little or no therapeutic consequence for positron emission tomography/computed tomography-staged treatment-naive patients with Hodgkin lymphoma. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4508-14	2.2	191
247	Breathing adapted radiotherapy of breast cancer: reduction of cardiac and pulmonary doses using voluntary inspiration breath-hold. <i>Radiotherapy and Oncology</i> , 2004 , 72, 53-60	5.3	188
246	Modern radiation therapy for nodal non-Hodgkin lymphoma-target definition and dose guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 49-58	4	185
245	Breathing adapted radiotherapy for breast cancer: comparison of free breathing gating with the breath-hold technique. <i>Radiotherapy and Oncology</i> , 2005 , 76, 311-8	5.3	183

244	Position emission tomography with or without computed tomography in the primary staging of Hodgkin's lymphoma. <i>Haematologica</i> , 2006 , 91, 482-9	6.6	175
243	The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. <i>British Journal of Cancer</i> , 2012 , 106, 1526-34	8.7	174
242	Risk of therapy-related leukaemia and preleukaemia after Hodgkin's disease. Relation to age, cumulative dose of alkylating agents, and time from chemotherapy. <i>Lancet, The</i> , 1987 , 2, 83-8	4.0	170
241	The influence of HPV-associated p16-expression on accelerated fractionated radiotherapy in head and neck cancer: evaluation of the randomised DAHANCA 6&7 trial. <i>Radiotherapy and Oncology</i> , 2011 , 100, 49-55	5.3	154
240	Different miRNA signatures of oral and pharyngeal squamous cell carcinomas: a prospective translational study. <i>British Journal of Cancer</i> , 2011 , 104, 830-40	8.7	151
239	Second malignancy risk associated with treatment of Hodgkin's lymphoma: meta-analysis of the randomised trials. <i>Annals of Oncology</i> , 2006 , 17, 1749-60	10.3	135
238	The effect of different lung densities on the accuracy of various radiotherapy dose calculation methods: implications for tumour coverage. <i>Radiotherapy and Oncology</i> , 2009 , 91, 405-14	5.3	123
237	Reduction of cardiac and pulmonary complication probabilities after breathing adapted radiotherapy for breast cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 1375-80	4	119
236	Estimated risk of cardiovascular disease and secondary cancers with modern highly conformal radiotherapy for early-stage mediastinal Hodgkin lymphoma. <i>Annals of Oncology</i> , 2013 , 24, 2113-8	10.3	100
235	Modern radiation therapy for primary cutaneous lymphomas: field and dose guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 32-9	4	96
234	Deviations in delineated GTV caused by artefacts in 4DCT. <i>Radiotherapy and Oncology</i> , 2010 , 96, 61-6	5.3	93
233	Cardiovascular disease after treatment for Hodgkin's lymphoma: an analysis of nine collaborative EORTC-LYSA trials. <i>Lancet Haematology, the</i> , 2015 , 2, e492-502	14.6	90
232	The conundrum of Hodgkin lymphoma nodes: to be or not to be included in the involved node radiation fields. The EORTC-GELA lymphoma group guidelines. <i>Radiotherapy and Oncology</i> , 2008 , 88, 202-10	5.3	90
231	Clinical impact of FDG-PET/CT in the planning of radiotherapy for early-stage Hodgkin lymphoma. <i>European Journal of Haematology</i> , 2007 , 78, 206-12	3.8	90
230	Continuing rise in oropharyngeal cancer in a high HPV prevalence area: A Danish population-based study from 2011 to 2014. <i>European Journal of Cancer</i> , 2017 , 70, 75-82	7.5	86
229	A high and increasing HPV prevalence in tonsillar cancers in Eastern Denmark, 2000-2010: the largest registry-based study to date. <i>International Journal of Cancer</i> , 2015 , 136, 2196-203	7.5	85
228	Minimizing late effects for patients with mediastinal Hodgkin lymphoma: deep inspiration breath-hold, IMRT, or both?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 169-74		84
227	Recurrences after intensity modulated radiotherapy for head and neck squamous cell carcinoma more likely to originate from regions with high baseline [18F]-FDG uptake. <i>Radiotherapy and Oncology</i> , 2014 , 111, 360-5	5.3	84

226	1549. Development and Validation of a Cycle-Specific Risk Score for Febrile Neutropenia After Chemotherapy in Patients with Cancer: The CSR FENCE Score. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S481-S481	1	78
225	Combined modality treatment improves tumor control and overall survival in patients with early stage Hodgkin's lymphoma: a systematic review. <i>Haematologica</i> , 2010 , 95, 494-500	6.6	77
224	Total Body Irradiation: Guidelines from the International Lymphoma Radiation Oncology Group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 521-529	4	77
223	Tumor burden as the most important prognostic factor in early stage Hodgkin's disease. Relations to other prognostic factors and implications for choice of treatment. <i>Cancer</i> , 1988 , 61, 1719-27	6.4	76
222	Cardiovascular disease after cancer therapy. <i>European Journal of Cancer, Supplement</i> , 2014 , 12, 18-28	1.6	75
221	Risk of developing cardiovascular disease after involved node radiotherapy versus mantle field for Hodgkin lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 1232-7	4	71
220	Different histopathological subtypes of Hodgkin lymphoma show significantly different levels of FDG uptake. <i>Hematological Oncology</i> , 2006 , 24, 146-50	1.3	71
219	Intra- and interfraction breathing variations during curative radiotherapy for lung cancer. <i>Radiotherapy and Oncology</i> , 2007 , 84, 40-8	5.3	70
218	Intratumor heterogeneity of PD-L1 expression in head and neck squamous cell carcinoma. <i>British Journal of Cancer</i> , 2019 , 120, 1003-1006	8.7	69
217	Radiation Therapy for Solitary Plasmacytoma and Multiple Myeloma: Guidelines From the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 794-808	4	67
216	In vivo treatment sensitivity testing with positron emission tomography/computed tomography after one cycle of chemotherapy for Hodgkin lymphoma. <i>Journal of Clinical Oncology</i> , 2014 , 32, 2705-11	2.2	67
215	MiR-21 expression in the tumor stroma of oral squamous cell carcinoma: an independent biomarker of disease free survival. <i>PLoS ONE</i> , 2014 , 9, e95193	3.7	67
214	Prevalence and peak incidence of acute and late normal tissue morbidity in the DAHANCA 6&7 randomised trial with accelerated radiotherapy for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2012 , 103, 69-75	5.3	66
213	Prospective phase II trial of image-guided radiotherapy in Hodgkin lymphoma: benefit of deep inspiration breath-hold. <i>Acta Oncologica</i> , 2015 , 54, 60-6	3.2	65
212	Three-dimensional MRI-linac intra-fraction guidance using multiple orthogonal cine-MRI planes. <i>Physics in Medicine and Biology</i> , 2013 , 58, 4943-50	3.8	65
211	The role of SPECT-CT in the lymphoscintigraphic identification of sentinel nodes in patients with oral cancer. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 1096-103	1.6	63
210	Oral complications in the head and neck radiation patient. Introduction and scope of the problem. <i>Supportive Care in Cancer</i> , 2002 , 10, 36-9	3.9	62
209	Risk factors for radiation-induced hypothyroidism: a literature-based meta-analysis. <i>Cancer</i> , 2011 , 117, 5250-60	6.4	61

208	Positron emission tomography/computed tomography surveillance in patients with Hodgkin lymphoma in first remission has a low positive predictive value and high costs. <i>Haematologica</i> , 2012 , 97, 931-6	6.6	61
207	Evaluation of dose to cardiac structures during breast irradiation. <i>British Journal of Radiology</i> , 2011 , 84, 743-6	3.4	60
206	Involved node radiation therapy: an effective alternative in early-stage hodgkin lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, 1057-65	4	57
205	Long-term outcome for gastric marginal zone lymphoma treated with radiotherapy: a retrospective, multi-centre, International Extranodal Lymphoma Study Group study. <i>Annals of Oncology</i> , 2013 , 24, 1344-51	10.3	57
204	Need for intensive histopathologic analysis to determine lymph node metastases when using sentinel node biopsy in oral cancer. <i>Laryngoscope</i> , 2008 , 118, 408-14	3.6	57
203	Novel nomograms for survival and progression in HPV+ and HPV- oropharyngeal cancer: a population-based study of 1,542 consecutive patients. <i>Oncotarget</i> , 2016 , 7, 71761-71772	3.3	57
202	Cardiac and pulmonary complication probabilities for breast cancer patients after routine end-inspiration gated radiotherapy. <i>Radiotherapy and Oncology</i> , 2006 , 80, 257-62	5.3	56
201	Proton therapy for adults with mediastinal lymphomas: the International Lymphoma Radiation Oncology Group guidelines. <i>Blood</i> , 2018 , 132, 1635-1646	2.2	52
200	Phase II study of palliative low-dose local radiotherapy in disseminated indolent non-Hodgkin's lymphoma and chronic lymphocytic leukemia. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 54, 1466-70	4	52
199	Phase II study of docetaxel and cisplatin in patients with recurrent or disseminated squamous-cell carcinoma of the head and neck. <i>Annals of Oncology</i> , 2000 , 11, 845-9	10.3	52
198	Life years lost--comparing potentially fatal late complications after radiotherapy for pediatric medulloblastoma on a common scale. <i>Cancer</i> , 2012 , 118, 5432-40	6.4	51
197	Hodgkin's disease and age*. <i>European Journal of Haematology</i> , 2009 , 43, 127-135	3.8	51
196	ILROG emergency guidelines for radiation therapy of hematological malignancies during the COVID-19 pandemic. <i>Blood</i> , 2020 , 135, 1829-1832	2.2	50
195	Low-dose (10-Gy) total skin electron beam therapy for cutaneous T-cell lymphoma: an open clinical study and pooled data analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 138-43	4	46
194	Staging of early lymph node metastases with the sentinel lymph node technique and predictive factors in T1/T2 oral cavity cancer: A retrospective single-center study. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1033-40	4.2	46
193	Interfractional changes in tumour volume and position during entire radiotherapy courses for lung cancer with respiratory gating and image guidance. <i>Acta Oncologica</i> , 2008 , 47, 1406-13	3.2	46
192	FDG-PET in the clinical management of Hodgkin lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , 2004 , 52, 19-32	7	46
191	Does transfusion improve the outcome for HNSCC patients treated with radiotherapy? - results from the randomized DAHANCA 5 and 7 trials. <i>Acta Oncologica</i> , 2011 , 50, 1006-14	3.2	45

190	Safety and Efficacy of Mesenchymal Stem Cells for Radiation-Induced Xerostomia: A Randomized, Placebo-Controlled Phase 1/2 Trial (MESRIX). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 581-592	4	44
189	Increasing incidence of base of tongue cancers from 2000 to 2010 due to HPV: the largest demographic study of 210 Danish patients. <i>British Journal of Cancer</i> , 2015 , 113, 131-4	8.7	43
188	Double positivity for HPV DNA/p16 in tonsillar and base of tongue cancer improves prognostication: Insights from a large population-based study. <i>International Journal of Cancer</i> , 2016 , 139, 2598-605	7.5	42
187	Nasopharyngeal carcinoma. Treatment planning with IMRT and 3D conformal radiotherapy. <i>Acta Oncologica</i> , 2007 , 46, 214-20	3.2	42
186	Role of Radiation Therapy in Patients With Relapsed/Refractory Diffuse Large B-Cell Lymphoma: Guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 652-669	4	41
185	Artifacts in conventional computed tomography (CT) and free breathing four-dimensional CT induce uncertainty in gross tumor volume determination. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1573-80	4	41
184	2-[18F]fluoro-2-deoxyglucose positron-emission tomography in staging, response evaluation, and treatment planning of lymphomas. <i>Seminars in Radiation Oncology</i> , 2007 , 17, 190-7	5.5	41
183	Prognostic factors in Hodgkin's disease. <i>Seminars in Radiation Oncology</i> , 1996 , 6, 146-161	5.5	41
182	Phase I trial of 18F-Fludeoxyglucose based radiation dose painting with concomitant cisplatin in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2016 , 120, 76-80	5.3	40
181	Factors associated with acute and late dysphagia in the DAHANCA 6 & 7 randomized trial with accelerated radiotherapy for head and neck cancer. <i>Acta Oncologica</i> , 2013 , 52, 1535-42	3.2	38
180	Human papillomavirus in head and neck squamous cell carcinoma of unknown primary is a common event and a strong predictor of survival. <i>PLoS ONE</i> , 2014 , 9, e110456	3.7	37
179	PET/CT in the management of haematological malignancies. <i>European Journal of Haematology</i> , 2008 , 80, 369-80	3.8	36
178	Tumor cell concentration and tumor burden in relation to histopathologic subtype and other prognostic factors in early stage Hodgkin's disease. The Danish National Hodgkin Study Group. <i>Cancer</i> , 1990 , 65, 2594-601	6.4	36
177	The role of image guidance in respiratory gated radiotherapy. <i>Acta Oncologica</i> , 2008 , 47, 1390-6	3.2	35
176	Increasing incidence and survival of head and neck cancers in Denmark: a nation-wide study from 1980 to 2014. <i>Acta Oncologica</i> , 2018 , 57, 1143-1151	3.2	34
175	Life years lost attributable to late effects after radiotherapy for early stage Hodgkin lymphoma: The impact of proton therapy and/or deep inspiration breath hold. <i>Radiotherapy and Oncology</i> , 2017 , 125, 41-47	5.3	34
174	Feasibility of Multiparametric Imaging with PET/MR in Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 69-74	8.9	34
173	Low-dose total skin electron beam therapy as a debulking agent for cutaneous T-cell lymphoma: an open-label prospective phase II study. <i>British Journal of Dermatology</i> , 2012 , 166, 399-404	4	34

172	Phase I/II clinical and pharmacokinetic study evaluating a fully human monoclonal antibody against EGFr (HuMax-EGFr) in patients with advanced squamous cell carcinoma of the head and neck. <i>Radiotherapy and Oncology</i> , 2007 , 85, 24-8	5.3	34
171	Tumour burden as the main indicator of prognosis in Hodgkin's disease. <i>European Journal of Cancer</i> , 1992 , 28A, 1982-5	7.5	34
170	What's new in target volume definition for radiologists in ICRU Report 71? How can the ICRU volume definitions be integrated in clinical practice?. <i>Cancer Imaging</i> , 2007 , 7, 104-16	5.6	33
169	Mesenchymal stem cell therapy for salivary gland dysfunction and xerostomia: a systematic review of preclinical studies. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 117, 335-342.	2.1	31
168	A prospective, open-label study of low-dose total skin electron beam therapy in mycosis fungoides. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 1204-7	4	31
167	Chemotherapy, radiotherapy and combined modality for Hodgkin's disease, with emphasis on second cancer risk. <i>The Cochrane Library</i> , 2005 , CD003187	5.2	31
166	Prognostic factors in Hodgkin's disease. <i>Cancer Treatment Reviews</i> , 1991 , 18, 21-53	14.4	31
165	Interactive decision-support tool for risk-based radiation therapy plan comparison for Hodgkin lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 433-45	4	30
164	Prognostic factors in Hodgkin's disease stage IV. <i>European Journal of Haematology</i> , 1988 , 41, 359-67	3.8	29
163	Geometric uncertainties in voluntary deep inspiration breath hold radiotherapy for locally advanced lung cancer. <i>Radiotherapy and Oncology</i> , 2016 , 118, 510-4	5.3	29
162	Chemotherapy alone versus chemotherapy plus radiotherapy for early stage Hodgkin lymphoma. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD007110		28
161	Involved Site Radiation Therapy in Adult Lymphomas: An Overview of International Lymphoma Radiation Oncology Group Guidelines. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 909-933	4	26
160	Liquid fiducial marker performance during radiotherapy of locally advanced non small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2016 , 121, 64-69	5.3	26
159	First-in-man mesenchymal stem cells for radiation-induced xerostomia (MESRIX): study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 108	2.8	25
158	The Role of Radiation Therapy in Patients With Relapsed or Refractory Hodgkin Lymphoma: Guidelines From the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 1100-1118	4	25
157	Doses to carotid arteries after modern radiation therapy for Hodgkin lymphoma: is stroke still a late effect of treatment?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 297-303	4	25
156	Total skin electron beam therapy for cutaneous T-cell lymphoma: a nationwide cohort study from Denmark. <i>Acta Oncologica</i> , 2011 , 50, 1199-205	3.2	25
155	Transitory blindness after retrobulbar irradiation of Graves' ophthalmopathy. <i>Lancet, The</i> , 1998 , 351, 725-6	40	25

154	Ionizing Radiation Potentiates High-Fat Diet-Induced Insulin Resistance and Reprograms Skeletal Muscle and Adipose Progenitor Cells. <i>Diabetes</i> , 2016 , 65, 3573-3584	0.9	25
153	Increasing incidence and survival in oral cancer: a nationwide Danish study from 1980 to 2014. <i>Acta Oncologica</i> , 2017 , 56, 1204-1209	3.2	24
152	Immunohistochemical biomarkers and FDG uptake on PET/CT in head and neck squamous cell carcinoma. <i>Acta Oncologica</i> , 2015 , 54, 1408-15	3.2	24
151	Radiation in Central Nervous System Leukemia: Guidelines From the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 53-58	4	24
150	MicroRNA-based classifiers for diagnosis of oral cavity squamous cell carcinoma in tissue and plasma. <i>Oral Oncology</i> , 2018 , 83, 46-52	4.4	24
149	The effect on esophagus after different radiotherapy techniques for early stage Hodgkin's lymphoma. <i>Acta Oncologica</i> , 2013 , 52, 1559-65	3.2	24
148	The Danish national guidelines for treatment of oral squamous cell carcinoma. <i>Acta Oncologica</i> , 2006 , 45, 294-9	3.2	24
147	Failure-probability driven dose painting. <i>Medical Physics</i> , 2013 , 40, 081717	4.4	23
146	Does hyperbaric oxygen treatment have the potential to increase salivary flow rate and reduce xerostomia in previously irradiated head and neck cancer patients? A pilot study. <i>Oral Oncology</i> , 2011 , 47, 546-51	4.4	23
145	Prognostic factors in Hodgkin's disease stage III with special reference to tumour burden. <i>European Journal of Haematology</i> , 1988 , 41, 80-7	3.8	23
144	Erosive potential of saliva stimulating tablets with and without fluoride in irradiated head and neck cancer patients. <i>Radiotherapy and Oncology</i> , 2009 , 93, 534-8	5.3	23
143	Elective Nodal Irradiation and Patterns of Failure in Head and Neck Cancer After Primary Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 775-82	4	22
142	Antibody response to pneumococcal vaccine in patients with early stage Hodgkin's disease. <i>European Journal of Haematology</i> , 1989 , 43, 45-9	3.8	22
141	The concept and evolution of involved site radiation therapy for lymphoma. <i>International Journal of Clinical Oncology</i> , 2015 , 20, 849-54	4.2	21
140	Can audio coached 4D CT emulate free breathing during the treatment course?. <i>Acta Oncologica</i> , 2008 , 47, 1397-405	3.2	21
139	Salvage of relapse of patients with Hodgkin's disease in clinical stages I or II who were staged with laparotomy and initially treated with radiotherapy alone. A report from the international database on Hodgkin's disease. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994 , 30, 805-11	4	21
138	The integration of radiotherapy into the primary treatment of non-Hodgkin's lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , 1992 , 12, 217-29	7	20
137	Incidence and survival of laryngeal cancer in Denmark: a nation-wide study from 1980 to 2014. <i>Acta Oncologica</i> , 2019 , 58, 977-982	3.2	19

136	A decade of comparative dose planning studies for early-stage Hodgkin lymphoma: what can we learn?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 1126-35	4	19
135	The prevalence of occult metastases in nonsentinel lymph nodes after step-serial sectioning and immunohistochemistry in cN0 oral squamous cell carcinoma. <i>Laryngoscope</i> , 2011 , 121, 294-8	3.6	19
134	Papillary microcarcinoma of the thyroid gland: is the immunohistochemical expression of cyclin D1 or galectin-3 in primary tumour an indicator of metastatic disease?. <i>Acta Oncologica</i> , 2008 , 47, 451-7	3.2	19
133	Metal artefact reduction for accurate tumour delineation in radiotherapy. <i>Radiotherapy and Oncology</i> , 2018 , 126, 479-486	5.3	18
132	Deep inspiration breath hold radiotherapy for locally advanced lung cancer: comparison of different treatment techniques on target coverage, lung dose and treatment delivery time. <i>Acta Oncologica</i> , 2013 , 52, 1582-6	3.2	18
131	Stability of percutaneously implanted markers for lung stereotactic radiotherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2013 , 14, 187-95	2.3	18
130	Follicular lymphoma of the ocular adnexal region: a nation-based study. <i>Acta Ophthalmologica</i> , 2015 , 93, 184-91	3.7	17
129	Prognostic value of 18F-fludeoxyglucose uptake in 287 patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 1274-81	4.2	17
128	Construction of a pathological risk model of occult lymph node metastases for prognostication by semi-automated image analysis of tumor budding in early-stage oral squamous cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 18227-18237	3.3	17
127	The Optimal Use of Imaging in Radiation Therapy for Lymphoma: Guidelines from the International Lymphoma Radiation Oncology Group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 104, 501-512	4	16
126	Radiation therapy planning for early-stage Hodgkin lymphoma: experience of the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 144-52	4	16
125	DAHANCA 10 - Effect of darbepoetin alfa and radiotherapy in the treatment of squamous cell carcinoma of the head and neck. A multicenter, open-label, randomized, phase 3 trial by the Danish head and neck cancer group. <i>Radiotherapy and Oncology</i> , 2018 , 127, 12-19	5.3	16
124	Does Radiation Have a Role in Advanced Stage Hodgkin's or Non-Hodgkin Lymphoma?. <i>Current Treatment Options in Oncology</i> , 2016 , 17, 4	5.4	16
123	Prognostic significance of tumour burden in Hodgkin's disease PS I and II. <i>Scandinavian Journal of Haematology</i> , 1986 , 36, 367-75		15
122	Stage I-II nodular lymphocyte-predominant Hodgkin lymphoma: a multi-institutional study of adult patients by ILROG. <i>Blood</i> , 2020 , 135, 2365-2374	2.2	14
121	Optimizing the radiation therapy dose prescription for pediatric medulloblastoma: minimizing the life years lost attributable to failure to control the disease and late complication risk. <i>Acta Oncologica</i> , 2014 , 53, 462-70	3.2	14
120	Development and Validation of a Risk Score for Febrile Neutropenia After Chemotherapy in Patients With Cancer: The FENCE Score. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky053	4.6	14
119	Testicular function in young men in long-term remission after treatment for the early stages of Hodgkin's disease. <i>Scandinavian Journal of Haematology</i> , 1984 , 33, 356-62		13

118	Lymphocyte Count Kinetics, Factors Associated with the End-of-Radiation-Therapy Lymphocyte Count, and Risk of Infection in Patients with Solid Malignant Tumors Treated with Curative-Intent Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 812-823	4	12
117	Spatio-temporal stability of pre-treatment 18F-Fludeoxyglucose uptake in head and neck squamous cell carcinomas sufficient for dose painting. <i>Acta Oncologica</i> , 2015 , 54, 1416-22	3.2	12
116	Incidence and survival in sinonasal carcinoma: a Danish population-based, nationwide study from 1980 to 2014. <i>Acta Oncologica</i> , 2018 , 57, 1152-1158	3.2	12
115	Deep inspiration breath-hold radiotherapy for lung cancer: impact on image quality and registration uncertainty in cone beam CT image guidance. <i>British Journal of Radiology</i> , 2016 , 89, 20160544	4.4	12
114	Serum lactate dehydrogenase isoenzyme 1 in patients with seminoma stage I followed with surveillance. <i>Acta Oncologica</i> , 2002 , 41, 77-83	3.2	12
113	Deep inspiration breath hold in locally advanced lung cancer radiotherapy: validation of intrafractional geometric uncertainties in the INHALE trial. <i>British Journal of Radiology</i> , 2019 , 92, 20190534	3.4	11
112	PET/CT in Radiation Therapy Planning. <i>Seminars in Nuclear Medicine</i> , 2018 , 48, 67-75	5.4	11
111	Incidence and survival of oropharyngeal cancer in Denmark: a nation-wide, population-based study from 1980 to 2014. <i>Acta Oncologica</i> , 2018 , 57, 269-275	3.2	11
110	Long term safety and visibility of a novel liquid fiducial marker for use in image guided radiotherapy of non-small cell lung cancer. <i>Clinical and Translational Radiation Oncology</i> , 2018 , 13, 24-28	4.6	11
109	Ovarian function in young women in long-term remission after treatment for Hodgkin's disease stage I or II. <i>Scandinavian Journal of Haematology</i> , 1984 , 32, 265-70		11
108	A step and shoot intensity modulated technique for total body irradiation. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2019 , 10, 1-7	1.9	10
107	Long-term hospitalisation rates among 5-year survivors of Hodgkin lymphoma in adolescence or young adulthood: A nationwide cohort study. <i>International Journal of Cancer</i> , 2017 , 140, 2232-2245	7.5	10
106	Three-year follow-up of sentinel node-negative patients with early oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2014 , 36, 1109-12	4.2	10
105	Methodologies for localizing loco-regional hypopharyngeal carcinoma recurrences in relation to FDG-PET positive and clinical radiation therapy target volumes. <i>Acta Oncologica</i> , 2010 , 49, 984-90	3.2	10
104	Interobserver delineation uncertainty in involved-node radiation therapy (INRT) for early-stage Hodgkin lymphoma: on behalf of the Radiotherapy Committee of the EORTC lymphoma group. <i>Acta Oncologica</i> , 2017 , 56, 608-613	3.2	9
103	Deep sequencing of human papillomavirus positive loco-regionally advanced oropharyngeal squamous cell carcinomas reveals novel mutational signature. <i>BMC Cancer</i> , 2018 , 18, 640	4.8	9
102	TEDDI: radiotherapy delivery in deep inspiration for pediatric patients - a NOPHO feasibility study. <i>Radiation Oncology</i> , 2018 , 13, 56	4.2	9
101	Immunohistochemical and molecular imaging biomarker signature for the prediction of failure site after chemoradiation for head and neck squamous cell carcinoma. <i>Acta Oncologica</i> , 2017 , 56, 1562-1570	3.2	9

100	Survival of head and neck cancer in Greenland. <i>International Journal of Circumpolar Health</i> , 2010 , 69, 373-382		9
99	Feasibility of Multiparametric Positron Emission Tomography/Magnetic Resonance Imaging as a One-Stop Shop for Radiation Therapy Planning for Patients with Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 108, 1329-1338	4	9
98	Radiotherapy for Hodgkin Lymphoma: Reducing Toxicity While Maintaining Efficacy. <i>Cancer Journal (Sudbury, Mass)</i> , 2018 , 24, 237-243	2.2	9
97	A failure-type specific risk prediction tool for selection of head-and-neck cancer patients for experimental treatments. <i>Oral Oncology</i> , 2017 , 74, 77-82	4.4	8
96	The EXTREME regimen for recurrent/metastatic head and neck squamous cell carcinoma (R/M HNSCC): treatment outcome in a single institution cohort. <i>Acta Oncologica</i> , 2015 , 54, 1071-5	3.2	8
95	An Extended Hypofractionated Palliative Radiotherapy Regimen for Head and Neck Carcinomas. <i>Frontiers in Oncology</i> , 2018 , 8, 206	5.3	8
94	Feasibility of a novel liquid fiducial marker for use in image guided radiotherapy of oesophageal cancer. <i>British Journal of Radiology</i> , 2018 , 91, 20180236	3.4	8
93	A clinical prognostic model compared to the newly adopted UICC staging in an independent validation cohort of P16 negative/positive head and neck cancer patients. <i>Oral Oncology</i> , 2018 , 81, 52-60	4.4	8
92	Percutaneously implanted markers in peripheral lung tumours: report of complications. <i>Acta Oncologica</i> , 2013 , 52, 1225-8	3.2	8
91	Therapeutic implications of mediastinal involvement in advanced Hodgkin's disease. <i>Scandinavian Journal of Haematology</i> , 1985 , 35, 166-73		8
90	PET-Based Response after 2 Cycles of Brentuximab Vedotin in Combination with AVD for First-Line Treatment of Unfavorable Early-Stage Hodgkin Lymphoma: First Analysis of the Primary Endpoint of Breach, a Randomized Phase II Trial of Lysa-FIL-EORTC Intergroup. <i>Blood</i> , 2017 , 130, 736-736	2.2	8
89	Chemotherapy alone versus chemotherapy plus radiotherapy for adults with early stage Hodgkin lymphoma. <i>The Cochrane Library</i> , 2017 , 4, CD007110	5.2	7
88	A new method to estimate doses to the normal tissues after past extended and involved field radiotherapy for Hodgkin lymphoma. <i>Radiotherapy and Oncology</i> , 2015 , 114, 206-11	5.3	7
87	Mortality and admission to intensive care units after febrile neutropenia in patients with cancer. <i>Cancer Medicine</i> , 2020 , 9, 3033-3042	4.8	7
86	The Copenhagen Oral Cavity Squamous Cell Carcinoma database: protocol and report on establishing a comprehensive oral cavity cancer database. <i>Clinical Epidemiology</i> , 2019 , 11, 733-741	5.9	7
85	Prescribing and evaluating target dose in dose-painting treatment plans. <i>Acta Oncologica</i> , 2014 , 53, 1251-52	5.2	7
84	Hodgkin's disease and age. <i>European Journal of Haematology</i> , 1989 , 43, 127-35	3.8	7
83	Lymphoblastic Lymphoma: Guidelines From the International Lymphoma Radiation Oncology Group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 508-514	4	7

82	Does multiparametric imaging with F-FDG-PET/MRI capture spatial variation in immunohistochemical cancer biomarkers in head and neck squamous cell carcinoma?. <i>British Journal of Cancer</i> , 2020 , 123, 46-53	8.7	6
81	Synchronous, bilateral tonsillar carcinomas: Patient characteristics and human papillomavirus genotypes. <i>Oral Oncology</i> , 2017 , 74, 105-110	4.4	6
80	Risk factors for cardiovascular disease in 5-year survivors of adolescent and young adult cancer: A Danish population-based cohort study. <i>Cancer</i> , 2020 , 126, 659-669	6.4	6
79	Outcome in patients with isolated regional recurrence after primary radiotherapy for head and neck cancer. <i>Head and Neck</i> , 2020 , 42, 3161-3170	4.2	6
78	Development and validation of a cycle-specific risk score for febrile neutropenia during chemotherapy cycles 2-6 in patients with solid cancers: The FENCE score. <i>International Journal of Cancer</i> , 2020 , 146, 321-328	7.5	6
77	Chemotherapeutic treatment is associated with Notch1 induction in cutaneous T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2017 , 58, 171-178	1.9	5
76	Biological optimization for mediastinal lymphoma radiotherapy - a preliminary study. <i>Acta Oncologica</i> , 2020 , 59, 879-887	3.2	5
75	Radiation dose-painting with protons vs. photons for head-and-neck cancer. <i>Acta Oncologica</i> , 2020 , 59, 525-533	3.2	5
74	Revised Response Criteria for Malignant Lymphomas From the Members of the International Harmonization Project (IHP) of the Competence Network Malignant Lymphoma, Represented by:.. <i>Blood</i> , 2005 , 106, 18-18	2.2	5
73	Extranodal NK/T-cell lymphoma, nasal type, with extranasal presentation - a case report and a review of the literature. <i>Acta Oncologica</i> , 2020 , 59, 1480-1487	3.2	5
72	Randomized Phase II Study with Cetuximab in Combination with 5-FU and Cisplatin or Carboplatin vs. Cetuximab in Combination with Paclitaxel and Carboplatin for Treatment of Patients with Relapsed or Metastatic Squamous Cell Carcinoma of the Head and Neck (CETMET Trial). <i>Cancers</i> , 2020 , 12,	6.6	5
71	Hematological toxicity in patients with solid malignant tumors treated with radiation - Temporal analysis, dose response and impact on survival. <i>Radiotherapy and Oncology</i> , 2021 , 158, 175-183	5.3	5
70	Incidence and survival of hypopharyngeal cancer: a Danish Nation-Wide Study from 1980 to 2014. <i>Acta Oncologica</i> , 2019 , 58, 1570-1576	3.2	4
69	Preparing data for multiparametric PET/MR imaging: Influence of PET point spread function modelling and EPI distortion correction on the spatial correlation of [F]FDG-PET and diffusion-weighted MRI in head and neck cancer. <i>Physica Medica</i> , 2019 , 61, 1-7	2.7	4
68	Involved node radiation therapy in the combined modality treatment for early-stage Hodgkin lymphoma: Analysis of relapse location and long-term outcome. <i>Radiotherapy and Oncology</i> , 2020 , 150, 236-244	5.3	4
67	Human papillomavirus and oropharyngeal cancer in Greenland in 1994-2010. <i>International Journal of Circumpolar Health</i> , 2013 , 72, 22386	1.7	4
66	Ultrasonic mirror image from ruthenium plaque facilitates calculation of uveal melanoma treatment dose. <i>British Journal of Ophthalmology</i> , 2017 , 101, 1206-1210	5.5	3
65	Deep inspiration breath-hold volumetric modulated arc radiotherapy decreases dose to mediastinal structures in locally advanced lung cancer. <i>Acta Oncologica</i> , 2016 , 55, 1053-6	3.2	3

64	Geometric distortions of diffusion weighted imaging of the head/neck in combined PET/MR: optimization of image acquisition and post-processing correction for oncology applications. <i>EJNMMI Physics</i> , 2014 , 1, A76	4.4	3
63	Radiotherapy for indolent lymphomas: how much is enough?. <i>Lancet Oncology</i> , 2014 , 15, 372-4	21.7	3
62	Improved prognosis for localized malignant lymphomas of the head and neck. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 626-31	1.6	3
61	The nimorazole regimen in patients with head and neck cancer can increase the effect of vitamin K antagonists. <i>Acta Oncologica</i> , 2008 , 47, 150-1	3.2	3
60	Do we need an early unfavorable (intermediate) stage of Hodgkin's lymphoma?. <i>Hematology/Oncology Clinics of North America</i> , 2007 , 21, 881-96	3.1	3
59	Primary prophylaxis with G-CSF may improve outcomes in patients with newly diagnosed stage III/IV Hodgkin lymphoma treated with brentuximab vedotin plus chemotherapy. <i>Leukemia and Lymphoma</i> , 2020 , 61, 2931-2938	1.9	3
58	Modern Radiation Therapy for Extranodal Nasal-Type NK/T-cell Lymphoma: Risk-Adapted Therapy, Target Volume, and Dose Guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 1064-1081	4	3
57	Intraglandular Off-the-Shelf Allogeneic Mesenchymal Stem Cell Treatment in Patients with Radiation-Induced Xerostomia: A Safety Study (MESRIX-II).. <i>Stem Cells Translational Medicine</i> , 2022 ,	6.9	3
56	Less mucositis toxicity after 6 versus 3 fractions of high-dose total body irradiation before allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1369-1371	4.4	2
55	Recommendations for the clinical management of the elderly patient with malignant lymphoma. <i>Annals of Oncology</i> , 2018 , 29, 1069-1070	10.3	2
54	Evaluation of methods for selecting the midventilation bin in 4DCT scans of lung cancer patients. <i>Acta Oncologica</i> , 2013 , 52, 1715-22	3.2	2
53	Nimorazole may increase the effect of phenprocoumon. <i>Radiotherapy and Oncology</i> , 2005 , 74, 345	5.3	2
52	(18)F-FDG PET imaging in detection of radiation-induced vascular disease in lymphoma survivors. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 5, 408-15	2.2	2
51	RootPainter3D: Interactive-machine-learning enables rapid and accurate contouring for radiotherapy. <i>Medical Physics</i> , 2021 ,	4.4	2
50	Total Body Irradiation in Haematopoietic Stem Cell Transplantation for Paediatric Acute Lymphoblastic Leukaemia: Review of the Literature and Future Directions.. <i>Frontiers in Pediatrics</i> , 2021 , 9, 774348	3.4	2
49	The Feasibility of Implementing Deep Inspiration Breath-Hold for Pediatric Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 106, 977-984	4	2
48	Impact of p16-overexpression on overall and progression-free survival outcomes in oral cavity squamous cell carcinomas: A semi-national, population-based study. <i>Oral Oncology</i> , 2020 , 111, 105031	4.4	2
47	Intratumor heterogeneity is biomarker specific and challenges the association with heterogeneity in multimodal functional imaging in head and neck squamous cell carcinoma. <i>European Journal of Radiology</i> , 2021 , 139, 109668	4.7	2

46	The risk of late effects following pediatric and adult radiotherapy regimens in Hodgkin lymphoma. <i>Strahlentherapie Und Onkologie</i> , 2021 , 197, 711-721	4.3	2
45	Prevalence of cognitive impairment and its relation to mental health in Danish lymphoma survivors. <i>Supportive Care in Cancer</i> , 2021 , 29, 3319-3328	3.9	2
44	Robustness and Generalizability of Deep Learning Synthetic Computed Tomography for Positron Emission Tomography/Magnetic Resonance Imaging-Based Radiation Therapy Planning of Patients With Head and Neck Cancer. <i>Advances in Radiation Oncology</i> , 2021 , 6, 100762	3.3	2
43	Chemotherapy alone versus chemotherapy plus radiotherapy for early stage Hodgkin Lymphoma 2008 ,		1
42	Hyperbaric oxygen treatment of mandibular osteoradionecrosis: Combined data from the two randomized clinical trials DAHANCA-21 and NWHHT2009-1. <i>Radiotherapy and Oncology</i> , 2021 ,	5.3	1
41	Different Histopathological Subtypes of Hodgkin Lymphoma Have Significantly Different Levels of FDG Uptake.. <i>Blood</i> , 2005 , 106, 969-969	2.2	1
40	History of Radiotherapy of Hodgkin Disease (Now Hodgkin Lymphoma) 2011 , 1-6		1
39	Prognostic Factors 2011 , 97-115		1
38	Prognostic Factors. <i>Hematologic Malignancies</i> , 2015 , 131-155	0	1
37	Traditional and Modern Techniques for Radiation Treatment Planning 2011 , 123-151		1
36	In Reply to Scarpelli et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 108, 1396	4	1
35	Relapse localization in Danish pediatric patients with Hodgkin lymphoma. <i>Acta Oncologica</i> , 2021 , 60, 658-666	3.2	1
34	No changes in myocardial perfusion following radiation therapy of left-sided breast cancer: A positron emission tomography study. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 1923-1932	2.1	1
33	Outcome-based multiobjective optimization of lymphoma radiation therapy plans. <i>British Journal of Radiology</i> , 2021 , 94, 20210303	3.4	1
32	Interim positron emission tomography in early stage Hodgkin lymphoma: is there evidence for its prognostic and predictive value in patients treated with standard combined modality treatment?. <i>Leukemia and Lymphoma</i> , 2013 , 54, 1127-8	1.9	0
31	Comment on: "clinical features, management, and prognosis of an international series of 161 patients with limited-stage diffuse large B-cell lymphoma of the bone (the IELSG-14 Study)". <i>Oncologist</i> , 2014 , 19, 1289	5.7	0
30	Background and Rationale for Radiotherapy in Early-Stage Hodgkin Lymphoma 2011 , 7-20		0
29	Iatrogenic cerebral radiation necrosis. <i>Practical Neurology</i> , 2021 , 21, 427-430	2.4	0

28	Total tumor burden in lymphoma - an evolving strong prognostic parameter. <i>British Journal of Radiology</i> , 2021 , 94, 20210448	3.4	o
27	Risk of bacterial, viral and fungal infections in patients with solid malignant tumors treated with curative intent radiation therapy.. <i>Advances in Radiation Oncology</i> , 2022 , 100950	3.3	o
26	On the relation between improved loco-regional control and disease-free survival in head-and-neck cancer. <i>Acta Oncologica</i> , 2019 , 58, 390-392	3.2	
25	FDG-PET and radiotherapy in lymphoma. <i>Clinical and Translational Imaging</i> , 2015 , 3, 321-330	2	
24	Cardiac Lymphoma, a Challenging Extranodal Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 106, 463	4	
23	In Reply to Gunn and Garden. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 240-14		
22	[OA141] Preparing data for multiparametric PET/MRI: Influence of PET point spread function modelling and EPI distortion correction on the spatial correlation of 18F-FDG-PET uptake and diffusion weighted MRI in head/neck cancer. <i>Physica Medica</i> , 2018 , 52, 54	2.7	
21	Correlation between HPV status at T and N sites of oropharyngeal squamous cell carcinomas. <i>Acta Oto-Laryngologica</i> , 2017 , 137, 1260-1264	1.6	
20	Target Definitions for Hodgkin Lymphoma: The Involved Node Radiation Field Concept 2011 , 91-122		
19	Hodgkin's disease: recent concepts in classification and treatment. <i>European Journal of Haematology</i> , 1988 , 48, 7-14	3.8	
18	In response to Dr. Remouchamps. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 56, 1206	4	
17	Consolidation radiotherapy may improve outcomes in people with Hodgkin's disease achieving complete remission after combination chemotherapy. <i>Cancer Treatment Reviews</i> , 2004 , 30, 479-82	14.4	
16	Prognostic Factors. <i>Hematologic Malignancies</i> , 2020 , 145-169	o	
15	252. Increased incidence rates of positive blood cultures shortly after chemotherapy treatment initiation among individuals treated for solid malignant tumours. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S125-S126	1	
14	Early Results of a Phase II Trial Testing Low Dose Total Body Irradiation (LTBI) after Chemoimmunotherapy in Elderly High Risk Patients with Diffuse Large B-Cell Lymphoma (DLBCL). <i>Blood</i> , 2007 , 110, 1296-1296	2.2	
13	Molecular profiling of tumour budding to implicate TGF- β -mediated epithelial-mesenchymal transition as a therapeutic target.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 6059-6059	2.2	
12	Diffuse Large B-Cell Lymphoma 2017 , 29-43		
11	The contribution of pre-existing cardiovascular (CV) risk factors to the risk of stroke or heart attack among non-Hodgkin lymphoma (NHL) survivors.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 10082-10082	2.2	

10	Final Results of a Phase II Danish Trial Testing Low Dose Total Body Irradiation Following Six Bi-Weekly RCHOP-14 Plus 2 Extra Rituximab in Elderly High risk Patients with Aggressive CD20+ Diffuse Large B-Cell Lymphoma (DLBCL).. <i>Blood</i> , 2008 , 112, 1013-1013	2.2
9	Future Prospects for Radiotherapy for Hodgkin Lymphoma 2011 , 205-210	
8	Evaluation of Response After Radiotherapy for Hodgkin Lymphoma 2011 , 161-166	
7	Proton Therapy for Hodgkin Lymphoma 2011 , 197-203	
6	Routine Bone Marrow Biopsy Adds Little Diagnostic Information in Patients with Newly Diagnosed Hodgkin Lymphoma Undergoing PET/CT Staging. <i>Blood</i> , 2011 , 118, 2627-2627	2.2
5	Either Combined-Modality Or Radiotherapy Alone Provide Favorable Outcome In Stage I-II Mantle Cell Lymphoma: A Report Of 82 Patients From The International Lymphoma Radiation Oncology Group (ILROG). <i>Blood</i> , 2013 , 122, 4292-4292	2.2
4	Heart, Coronary Arteries, Aorta and Great Vessels, Arteries and Veins, Microcirculation. <i>Medical Radiology</i> , 2014 , 287-323	0.2
3	Early-stage mantle cell lymphoma-a rare entity with special characteristics and needs for treatment. <i>Annals of Hematology</i> , 2020 , 99, 2963-2964	3
2	Baseline FDG PET/CT in free breathing versus deep inspiration breath-hold for pediatric patients with mediastinal lymphoma. <i>Acta Oncologica</i> , 2021 , 1-8	3.2
1	Role of Radiotherapy. <i>Hematologic Malignancies</i> , 2021 , 51-64	0