

Lena Specht

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5699009/lena-specht-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

261
papers

16,418
citations

57
h-index

124
g-index

282
ext. papers

18,920
ext. citations

3.7
avg, IF

6.11
L-index

#	Paper	IF	Citations
261	Intraglandular Off-the-Shelf Allogeneic Mesenchymal Stem Cell Treatment in Patients with Radiation-Induced Xerostomia: A Safety Study (MESRIX-II).. <i>Stem Cells Translational Medicine</i> , 2022 ,	6.9	3
260	Risk of bacterial, viral and fungal infections in patients with solid malignant tumors treated with curative intent radiation therapy.. <i>Advances in Radiation Oncology</i> , 2022 , 100950	3.3	0
259	Hyperbaric oxygen treatment of mandibular osteoradionecrosis: Combined data from the two randomized clinical trials DAHANCA-21 and NWHHT2009-1. <i>Radiotherapy and Oncology</i> , 2021 ,	5.3	1
258	RootPainter3D: Interactive-machine-learning enables rapid and accurate contouring for radiotherapy. <i>Medical Physics</i> , 2021 ,	4.4	2
257	Total Body Irradiation in Haematopoietic Stem Cell Transplantation for Paediatric Acute Lymphoblastic Leukaemia: Review of the Literature and Future Directions.. <i>Frontiers in Pediatrics</i> , 2021 , 9, 774348	3.4	2
256	Relapse localization in Danish pediatric patients with Hodgkin lymphoma. <i>Acta Oncologica</i> , 2021 , 60, 658-666	3.2	1
255	Iatrogenic cerebral radiation necrosis. <i>Practical Neurology</i> , 2021 , 21, 427-430	2.4	0
254	Hematological toxicity in patients with solid malignant tumors treated with radiation - Temporal analysis, dose response and impact on survival. <i>Radiotherapy and Oncology</i> , 2021 , 158, 175-183	5.3	5
253	Intratumor heterogeneity is biomarker specific and challenges the association with heterogeneity in multimodal functional imaging in head and neck squamous cell carcinoma. <i>European Journal of Radiology</i> , 2021 , 139, 109668	4.7	2
252	Modern Radiation Therapy for Extranodal Nasal-Type NK/T-cell Lymphoma: Risk-Adapted Therapy, Target Volume, and Dose Guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 1064-1081	4	3
251	No changes in myocardial perfusion following radiation therapy of left-sided breast cancer: A positron emission tomography study. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 1923-1932	2.1	1
250	The risk of late effects following pediatric and adult radiotherapy regimens in Hodgkin lymphoma. <i>Strahlentherapie Und Onkologie</i> , 2021 , 197, 711-721	4.3	2
249	Prevalence of cognitive impairment and its relation to mental health in Danish lymphoma survivors. <i>Supportive Care in Cancer</i> , 2021 , 29, 3319-3328	3.9	2
248	Total tumor burden in lymphoma - an evolving strong prognostic parameter. <i>British Journal of Radiology</i> , 2021 , 94, 20210448	3.4	0
247	Outcome-based multiobjective optimization of lymphoma radiation therapy plans. <i>British Journal of Radiology</i> , 2021 , 94, 20210303	3.4	1
246	Baseline FDG PET/CT in free breathing versus deep inspiration breath-hold for pediatric patients with mediastinal lymphoma. <i>Acta Oncologica</i> , 2021 , 1-8	3.2	
245	Robustness and Generalizability of Deep Learning Synthetic Computed Tomography for Positron Emission Tomography/Magnetic Resonance Imaging-Based Radiation Therapy Planning of Patients With Head and Neck Cancer. <i>Advances in Radiation Oncology</i> , 2021 , 6, 100762	3.3	2

244	Role of Radiotherapy. <i>Hematologic Malignancies</i> , 2021 , 51-64	0	
243	Does multiparametric imaging with F-FDG-PET/MRI capture spatial variation in immunohistochemical cancer biomarkers in head and neck squamous cell carcinoma?. <i>British Journal of Cancer</i> , 2020 , 123, 46-53	8.7	6
242	ILROG emergency guidelines for radiation therapy of hematological malignancies during the COVID-19 pandemic. <i>Blood</i> , 2020 , 135, 1829-1832	2.2	50
241	Mortality and admission to intensive care units after febrile neutropenia in patients with cancer. <i>Cancer Medicine</i> , 2020 , 9, 3033-3042	4.8	7
240	Biological optimization for mediastinal lymphoma radiotherapy - a preliminary study. <i>Acta Oncologica</i> , 2020 , 59, 879-887	3.2	5
239	Stage I-II nodular lymphocyte-predominant Hodgkin lymphoma: a multi-institutional study of adult patients by ILROG. <i>Blood</i> , 2020 , 135, 2365-2374	2.2	14
238	Involved node radiation therapy in the combined modality treatment for early-stage Hodgkin lymphoma: Analysis of relapse location and long-term outcome. <i>Radiotherapy and Oncology</i> , 2020 , 150, 236-244	5.3	4
237	Cardiac Lymphoma, a Challenging Extranodal Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 106, 463	4	
236	Radiation dose-painting with protons vs. photons for head-and-neck cancer. <i>Acta Oncologica</i> , 2020 , 59, 525-533	3.2	5
235	Involved Site Radiation Therapy in Adult Lymphomas: An Overview of International Lymphoma Radiation Oncology Group Guidelines. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 909-933	4	26
234	Prognostic Factors. <i>Hematologic Malignancies</i> , 2020 , 145-169	0	
233	252. Increased incidence rates of positive blood cultures shortly after chemotherapy treatment initiation among individuals treated for solid malignant tumours. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S125-S126	1	
232	The Feasibility of Implementing Deep Inspiration Breath-Hold for Pediatric Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 106, 977-984	4	2
231	Risk factors for cardiovascular disease in 5-year survivors of adolescent and young adult cancer: A Danish population-based cohort study. <i>Cancer</i> , 2020 , 126, 659-669	6.4	6
230	Impact of p16-overexpression on overall and progression-free survival outcomes in oral cavity squamous cell carcinomas: A semi-national, population-based study. <i>Oral Oncology</i> , 2020 , 111, 105031	4.4	2
229	Extranodal NK/T-cell lymphoma, nasal type, with extranasal presentation - a case report and a review of the literature. <i>Acta Oncologica</i> , 2020 , 59, 1480-1487	3.2	5
228	In Reply to Scarpelli et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 108, 1396	4	1
227	Outcome in patients with isolated regional recurrence after primary radiotherapy for head and neck cancer. <i>Head and Neck</i> , 2020 , 42, 3161-3170	4.2	6

226	Feasibility of Multiparametric Positron Emission Tomography/Magnetic Resonance Imaging as a One-Stop Shop for Radiation Therapy Planning for Patients with Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 108, 1329-1338	4	9
225	Randomized Phase II Study with Cetuximab in Combination with 5-FU and Cisplatin or Carboplatin vs. Cetuximab in Combination with Paclitaxel and Carboplatin for Treatment of Patients with Relapsed or Metastatic Squamous Cell Carcinoma of the Head and Neck (CETMET Trial). <i>Cancers</i> , 2020 , 12, 1-11	6.6	5
224	Primary prophylaxis with G-CSF may improve outcomes in patients with newly diagnosed stage III/IV Hodgkin lymphoma treated with brentuximab vedotin plus chemotherapy. <i>Leukemia and Lymphoma</i> , 2020 , 61, 2931-2938	1.9	3
223	Early-stage mantle cell lymphoma-a rare entity with special characteristics and needs for treatment. <i>Annals of Hematology</i> , 2020 , 99, 2963-2964	3	
222	Development and validation of a cycle-specific risk score for febrile neutropenia during chemotherapy cycles 2-6 in patients with solid cancers: The FENCE score. <i>International Journal of Cancer</i> , 2020 , 146, 321-328	7.5	6
221	Deep inspiration breath hold in locally advanced lung cancer radiotherapy: validation of intrafractional geometric uncertainties in the INHALE trial. <i>British Journal of Radiology</i> , 2019 , 92, 20190534	3.4	11
220	Incidence and survival of hypopharyngeal cancer: a Danish Nation-Wide Study from 1980 to 2014. <i>Acta Oncologica</i> , 2019 , 58, 1570-1576	3.2	4
219	Lymphocyte Count Kinetics, Factors Associated with the End-of-Radiation-Therapy Lymphocyte Count, and Risk of Infection in Patients with Solid Malignant Tumors Treated with Curative-Intent Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 812-823	4	12
218	A step and shoot intensity modulated technique for total body irradiation. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2019 , 10, 1-7	1.9	10
217	The Optimal Use of Imaging in Radiation Therapy for Lymphoma: Guidelines from the International Lymphoma Radiation Oncology Group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 104, 501-512	4	16
216	Preparing data for multiparametric PET/MR imaging: Influence of PET point spread function modelling and EPI distortion correction on the spatial correlation of [F]FDG-PET and diffusion-weighted MRI in head and neck cancer. <i>Physica Medica</i> , 2019 , 61, 1-7	2.7	4
215	Incidence and survival of laryngeal cancer in Denmark: a nation-wide study from 1980 to 2014. <i>Acta Oncologica</i> , 2019 , 58, 977-982	3.2	19
214	Intratumor heterogeneity of PD-L1 expression in head and neck squamous cell carcinoma. <i>British Journal of Cancer</i> , 2019 , 120, 1003-1006	8.7	69
213	Less mucositis toxicity after 6 versus 3 fractions of high-dose total body irradiation before allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1369-1371	4.4	2
212	On the relation between improved loco-regional control and disease-free survival in head-and-neck cancer. <i>Acta Oncologica</i> , 2019 , 58, 390-392	3.2	
211	The Copenhagen Oral Cavity Squamous Cell Carcinoma database: protocol and report on establishing a comprehensive oral cavity cancer database. <i>Clinical Epidemiology</i> , 2019 , 11, 733-741	5.9	7
210	DAHANCA 10 - Effect of darbepoetin alfa and radiotherapy in the treatment of squamous cell carcinoma of the head and neck. A multicenter, open-label, randomized, phase 3 trial by the Danish head and neck cancer group. <i>Radiotherapy and Oncology</i> , 2018 , 127, 12-19	5.3	16
209	Incidence and survival in sinonasal carcinoma: a Danish population-based, nationwide study from 1980 to 2014. <i>Acta Oncologica</i> , 2018 , 57, 1152-1158	3.2	12

208	The Role of Radiation Therapy in Patients With Relapsed or Refractory Hodgkin Lymphoma: Guidelines From the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 1100-1118	4	25
207	Role of Radiation Therapy in Patients With Relapsed/Refractory Diffuse Large B-Cell Lymphoma: Guidelines From the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 652-669	4	41
206	Safety and Efficacy of Mesenchymal Stem Cells for Radiation-Induced Xerostomia: A Randomized, Placebo-Controlled Phase 1/2 Trial (MESRIX). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 581-592	4	44
205	Increasing incidence and survival of head and neck cancers in Denmark: a nation-wide study from 1980 to 2014. <i>Acta Oncologica</i> , 2018 , 57, 1143-1151	3.2	34
204	Recommendations for the clinical management of the elderly patient with malignant lymphoma. <i>Annals of Oncology</i> , 2018 , 29, 1069-1070	10.3	2
203	PET/CT in Radiation Therapy Planning. <i>Seminars in Nuclear Medicine</i> , 2018 , 48, 67-75	5.4	11
202	Incidence and survival of oropharyngeal cancer in Denmark: a nation-wide, population-based study from 1980 to 2014. <i>Acta Oncologica</i> , 2018 , 57, 269-275	3.2	11
201	Metal artefact reduction for accurate tumour delineation in radiotherapy. <i>Radiotherapy and Oncology</i> , 2018 , 126, 479-486	5.3	18
200	Radiation Therapy for Solitary Plasmacytoma and Multiple Myeloma: Guidelines From the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 794-808	4	67
199	An Extended Hypofractionated Palliative Radiotherapy Regimen for Head and Neck Carcinomas. <i>Frontiers in Oncology</i> , 2018 , 8, 206	5.3	8
198	Feasibility of a novel liquid fiducial marker for use in image guided radiotherapy of oesophageal cancer. <i>British Journal of Radiology</i> , 2018 , 91, 20180236	3.4	8
197	Deep sequencing of human papillomavirus positive loco-regionally advanced oropharyngeal squamous cell carcinomas reveals novel mutational signature. <i>BMC Cancer</i> , 2018 , 18, 640	4.8	9
196	TEDDI: radiotherapy delivery in deep inspiration for pediatric patients - a NOPHO feasibility study. <i>Radiation Oncology</i> , 2018 , 13, 56	4.2	9
195	Long term safety and visibility of a novel liquid fiducial marker for use in image guided radiotherapy of non-small cell lung cancer. <i>Clinical and Translational Radiation Oncology</i> , 2018 , 13, 24-28	4.6	11
194	[OA141] Preparing data for multiparametric PET/MRI: Influence of PET point spread function modelling and EPI distortion correction on the spatial correlation of 18F-FDG-PET uptake and diffusion weighted MRI in head/neck cancer. <i>Physica Medica</i> , 2018 , 52, 54	2.7	
193	Proton therapy for adults with mediastinal lymphomas: the International Lymphoma Radiation Oncology Group guidelines. <i>Blood</i> , 2018 , 132, 1635-1646	2.2	52
192	Radiation in Central Nervous System Leukemia: Guidelines From the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 53-58	4	24
191	A clinical prognostic model compared to the newly adopted UICC staging in an independent validation cohort of P16 negative/positive head and neck cancer patients. <i>Oral Oncology</i> , 2018 , 81, 52-60	4.4	8

190	MicroRNA-based classifiers for diagnosis of oral cavity squamous cell carcinoma in tissue and plasma. <i>Oral Oncology</i> , 2018 , 83, 46-52	4.4	24
189	1549. Development and Validation of a Cycle-Specific Risk Score for Febrile Neutropenia After Chemotherapy in Patients with Cancer: The CSR FENCE Score. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S481-S481	1	78
188	Development and Validation of a Risk Score for Febrile Neutropenia After Chemotherapy in Patients With Cancer: The FENCE Score. <i>JNCI Cancer Spectrum</i> , 2018 , 2, pky053	4.6	14
187	Radiotherapy for Hodgkin Lymphoma: Reducing Toxicity While Maintaining Efficacy. <i>Cancer Journal (Sudbury, Mass)</i> , 2018 , 24, 237-243	2.2	9
186	Lymphoblastic Lymphoma: Guidelines From the International Lymphoma Radiation Oncology Group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 508-514	4	7
185	Total Body Irradiation: Guidelines from the International Lymphoma Radiation Oncology Group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 521-529	4	77
184	Chemotherapeutic treatment is associated with Notch1 induction in cutaneous T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2017 , 58, 171-178	1.9	5
183	First-in-man mesenchymal stem cells for radiation-induced xerostomia (MESRIX): study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 108	2.8	25
182	Interobserver delineation uncertainty in involved-node radiation therapy (INRT) for early-stage Hodgkin lymphoma: on behalf of the Radiotherapy Committee of the EORTC lymphoma group. <i>Acta Oncologica</i> , 2017 , 56, 608-613	3.2	9
181	Ultrasonic mirror image from ruthenium plaque facilitates calculation of uveal melanoma treatment dose. <i>British Journal of Ophthalmology</i> , 2017 , 101, 1206-1210	5.5	3
180	Chemotherapy alone versus chemotherapy plus radiotherapy for adults with early stage Hodgkin lymphoma. <i>The Cochrane Library</i> , 2017 , 4, CD007110	5.2	7
179	Increasing incidence and survival in oral cancer: a nationwide Danish study from 1980 to 2014. <i>Acta Oncologica</i> , 2017 , 56, 1204-1209	3.2	24
178	A failure-type specific risk prediction tool for selection of head-and-neck cancer patients for experimental treatments. <i>Oral Oncology</i> , 2017 , 74, 77-82	4.4	8
177	Early Positron Emission Tomography Response-Adapted Treatment in Stage I and II Hodgkin Lymphoma: Final Results of the Randomized EORTC/LYSA/FIL H10 Trial. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1786-1794	2.2	264
176	Immunohistochemical and molecular imaging biomarker signature for the prediction of failure site after chemoradiation for head and neck squamous cell carcinoma. <i>Acta Oncologica</i> , 2017 , 56, 1562-1570	3.2	9
175	Life years lost attributable to late effects after radiotherapy for early stage Hodgkin lymphoma: The impact of proton therapy and/or deep inspiration breath hold. <i>Radiotherapy and Oncology</i> , 2017 , 125, 41-47	5.3	34
174	Correlation between HPV status at T and N sites of oropharyngeal squamous cell carcinomas. <i>Acta Oto-Laryngologica</i> , 2017 , 137, 1260-1264	1.6	
173	Long-term hospitalisation rates among 5-year survivors of Hodgkin lymphoma in adolescence or young adulthood: A nationwide cohort study. <i>International Journal of Cancer</i> , 2017 , 140, 2232-2245	7.5	10

172	Synchronous, bilateral tonsillar carcinomas: Patient characteristics and human papillomavirus genotypes. <i>Oral Oncology</i> , 2017 , 74, 105-110	4.4	6
171	Feasibility of Multiparametric Imaging with PET/MR in Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 69-74	8.9	34
170	Continuing rise in oropharyngeal cancer in a high HPV prevalence area: A Danish population-based study from 2011 to 2014. <i>European Journal of Cancer</i> , 2017 , 70, 75-82	7.5	86
169	PET-Based Response after 2 Cycles of Brentuximab Vedotin in Combination with AVD for First-Line Treatment of Unfavorable Early-Stage Hodgkin Lymphoma: First Analysis of the Primary Endpoint of Breach, a Randomized Phase II Trial of Lysa-FIL-EORTC Intergroup. <i>Blood</i> , 2017 , 130, 736-736	2.2	8
168	Construction of a pathological risk model of occult lymph node metastases for prognostication by semi-automated image analysis of tumor budding in early-stage oral squamous cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 18227-18237	3.3	17
167	Diffuse Large B-Cell Lymphoma 2017 , 29-43		
166	The contribution of pre-existing cardiovascular (CV) risk factors to the risk of stroke or heart attack among non-Hodgkin lymphoma (NHL) survivors.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 10082-10082	2.2	
165	Double positivity for HPV DNA/p16 in tonsillar and base of tongue cancer improves prognostication: Insights from a large population-based study. <i>International Journal of Cancer</i> , 2016 , 139, 2598-605	7.5	42
164	Deep inspiration breath-hold volumetric modulated arc radiotherapy decreases dose to mediastinal structures in locally advanced lung cancer. <i>Acta Oncologica</i> , 2016 , 55, 1053-6	3.2	3
163	Deep inspiration breath-hold radiotherapy for lung cancer: impact on image quality and registration uncertainty in cone beam CT image guidance. <i>British Journal of Radiology</i> , 2016 , 89, 201605444	3.4	12
162	In Reply to Gunn and Garden. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 240-14		
161	Staging of early lymph node metastases with the sentinel lymph node technique and predictive factors in T1/T2 oral cavity cancer: A retrospective single-center study. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1033-40	4.2	46
160	Elective Nodal Irradiation and Patterns of Failure in Head and Neck Cancer After Primary Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 94, 775-82	4	22
159	Does Radiation Have a Role in Advanced Stage Hodgkin's or Non-Hodgkin Lymphoma?. <i>Current Treatment Options in Oncology</i> , 2016 , 17, 4	5.4	16
158	Novel nomograms for survival and progression in HPV+ and HPV- oropharyngeal cancer: a population-based study of 1,542 consecutive patients. <i>Oncotarget</i> , 2016 , 7, 71761-71772	3.3	57
157	Phase I trial of 18F-Fludeoxyglucose based radiation dose painting with concomitant cisplatin in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2016 , 120, 76-80	5.3	40
156	Geometric uncertainties in voluntary deep inspiration breath hold radiotherapy for locally advanced lung cancer. <i>Radiotherapy and Oncology</i> , 2016 , 118, 510-4	5.3	29
155	Ionizing Radiation Potentiates High-Fat Diet-Induced Insulin Resistance and Reprograms Skeletal Muscle and Adipose Progenitor Cells. <i>Diabetes</i> , 2016 , 65, 3573-3584	0.9	25

154	Liquid fiducial marker performance during radiotherapy of locally advanced non small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2016 , 121, 64-69	5.3	26
153	A new method to estimate doses to the normal tissues after past extended and involved field radiotherapy for Hodgkin lymphoma. <i>Radiotherapy and Oncology</i> , 2015 , 114, 206-11	5.3	7
152	Radiation therapy planning for early-stage Hodgkin lymphoma: experience of the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 144-52	4	16
151	Increasing incidence of base of tongue cancers from 2000 to 2010 due to HPV: the largest demographic study of 210 Danish patients. <i>British Journal of Cancer</i> , 2015 , 113, 131-4	8.7	43
150	Low-dose (10-Gy) total skin electron beam therapy for cutaneous T-cell lymphoma: an open clinical study and pooled data analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 138-43	4	46
149	The concept and evolution of involved site radiation therapy for lymphoma. <i>International Journal of Clinical Oncology</i> , 2015 , 20, 849-54	4.2	21
148	Modern radiation therapy for primary cutaneous lymphomas: field and dose guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 32-9	4	96
147	Minimizing late effects for patients with mediastinal Hodgkin lymphoma: deep inspiration breath-hold, IMRT, or both?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 169-74 ⁴		84
146	Prospective phase II trial of image-guided radiotherapy in Hodgkin lymphoma: benefit of deep inspiration breath-hold. <i>Acta Oncologica</i> , 2015 , 54, 60-6	3.2	65
145	Modern radiation therapy for extranodal lymphomas: field and dose guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 11-31	4	211
144	The EXTREME regimen for recurrent/metastatic head and neck squamous cell carcinoma (R/M HNSCC): treatment outcome in a single institution cohort. <i>Acta Oncologica</i> , 2015 , 54, 1071-5	3.2	8
143	Spatio-temporal stability of pre-treatment 18F-Fludeoxyglucose uptake in head and neck squamous cell carcinomas sufficient for dose painting. <i>Acta Oncologica</i> , 2015 , 54, 1416-22	3.2	12
142	Immunohistochemical biomarkers and FDG uptake on PET/CT in head and neck squamous cell carcinoma. <i>Acta Oncologica</i> , 2015 , 54, 1408-15	3.2	24
141	Follicular lymphoma of the ocular adnexal region: a nation-based study. <i>Acta Ophthalmologica</i> , 2015 , 93, 184-91	3.7	17
140	FDG-PET and radiotherapy in lymphoma. <i>Clinical and Translational Imaging</i> , 2015 , 3, 321-330	2	
139	A high and increasing HPV prevalence in tonsillar cancers in Eastern Denmark, 2000-2010: the largest registry-based study to date. <i>International Journal of Cancer</i> , 2015 , 136, 2196-203	7.5	85
138	Prognostic value of 18F-fludeoxyglucose uptake in 287 patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 1274-81	4.2	17
137	Cardiovascular disease after treatment for Hodgkin's lymphoma: an analysis of nine collaborative EORTC-LYSA trials. <i>Lancet Haematology</i> , 2015 , 2, e492-502	14.6	90

136	(18)F-FDG PET imaging in detection of radiation-induced vascular disease in lymphoma survivors. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 5, 408-15	2.2	2
135	Prognostic Factors. <i>Hematologic Malignancies</i> , 2015 , 131-155	0	1
134	Molecular profiling of tumour budding to implicate TGF- β -mediated epithelial-mesenchymal transition as a therapeutic target.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 6059-6059	2.2	
133	Mesenchymal stem cell therapy for salivary gland dysfunction and xerostomia: a systematic review of preclinical studies. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 117, 335-342.	2.1	31
132	Recurrences after intensity modulated radiotherapy for head and neck squamous cell carcinoma more likely to originate from regions with high baseline [18F]-FDG uptake. <i>Radiotherapy and Oncology</i> , 2014 , 111, 360-5	5.3	84
131	In vivo treatment sensitivity testing with positron emission tomography/computed tomography after one cycle of chemotherapy for Hodgkin lymphoma. <i>Journal of Clinical Oncology</i> , 2014 , 32, 2705-11	2.2	67
130	Geometric distortions of diffusion weighted imaging of the head/neck in combined PET/MR: optimization of image acquisition and post-processing correction for oncology applications. <i>EJNMMI Physics</i> , 2014 , 1, A76	4.4	3
129	Radiotherapy for indolent lymphomas: how much is enough?. <i>Lancet Oncology, The</i> , 2014 , 15, 372-4	21.7	3
128	Modern radiation therapy for nodal non-Hodgkin lymphoma-target definition and dose guidelines from the International Lymphoma Radiation Oncology Group. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 49-58	4	185
127	Cardiovascular disease after cancer therapy. <i>European Journal of Cancer, Supplement</i> , 2014 , 12, 18-28	1.6	75
126	Modern radiation therapy for Hodgkin lymphoma: field and dose guidelines from the international lymphoma radiation oncology group (ILROG). <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 854-62	4	350
125	MiR-21 expression in the tumor stroma of oral squamous cell carcinoma: an independent biomarker of disease free survival. <i>PLoS ONE</i> , 2014 , 9, e95193	3.7	67
124	Human papillomavirus in head and neck squamous cell carcinoma of unknown primary is a common event and a strong predictor of survival. <i>PLoS ONE</i> , 2014 , 9, e110456	3.7	37
123	Prescribing and evaluating target dose in dose-painting treatment plans. <i>Acta Oncologica</i> , 2014 , 53, 1251-62	5.2	7
122	A decade of comparative dose planning studies for early-stage Hodgkin lymphoma: what can we learn?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 1126-35	4	19
121	Three-year follow-up of sentinel node-negative patients with early oral cavity squamous cell carcinoma. <i>Head and Neck</i> , 2014 , 36, 1109-12	4.2	10
120	Optimizing the radiation therapy dose prescription for pediatric medulloblastoma: minimizing the life years lost attributable to failure to control the disease and late complication risk. <i>Acta Oncologica</i> , 2014 , 53, 462-70	3.2	14
119	Comment on: "clinical features, management, and prognosis of an international series of 161 patients with limited-stage diffuse large B-cell lymphoma of the bone (the IELSG-14 Study)". <i>Oncologist</i> , 2014 , 19, 1289	5.7	0

118	Interactive decision-support tool for risk-based radiation therapy plan comparison for Hodgkin lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 433-45	4	30
117	Heart, Coronary Arteries, Aorta and Great Vessels, Arteries and Veins, Microcirculation. <i>Medical Radiology</i> , 2014 , 287-323	0.2	
116	Doses to carotid arteries after modern radiation therapy for Hodgkin lymphoma: is stroke still a late effect of treatment?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 87, 297-303	4	25
115	Three-dimensional MRI-linac intra-fraction guidance using multiple orthogonal cine-MRI planes. <i>Physics in Medicine and Biology</i> , 2013 , 58, 4943-50	3.8	65
114	Interim positron emission tomography in early stage Hodgkin lymphoma: is there evidence for its prognostic and predictive value in patients treated with standard combined modality treatment?. <i>Leukemia and Lymphoma</i> , 2013 , 54, 1127-8	1.9	0
113	Involved node radiation therapy: an effective alternative in early-stage hodgkin lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 85, 1057-65	4	57
112	Percutaneously implanted markers in peripheral lung tumours: report of complications. <i>Acta Oncologica</i> , 2013 , 52, 1225-8	3.2	8
111	Evaluation of methods for selecting the midventilation bin in 4DCT scans of lung cancer patients. <i>Acta Oncologica</i> , 2013 , 52, 1715-22	3.2	2
110	Long-term outcome for gastric marginal zone lymphoma treated with radiotherapy: a retrospective, multi-centre, International Extranodal Lymphoma Study Group study. <i>Annals of Oncology</i> , 2013 , 24, 1344-51	10.3	57
109	Deep inspiration breath hold radiotherapy for locally advanced lung cancer: comparison of different treatment techniques on target coverage, lung dose and treatment delivery time. <i>Acta Oncologica</i> , 2013 , 52, 1582-6	3.2	18
108	The effect on esophagus after different radiotherapy techniques for early stage Hodgkin's lymphoma. <i>Acta Oncologica</i> , 2013 , 52, 1559-65	3.2	24
107	Factors associated with acute and late dysphagia in the DAHANCA 6 & 7 randomized trial with accelerated radiotherapy for head and neck cancer. <i>Acta Oncologica</i> , 2013 , 52, 1535-42	3.2	38
106	Failure-probability driven dose painting. <i>Medical Physics</i> , 2013 , 40, 081717	4.4	23
105	Estimated risk of cardiovascular disease and secondary cancers with modern highly conformal radiotherapy for early-stage mediastinal Hodgkin lymphoma. <i>Annals of Oncology</i> , 2013 , 24, 2113-8	10.3	100
104	Stability of percutaneously implanted markers for lung stereotactic radiotherapy. <i>Journal of Applied Clinical Medical Physics</i> , 2013 , 14, 187-95	2.3	18
103	Human papillomavirus and oropharyngeal cancer in Greenland in 1994-2010. <i>International Journal of Circumpolar Health</i> , 2013 , 72, 22386	1.7	4
102	Either Combined-Modality Or Radiotherapy Alone Provide Favorable Outcome In Stage I-II Mantle Cell Lymphoma: A Report Of 82 Patients From The International Lymphoma Radiation Oncology Group (ILROG). <i>Blood</i> , 2013 , 122, 4292-4292	2.2	
101	Routine bone marrow biopsy has little or no therapeutic consequence for positron emission tomography/computed tomography-staged treatment-naive patients with Hodgkin lymphoma. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4508-14	2.2	191

100	Risk of developing cardiovascular disease after involved node radiotherapy versus mantle field for Hodgkin lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 1232-7	4	71
99	Prevalence and peak incidence of acute and late normal tissue morbidity in the DAHANCA 6&7 randomised trial with accelerated radiotherapy for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2012 , 103, 69-75	5.3	66
98	Life years lost--comparing potentially fatal late complications after radiotherapy for pediatric medulloblastoma on a common scale. <i>Cancer</i> , 2012 , 118, 5432-40	6.4	51
97	The role of miRNAs in human papilloma virus (HPV)-associated cancers: bridging between HPV-related head and neck cancer and cervical cancer. <i>British Journal of Cancer</i> , 2012 , 106, 1526-34	8.7	174
96	Low-dose total skin electron beam therapy as a debulking agent for cutaneous T-cell lymphoma: an open-label prospective phase II study. <i>British Journal of Dermatology</i> , 2012 , 166, 399-404	4	34
95	Positron emission tomography/computed tomography surveillance in patients with Hodgkin lymphoma in first remission has a low positive predictive value and high costs. <i>Haematologica</i> , 2012 , 97, 931-6	6.6	61
94	Chemotherapy alone versus chemotherapy plus radiotherapy for early stage Hodgkin lymphoma. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD007110		28
93	Target Definitions for Hodgkin Lymphoma: The Involved Node Radiation Field Concept 2011 , 91-122		
92	Total skin electron beam therapy for cutaneous T-cell lymphoma: a nationwide cohort study from Denmark. <i>Acta Oncologica</i> , 2011 , 50, 1199-205	3.2	25
91	The influence of HPV-associated p16-expression on accelerated fractionated radiotherapy in head and neck cancer: evaluation of the randomised DAHANCA 6&7 trial. <i>Radiotherapy and Oncology</i> , 2011 , 100, 49-55	5.3	154
90	Different miRNA signatures of oral and pharyngeal squamous cell carcinomas: a prospective translational study. <i>British Journal of Cancer</i> , 2011 , 104, 830-40	8.7	151
89	Does hyperbaric oxygen treatment have the potential to increase salivary flow rate and reduce xerostomia in previously irradiated head and neck cancer patients? A pilot study. <i>Oral Oncology</i> , 2011 , 47, 546-51	4.4	23
88	The prevalence of occult metastases in nonsentinel lymph nodes after step-serial sectioning and immunohistochemistry in cN0 oral squamous cell carcinoma. <i>Laryngoscope</i> , 2011 , 121, 294-8	3.6	19
87	Risk factors for radiation-induced hypothyroidism: a literature-based meta-analysis. <i>Cancer</i> , 2011 , 117, 5250-60	6.4	61
86	Artifacts in conventional computed tomography (CT) and free breathing four-dimensional CT induce uncertainty in gross tumor volume determination. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1573-80	4	41
85	Does transfusion improve the outcome for HNSCC patients treated with radiotherapy? - results from the randomized DAHANCA 5 and 7 trials. <i>Acta Oncologica</i> , 2011 , 50, 1006-14	3.2	45
84	Evaluation of dose to cardiac structures during breast irradiation. <i>British Journal of Radiology</i> , 2011 , 84, 743-6	3.4	60
83	History of Radiotherapy of Hodgkin Disease (Now Hodgkin Lymphoma) 2011 , 1-6		1

82	Background and Rationale for Radiotherapy in Early-Stage Hodgkin Lymphoma 2011 , 7-20		0
81	Prognostic Factors 2011 , 97-115		1
80	Future Prospects for Radiotherapy for Hodgkin Lymphoma 2011 , 205-210		
79	Traditional and Modern Techniques for Radiation Treatment Planning 2011 , 123-151		1
78	Evaluation of Response After Radiotherapy for Hodgkin Lymphoma 2011 , 161-166		
77	Proton Therapy for Hodgkin Lymphoma 2011 , 197-203		
76	Routine Bone Marrow Biopsy Adds Little Diagnostic Information in Patients with Newly Diagnosed Hodgkin Lymphoma Undergoing PET/CT Staging. <i>Blood</i> , 2011 , 118, 2627-2627	2.2	
75	Combined modality treatment improves tumor control and overall survival in patients with early stage Hodgkin's lymphoma: a systematic review. <i>Haematologica</i> , 2010 , 95, 494-500	6.6	77
74	Improved prognosis for localized malignant lymphomas of the head and neck. <i>Acta Oto-Laryngologica</i> , 2010 , 130, 626-31	1.6	3
73	Deviations in delineated GTV caused by artefacts in 4DCT. <i>Radiotherapy and Oncology</i> , 2010 , 96, 61-6	5.3	93
72	Methodologies for localizing loco-regional hypopharyngeal carcinoma recurrences in relation to FDG-PET positive and clinical radiation therapy target volumes. <i>Acta Oncologica</i> , 2010 , 49, 984-90	3.2	10
71	Survival of head and neck cancer in Greenland. <i>International Journal of Circumpolar Health</i> , 2010 , 69, 373-82		9
70	Hodgkin's disease and age*. <i>European Journal of Haematology</i> , 2009 , 43, 127-135	3.8	51
69	The effect of different lung densities on the accuracy of various radiotherapy dose calculation methods: implications for tumour coverage. <i>Radiotherapy and Oncology</i> , 2009 , 91, 405-14	5.3	123
68	Erosive potential of saliva stimulating tablets with and without fluoride in irradiated head and neck cancer patients. <i>Radiotherapy and Oncology</i> , 2009 , 93, 534-8	5.3	23
67	Need for intensive histopathologic analysis to determine lymph node metastases when using sentinel node biopsy in oral cancer. <i>Laryngoscope</i> , 2008 , 118, 408-14	3.6	57
66	PET/CT in the management of haematological malignancies. <i>European Journal of Haematology</i> , 2008 , 80, 369-80	3.8	36
65	The role of image guidance in respiratory gated radiotherapy. <i>Acta Oncologica</i> , 2008 , 47, 1390-6	3.2	35

64	The nimorazole regimen in patients with head and neck cancer can increase the effect of vitamin K antagonists. <i>Acta Oncologica</i> , 2008 , 47, 150-1	3.2	3
63	The conundrum of Hodgkin lymphoma nodes: to be or not to be included in the involved node radiation fields. The EORTC-GELA lymphoma group guidelines. <i>Radiotherapy and Oncology</i> , 2008 , 88, 202-10	5.3	90
62	Papillary microcarcinoma of the thyroid gland: is the immunohistochemical expression of cyclin D1 or galectin-3 in primary tumour an indicator of metastatic disease?. <i>Acta Oncologica</i> , 2008 , 47, 451-7	3.2	19
61	Can audio coached 4D CT emulate free breathing during the treatment course?. <i>Acta Oncologica</i> , 2008 , 47, 1397-405	3.2	21
60	Interfractional changes in tumour volume and position during entire radiotherapy courses for lung cancer with respiratory gating and image guidance. <i>Acta Oncologica</i> , 2008 , 47, 1406-13	3.2	46
59	Chemotherapy alone versus chemotherapy plus radiotherapy for early stage Hodgkin Lymphoma 2008 ,		1
58	A prospective, open-label study of low-dose total skin electron beam therapy in mycosis fungoides. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 71, 1204-7	4	31
57	Final Results of a Phase II Danish Trial Testing Low Dose Total Body Irradiation Following Six Bi-Weekly RCHOP-14 Plus 2 Extra Rituximab in Elderly High risk Patients with Aggressive CD20+ Diffuse Large B-Cell Lymphoma (DLBCL).. <i>Blood</i> , 2008 , 112, 1013-1013	2.2	
56	Revised response criteria for malignant lymphoma. <i>Journal of Clinical Oncology</i> , 2007 , 25, 579-86	2.2	3483
55	Do we need an early unfavorable (intermediate) stage of Hodgkin's lymphoma?. <i>Hematology/Oncology Clinics of North America</i> , 2007 , 21, 881-96	3.1	3
54	What's new in target volume definition for radiologists in ICRU Report 71? How can the ICRU volume definitions be integrated in clinical practice?. <i>Cancer Imaging</i> , 2007 , 7, 104-16	5.6	33
53	Clinical impact of FDG-PET/CT in the planning of radiotherapy for early-stage Hodgkin lymphoma. <i>European Journal of Haematology</i> , 2007 , 78, 206-12	3.8	90
52	2-[18F]fluoro-2-deoxyglucose positron-emission tomography in staging, response evaluation, and treatment planning of lymphomas. <i>Seminars in Radiation Oncology</i> , 2007 , 17, 190-7	5.5	41
51	Nasopharyngeal carcinoma. Treatment planning with IMRT and 3D conformal radiotherapy. <i>Acta Oncologica</i> , 2007 , 46, 214-20	3.2	42
50	Early interim 2-[18F]fluoro-2-deoxy-D-glucose positron emission tomography is prognostically superior to international prognostic score in advanced-stage Hodgkin's lymphoma: a report from a joint Italian-Danish study. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3746-52	2.2	667
49	Intra- and interfraction breathing variations during curative radiotherapy for lung cancer. <i>Radiotherapy and Oncology</i> , 2007 , 84, 40-8	5.3	70
48	Phase I/II clinical and pharmacokinetic study evaluating a fully human monoclonal antibody against EGFr (HuMax-EGFr) in patients with advanced squamous cell carcinoma of the head and neck. <i>Radiotherapy and Oncology</i> , 2007 , 85, 24-8	5.3	34
47	Early Results of a Phase II Trial Testing Low Dose Total Body Irradiation (LTBI) after Chemoimmunotherapy in Elderly High Risk Patients with Diffuse Large B-Cell Lymphoma (DLBCL). <i>Blood</i> , 2007 , 110, 1296-1296	2.2	

46	Different histopathological subtypes of Hodgkin lymphoma show significantly different levels of FDG uptake. <i>Hematological Oncology</i> , 2006 , 24, 146-50	1.3	71
45	Second malignancy risk associated with treatment of Hodgkin's lymphoma: meta-analysis of the randomised trials. <i>Annals of Oncology</i> , 2006 , 17, 1749-60	10.3	135
44	The Danish national guidelines for treatment of oral squamous cell carcinoma. <i>Acta Oncologica</i> , 2006 , 45, 294-9	3.2	24
43	The role of SPECT-CT in the lymphoscintigraphic identification of sentinel nodes in patients with oral cancer. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 1096-103	1.6	63
42	Involved-node radiotherapy (INRT) in patients with early Hodgkin lymphoma: concepts and guidelines. <i>Radiotherapy and Oncology</i> , 2006 , 79, 270-7	5.3	298
41	Cardiac and pulmonary complication probabilities for breast cancer patients after routine end-inspiration gated radiotherapy. <i>Radiotherapy and Oncology</i> , 2006 , 80, 257-62	5.3	56
40	FDG-PET after two cycles of chemotherapy predicts treatment failure and progression-free survival in Hodgkin lymphoma. <i>Blood</i> , 2006 , 107, 52-9	2.2	592
39	Reduction of cardiac and pulmonary complication probabilities after breathing adapted radiotherapy for breast cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 65, 1375-80	4	119
38	Position emission tomography with or without computed tomography in the primary staging of Hodgkin's lymphoma. <i>Haematologica</i> , 2006 , 91, 482-9	6.6	175
37	Nimorazole may increase the effect of phenprocoumon. <i>Radiotherapy and Oncology</i> , 2005 , 74, 345	5.3	2
36	Breathing adapted radiotherapy for breast cancer: comparison of free breathing gating with the breath-hold technique. <i>Radiotherapy and Oncology</i> , 2005 , 76, 311-8	5.3	183
35	Chemotherapy, radiotherapy and combined modality for Hodgkin's disease, with emphasis on second cancer risk. <i>The Cochrane Library</i> , 2005 , CD003187	5.2	31
34	Revised Response Criteria for Malignant Lymphomas From the Members of the International Harmonization Project (IHP) of the Competence Network Malignant Lymphoma, Represented by... <i>Blood</i> , 2005 , 106, 18-18	2.2	5
33	Different Histopathological Subtypes of Hodgkin Lymphoma Have Significantly Different Levels of FDG Uptake.. <i>Blood</i> , 2005 , 106, 969-969	2.2	1
32	FDG-PET in the clinical management of Hodgkin lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , 2004 , 52, 19-32	7	46
31	Consolidation radiotherapy may improve outcomes in people with Hodgkin's disease achieving complete remission after combination chemotherapy. <i>Cancer Treatment Reviews</i> , 2004 , 30, 479-82	14.4	
30	Breathing adapted radiotherapy of breast cancer: reduction of cardiac and pulmonary doses using voluntary inspiration breath-hold. <i>Radiotherapy and Oncology</i> , 2004 , 72, 53-60	5.3	188
29	In response to Dr. Remouchamps. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003 , 56, 1206	4	

28	Five compared with six fractions per week of conventional radiotherapy of squamous-cell carcinoma of head and neck: DAHANCA 6 and 7 randomised controlled trial. <i>Lancet, The</i> , 2003 , 362, 933-40	40	506
27	Oral complications in the head and neck radiation patient. Introduction and scope of the problem. <i>Supportive Care in Cancer</i> , 2002 , 10, 36-9	3.9	62
26	Phase II study of palliative low-dose local radiotherapy in disseminated indolent non-Hodgkin's lymphoma and chronic lymphocytic leukemia. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 54, 1466-70	4	52
25	Serum lactate dehydrogenase isoenzyme 1 in patients with seminoma stage I followed with surveillance. <i>Acta Oncologica</i> , 2002 , 41, 77-83	3.2	12
24	Prognostic factors for relapse in stage I seminoma managed by surveillance: a pooled analysis. <i>Journal of Clinical Oncology</i> , 2002 , 20, 4448-52	2.2	410
23	Osteoradionecrosis of the jaws: clinical characteristics and relation to the field of irradiation. <i>Journal of Oral and Maxillofacial Surgery</i> , 2000 , 58, 1088-93; discussion 1093-5	1.8	201
22	Phase II study of docetaxel and cisplatin in patients with recurrent or disseminated squamous-cell carcinoma of the head and neck. <i>Annals of Oncology</i> , 2000 , 11, 845-9	10.3	52
21	Transitory blindness after retrobulbar irradiation of Graves' ophthalmopathy. <i>Lancet, The</i> , 1998 , 351, 725-6	40	25
20	A randomized double-blind phase III study of nimorazole as a hypoxic radiosensitizer of primary radiotherapy in supraglottic larynx and pharynx carcinoma. Results of the Danish Head and Neck Cancer Study (DAHANCA) Protocol 5-85. <i>Radiotherapy and Oncology</i> , 1998 , 46, 135-46	5.3	451
19	A prognostic score for advanced Hodgkin's disease. International Prognostic Factors Project on Advanced Hodgkin's Disease. <i>New England Journal of Medicine</i> , 1998 , 339, 1506-14	59.2	1298
18	Prognostic factors in Hodgkin's disease. <i>Seminars in Radiation Oncology</i> , 1996 , 6, 146-161	5.5	41
17	Salvage of relapse of patients with Hodgkin's disease in clinical stages I or II who were staged with laparotomy and initially treated with radiotherapy alone. A report from the international database on Hodgkin's disease. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994 , 30, 805-11	4	21
16	Surveillance following orchidectomy for stage I seminoma of the testis. <i>European Journal of Cancer</i> , 1993 , 29A, 1931-4	7.5	197
15	Tumour burden as the main indicator of prognosis in Hodgkin's disease. <i>European Journal of Cancer</i> , 1992 , 28A, 1982-5	7.5	34
14	The integration of radiotherapy into the primary treatment of non-Hodgkin's lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , 1992 , 12, 217-29	7	20
13	Prognostic factors in Hodgkin's disease. <i>Cancer Treatment Reviews</i> , 1991 , 18, 21-53	14.4	31
12	Tumor cell concentration and tumor burden in relation to histopathologic subtype and other prognostic factors in early stage Hodgkin's disease. The Danish National Hodgkin Study Group. <i>Cancer</i> , 1990 , 65, 2594-601	6.4	36
11	Antibody response to pneumococcal vaccine in patients with early stage Hodgkin's disease. <i>European Journal of Haematology</i> , 1989 , 43, 45-9	3.8	22

10	Hodgkin's disease and age. <i>European Journal of Haematology</i> , 1989 , 43, 127-35	3.8	7
9	Prognostic factors in Hodgkin's disease stage IV. <i>European Journal of Haematology</i> , 1988 , 41, 359-67	3.8	29
8	Prognostic factors in Hodgkin's disease stage III with special reference to tumour burden. <i>European Journal of Haematology</i> , 1988 , 41, 80-7	3.8	23
7	Hodgkin's disease: recent concepts in classification and treatment. <i>European Journal of Haematology</i> , 1988 , 48, 7-14	3.8	
6	Tumor burden as the most important prognostic factor in early stage Hodgkin's disease. Relations to other prognostic factors and implications for choice of treatment. <i>Cancer</i> , 1988 , 61, 1719-27	6.4	76
5	Risk of therapy-related leukaemia and preleukaemia after Hodgkin's disease. Relation to age, cumulative dose of alkylating agents, and time from chemotherapy. <i>Lancet, The</i> , 1987 , 2, 83-8	4 ⁰	17 ⁰
4	Prognostic significance of tumour burden in Hodgkin's disease PS I and II. <i>Scandinavian Journal of Haematology</i> , 1986 , 36, 367-75		15
3	Therapeutic implications of mediastinal involvement in advanced Hodgkin's disease. <i>Scandinavian Journal of Haematology</i> , 1985 , 35, 166-73		8
2	Testicular function in young men in long-term remission after treatment for the early stages of Hodgkin's disease. <i>Scandinavian Journal of Haematology</i> , 1984 , 33, 356-62		13
1	Ovarian function in young women in long-term remission after treatment for Hodgkin's disease stage I or II. <i>Scandinavian Journal of Haematology</i> , 1984 , 32, 265-70		11