

GÃ¼her Saruhan-Direskeneli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5699746/publications.pdf>

Version: 2024-02-01

103
papers

4,206
citations

101543

36
h-index

118850

62
g-index

106
all docs

106
docs citations

106
times ranked

4959
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-17A and IFN- γ are Up-regulated in CD4 and $\gamma\delta$ T Cells in Active Behcet's Disease Patients. Immunology Letters, 2022, 242, 37-45.	2.5	8
2	Immune alterations in subacute sclerosing panencephalitis reflect an incompetent response to eliminate the measles virus. PLoS ONE, 2021, 16, e0245077.	2.5	2
3	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. American Journal of Human Genetics, 2021, 108, 84-99.	6.2	26
4	Immunology of Neuro-Behcetâ€™s Disease (NBD). , 2021, , 17-32.		1
5	Effects of balneological outpatient treatment on clinical parameters and serum cytokine levels in patients with chronic low back pain: a single-blind randomized controlled trial. International Journal of Biometeorology, 2021, 65, 1367-1376.	3.0	17
6	Genetic Association of a Gainâ€™ofâ€™Function <i>IFNGR1</i> Polymorphism and the Intergenic Region <i>LNCAROD/DKK1</i> With Behâ€™etâ€™s Disease. Arthritis and Rheumatology, 2021, 73, 1244-1252.	5.6	21
7	Pathogenesis of Behâ€™et's Syndrome: Genetic, Environmental and Immunological Factors. Frontiers in Medicine, 2021, 8, 713052.	2.6	19
8	Title is missing!. , 2021, 16, e0245077.		0
9	Title is missing!. , 2021, 16, e0245077.		0
10	Title is missing!. , 2021, 16, e0245077.		0
11	Title is missing!. , 2021, 16, e0245077.		0
12	Title is missing!. , 2021, 16, e0245077.		0
13	Title is missing!. , 2021, 16, e0245077.		0
14	The treatment effect on peripheral B cell markers in antibody positive myasthenia gravis patients. Journal of Neuroimmunology, 2020, 349, 577402.	2.3	1
15	CD4+ T Cells of Myasthenia Gravis Patients Are Characterized by Increased IL-21, IL-4, and IL-17A Productions and Higher Presence of PD-1 and ICOS. Frontiers in Immunology, 2020, 11, 809.	4.8	30
16	Disease Mechanisms. , 2020, , 209-222.		1
17	Autoimmune Myasthenia Gravis. Rare Diseases of the Immune System, 2019, , 203-219.	0.1	0
18	Relation of HLAâ€™DRB1 to IgG4 autoantibody and cytokine production in muscleâ€™specific tyrosine kinase myasthenia gravis (MuSKâ€™MG). Clinical and Experimental Immunology, 2019, 197, 214-221.	2.6	6

#	ARTICLE	IF	CITATIONS
19	Increased costimulatory molecule expression of thymic and peripheral B cells and a sensitivity to IL-21 in myasthenia gravis. <i>Journal of Neuroimmunology</i> , 2018, 323, 36-42.	2.3	3
20	Analysis of the common genetic component of large-vessel vasculitides through a meta-ImmunoChip strategy. <i>Scientific Reports</i> , 2017, 7, 43953.	3.3	52
21	A genome-wide association study identifies nucleotide variants at SIGLEC5 and DEFA1A3 as risk loci for periodontitis. <i>Human Molecular Genetics</i> , 2017, 26, 2577-2588.	2.9	87
22	Prompt Response to Prednisone Predicts Benign Course in MuSK-MG. <i>European Neurology</i> , 2017, 78, 137-142.	1.4	5
23	The effect of interleukin (IL)-21 and CD4+CD25++ T cells on cytokine production of CD4+ responder T cells in patients with myasthenia gravis. <i>Clinical and Experimental Immunology</i> , 2017, 190, 201-207.	2.6	12
24	Genetic heterogeneity within the HLA region in three distinct clinical subgroups of myasthenia gravis. <i>Clinical Immunology</i> , 2016, 166-167, 81-88.	3.2	38
25	Serotonin transporter promoter polymorphism is associated with executive function impairments in patients with obsessive compulsive disorder. <i>Clinical Neuropsychologist</i> , 2016, 30, 536-546.	2.3	6
26	Titin antibodies in "seronegative" myasthenia gravis " A new role for an old antigen. <i>Journal of Neuroimmunology</i> , 2016, 292, 108-115.	2.3	57
27	Plasma pentraxin-3 levels in patients with Takayasu's arteritis during routine follow-up. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S73-6.	0.8	10
28	AB0264...STAT4 RS7574865 Gene Polymorphism is not Associated with Severe Disease Phenotype and Response to Tumor Necrosis Factor-Î± Inhibitor Treatment in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 980.1-980.	0.9	0
29	Clinical and etiopathological evaluation of the patients with OCB IGG pattern IV and V positivity. <i>Journal of the Neurological Sciences</i> , 2015, 357, e321-e322.	0.6	0
30	THU0279...Evaluation of Plasma Pentraxin-3 Level in Patients with Takayasu's Arteritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 297.2-297.	0.9	0
31	Activation of the JAK/STAT pathway in Behcet's disease. <i>Genes and Immunity</i> , 2015, 16, 170-175.	4.1	59
32	cFLIP overexpression in T cells in thymoma-associated myasthenia gravis. <i>Annals of Clinical and Translational Neurology</i> , 2015, 2, 894-905.	3.7	3
33	B cells produce less IL-10, IL-6 and TNF-Î± in myasthenia gravis. <i>Autoimmunity</i> , 2015, 48, 201-207.	2.6	26
34	Thymoma related myasthenia gravis in humans and potential animal models. <i>Experimental Neurology</i> , 2015, 270, 55-65.	4.1	75
35	Identification of Susceptibility Loci in IL6, RPS9, LILRB3, and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	5.6	79
36	MuSK autoantibodies in myasthenia gravis detected by cell based assay " A multinational study. <i>Journal of Neuroimmunology</i> , 2015, 284, 10-17.	2.3	63

#	ARTICLE	IF	CITATIONS
37	Regulatory function of CD4+CD25++ T cells in patients with myasthenia gravis is associated with phenotypic changes and STAT5 signaling: 1,25-Dihydroxyvitamin D3 modulates the suppressor activity. <i>Journal of Neuroimmunology</i> , 2015, 281, 51-60.	2.3	34
38	Oligoclonal bands and increased cytokine levels in idiopathic intracranial hypertension. <i>Cephalalgia</i> , 2015, 35, 1153-1161.	3.9	39
39	Differential Cytokine Changes in Patients with Myasthenia Gravis with Antibodies against AChR and MuSK. <i>PLoS ONE</i> , 2015, 10, e0123546.	2.5	40
40	Serum cytokine profiles in Takayasu's arteritis: search for biomarkers. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, S-32-5.	0.8	18
41	A Decrease of Regulatory T Cells and Altered Expression of NK Receptors Are Observed in Subacute Sclerosing Panencephalitis. <i>Viral Immunology</i> , 2014, 27, 506-511.	1.3	5
42	Granzyme B Gene Polymorphism Associated with Subacute Sclerosing Panencephalitis. <i>Neuropediatrics</i> , 2014, 45, 309-313.	0.6	9
43	Late-onset myasthenia gravis â€“ CTLA4low genotype association and low-for-age thymic output of naÃve T cells. <i>Journal of Autoimmunity</i> , 2014, 52, 122-129.	6.5	29
44	Preferential production of IgG1, IL-4 and IL-10 in MuSK-immunized mice. <i>Clinical Immunology</i> , 2014, 151, 155-163.	3.2	35
45	Prepubertal anti-Musk positive myasthenia gravis with long remission. <i>Neuromuscular Disorders</i> , 2014, 24, 36-39.	0.6	6
46	A comprehensive analysis of the epidemiology and clinical characteristics of anti-LRP4 in myasthenia gravis. <i>Journal of Autoimmunity</i> , 2014, 52, 139-145.	6.5	244
47	IFN-gamma response against measles virus peptides in subacute sclerosing panencephalitis patients. <i>Journal of Neuroimmunology</i> , 2014, 275, 212.	2.3	0
48	Differential cytokine changes in myasthenia gravis patients with antibodies against AChR and Musk. <i>Journal of Neuroimmunology</i> , 2014, 275, 212-213.	2.3	0
49	AB0063â€¦Serum Cytokine Profiles in Patients with Takayasu's Arteritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 825.1-825.	0.9	2
50	The Association of PTPN22 R620W Polymorphism Is Stronger with Late-Onset AChR-Myasthenia Gravis in Turkey. <i>PLoS ONE</i> , 2014, 9, e104760.	2.5	10
51	Expression of regulatory receptors on Î³Î³ T Cells and their cytokine production in Behcet's disease. <i>Arthritis Research and Therapy</i> , 2013, 15, R15.	3.5	31
52	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	6.2	143
53	Association of HLA-DRB1âˆ—14, -DRB1âˆ—16 and -DQB1âˆ—05 with MuSK-myasthenia gravis in patients from Turkey. <i>Human Immunology</i> , 2013, 74, 1633-1635.	2.4	43
54	Aquaporinâˆ—4 antibody seropositivity in myasthenia gravis patients with thymoma. <i>Muscle and Nerve</i> , 2013, 47, 306-307.	2.2	0

#	ARTICLE	IF	CITATIONS
55	Late-onset non-thymomatous generalized myasthenia gravis. <i>Journal of the Neurological Sciences</i> , 2013, 333, e473.	0.6	0
56	Identification of multiple independent susceptibility loci in the HLA region in Behçet's disease. <i>Nature Genetics</i> , 2013, 45, 319-324.	21.4	130
57	The different roles of the thymus in the pathogenesis of the various myasthenia gravis subtypes. <i>Autoimmunity Reviews</i> , 2013, 12, 875-884.	5.8	276
58	Intrathecal oligoclonal IgG bands are infrequently found in neuro-Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 25-7.	0.8	26
59	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	3.5	60
60	A putative functional variant within the <i>UBAC2</i> gene is associated with increased risk of Behçet's disease. <i>Arthritis and Rheumatism</i> , 2011, 63, 3607-3612.	6.7	39
61	Increased Complement Consumption in MuSK-Antibody-Positive Myasthenia Gravis Patients. <i>Medical Principles and Practice</i> , 2011, 20, 581-583.	2.4	9
62	Confirmation of an association between rs6822844 at the <i>IL21</i> region and multiple autoimmune diseases: Evidence of a general susceptibility locus. <i>Arthritis and Rheumatism</i> , 2010, 62, 323-329.	6.7	80
63	COMT Val158Met polymorphism is related with interpersonal problem solving in schizophrenia. <i>European Psychiatry</i> , 2010, 25, 320-322.	0.2	10
64	Disease Mechanisms. , 2010, , 243-264.		5
65	Meiotic recombination generates rich diversity in NK cell receptor genes, alleles, and haplotypes. <i>Genome Research</i> , 2009, 19, 757-769.	5.5	104
66	Mannose-binding lectin pathway is not involved in myasthenia gravis pathogenesis. <i>Journal of Neuroimmunology</i> , 2009, 208, 40-45.	2.3	7
67	No association of the TLR2 gene Arg753Gln polymorphism with rheumatic heart disease and Behçet's disease. <i>Clinical Rheumatology</i> , 2009, 28, 1385-1388.	2.2	17
68	No association of PTPN22 gene polymorphism with rheumatoid arthritis in Turkey. <i>Rheumatology International</i> , 2009, 30, 81-83.	3.0	27
69	Long Remission in Muscle-Specific Kinase Antibody-Positive Juvenile Myasthenia. <i>Pediatric Neurology</i> , 2009, 40, 455-456.	2.1	22
70	Identification of novel genetic susceptibility loci for Behçet's disease using a genome-wide association study. <i>Arthritis Research and Therapy</i> , 2009, 11, R66.	3.5	123
71	Interleukin-6 in neuro-Behçet's disease: Association with disease subsets and long-term outcome. <i>Cytokine</i> , 2008, 44, 373-376.	3.2	120
72	PTPN22 gene polymorphism in Takayasu's arteritis. <i>Rheumatology</i> , 2008, 47, 634-635.	1.9	18

#	ARTICLE	IF	CITATIONS
73	Clinical comparison of anti-MuSK- vs anti-AChR-positive and seronegative myasthenia gravis. <i>Neurology</i> , 2007, 68, 609-611.	1.1	150
74	The role of HLA-DRB1 shared epitope alleles in predicting short-term response to leflunomide in rheumatoid arthritis. <i>Rheumatology</i> , 2007, 46, 1842-1844.	1.9	6
75	Polymorphisms of interferon- γ , interleukin-10, and interleukin-12 genes in myasthenia gravis. <i>Human Immunology</i> , 2007, 68, 544-549.	2.4	17
76	Association of a serotonin receptor 2A gene polymorphism with cognitive functions in patients with schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 704-707.	1.7	34
77	Unusual selection on the KIR3DL1/S1 natural killer cell receptor in Africans. <i>Nature Genetics</i> , 2007, 39, 1092-1099.	21.4	207
78	Relative predispositional effects of HLA class II DRB1-DQB1 haplotypes and genotypes on type 1 diabetes: a meta-analysis. <i>Tissue Antigens</i> , 2007, 70, 110-127.	1.0	153
79	PTPN22 gene polymorphism in Behçet's disease. <i>Tissue Antigens</i> , 2007, 70, 432-434.	1.0	21
80	Interleukin (IL)-12, IL-2, interferon- γ gene polymorphisms in subacute sclerosing panencephalitis patients. <i>Journal of NeuroVirology</i> , 2007, 13, 410-415.	2.1	27
81	Pro-inflammatory cellular immune response in Behçet's disease. <i>Rheumatology International</i> , 2007, 27, 1113-1118.	3.0	54
82	X-linked Charcot-Marie-Tooth disease and multiple sclerosis. <i>Journal of Neurology</i> , 2007, 254, 953-955.	3.6	15
83	HLA-DQ Polymorphism in Turkish Patients With Myasthenia Gravis. <i>Human Immunology</i> , 2006, 67, 352-358.	2.4	32
84	Interleukin (IL)-12, IL-2, and IL-6 Gene Polymorphisms in Takayasu's Arteritis from Turkey. <i>Human Immunology</i> , 2006, 67, 735-740.	2.4	47
85	Distribution of Common CARD15 Variants in Patients with Sporadic Crohn's Disease: Cases from Turkey. <i>Digestive Diseases and Sciences</i> , 2006, 51, 706-710.	2.3	18
86	Inflammatory/demyelinating central nervous system involvement in familial Mediterranean fever (FMF): coincidence or association?. <i>Journal of Neurology</i> , 2006, 253, 928-934.	3.6	53
87	Alterations in cell-mediated immune response in subacute sclerosing panencephalitis. <i>Journal of Neuroimmunology</i> , 2005, 170, 179-185.	2.3	25
88	IL-12 and IL-10 polymorphisms and their effects on cytokine production. <i>Cytokine</i> , 2005, 30, 188-194.	3.2	144
89	Elevated interleukin-12 and CXCL10 in subacute sclerosing panencephalitis. <i>Cytokine</i> , 2005, 32, 104-110.	3.2	22
90	Expression of KIR and C-type lectin receptors in Behcet's disease. <i>British Journal of Rheumatology</i> , 2004, 43, 423-427.	2.3	29

#	ARTICLE	IF	CITATIONS
91	Human leukocyte antigen-A, -B and -C alleles and human leukocyte antigen haplotypes in Turkey: relationship to other populations. <i>Tissue Antigens</i> , 2004, 64, 180-187.	1.0	36
92	Cytokines and chemokines in neuro-Behçet's disease compared to multiple sclerosis and other neurological diseases. <i>Journal of Neuroimmunology</i> , 2003, 145, 127-134.	2.3	82
93	Genetic affinities among Mongol ethnic groups and their relationship to Turks. <i>Tissue Antigens</i> , 2003, 61, 292-299.	1.0	26
94	The role of heat shock proteins in Behçet's disease. <i>Clinical and Experimental Rheumatology</i> , 2003, 21, S44-8.	0.8	59
95	A weak association of HLA-B*2702 with Behçet's disease. <i>Genes and Immunity</i> , 2002, 3, 368-372.	4.1	61
96	Human HSP 60 peptide responsive T cell lines are similarly present in both Behçet's disease patients and healthy controls. <i>Immunology Letters</i> , 2001, 79, 203-208.	2.5	11
97	Lack of association of HLA-B*51 with a severe disease course in Behçet's disease. <i>British Journal of Rheumatology</i> , 2001, 40, 668-672.	2.3	67
98	Molecular analysis of HLA-DRB1, -DQA1 and -DQB1 polymorphism in Turkey. <i>Tissue Antigens</i> , 2000, 55, 171-174.	1.0	41
99	Anti-Î±B-crystallin immunoreactivity in inflammatory nervous system diseases. <i>Journal of Neurology</i> , 2000, 247, 935-939.	3.6	58
100	HLA-DR and -DQ associations with insulin-dependent diabetes mellitus in a population of Turkey. <i>Human Immunology</i> , 2000, 61, 296-302.	2.4	30
101	Humoral immune response to mycobacterial heat shock protein (hsp)65 in the cerebrospinal fluid of neuro-Behçet patients. <i>Clinical and Experimental Immunology</i> , 1998, 113, 100-104.	2.6	50
102	HLA-DR and -DQ Associations with Multiple Sclerosis in Turkey. <i>Human Immunology</i> , 1997, 55, 59-65.	2.4	87
103	Human T cell autoimmunity against myelin basic protein: CD4+ cells recognizing epitopes of the T cell receptor Î² chain from a myelin basic protein-specific T cell clone. <i>European Journal of Immunology</i> , 1993, 23, 530-536.	2.9	45