

Joaquin Madrenas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/570172/joaquin-madrenas-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102

papers

4,281

citations

34

h-index

62

g-index

107

ext. papers

4,676

ext. citations

7.2

avg, IF

5

L-index

#	Paper	IF	Citations
102	A novel, ataxic mouse model of ataxia telangiectasia caused by a clinically relevant nonsense mutation. <i>ELife</i> , 2021 , 10,	8.9	3
101	TAOK3, a Regulator of LCK-SHP-1 Crosstalk during TCR Signaling. <i>Critical Reviews in Immunology</i> , 2019 , 39, 59-81	1.8	3
100	Determinants of Influenza Mortality Trends: Age-Period-Cohort Analysis of Influenza Mortality in the United States, 1959-2016. <i>Demography</i> , 2019 , 56, 1723-1746	3.5	11
99	Staphylococcal Superantigens Use LAMA2 as a Coreceptor To Activate T Cells. <i>Journal of Immunology</i> , 2018 , 200, 1471-1479	5.3	10
98	Pandemic Paradox: Early Life H2N2 Pandemic Influenza Infection Enhanced Susceptibility to Death during the 2009 H1N1 Pandemic. <i>MBio</i> , 2018 , 9,	7.8	28
97	TAOK3 Regulates Canonical TCR Signaling by Preventing Early SHP-1-Mediated Inactivation of LCK. <i>Journal of Immunology</i> , 2018 , 201, 3431-3442	5.3	9
96	Downregulates IP-10 Production and Prevents Th1 Cell Recruitment. <i>Journal of Immunology</i> , 2017 , 198, 1865-1874	5.3	15
95	Suppression of CYP1 members of the AHR response by pathogen-associated molecular patterns. <i>Journal of Leukocyte Biology</i> , 2017 , 102, 1471-1480	6.5	6
94	HIV-1 gp120 envelope glycoprotein determinants for cytokine burst in human monocytes. <i>PLoS ONE</i> , 2017 , 12, e0174550	3.7	7
93	Stomatin-like protein 2 deficiency results in impaired mitochondrial translation. <i>PLoS ONE</i> , 2017 , 12, e0179967	3.7	9
92	Notch activation is required for downregulation of HoxA3-dependent endothelial cell phenotype during blood formation. <i>PLoS ONE</i> , 2017 , 12, e0186818	3.7	3
91	Topical probiotics as a therapeutic alternative for chronic rhinosinusitis: A preclinical proof of concept. <i>American Journal of Rhinology and Allergy</i> , 2016 , 30, 202-205	2.4	25
90	The membrane scaffold SLP2 anchors a proteolytic hub in mitochondria containing PPARγ and the i-AAA protease YME1L. <i>EMBO Reports</i> , 2016 , 17, 1844-1856	6.5	94
89	Uncoupling of pro- and anti-inflammatory properties of <i>Staphylococcus aureus</i> . <i>Infection and Immunity</i> , 2015 , 83, 1587-97	3.7	28
88	Is antigenic sin always "original?" Re-examining the evidence regarding circulation of a human H1 influenza virus immediately prior to the 1918 Spanish flu. <i>PLoS Pathogens</i> , 2015 , 11, e1004615	7.6	25
87	Stomatin-like protein 2 is required for in vivo mitochondrial respiratory chain supercomplex formation and optimal cell function. <i>Molecular and Cellular Biology</i> , 2015 , 35, 1838-47	4.8	47
86	Senataxin suppresses the antiviral transcriptional response and controls viral biogenesis. <i>Nature Immunology</i> , 2015 , 16, 485-94	19.1	31

85	Immunomodulation and Disease Tolerance to <i>Staphylococcus aureus</i> . <i>Pathogens</i> , 2015 , 4, 793-815	4.5	24
84	The role of IL-10 in microbiome-associated immune modulation and disease tolerance. <i>Cytokine</i> , 2015 , 75, 291-301	4	22
83	Fibroblast growth factor-23 and calcium phosphate product in young chronic kidney disease patients: a cross-sectional study. <i>BMC Nephrology</i> , 2013 , 14, 39	2.7	22
82	Identification of multimolecular complexes and supercomplexes in compartment-selective membrane microdomains. <i>Methods in Cell Biology</i> , 2013 , 117, 411-31	1.8	3
81	The broad landscape of immune interactions with <i>Staphylococcus aureus</i> : from commensalism to lethal infections. <i>Burns</i> , 2013 , 39, 380-8	2.3	23
80	Evolving Bacterial Envelopes and Plasticity of TLR2-Dependent Responses: Basic Research and Translational Opportunities. <i>Frontiers in Immunology</i> , 2013 , 4, 347	8.4	41
79	Down-regulation of CTLA-4 by HIV-1 Nef protein. <i>PLoS ONE</i> , 2013 , 8, e54295	3.7	19
78	Age-specific mortality during the 1918 influenza pandemic: unravelling the mystery of high young adult mortality. <i>PLoS ONE</i> , 2013 , 8, e69586	3.7	78
77	High molecular weight polysaccharides are key immunomodulators in North American ginseng extracts: characterization of the ginseng genetic signature in primary human immune cells. <i>Journal of Ethnopharmacology</i> , 2012 , 142, 1-13	5	52
76	Mitochondrial and plasma membrane pools of stomatin-like protein 2 coalesce at the immunological synapse during T cell activation. <i>PLoS ONE</i> , 2012 , 7, e37144	3.7	29
75	Stomatin-like protein 2 deficiency in T cells is associated with altered mitochondrial respiration and defective CD4+ T cell responses. <i>Journal of Immunology</i> , 2012 , 189, 4349-60	5.3	38
74	Impaired GFR is the most important determinant for FGF-23 increase in chronic kidney disease. <i>Clinical Biochemistry</i> , 2011 , 44, 435-7	3.5	29
73	A modulatory interleukin-10 response to staphylococcal peptidoglycan prevents Th1/Th17 adaptive immunity to <i>Staphylococcus aureus</i> . <i>Journal of Infectious Diseases</i> , 2011 , 204, 253-62	7	69
72	Stomatin-like protein 2 binds cardiolipin and regulates mitochondrial biogenesis and function. <i>Molecular and Cellular Biology</i> , 2011 , 31, 3845-56	4.8	84
71	The T cell receptor beta-chain second complementarity determining region loop (CDR2beta) governs T cell activation and Vbeta specificity by bacterial superantigens. <i>Journal of Biological Chemistry</i> , 2011 , 286, 4871-81	5.4	15
70	Effects of intensive medical therapy on microemboli and cardiovascular risk in asymptomatic carotid stenosis. <i>Archives of Neurology</i> , 2010 , 67, 180-6	254	
69	TLR2 signalling: At the crossroads of commensalism, invasive infections and toxic shock syndrome by <i>Staphylococcus aureus</i> . <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 1066-71	5.6	39
68	CTLA-4Ig blocks the development and progression of citrullinated fibrinogen-induced arthritis in DR4-transgenic mice. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2941-52	14	

67	Structure-Function analysis of the CTLA-4 interaction with PP2A. <i>BMC Immunology</i> , 2009 , 10, 23	3.7	20
66	Tumor suppression by phospholipase C-beta3 via SHP-1-mediated dephosphorylation of Stat5. <i>Cancer Cell</i> , 2009 , 16, 161-71	24.3	65
65	Attenuation of massive cytokine response to the staphylococcal enterotoxin B superantigen by the innate immunomodulatory protein lactoferrin. <i>Clinical and Experimental Immunology</i> , 2009 , 157, 60-70	6.2	26
64	Toll-like receptor 2 ligands on the staphylococcal cell wall downregulate superantigen-induced T cell activation and prevent toxic shock syndrome. <i>Nature Medicine</i> , 2009 , 15, 641-8	50.5	107
63	Mesenchymal stem cells and their use as cell replacement therapy and disease modelling tool. <i>Journal of Cellular and Molecular Medicine</i> , 2008 , 12, 2552-65	5.6	112
62	RIP2 is required for NOD signaling but not for Th1 cell differentiation and cellular allograft rejection. <i>American Journal of Transplantation</i> , 2008 , 8, 1143-50	8.7	12
61	The future of RIP2/RICK/CARDIAK as a biomarker of the inflammatory response to infection. <i>Expert Review of Molecular Diagnostics</i> , 2008 , 8, 257-61	3.8	7
60	Modulation of T cell activation by stomatin-like protein 2. <i>Journal of Immunology</i> , 2008 , 181, 1927-36	5.3	33
59	Receptor-interacting protein-2 deficiency delays macrophage migration and increases intracellular infection during peritoneal dialysis-associated peritonitis. <i>American Journal of Nephrology</i> , 2008 , 28, 879-89	4.6	6
58	Molecular requirements for MHC class II alpha-chain engagement and allelic discrimination by the bacterial superantigen streptococcal pyrogenic exotoxin C. <i>Journal of Immunology</i> , 2008 , 181, 3384-92	5.3	16
57	Dendritic cell differentiation induced by a self-peptide derived from apolipoprotein E. <i>Journal of Immunology</i> , 2008 , 181, 6859-71	5.3	15
56	Characterization of oligomers induced by inverse agonists of CTLA-4. <i>Immunology Letters</i> , 2008 , 120, 29-36	4.1	2
55	Stomatin-like Protein 2 Links Mitochondria to T-Cell Receptor Signalosomes at the Immunological Synapse and Enhances T-Cell Activation. <i>Nature Precedings</i> , 2007 ,		1
54	Molecular determinants of inverse agonist activity of biologicals targeting CTLA-4. <i>Journal of Immunology</i> , 2007 , 179, 3631-7	5.3	8
53	T cell signalling induced by bacterial superantigens. <i>Chemical Immunology and Allergy</i> , 2007 , 93, 161-180		26
52	Crystal structure of the streptococcal superantigen SpeI and functional role of a novel loop domain in T cell activation by group V superantigens. <i>Journal of Molecular Biology</i> , 2007 , 367, 925-34	6.5	30
51	Molecular basis of TCR selectivity, cross-reactivity, and allelic discrimination by a bacterial superantigen: integrative functional and energetic mapping of the SpeC-Vbeta2.1 molecular interface. <i>Journal of Immunology</i> , 2006 , 177, 8595-603	5.3	18
50	WilmsTumor 1-associating protein regulates the proliferation of vascular smooth muscle cells. <i>Circulation Research</i> , 2006 , 99, 1338-46	15.7	38

49	FcR gamma presence in TCR complex of double-negative T cells is critical for their regulatory function. <i>Journal of Immunology</i> , 2006 , 177, 2250-7	5.3	22
48	A molecular perspective of CTLA-4 function. <i>Annual Review of Immunology</i> , 2006 , 24, 65-97	34.7	407
47	Bacterial superantigens bypass Lck-dependent T cell receptor signaling by activating a Galpha11-dependent, PLC-beta-mediated pathway. <i>Immunity</i> , 2006 , 25, 67-78	32.3	78
46	Dendritic Cells as Arbiters of Peritoneal Immune Responses. <i>Peritoneal Dialysis International</i> , 2006 , 26, 8-25	2.8	11
45	Double-negative T cells, activated by xenoantigen, lyse autologous B and T cells using a perforin/granzyme-dependent, Fas-Fas ligand-independent pathway. <i>Journal of Immunology</i> , 2006 , 177, 6920-9	5.3	53
44	Dendritic cells as arbiters of peritoneal immune responses. <i>Peritoneal Dialysis International</i> , 2006 , 26, 8-25	2.8	4
43	Giving credit where credit is due: John Hunter and the discovery of erythrocyte sedimentation rate. <i>Lancet, The</i> , 2005 , 366, 2140-1	40	6
42	Polycationic lipids inhibit the pro-inflammatory response to LPS. <i>Immunology Letters</i> , 2005 , 96, 73-83	4.1	24
41	Characterization of human peritoneal dendritic cell precursors and their involvement in peritonitis. <i>Clinical and Experimental Immunology</i> , 2005 , 139, 513-25	6.2	17
40	Complement regulatory protein Crry/p65-mediated signaling in T lymphocytes: role of its cytoplasmic domain and partitioning into lipid rafts. <i>Journal of Leukocyte Biology</i> , 2005 , 78, 1386-96	6.5	22
39	Hierarchical regulation of CTLA-4 dimer-based lattice formation and its biological relevance for T cell inactivation. <i>Journal of Immunology</i> , 2005 , 175, 996-1004	5.3	30
38	Insertion of host-derived costimulatory molecules CD80 (B7.1) and CD86 (B7.2) into human immunodeficiency virus type 1 affects the virus life cycle. <i>Journal of Virology</i> , 2004 , 78, 6222-32	6.6	24
37	Superantigen stimulation reveals the contribution of Lck to negative regulation of T cell activation. <i>Journal of Immunology</i> , 2004 , 172, 222-30	5.3	26
36	Lck is required for activation-induced T cell death after TCR ligation with partial agonists. <i>Journal of Immunology</i> , 2004 , 172, 1437-43	5.3	19
35	Conversion of CTLA-4 from inhibitor to activator of T cells with a bispecific tandem single-chain Fv ligand. <i>Journal of Immunology</i> , 2004 , 172, 5948-56	5.3	31
34	Human embryonic stem cells possess immune-privileged properties. <i>Stem Cells</i> , 2004 , 22, 448-56	5.8	282
33	Mechanism of modulation of T cell responses by N-palmitoylated peptides. <i>European Journal of Immunology</i> , 2004 , 34, 3497-507	6.1	5
32	Genomic organization and evolution of the CX3CR1/CCR8 chemokine receptor locus. <i>Journal of Biological Chemistry</i> , 2003 , 278, 11985-94	5.4	21

31	Regulation of T-cell activation by phosphodiesterase 4B2 requires its dynamic redistribution during immunological synapse formation. <i>Molecular and Cellular Biology</i> , 2003 , 23, 8042-57	4.8	48
30	Peritoneal dialysis solutions inhibit the differentiation and maturation of human monocyte-derived dendritic cells: effect of lactate and glucose-degradation products. <i>Journal of Leukocyte Biology</i> , 2003 , 73, 482-92	6.5	47
29	TCR subunit specificity of CTLA-4-mediated signaling. <i>Journal of Leukocyte Biology</i> , 2003 , 74, 1102-7	6.5	6
28	Viewpoint: therapeutic implications of CTLA-4 compartmentalization. <i>American Journal of Transplantation</i> , 2003 , 3, 919-26	8.7	8
27	A SLAT in the Th2 signalosome. <i>Immunity</i> , 2003 , 18, 459-61	32.3	10
26	Thymic re-entry of mature activated T cells and increased negative selection in vascularized allograft recipients. <i>Clinical and Experimental Immunology</i> , 2002 , 127, 43-52	6.2	18
25	Clustering of a lipid-raft associated pool of ERM proteins at the immunological synapse upon T cell receptor or CD28 ligation. <i>Immunology Letters</i> , 2002 , 83, 143-7	4.1	39
24	Inhibition of CTLA-4 function by the regulatory subunit of serine/threonine phosphatase 2A. <i>Journal of Immunology</i> , 2002 , 168, 5070-8	5.3	77
23	Surface cytotoxic T lymphocyte-associated antigen 4 partitions within lipid rafts and relocates to the immunological synapse under conditions of inhibition of T cell activation. <i>Journal of Experimental Medicine</i> , 2002 , 195, 1337-47	16.6	92
22	Oral administration of the probiotic combination Lactobacillus rhamnosus GR-1 and L. fermentum RC-14 for human intestinal applications. <i>International Dairy Journal</i> , 2002 , 12, 191-196	3.5	71
21	HuM291(Nuvion), a humanized Fc receptor-nonbinding antibody against CD3, anergizes peripheral blood T cells as partial agonist of the T cell receptor. <i>Transplantation</i> , 2001 , 71, 941-50	1.8	25
20	Inhibition of cytokine production and interference in IL-2 receptor-mediated Jak-Stat signaling by the hydroxylamine metabolite of sulfamethoxazole. <i>FASEB Journal</i> , 2001 , 15, 1855-7	0.9	11
19	Zap-70-independent Ca(2+) mobilization and Erk activation in Jurkat T cells in response to T-cell antigen receptor ligation. <i>Molecular and Cellular Biology</i> , 2001 , 21, 7137-49	4.8	42
18	Identification of a novel mechanism for endotoxin-mediated down-modulation of CC chemokine receptor expression. <i>European Journal of Immunology</i> , 2000 , 30, 227-35	6.1	30
17	CTLA-4 (CD152) can inhibit T cell activation by two different mechanisms depending on its level of cell surface expression. <i>Journal of Immunology</i> , 2000 , 165, 1352-6	5.3	206
16	The inhibitory function of CTLA-4 does not require its tyrosine phosphorylation. <i>Journal of Immunology</i> , 2000 , 164, 49-55	5.3	71
15	Cytotoxicity of sulfonamide reactive metabolites: apoptosis and selective toxicity of CD8(+) cells by the hydroxylamine of sulfamethoxazole. <i>FASEB Journal</i> , 1999 , 13, 1688-98	0.9	55
14	CD40-deficient dendritic cells producing interleukin-10, but not interleukin-12, induce T-cell hyporesponsiveness in vitro and prevent acute allograft rejection. <i>Immunology</i> , 1999 , 98, 159-70	7.8	59

LIST OF PUBLICATIONS

13	Surgical technique for vascularized thymus transplantation in mice. <i>Microsurgery</i> , 1999 , 19, 56-60	2.1	11
12	CD45 modulation of CXCR1 and CXCR2 in human polymorphonuclear leukocytes. <i>European Journal of Immunology</i> , 1999 , 29, 1467-76	6.1	19
11	Differential signalling by variant ligands of the T cell receptor and the kinetic model of T cell activation. <i>Life Sciences</i> , 1999 , 64, 717-31	6.8	15
10	Cytoskeletal disruption induces T cell apoptosis by a caspase-3 mediated mechanism. <i>Life Sciences</i> , 1999 , 65, 2697-707	6.8	53
9	CD45 modulation of CXCR1 and CXCR2 in human polymorphonuclear leukocytes 1999 , 29, 1467		3
8	T-cell anergy and altered T-cell receptor signaling: effects on autoimmune disease. <i>Trends in Immunology</i> , 1998 , 19, 468-73		56
7	Dissociation of intracellular signaling pathways in response to partial agonist ligands of the T cell receptor. <i>Journal of Experimental Medicine</i> , 1998 , 187, 1699-709	16.6	81
6	The efficiency of CD4 recruitment to ligand-engaged TCR controls the agonist/partial agonist properties of peptide-MHC molecule ligands. <i>Journal of Experimental Medicine</i> , 1997 , 185, 219-29	16.6	160
5	The molecular immunology of acute rejection: an overview. <i>Transplant Immunology</i> , 1993 , 1, 3-27	1.7	62
4	Interferon gamma-mediated renal MHC expression in mercuric chloride-induced glomerulonephritis. <i>Kidney International</i> , 1991 , 39, 273-81	9.9	19
3	The mechanism of action of cyclosporine: a perspective for the 90s. <i>Clinical Biochemistry</i> , 1991 , 24, 3-7	3.5	16
2	Regulation of MHC transcription. <i>Transplantation</i> , 1990 , 50, 725-38	1.8	23
1	Extra-uterine mllerian carcinosarcoma. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1986 , 65, 811-2	3.8	15