
Fanli Qu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5701791/publications.pdf Version: 2024-02-01



ΕΛΝΗ ΟΗ

#	Article	IF	CITATIONS
1	Sulfasalazine‑induced ferroptosis in breast cancer cells is reduced by the inhibitory effect of estrogen receptor on the transferrin receptor. Oncology Reports, 2019, 42, 826-838.	2.6	108
2	Assessment of the predictive role of pretreatment Ki-67 and Ki-67 changes in breast cancer patients receiving neoadjuvant chemotherapy according to the molecular classification: a retrospective study of 1010 patients. Breast Cancer Research and Treatment, 2018, 170, 35-43.	2.5	33
3	Low pretreatment lymphocyte/monocyte ratio is associated with the better efficacy of neoadjuvant chemotherapy in breast cancer patients. Cancer Biology and Therapy, 2020, 21, 189-196.	3.4	27
4	Inhibitor of glutamine metabolism V9302 promotes ROS-induced autophagic degradation of B7H3 to enhance antitumor immunity. Journal of Biological Chemistry, 2022, 298, 101753.	3.4	19
5	CCL18 promotes breast cancer progression by exosomal miR-760 activation of ARF6/Src/Pl3K/Akt pathway. Molecular Therapy - Oncolytics, 2022, 25, 1-15.	4.4	12
6	Construction and Validation of an Immune Infiltration-Related Gene Signature for the Prediction of Prognosis and Therapeutic Response in Breast Cancer. Frontiers in Immunology, 2021, 12, 666137.	4.8	11
7	Assessment of the Predictive Role of Serum Lipid Profiles in Breast Cancer Patients Receiving Neoadjuvant Chemotherapy. Journal of Breast Cancer, 2020, 23, 246.	1.9	7
8	Construction and Validation of a Serum Albumin-to-Alkaline Phosphatase Ratio-Based Nomogram for Predicting Pathological Complete Response in Breast Cancer. Frontiers in Oncology, 2021, 11, 681905.	2.8	6
9	A ferroptosis-associated gene signature for the prediction of prognosis and therapeutic response in luminal-type breast carcinoma. Scientific Reports, 2021, 11, 17610.	3.3	4