

Chunwei Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5701996/publications.pdf>

Version: 2024-02-01

18
papers

403
citations

933447

10
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

714
citing authors

#	ARTICLE	IF	CITATIONS
1	Exosomes from activated hepatic stellate cells contain GLUT1 and PKM2: a role for exosomes in metabolic switch of liver nonparenchymal cells. <i>FASEB Journal</i> , 2019, 33, 8530-8542.	0.5	76
2	Enhanced protection against tuberculosis by vaccination with recombinant BCG over-expressing HspX protein. <i>Vaccine</i> , 2010, 28, 5237-5244.	3.8	66
3	Hypoxia-Inducible Factor-1alpha and MAPK Co-Regulate Activation of Hepatic Stellate Cells upon Hypoxia Stimulation. <i>PLoS ONE</i> , 2013, 8, e74051.	2.5	44
4	Hypoxia-inducible factor-1alpha regulates autophagy to activate hepatic stellate cells. <i>Biochemical and Biophysical Research Communications</i> , 2014, 454, 328-334.	2.1	44
5	Endothelial Cell-Specific Molecule 2 (ECSM2) Localizes to Cell-Cell Junctions and Modulates bFGF-Directed Cell Migration via the ERK-FAK Pathway. <i>PLoS ONE</i> , 2011, 6, e21482.	2.5	25
6	Rictor positively regulates B cell receptor signaling by modulating actin reorganization via ezrin. <i>PLoS Biology</i> , 2017, 15, e2001750.	5.6	24
7	IRAK-M alters the polarity of macrophages to facilitate the survival of <i>Mycobacterium tuberculosis</i> . <i>BMC Microbiology</i> , 2017, 17, 185.	3.3	21
8	Enhanced and durable protective immune responses induced by a cocktail of recombinant BCG strains expressing antigens of multistage of <i>Mycobacterium tuberculosis</i> . <i>Molecular Immunology</i> , 2015, 66, 392-401.	2.2	20
9	<p>Lycorine exerts antitumor activity against osteosarcoma cells in vitro and in vivo xenograft model through the JAK2/STAT3 pathway</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 5377-5388.	2.0	18
10	LSECs express functional NOD1 receptors: A role for NOD1 in LSEC maturation-induced T cell immunity in vitro. <i>Molecular Immunology</i> , 2018, 101, 167-175.	2.2	14
11	Activation of hypoxia-inducible factor 1 (Hif-1) enhanced bactericidal effects of macrophages to <i>Mycobacterium tuberculosis</i> . <i>Tuberculosis</i> , 2021, 126, 102044.	1.9	12
12	Histone methylation regulates Hif-1 signaling cascade in activation of hepatic stellate cells. <i>FEBS Open Bio</i> , 2018, 8, 406-415.	2.3	11
13	Structural and Functional Characterization of Two Alternative Splicing Variants of Mouse Endothelial Cell-Specific Chemotaxis Regulator (ECSCR). <i>International Journal of Molecular Sciences</i> , 2012, 13, 4920-4936.	4.1	7
14	Analysis of Peripheral Blood IL-6 and Leukocyte Characteristics in 364 COVID-19 Patients of Wuhan. <i>Frontiers in Immunology</i> , 2020, 11, 559716.	4.8	7
15	Bnip3 interacts with vimentin, an intermediate filament protein, and regulates autophagy of hepatic stellate cells. <i>Aging</i> , 2021, 13, 957-972.	3.1	6
16	Identification of novel splice variants and exons of human endothelial cell-specific chemotaxis regulator (ECSCR) by bioinformatics analysis. <i>Computational Biology and Chemistry</i> , 2012, 41, 41-50.	2.3	5
17	ECSM2, an endothelial specific VE-cadherin binding protein, has a tyrosine phosphorylation site essential to cell migration. <i>Gene</i> , 2018, 662, 131-138.	2.2	2
18	Enhanced tuberculosis clearance through the combination treatment with recombinant adenovirus-mediated granulysin delivery. <i>Theranostics</i> , 2020, 10, 10046-10056.	10.0	1