

Arturo Gonzalez-Quintela

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5702338/arturo-gonzalez-quintela-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	1,567 citations	21 h-index	37 g-index
94 ext. papers	1,854 ext. citations	3.6 avg, IF	4.11 L-index

#	Paper	IF	Citations
82	Determinants of serum concentrations of lipopolysaccharide-binding protein (LBP) in the adult population: the role of obesity. <i>PLoS ONE</i> , 2013 , 8, e54600	3.7	128
81	Influence of superimposed alcoholic hepatitis on the outcome of liver transplantation for end-stage alcoholic liver disease. <i>Journal of Hepatology</i> , 2002 , 36, 793-8	13.4	87
80	Influence of glutathione S-transferase M1 and T1 homozygous null mutations on the risk of antituberculosis drug-induced hepatotoxicity in a Caucasian population. <i>Liver International</i> , 2008 , 28, 835-9	7.9	82
79	Association of pro-ghrelin and GHS-R1A gene polymorphisms and haplotypes with heavy alcohol use and body mass. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 2054-61	3.7	72
78	Occupation-related differences in the prevalence of metabolic syndrome. <i>Diabetes Care</i> , 2008 , 31, 1884-5	4.6	62
77	Delayed mammalian meat-induced anaphylaxis due to galactose- β 1,3-galactose in 5 European patients. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 1122-4.e1	11.5	58
76	Factors influencing serum total tryptase concentrations in a general adult population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 701-6	5.9	56
75	Higher red blood cell distribution width is associated with the metabolic syndrome: results of the Ibermutuamur Cardiovascular Risk assessment study. <i>Diabetes Care</i> , 2010 , 33, e40	14.6	55
74	Comparison of montelukast versus budesonide in the treatment of exercise-induced bronchoconstriction. <i>Annals of Allergy, Asthma and Immunology</i> , 2001 , 86, 655-8	3.2	53
73	Prevalencia de factores de riesgo vascular en la población laboral española. <i>Revista Española De Cardiología</i> , 2006 , 59, 421-430	1.5	51
72	Alcohol, IgE and allergy. <i>Addiction Biology</i> , 2004 , 9, 195-204	4.6	47
71	Serum TNF-alpha levels in relation to alcohol consumption and common TNF gene polymorphisms. <i>Alcohol</i> , 2008 , 42, 513-8	2.7	44
70	Alcohol, IgE and allergy. <i>Addiction Biology</i> , 2004 , 9, 195-204	4.6	39
69	The -159C/T polymorphism in the promoter region of the CD14 gene is associated with advanced liver disease and higher serum levels of acute-phase proteins in heavy drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 1206-13	3.7	33
68	Long-term mortality of patients admitted to the hospital with alcohol withdrawal syndrome. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 1180-6	3.7	32
67	Association of moderate and severe hypertriglyceridemia with obesity, diabetes mellitus and vascular disease in the Spanish working population: results of the ICARIA study. <i>Atherosclerosis</i> , 2009 , 207, 573-8	3.1	31
66	Clinical association between Kikuchi's disease and systemic lupus erythematosus: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 46-52	5.3	29

65	Serum levels of cytokeratin-18 (tissue polypeptide-specific antigen) in liver diseases. <i>Liver International</i> , 2006 , 26, 1217-24	7.9	28
64	Decreased peripheral blood CD4+/CD25+ regulatory T cells in patients with alcoholic hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1361-9	3.7	24
63	Paracetamol (acetaminophen) hypersensitivity. <i>Annals of Allergy, Asthma and Immunology</i> , 1997 , 79, 320-3	12	23
62	Differences Between Alcoholic and Nonalcoholic Patients With Wernicke Encephalopathy: A Multicenter Observational Study. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 899-907	6.4	21
61	Glycemic Variability and Its Association With Demographics and Lifestyles in a General Adult Population. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 780-790	4.1	21
60	The longitudinal relationship of changes of adiposity to changes in pulmonary function and risk of asthma in a general adult population. <i>BMC Pulmonary Medicine</i> , 2014 , 14, 208	3.5	21
59	Association of nAChR gene haplotypes with heavy alcohol use and body mass. <i>Brain Research</i> , 2009 , 1305 Suppl, S72-9	3.7	21
58	Interference of cross-reactive carbohydrates in the determination of specific IgE in alcohol drinkers and strategies to minimize it: the example of latex. <i>Annals of Allergy, Asthma and Immunology</i> , 2008 , 101, 394-401	3.2	21
57	Factors influencing erythrocyte sedimentation rate in adults: New evidence for an old test. <i>Medicine (United States)</i> , 2019 , 98, e16816	1.8	21
56	Gene by environment interaction: the -159C/T polymorphism in the promoter region of the CD14 gene modifies the effect of alcohol consumption on serum IgE levels. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 7-14	3.7	20
55	Association between loss-of-function mutations in the filaggrin gene and self-reported food allergy and alcohol sensitivity. <i>International Archives of Allergy and Immunology</i> , 2013 , 161, 234-42	3.7	19
54	Influence of high cardiovascular risk in asymptomatic people on the duration and cost of sick leave: results of the ICARIA study. <i>European Heart Journal</i> , 2014 , 35, 299-306	9.5	17
53	Minor interference of cross-reactive carbohydrates with the diagnosis of respiratory allergy in standard clinical conditions. <i>International Archives of Allergy and Immunology</i> , 2012 , 157, 176-85	3.7	17
52	Immunoglobulin-E reactivity to wine glycoproteins in heavy drinkers. <i>Alcohol</i> , 2011 , 45, 113-22	2.7	17
51	Immunoglobulin E sensitization to cross-reactive carbohydrate determinants: epidemiological study of clinical relevance and role of alcohol consumption. <i>International Archives of Allergy and Immunology</i> , 2010 , 153, 86-94	3.7	15
50	Genetic study of the hepcidin gene (HAMP) promoter and functional analysis of the c.-582A > G variant. <i>BMC Genetics</i> , 2010 , 11, 110	2.6	13
49	Relation of tumor necrosis factor (TNF) gene polymorphisms with serum concentrations and in vitro production of TNF-alpha and interleukin-8 in heavy drinkers. <i>Alcohol</i> , 2004 , 34, 273-7	2.7	12
48	Skin and soft-tissue infections: Factors associated with mortality and re-admissions. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2017 , 35, 76-81	0.9	11

47	Factors influencing return-to-work after cerebrovascular disease: the importance of previous cardiovascular risk. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1220-7	3.9	10
46	Serum levels of gamma-glutamyl transferase are associated with markers of nocturnal hypoxemia in a general adult population. <i>Clinica Chimica Acta</i> , 2009 , 407, 67-71	6.2	10
45	Epithelioid hemangioendothelioma in the posterior mediastinum. <i>European Journal of Internal Medicine</i> , 2007 , 18, 331-2	3.9	10
44	Serum concentrations of interleukin-8 in relation to different levels of alcohol consumption. <i>Cytokine</i> , 2007 , 38, 54-60	4	10
43	Hepatitis B virus genotyping based on cluster analysis of the region involved in lamivudine resistance. <i>Journal of Virological Methods</i> , 2004 , 115, 9-17	2.6	10
42	Alcohol-induced alterations in serum immunoglobulin e (IgE) levels in human subjects. <i>Frontiers in Bioscience - Landmark</i> , 2002 , 7, e234-44	2.8	10
41	COVID-19 and Sick Leave: An Analysis of the Ibermutua Cohort of Over 1,651,305 Spanish Workers in the First Trimester of 2020. <i>Frontiers in Public Health</i> , 2020 , 8, 580546	6	10
40	Development and validation of a clinical score to estimate progression to severe or critical state in COVID-19 pneumonia hospitalized patients. <i>Scientific Reports</i> , 2020 , 10, 19794	4.9	10
39	Relation of the Psychological Constructs of Resilience, Mindfulness, and Self-Compassion on the Perception of Physical and Mental Health. <i>Psychology Research and Behavior Management</i> , 2019 , 12, 1155-1166 ¹⁰	3.8	10
38	Low prevalence of IgE to cross-reactive carbohydrate determinants in beekeepers. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 128, 1350-1352.e2	11.5	9
37	Temporal and spatial patterns in the rate of alcohol withdrawal syndrome in a defined community. <i>Alcohol</i> , 2011 , 45, 105-11	2.7	9
36	Impact of mindfulness and self-compassion on anxiety and depression: The mediating role of resilience. <i>International Journal of Clinical and Health Psychology</i> , 2021 , 21, 100229	5.1	9
35	Q fever in Spain: Description of a new series, and systematic review. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006338	4.8	8
34	Acute focal bacterial nephritis in a cohort of hospitalized adult patients with acute pyelonephritis. Assessment of risk factors and a predictive model. <i>European Journal of Internal Medicine</i> , 2017 , 39, 69-74 ⁹	3.9	7
33	Synergistic effect of alcohol consumption and body mass on serum concentrations of cytokeratin-18. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 2202-8	3.7	7
32	Association of alcohol consumption with allergic disease and asthma: a multi-centre Mendelian randomization analysis. <i>Addiction</i> , 2019 , 114, 216-225	4.6	7
31	Continuous glucose monitoring is more sensitive than HbA1c and fasting glucose in detecting dysglycaemia in a Spanish population without diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 142, 100-109	7.4	7
30	Prediabetes defined by HbA and by fasting glucose: differences in risk factors and prevalence. <i>Acta Diabetologica</i> , 2019 , 56, 1023-1030	3.9	6

29	Keratin-18 as a marker of steatohepatitis. <i>Hepatology</i> , 2007 , 45, 545	11.2	6
28	Anaphylaxis to <i>Cyphomandra betacea</i> Sendth (tamarillo) in an obeche wood (<i>Triplochiton scleroxylon</i>)--allergic patient. <i>Annals of Allergy, Asthma and Immunology</i> , 2006 , 96, 870-3	3.2	6
27	Serum Concentrations of IgG4 in the Spanish Adult Population: Relationship with Age, Gender, and Atopy. <i>PLoS ONE</i> , 2016 , 11, e0149330	3.7	6
26	Strategy to estimate risk progression of chronic kidney disease, cardiovascular risk, and referral to nephrology: the EPIRCE Study. <i>Nefrologia</i> , 2013 , 33, 223-30	1.5	6
25	Abnormalities in aminotransferase levels during acute pyelonephritis. <i>European Journal of Internal Medicine</i> , 2009 , 20, e53-6	3.9	5
24	Factors Influencing Total Serum IgE in Adults: The Role of Obesity and Related Metabolic Disorders. <i>International Archives of Allergy and Immunology</i> , 2021 , 182, 220-228	3.7	5
23	Adult Kawasaki disease. <i>Internal Medicine</i> , 2011 , 50, 1443-4	1.1	4
22	Chordoid meningioma in a patient with lymphangioleiomyomatosis. <i>Journal of Neuro-Oncology</i> , 2011 , 105, 667-9	4.8	4
21	Relationship between serum concentrations of keratin-18 and apoptosis in chronic hepatitis C. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 897-9	5.9	4
20	Serum levels of soluble CD30 and total IgE in alcoholics. <i>Allergology International</i> , 2002 , 51, 33-37	4.4	4
19	Vesp v 5 and glycosylated Vesp v 1 are relevant allergens in <i>Vespa velutina nigrithorax</i> anaphylaxis. <i>Clinical and Experimental Allergy</i> , 2020 , 50, 1424-1427	4.1	4
18	Sensitization to cross-reactive carbohydrate determinants in 2 patients with Hymenoptera venom allergy and alcoholic cardiomyopathy. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 1001-3	11.5	3
17	Increased urinary levels of tissue polypeptide specific antigen (TPS) in alcoholics. <i>Anticancer Research</i> , 2006 , 26, 1531-4	2.3	3
16	Serum concentrations of mast cell tryptase are reduced in heavy drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 672-8	3.7	2
15	Altered Distribution of Peripheral Blood Maturation-Associated B-Cell Subsets in Chronic Alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 1476-84	3.7	2
14	Estimating the glomerular filtration rate in the Spanish working population: chronic kidney disease prevalence and its association with risk factors. <i>Journal of Hypertension</i> , 2014 , 32, 1970-8; discussion 1978	1.9	2
13	Prevalence of Cardiovascular Risk Factors in the Spanish Working Population. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006 , 59, 421-430	0.7	2
12	Serum immunoglobulin-A (IgA) concentrations in a general adult population: association with demographics and prevalence of selective IgA deficiency. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, e109-e112	5.9	2

11	Occupational asthma to fresh sea lavender and cross-reactivity to sweet vernal grass pollen. <i>Annals of Allergy, Asthma and Immunology</i> , 2007 , 99, 576-7	3.2	1
10	Gadolinium chloride-induced Kupffer cell phagocytosis blockade promotes increased antibody (IgG1) response to orally administered ovalbumin in the rat. <i>International Hepatology Communications</i> , 1995 , 3, 260-266		1
9	Time-Course Changes of Serum Keratin Concentrations after Liver Transplantation: Contrasting Results of Keratin-18 and Keratin-19 Fragments. <i>Case Reports in Hepatology</i> , 2020 , 2020, 8895435	0.9	1
8	Limited diagnostic value of total serum IgG4 measurements in adult patients. <i>Annals of Allergy, Asthma and Immunology</i> , 2020 , 124, 202-203	3.2	0
7	Temporal trends in the incidence and prevalence of Multiple Sclerosis in the Northwest of Spain. <i>Multiple Sclerosis and Related Disorders</i> , 2021 , 52, 102979	4	0
6	Transient hypertriglyceridemia: a common finding during Epstein-Barr virus-induced infectious mononucleosis.. <i>Lipids in Health and Disease</i> , 2021 , 20, 177	4.4	0
5	Being an internist throughout the world - same name, different training curricula. <i>Internal Medicine Journal</i> , 2020 , 50, 235-238	1.6	
4	Association between Kikuchi-Fujimoto disease and Streptococcus pneumoniae infection. <i>Open Medicine (Poland)</i> , 2014 , 9, 709-713	2.2	
3	Spatial Patterns in the Rate of Alcohol Withdrawal Syndrome in Galicia (Spain). <i>Procedia Environmental Sciences</i> , 2015 , 27, 94-97		
2	Liver enzyme levels in relation to a common polymorphism in the CD14 promoter gene. <i>European Journal of Gastroenterology and Hepatology</i> , 2007 , 19, 182-3	2.2	
1	Factors associated with serum IgM concentrations: a general adult population study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 454-460	2	