
Katharina Beck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5702528/publications.pdf Version: 2024-02-01



KATHADINA RECK

#	Article	IF	CITATIONS
1	Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review. Schizophrenia Research, 2019, 210, 39-47.	2.0	67
2	Interventions to Improve Communication at Hospital Discharge and Rates of Readmission. JAMA Network Open, 2021, 4, e2119346.	5.9	43
3	Prevalence and factors associated with psychological burden in COVID-19 patients and their relatives: A prospective observational cohort study. PLoS ONE, 2021, 16, e0250590.	2.5	41
4	Sex differences in prolactin levels in emerging psychosis: Indication for enhanced stress reactivity in women. Schizophrenia Research, 2017, 189, 111-116.	2.0	35
5	Does stress influence the performance of cardiopulmonary resuscitation? A narrative review of the literature. Journal of Critical Care, 2021, 63, 223-230.	2.2	25
6	Clinical and functional ultra-long-term outcome of patients with a clinical high risk (CHR) for psychosis. European Psychiatry, 2019, 62, 30-37.	0.2	24
7	Long COVID 1 year after hospitalisation for COVID-19: a prospective bicentric cohort study. Swiss Medical Weekly, 2021, 151, w30091.	1.6	24
8	Psychological burden in patients with COVID-19 and their relatives 90Âdays after hospitalization: A prospective observational cohort study. Journal of Psychosomatic Research, 2021, 147, 110526.	2.6	22
9	The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis. Psychiatry Research, 2018, 268, 21-27.	3.3	21
10	Long-term Survival After Out-of-Hospital Cardiac Arrest. JAMA Cardiology, 2022, 7, 633.	6.1	20
11	Relation between self-perceived stress, psychopathological symptoms and the stress hormone prolactin in emerging psychosis. Journal of Psychiatric Research, 2021, 136, 428-434.	3.1	17
12	Serum neurofilament measurement improves clinical risk scores for outcome prediction after cardiac arrest: results of a prospective study. Critical Care, 2021, 25, 32.	5.8	16
13	Development and Validation of a Dynamic Risk Prediction Model to Forecast Psychosis Onset in Patients at Clinical High Risk. Schizophrenia Bulletin, 2019, 46, 252-260.	4.3	13
14	Effect of Bedside Compared With Outside the Room Patient Case Presentation on Patients' Knowledge About Their Medical Care. Annals of Internal Medicine, 2021, 174, 1282-1292.	3.9	13
15	Communication challenges in end-of-life decisions. Swiss Medical Weekly, 2020, 150, w20351.	1.6	12
16	Association of Taurine with In-Hospital Mortality in Patients after Out-of-Hospital Cardiac Arrest: Results from the Prospective, Observational COMMUNICATE Study. Journal of Clinical Medicine, 2020, 9, 1405.	2.4	11
17	Trimethylamine-N-oxide (TMAO) predicts short- and long-term mortality and poor neurological outcome in out-of-hospital cardiac arrest patients. Clinical Chemistry and Laboratory Medicine, 2021, 59, 393-402.	2.3	10
18	Code status discussions in medical inpatients: results of a survey of patients and physicians. Swiss Medical Weekly, 2020, 150, w20194.	1.6	10

KATHARINA BECK

#	Article	IF	CITATIONS
19	Medical futility regarding cardiopulmonary resuscitation in in-hospital cardiac arrests of adult patients: A systematic review and Meta-analysis. Resuscitation, 2022, 172, 181-193.	3.0	10
20	Can neuropsychological testing facilitate differential diagnosis between at-risk mental state (ARMS) for psychosis and adult attention-deficit/hyperactivity disorder (ADHD)?. European Psychiatry, 2018, 52, 38-44.	0.2	9
21	Predictors of study drop-out and service disengagement in patients at clinical high risk for psychosis. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 539-548.	3.1	9
22	Association of self-esteem, personality, stress and gender with performance of a resuscitation team: A simulation-based study. PLoS ONE, 2020, 15, e0233155.	2.5	9
23	Neuron-Specific Enolase (NSE) Predicts Long-Term Mortality in Adult Patients after Cardiac Arrest: Results from a Prospective Trial. Medicines (Basel, Switzerland), 2021, 8, 72.	1.4	9
24	Association of acyl carnitines and mortality in out-of-hospital-cardiac-arrest patients: Results of a prospective observational study. Journal of Critical Care, 2020, 58, 20-26.	2.2	7
25	Activation of the kynurenine pathway predicts mortality and neurological outcome in cardiac arrest patients: A validation study. Journal of Critical Care, 2022, 67, 57-65.	2.2	7
26	Exploring the predictive power of the unspecific risk category of the Basel Screening Instrument for Psychosis. Microbial Biotechnology, 2019, 13, 969-976.	1.7	6
27	Low Plasma Sphingomyelin Levels Show a Weak Association with Poor Neurological Outcome in Cardiac Arrest Patients: Results from the Prospective, Observational COMMUNICATE Trial. Journal of Clinical Medicine, 2020, 9, 897.	2.4	6
28	Association of medical futility with do-not-resuscitate (DNR) code status in hospitalised patients. Journal of Medical Ethics, 2021, 47, e70-e70.	1.8	6
29	Arginine and Arginine/ADMA Ratio Predict 90-Day Mortality in Patients with Out-of-Hospital Cardiac Arrest—Results from the Prospective, Observational COMMUNICATE Trial. Journal of Clinical Medicine, 2020, 9, 3815.	2.4	4
30	Breaking bad news: A randomized controlled trial to test a novel interactive course for medical students using blended learning. Patient Education and Counseling, 2022, 105, 105-113.	2.2	4
31	Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling. PLoS ONE, 2018, 13, e0196936.	2.5	3
32	Perception of physicians and nursing staff members regarding outside versus bedside ward rounds: ancillary analysis of the randomised BEDSIDE-OUTSIDE trial Swiss Medical Weekly, 2022, 152, w30112.	1.6	0