

Axel Jeremias Schmidt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5702929/publications.pdf>

Version: 2024-02-01

60
papers

2,121
citations

257357

24
h-index

243529

44
g-index

66
all docs

66
docs citations

66
times ranked

2515
citing authors

#	ARTICLE	IF	CITATIONS
1	Tick-borne encephalitis (TBE) in Switzerland: does the prolongation of vaccine booster intervals result in an increased risk of breakthroughs?. <i>Journal of Travel Medicine</i> , 2022, 29, .	1.4	13
2	Influence of Internalised Homonegativity on Sexual Risk Behaviour of Men Who Have Sex with Men in Spain. <i>Sexuality and Culture</i> , 2022, 26, 932-950.	1.1	2
3	Predictors of knowledge of and access to biomedical prevention among MSM and transgender men in Latin America: Results from the Latin American internet survey. <i>HIV Medicine</i> , 2022, , .	1.0	0
4	What is the empirical basis for converting banded ordinal data on numbers of sex partners among MSM into a continuous scale level variable? A secondary analysis of 13 surveys across 17 countries. <i>BMC Medical Research Methodology</i> , 2022, 22, 59.	1.4	1
5	Stigmatizing Policies Interact with Mental Health and Sexual Behaviours to Structurally Induce HIV Diagnoses Among European Men Who Have Sex with Men. <i>AIDS and Behavior</i> , 2022, 26, 3400-3410.	1.4	8
6	Retrospective, matched caseâ€“control analysis of tickborne encephalitis vaccine effectiveness by booster interval, Switzerland 2006â€“2020. <i>BMJ Open</i> , 2022, 12, e061228.	0.8	10
7	Comparison of the Influence of Internalized Homonegativity on Sexual Risk Behavior of Men Who Have Sex with Men in Spain and Turkey. <i>International Journal of Sexual Health</i> , 2022, 34, 644-657.	1.2	1
8	An update on the performance of STI services for gay and bisexual men across European cities: results from the 2017 European MSM Internet Survey. <i>Sexually Transmitted Infections</i> , 2021, 97, 201-208.	0.8	13
9	Surveillance of Employees of Swiss Federal Asylum Centres for Latent Tuberculosis Infection. <i>Respiration</i> , 2021, 100, 411-415.	1.2	0
10	Chemsex and diagnoses of syphilis, gonorrhoea and chlamydia among men who have sex with men in the UK: a multivariable prediction model using causal inference methodology. <i>Sexually Transmitted Infections</i> , 2021, 97, 282-289.	0.8	17
11	Key Findings from the European Men-Who-Have-Sex-With-Men Internet Survey in Greece. <i>Epidemiologia</i> , 2021, 2, 114-123.	1.1	1
12	Changes in the prevalence of self-reported sexually transmitted bacterial infections from 2010 and 2017 in two large European samples of men having sex with menâ€“is it time to re-evaluate STI-screening as a control strategy?. <i>PLoS ONE</i> , 2021, 16, e0248582.	1.1	22
13	Response to a sexual risk reduction intervention provided in combination with hepatitis C treatment by HIV/HCV co-infected men who have sex with men: a reflexive thematic analysis. <i>BMC Infectious Diseases</i> , 2021, 21, 319.	1.3	11
14	Measures of HIV Pre-exposure Prophylaxis Uptake Among Gay, Bisexual, and Other Men Who Have Sex with Men in Canada and Demographic Disparities Among Those at Elevated Likelihood for HIV Acquisition. <i>AIDS and Behavior</i> , 2021, 25, 3638-3650.	1.4	4
15	Pediatric Tuberculosis Disease during Years of High Refugee Arrivals: A 6-Year National Prospective Surveillance Study. <i>Respiration</i> , 2021, 100, 1050-1059.	1.2	9
16	Assessing the drivers of syphilis among men who have sex with men in Switzerland reveals a key impact of screening frequency: A modelling study. <i>PLoS Computational Biology</i> , 2021, 17, e1009529.	1.5	6
17	Structural stigma and sexual minority menâ€™s depression and suicidality: A multilevel examination of mechanisms and mobility across 48 countries.. <i>Journal of Abnormal Psychology</i> , 2021, 130, 713-726.	2.0	52
18	European Men-Who-Have-Sex-With-Men Internet Survey (EMIS-2017): Design and Methods. <i>Sexuality Research and Social Policy</i> , 2020, 17, 543-557.	1.4	45

#	ARTICLE	IF	CITATIONS
19	Sexual and Mental Health Inequalities across Gender Identity and Sex-Assigned-at-Birth among Men-Who-Have-Sex-with-Men in Europe: Findings from EMIS-2017. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7379.	1.2	15
20	Are PrEP services in France reaching all those exposed to HIV who want to take PrEP? MSM respondents who are eligible but not using PrEP (EMIS 2017). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 47-56.	0.6	32
21	The Swiss STAR trial – an evaluation of target groups for sexually transmitted infection screening in the sub-sample of men. <i>Swiss Medical Weekly</i> , 2020, 150, w20392.	0.8	10
22	Screening HIV-positive men who have sex with men for hepatitis C re-infection risk: is a single question on condom-use enough? A sensitivity analysis. <i>BMC Infectious Diseases</i> , 2019, 19, 821.	1.3	8
23	Links between transactional sex and HIV/STI-risk and substance use among a large sample of European men who have sex with men. <i>BMC Infectious Diseases</i> , 2019, 19, 686.	1.3	24
24	The Denominator problem: estimating the size of local populations of men-who-have-sex-with-men and rates of HIV and other STIs in Switzerland. <i>Sexually Transmitted Infections</i> , 2019, 95, 285-291.	0.8	13
25	Population size and self-reported characteristics and sexual preferences of men-who-have-sex-with-men (MSM) in Germany based on social network data. <i>PLoS ONE</i> , 2019, 14, e0212175.	1.1	4
26	Clusters of Sexual Behavior in Human Immunodeficiency Virus-positive Men Who Have Sex With Men Reveal Highly Dissimilar Time Trends. <i>Clinical Infectious Diseases</i> , 2019, 70, 416-424.	2.9	9
27	Estimating the “PrEP Gap™: how implementation and access to PrEP differ between countries in Europe and Central Asia in 2019. <i>Eurosurveillance</i> , 2019, 24, .	3.9	57
28	Surveillance of sexualised drug use – the challenges and the opportunities. <i>International Journal of Drug Policy</i> , 2018, 55, 149-154.	1.6	11
29	Structural Validation and Multiple Group Assessment of the Short Internalized Homonegativity Scale in Homosexual and Bisexual Men in 38 European Countries: Results From the European MSM Internet Survey. <i>Journal of Sex Research</i> , 2018, 55, 617-629.	1.6	18
30	Trends in human immunodeficiency virus diagnoses among men who have sex with men in North America, Western Europe, and Australia, 2000–2014. <i>Annals of Epidemiology</i> , 2018, 28, 874-880.	0.9	20
31	Lack of HIV testing and dissatisfaction with HIV testing and counselling among men having sex with men in Hungary. <i>European Journal of Public Health</i> , 2018, 28, 713-720.	0.1	0
32	Blood donor deferral policies across Europe and characteristics of men who have sex with men screened for human immunodeficiency virus in blood establishments: data from the European Men-who-have-sex-with-men Internet Survey (EMIS). <i>Blood Transfusion</i> , 2018, 16, 7-16.	0.3	5
33	Anti-LGBT and Anti-immigrant Structural Stigma: An Intersectional Analysis of Sexual Minority Men's HIV Risk When Migrating to or Within Europe. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 76, 356-366.	0.9	58
34	The Geography of Sexual Orientation: Structural Stigma and Sexual Attraction, Behavior, and Identity Among Men Who Have Sex with Men Across 38 European Countries. <i>Archives of Sexual Behavior</i> , 2017, 46, 1491-1502.	1.2	54
35	Increased incidence of syphilis in men who have sex with men and risk management strategies, Germany, 2015. <i>Eurosurveillance</i> , 2016, 21, .	3.9	43
36	Party and Play in the Closet? Exploring Club Drug Use Among Swedish Men Who Have Sex With Men. <i>Substance Use and Misuse</i> , 2016, 51, 1093-1103.	0.7	15

#	ARTICLE	IF	CITATIONS
37	Illicit drug use among gay and bisexual men in 44 cities: Findings from the European MSM Internet Survey (EMIS). <i>International Journal of Drug Policy</i> , 2016, 38, 4-12.	1.6	175
38	Determinants of never having tested for HIV among MSM in the Netherlands: Table 1. <i>BMJ Open</i> , 2016, 6, e009480.	0.8	41
39	Response to the calculation of population attributable fractions (PAFs) of risk factors for hepatitis C transmission. <i>Aids</i> , 2016, 30, 1683-1684.	1.0	4
40	Factors associated with unprotected anal sex with multiple non-steady partners in the past 12 months: results from the European Men-Who-Have-Sex-With-Men Internet Survey (EMIS 2010). <i>BMC Public Health</i> , 2015, 16, 47.	1.2	37
41	Hidden from health. <i>Aids</i> , 2015, 29, 1239-1246.	1.0	249
42	The HIV care cascade in Switzerland. <i>Aids</i> , 2015, 29, 2509-2515.	1.0	72
43	Antiretroviral Therapy and Reasons for Not Taking It among Men Having Sex with Men (MSM) – Results from the European MSM Internet Survey (EMIS). <i>PLoS ONE</i> , 2015, 10, e0121047.	1.1	5
44	Transactional Sex: Supply and Demand Among European Men Who have Sex with Men (MSM) in the Context of Local Laws. <i>International Journal of Sexual Health</i> , 2015, 27, 286-302.	1.2	18
45	The Relationship of Internalized Homonegativity to Sexual Health and Well-Being Among Men in 38 European Countries Who Have Sex With Men. <i>Journal of Gay and Lesbian Mental Health</i> , 2015, 19, 285-302.	0.8	36
46	Prevalence of hepatitis C in a Swiss sample of men who have sex with men: whom to screen for HCV infection?. <i>BMC Public Health</i> , 2014, 14, 3.	1.2	51
47	The European Men-Who-Have-Sex-With-Men Internet Survey (EMIS): Design and Methods. <i>Sexuality Research and Social Policy</i> , 2013, 10, 243-257.	1.4	88
48	Estimating the size of the MSM populations for 38 European countries by calculating the survey-surveillance discrepancies (SSD) between self-reported new HIV diagnoses from the European MSM internet survey (EMIS) and surveillance-reported HIV diagnoses among MSM in 2009. <i>BMC Public Health</i> , 2013, 13, 919.	1.2	70
49	Age biases in a large HIV and sexual behaviour-related internet survey among MSM. <i>BMC Public Health</i> , 2013, 13, 826.	1.2	25
50	What constitutes the best sex life for gay and bisexual men? Implications for HIV prevention. <i>BMC Public Health</i> , 2013, 13, 1083.	1.2	22
51	Structural and environmental factors are associated with internalised homonegativity in men who have sex with men: Findings from the European MSM Internet Survey (EMIS) in 38 countries. <i>Social Science and Medicine</i> , 2013, 78, 61-69.	1.8	122
52	Comparison of the performance of STI Screening Services for gay and bisexual men across 40 European cities: results from the European MSM Internet Survey. <i>Sexually Transmitted Infections</i> , 2013, 89, 575-582.	0.8	35
53	Internalised homonegativity predicts HIV-associated risk behavior in European men who have sex with men in a 38-country cross-sectional study: some public health implications of homophobia. <i>BMJ Open</i> , 2013, 3, e001928.	0.8	89
54	HIV testing among Portuguese men who have sex with men – results from the European MSM Internet Survey (EMIS). <i>HIV Medicine</i> , 2013, 14, 15-18.	1.0	25

#	ARTICLE	IF	CITATIONS
55	Prevalence of HIV among MSM in Europe: comparison of self-reported diagnoses from a large scale internet survey and existing national estimates. BMC Public Health, 2012, 12, 978.	1.2	47
56	HIV serosorting among HIV-positive men who have sex with men is associated with increased self-reported incidence of bacterial sexually transmissible infections. Sexual Health, 2011, 8, 184.	0.4	54
57	Self-reported history of sexually transmissible infections (STIs) and STI-related utilization of the German health care system by men who have sex with men: data from a large convenience sample. BMC Infectious Diseases, 2011, 11, 132.	1.3	24
58	Trouble with Bleeding: Risk Factors for Acute Hepatitis C among HIV-Positive Gay Men from Germany – A Case-Control Study. PLoS ONE, 2011, 6, e17781.	1.1	141
59	Estimating the regional distribution of men who have sex with men (MSM) based on Internet surveys. BMC Public Health, 2009, 9, 180.	1.2	38
60	The denominator problem: Estimating MSM-specific incidence of sexually transmitted infections and prevalence of HIV using population sizes of MSM derived from Internet surveys. BMC Public Health, 2009, 9, 181.	1.2	32