

Haiyang Xie

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/5704584/publications.pdf](https://exaly.com/author-pdf/5704584/publications.pdf)

Version: 2024-02-01

196
papers

6,893
citations

79946

39
h-index

92649

69
g-index

228
all docs

228
docs citations

228
times ranked

12294
citing authors

#	ARTICLE	IF	CITATIONS
1	Gut microbiome analysis as a tool towards targeted non-invasive biomarkers for early hepatocellular carcinoma. <i>Gut</i> , 2019, 68, 1014-1023.	13.7	541
2	WTAP facilitates progression of hepatocellular carcinoma via m6A-HuR-dependent epigenetic silencing of ETS1. <i>Molecular Cancer</i> , 2019, 18, 127.	20.2	437
3	ALKBH5 suppresses malignancy of hepatocellular carcinoma via m6A-guided epigenetic inhibition of LYPD1. <i>Molecular Cancer</i> , 2020, 19, 123.	20.2	186
4	Liver transplantation for hepatocellular carcinoma beyond the Milan criteria. <i>Gut</i> , 2016, 65, 1035-1041.	13.7	185
5	Gut microbial profile analysis by MiSeq sequencing of pancreatic carcinoma patients in China. <i>Oncotarget</i> , 2017, 8, 95176-95191.	2.1	170
6	Parkin targets HIF-1 α for ubiquitination and degradation to inhibit breast tumor progression. <i>Nature Communications</i> , 2017, 8, 1823.	13.2	165
7	Long Non-Coding RNA HOTAIR Promotes Cell Migration and Invasion via Down-Regulation of RNA Binding Motif Protein 38 in Hepatocellular Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2014, 15, 4060-4076.	4.2	153
8	Cancer-associated fibroblasts promote M2 polarization of macrophages in pancreatic ductal adenocarcinoma. <i>Cancer Medicine</i> , 2017, 6, 463-470.	2.9	149
9	New Generation Nanomedicines Constructed from Self-Assembling Small-Molecule Prodrugs Alleviate Cancer Drug Toxicity. <i>Cancer Research</i> , 2017, 77, 6963-6974.	0.9	132
10	Self-Assembling Prodrugs by Precise Programming of Molecular Structures that Contribute Distinct Stability, Pharmacokinetics, and Antitumor Efficacy. <i>Advanced Functional Materials</i> , 2015, 25, 4956-4965.	16.5	127
11	Long non-coding RNA PVT1 is associated with tumor progression and predicts recurrence in hepatocellular carcinoma patients. <i>Oncology Letters</i> , 2015, 9, 955-963.	1.8	114
12	MCM family in HCC: MCM6 indicates adverse tumor features and poor outcomes and promotes S/G2 cell cycle progression. <i>BMC Cancer</i> , 2018, 18, 200.	2.6	109
13	Mitofusin-2 triggers mitochondria Ca ²⁺ influx from the endoplasmic reticulum to induce apoptosis in hepatocellular carcinoma cells. <i>Cancer Letters</i> , 2015, 358, 47-58.	7.3	104
14	Structure-Based Rational Design of Prodrugs To Enable Their Combination with Polymeric Nanoparticle Delivery Platforms for Enhanced Antitumor Efficacy. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11532-11537.	14.8	86
15	iRGD-Decorated Polymeric Nanoparticles for the Efficient Delivery of Vandetanib to Hepatocellular Carcinoma: Preparation and in Vitro and in Vivo Evaluation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 19228-19237.	8.3	76
16	TCF12 promotes the tumorigenesis and metastasis of hepatocellular carcinoma via upregulation of CXCR4 expression. <i>Theranostics</i> , 2019, 9, 5810-5827.	9.9	70
17	Metformin potentiates the effect of arsenic trioxide suppressing intrahepatic cholangiocarcinoma: roles of p38 MAPK, ERK3, and mTORC1. <i>Journal of Hematology and Oncology</i> , 2017, 10, 59.	17.6	69
18	MicroRNA-761 is upregulated in hepatocellular carcinoma and regulates tumorigenesis by targeting Mitofusin-2. <i>Cancer Science</i> , 2016, 107, 424-432.	4.0	67

#	ARTICLE	IF	CITATIONS
19	Hypoxia-inducible MiR-182 promotes angiogenesis by targeting RASA1 in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 67.	8.9	64
20	Nanosecond pulsed electric field (nsPEF) treatment for hepatocellular carcinoma: A novel locoregional ablation decreasing lung metastasis. <i>Cancer Letters</i> , 2014, 346, 285-291.	7.3	63
21	Serum carcinoembryonic antigen and carbohydrate antigen 19-9 for prediction of malignancy and invasiveness in intraductal papillary mucinous neoplasms of the pancreas: A meta-analysis. <i>Biomedical Reports</i> , 2015, 3, 43-50.	2.1	63
22	MicroRNA-452 promotes stem-like cells of hepatocellular carcinoma by inhibiting Sox7 involving Wnt/ β -catenin signaling pathway. <i>Oncotarget</i> , 2016, 7, 28000-28012.	2.1	63
23	Blocking CD47 promotes antitumour immunity through CD103+ dendritic cellâ€“NK cell axis in murine hepatocellular carcinoma model. <i>Journal of Hepatology</i> , 2022, 77, 467-478.	3.9	63
24	Activation of YAP1 by N6-Methyladenosineâ€“Modified circCPSF6 Drives Malignancy in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2022, 82, 599-614.	0.9	63
25	Poly lactide-tethered prodrugs in polymeric nanoparticles as reliable nanomedicines for the efficient eradication of patient-derived hepatocellular carcinoma. <i>Theranostics</i> , 2018, 8, 3949-3963.	9.9	60
26	Pseudogene PDIA3P1 promotes cell proliferation, migration and invasion, and suppresses apoptosis in hepatocellular carcinoma by regulating the p53 pathway. <i>Cancer Letters</i> , 2017, 407, 76-83.	7.3	57
27	Metabolic Changes of Hepatocytes in NAFLD. <i>Frontiers in Physiology</i> , 2021, 12, 710420.	2.8	56
28	HINT2 triggers mitochondrial Ca ²⁺ influx by regulating the mitochondrial Ca ²⁺ uniporter (MCU) complex and enhances gemcitabine apoptotic effect in pancreatic cancer. <i>Cancer Letters</i> , 2017, 411, 106-116.	7.3	54
29	miR-424-5p represses the metastasis and invasion of intrahepatic cholangiocarcinoma by targeting ARK5. <i>International Journal of Biological Sciences</i> , 2019, 15, 1591-1599.	6.3	53
30	Precise Engineering of Prodrug Cocktails into Single Polymeric Nanoparticles for Combination Cancer Therapy: Extended and Sequentially Controllable Drug Release. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 10567-10576.	8.3	52
31	Tuning the efficacy of esterase-activatable prodrug nanoparticles for the treatment of colorectal malignancies. <i>Biomaterials</i> , 2021, 270, 120705.	11.8	51
32	CXCL3 contributes to CD133+ CSCs maintenance and forms a positive feedback regulation loop with CD133 in HCC via Erk1/2 phosphorylation. <i>Scientific Reports</i> , 2016, 6, 27426.	3.4	50
33	Metformin ameliorates arsenic trioxide hepatotoxicity via inhibiting mitochondrial complex I. <i>Cell Death and Disease</i> , 2017, 8, e3159-e3159.	6.4	50
34	Baicalin Ameliorates Experimental Liver Cholestasis in Mice by Modulation of Oxidative Stress, Inflammation, and NRF2 Transcription Factor. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-11.	4.1	50
35	Enhancing the Efficacy and Safety of Doxorubicin against Hepatocellular Carcinoma through a Modular Assembly Approach: The Combination of Polymeric Prodrug Design, Nanoparticle Encapsulation, and Cancer Cell-Specific Drug Targeting. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 3229-3240.	8.3	48
36	BAG3 regulates epithelialâ€“mesenchymal transition and angiogenesis in human hepatocellular carcinoma. <i>Laboratory Investigation</i> , 2014, 94, 252-261.	3.9	46

#	ARTICLE	IF	CITATIONS
37	Enhanced transmission of periodic, quasiperiodic, and random nanoaperture arrays. <i>Applied Physics Letters</i> , 2007, 91, .	3.2	42
38	The suppressor of cytokine signaling 2 (SOCS2) inhibits tumor metastasis in hepatocellular carcinoma. <i>Tumor Biology</i> , 2016, 37, 13521-13531.	1.7	42
39	Overexpression of CXCL2 inhibits cell proliferation and promotes apoptosis in hepatocellular carcinoma. <i>BMB Reports</i> , 2018, 51, 630-635.	2.5	42
40	Inhibitory effects of transcription factor Ikaros on the expression of liver cancer stem cell marker CD133 in hepatocellular carcinoma. <i>Oncotarget</i> , 2014, 5, 10621-10635.	2.1	41
41	Downregulation of HDAC6 promotes angiogenesis in hepatocellular carcinoma cells and predicts poor prognosis in liver transplantation patients. <i>Molecular Carcinogenesis</i> , 2016, 55, 1024-1033.	2.9	41
42	New-onset diabetes after liver transplantation: a national report from China Liver Transplant Registry. <i>Liver International</i> , 2016, 36, 705-712.	4.0	41
43	The Combination Strategy of Transarterial Chemoembolization and Radiofrequency Ablation or Microwave Ablation against Hepatocellular Carcinoma. <i>Analytical Cellular Pathology</i> , 2019, 2019, 1-7.	1.5	41
44	The prognostic relevance of primary tumor location in patients undergoing resection for pancreatic ductal adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 15159-15167.	2.1	41
45	ZIP4, a Novel Determinant of Tumor Invasion in Hepatocellular Carcinoma, Contributes to Tumor Recurrence after Liver Transplantation. <i>International Journal of Biological Sciences</i> , 2014, 10, 245-256.	6.3	40
46	Genome-wide CRISPR screen reveals SGOL1 as a druggable target of sorafenib-treated hepatocellular carcinoma. <i>Laboratory Investigation</i> , 2018, 98, 734-744.	3.9	40
47	Deoxycholic acid-modified chitoooligosaccharide/mPEG-PDLLA mixed micelles loaded with paclitaxel for enhanced antitumor efficacy. <i>International Journal of Pharmaceutics</i> , 2014, 475, 60-68.	5.4	39
48	Epigallocatechin 3-Gallate Ameliorates Bile Duct Ligation Induced Liver Injury in Mice by Modulation of Mitochondrial Oxidative Stress and Inflammation. <i>PLoS ONE</i> , 2015, 10, e0126278.	2.5	37
49	Coding-noncoding gene expression in intrahepatic cholangiocarcinoma. <i>Translational Research</i> , 2016, 168, 107-121.	5.2	37
50	Mesenchymal stem cells improve mouse non-heart-beating liver graft survival by inhibiting Kupffer cell apoptosis via TLR4-ERK1/2-Fas/FasL-caspase3 pathway regulation. <i>Stem Cell Research and Therapy</i> , 2016, 7, 157.	5.7	36
51	Electric Ablation with Irreversible Electroporation (IRE) in Vital Hepatic Structures and Follow-up Investigation. <i>Scientific Reports</i> , 2015, 5, 16233.	3.4	35
52	An isocorydine derivative (d-ICD) inhibits drug resistance by downregulating IGF2BP3 expression in hepatocellular carcinoma. <i>Oncotarget</i> , 2015, 6, 25149-25160.	2.1	35
53	Dysfunction of IKZF1/MYC/MDIG axis contributes to liver cancer progression through regulating H3K9me3/p21 activity. <i>Cell Death and Disease</i> , 2017, 8, e2766-e2766.	6.4	34
54	Target-oriented delivery of self-assembled immunosuppressant cocktails prolongs allogeneic orthotopic liver transplant survival. <i>Journal of Controlled Release</i> , 2020, 328, 237-250.	10.2	34

#	ARTICLE	IF	CITATIONS
55	Comparative Study of Nanosecond Electric Fields In Vitro and In Vivo on Hepatocellular Carcinoma Indicate Macrophage Infiltration Contribute to Tumor Ablation In Vivo. PLoS ONE, 2014, 9, e86421.	2.5	34
56	Î³-H2AX promotes hepatocellular carcinoma angiogenesis via EGFR/HIF-1Î±/VEGF pathways under hypoxic condition. Oncotarget, 2015, 6, 2180-2192.	2.1	34
57	Optimal immunosuppressor induces stable gut microbiota after liver transplantation. World Journal of Gastroenterology, 2018, 24, 3871-3883.	3.4	33
58	A Systematic Review and Meta-Analysis of Machine Perfusion vs. Static Cold Storage of Liver Allografts on Liver Transplantation Outcomes: The Future Direction of Graft Preservation. Frontiers in Medicine, 2020, 7, 135.	2.7	32
59	Dimerization-induced self-assembly of a redox-responsive prodrug into nanoparticles for improved therapeutic index. Acta Biomaterialia, 2020, 113, 464-477.	8.8	32
60	VIRMA contributes to non-small cell lung cancer progression via N6-methyladenosine-dependent DAPK3 post-transcriptional modification. Cancer Letters, 2021, 522, 142-154.	7.3	32
61	The Stratifying Value of Hangzhou Criteria in Liver Transplantation for Hepatocellular Carcinoma. PLoS ONE, 2014, 9, e93128.	2.5	32
62	MRC-5 fibroblast-conditioned medium influences multiple pathways regulating invasion, migration, proliferation, and apoptosis in hepatocellular carcinoma. Journal of Translational Medicine, 2015, 13, 237.	4.5	31
63	The HDAC Inhibitor Quisinostat (JNJ-26481585) Suppresses Hepatocellular Carcinoma alone and Synergistically in Combination with Sorafenib by G0/G1 phase arrest and Apoptosis induction. International Journal of Biological Sciences, 2018, 14, 1845-1858.	6.3	31
64	ZNF143-Mediated H3K9 Trimethylation Upregulates CDC6 by Activating MDIG in Hepatocellular Carcinoma. Cancer Research, 2020, 80, 2599-2611.	0.9	31
65	Orosomucoid 2 inhibits tumor metastasis and is upregulated by CCAAT/enhancer binding protein Î² in hepatocellular carcinomas. Oncotarget, 2015, 6, 16106-16119.	2.1	31
66	Expression and Critical Role of Interleukin Enhancer Binding Factor 2 in Hepatocellular Carcinoma. International Journal of Molecular Sciences, 2016, 17, 1373.	4.2	30
67	Fibrinogen and Dâ€dimer levels elevate in advanced hepatocellular carcinoma: High pretreatment fibrinogen levels predict poor outcomes. Hepatology Research, 2017, 47, 1108-1117.	3.4	30
68	Metallothionein 1 family profiling identifies MT1X as a tumor suppressor involved in the progression and metastatic capacity of hepatocellular carcinoma. Molecular Carcinogenesis, 2018, 57, 1435-1444.	2.9	30
69	Characterization of genome-wide TFCP2 targets in hepatocellular carcinoma: implication of targets FN1 and TJP1 in metastasis. Journal of Experimental and Clinical Cancer Research, 2015, 34, 6.	8.9	29
70	High Expression of ITGA3 Promotes Proliferation and Cell Cycle Progression and Indicates Poor Prognosis in Intrahepatic Cholangiocarcinoma. BioMed Research International, 2018, 2018, 1-9.	2.0	29
71	COL6A1 promotes metastasis and predicts poor prognosis in patients with pancreatic cancer. International Journal of Oncology, 2019, 55, 391-404.	3.2	29
72	Rational design of multifunctional small-molecule prodrugs for simultaneous suppression of cancer cell growth and metastasis in vitro and in vivo. Chemical Communications, 2016, 52, 5601-5604.	4.2	28

#	ARTICLE	IF	CITATIONS
73	Over Expression of Long Non-Coding RNA PANDA Promotes Hepatocellular Carcinoma by Inhibiting Senescence Associated Inflammatory Factor IL8. <i>Scientific Reports</i> , 2017, 7, 4186.	3.4	27
74	Remote ischemic preconditioning prevents liver transplantation-induced ischemia/reperfusion injury in rats: Role of ROS/RNS and eNOS. <i>World Journal of Gastroenterology</i> , 2017, 23, 830.	3.4	27
75	Donor miR-196a polymorphism is associated with hepatocellular carcinoma recurrence after liver transplantation in a Han Chinese population. <i>International Journal of Cancer</i> , 2016, 138, 620-629.	5.4	26
76	Downregulation of Peptidylprolyl isomerase A promotes cell death and enhances doxorubicin-induced apoptosis in hepatocellular carcinoma. <i>Gene</i> , 2016, 591, 236-244.	2.3	26
77	The local liver ablation with pulsed electric field stimulate systemic immune reaction against hepatocellular carcinoma (HCC) with time-dependent cytokine profile. <i>Cytokine</i> , 2017, 93, 44-50.	3.2	26
78	Solanine-induced reactive oxygen species inhibit the growth of human hepatocellular carcinoma HepG2 cells. <i>Oncology Letters</i> , 2016, 11, 2145-2151.	1.8	25
79	Evaluation of hepatitis B virus replication and proteomic analysis of HepG2.2.15 cell line after cyclosporine A treatment. <i>Acta Pharmacologica Sinica</i> , 2007, 28, 975-984.	6.1	24
80	Association between epidermal growth factor gene +61A/G polymorphism and the risk of hepatocellular carcinoma: a meta-analysis based on 16 studies. <i>BMC Cancer</i> , 2015, 15, 314.	2.6	24
81	Downregulation of AZGP1 by Ikaros and histone deacetylase promotes tumor progression through the PTEN/Akt and CD44s pathways in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2017, 38, bgw125.	2.8	24
82	TAZ regulates cell proliferation and sensitivity to vitamin D3 in intrahepatic cholangiocarcinoma. <i>Cancer Letters</i> , 2016, 381, 370-379.	7.3	24
83	17-beta-hydroxysteroid dehydrogenase 13 inhibits the progression and recurrence of hepatocellular carcinoma. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 220-226.	1.4	24
84	Hypermethylation of GNA14 and its tumor-suppressive role in hepatitis B virus-related hepatocellular carcinoma. <i>Theranostics</i> , 2021, 11, 2318-2333.	9.9	24
85	A Critical Role for ZDHHC2 in Metastasis and Recurrence in Human Hepatocellular Carcinoma. <i>BioMed Research International</i> , 2014, 2014, 1-9.	2.0	23
86	Single Nucleotide Polymorphisms in the Metastasis-associated in Colon Cancer-1 Gene Predict the Recurrence of Hepatocellular Carcinoma after Transplantation. <i>International Journal of Medical Sciences</i> , 2014, 11, 142-150.	2.6	22
87	The phospholipase A2 activity of peroxiredoxin 6 promotes cancer cell death induced by tumor necrosis factor alpha in hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2016, 55, 1299-1308.	2.9	22
88	Rpn10 promotes tumor progression by regulating hypoxia-inducible factor 1 alpha through the PTEN/Akt signaling pathway in hepatocellular carcinoma. <i>Cancer Letters</i> , 2019, 447, 1-11.	7.3	22
89	Proteomics-based identification of the tumor suppressor role of aminoacylase 1 in hepatocellular carcinoma. <i>Cancer Letters</i> , 2014, 351, 117-125.	7.3	21
90	Heat shock protein expression and autophagy after incomplete thermal ablation and their correlation. <i>International Journal of Hyperthermia</i> , 2019, 36, 95-103.	2.5	21

#	ARTICLE	IF	CITATIONS
91	BAG3 and HIF-1 α Coexpression Detected by Immunohistochemistry Correlated with Prognosis in Hepatocellular Carcinoma after Liver Transplantation. <i>BioMed Research International</i> , 2014, 2014, 1-9.	2.0	20
92	Structure-Based Rational Design of Prodrugs To Enable Their Combination with Polymeric Nanoparticle Delivery Platforms for Enhanced Antitumor Efficacy. <i>Angewandte Chemie</i> , 2014, 126, 11716-11721.	2.1	20
93	Innate immune evasion by hepatitis B virus-mediated downregulation of TRIF. <i>Biochemical and Biophysical Research Communications</i> , 2015, 463, 719-725.	2.2	20
94	Glutamine synthetase promotes tumor invasion in hepatocellular carcinoma through mediating epithelial-mesenchymal transition. <i>Hepatology Research</i> , 2020, 50, 246-257.	3.4	20
95	The circFASN/miR-33a pathway participates in tacrolimus-induced dysregulation of hepatic triglyceride homeostasis. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 23.	17.5	20
96	In-vivo organ engineering: Perfusion of hepatocytes in a single liver lobe scaffold of living rats. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 80, 124-131.	2.9	19
97	Retinoblastoma binding protein 4 up-regulation is correlated with hepatic metastasis and poor prognosis in colon cancer patients. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 446-451.	1.4	19
98	lncRNA DRHC inhibits proliferation and invasion in hepatocellular carcinoma via Myb-regulated MEK/ERK signaling. <i>Molecular Carcinogenesis</i> , 2019, 58, 366-375.	2.9	19
99	Long noncoding RNA HOTTIP expression predicts tumor recurrence in hepatocellular carcinoma patients following liver transplantation. <i>Hepatobiliary Surgery and Nutrition</i> , 2018, 7, 429-439.	1.2	18
100	Severity of early allograft dysfunction following donation after circulatory death liver transplantation: a multicentre study. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 9-19.	1.2	18
101	Targeting peripheral immune organs with self-assembling prodrug nanoparticles ameliorates allogeneic heart transplant rejection. <i>American Journal of Transplantation</i> , 2021, 21, 3871-3882.	4.9	18
102	Role of overexpression of MACC1 and/or FAK in predicting prognosis of hepatocellular carcinoma after liver transplantation. <i>International Journal of Medical Sciences</i> , 2014, 11, 268-275.	2.6	17
103	Global proteomic profiling in multistep hepatocarcinogenesis and identification of PARP1 as a novel molecular marker in hepatocellular carcinoma. <i>Oncotarget</i> , 2016, 7, 13730-13741.	2.1	17
104	Structural shifts in the intestinal microbiota of rats treated with cyclosporine A after orthotopic liver transplantation. <i>Frontiers of Medicine</i> , 2019, 13, 451-460.	3.4	17
105	EAG1 enhances hepatocellular carcinoma proliferation by modulating SKP2 and metastasis through pseudopod formation. <i>Oncogene</i> , 2021, 40, 163-176.	5.9	17
106	Influence of perfusate on liver viability during hypothermic machine perfusion. <i>World Journal of Gastroenterology</i> , 2015, 21, 8848.	3.4	16
107	Protective Effect of Remote Limb Ischemic Preconditioning on the Liver Grafts of Rats with a Novel Model. <i>PLoS ONE</i> , 2015, 10, e0121972.	2.5	16
108	Serum DLK1 is a potential prognostic biomarker in patients with hepatocellular carcinoma. <i>Tumor Biology</i> , 2015, 36, 8399-8404.	1.7	16

#	ARTICLE	IF	CITATIONS
109	KCTD11 inhibits growth and metastasis of hepatocellular carcinoma through activating Hippo signaling. <i>Oncotarget</i> , 2017, 8, 37717-37729.	2.1	16
110	A prognostic fingerprint in liver transplantation for hepatocellular carcinoma based on plasma metabolomics profiling. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2347-2352.	1.0	16
111	Exosome-derived galectin-9 may be a novel predictor of rejection and prognosis after liver transplantation. <i>Journal of Zhejiang University: Science B</i> , 2019, 20, 605-612.	2.9	16
112	A novel role for farnesoid X receptor in the bile acid-mediated intestinal glucose homeostasis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 12848-12861.	3.6	16
113	The influence of a contemporaneous portal and hepatic artery revascularization protocol on biliary complications after liver transplantation. <i>Surgery</i> , 2014, 155, 190-195.	2.0	15
114	The role of cancer-associated fibroblast MRC-5 in pancreatic cancer. <i>Journal of Cancer</i> , 2018, 9, 614-628.	2.6	15
115	High Expression of Human AugminComplex Submit 3 Indicates Poor Prognosis and Associates with Tumor Progression in Hepatocellular Carcinoma. <i>Journal of Cancer</i> , 2019, 10, 1434-1443.	2.6	15
116	Central pancreatectomy for pancreatic schwannoma: A case report and literature review. <i>World Journal of Gastroenterology</i> , 2016, 22, 8439.	3.4	15
117	Culture of patient-derived multicellular clusters in suspended hydrogel capsules for pre-clinical personalized drug screening. <i>Bioactive Materials</i> , 2022, 18, 164-177.	16.1	15
118	Ras-related associated with diabetes gene acts as a suppressor and inhibits Warburg effect in hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 3925-3937.	2.1	14
119	H2A.Z regulates tumorigenesis, metastasis and sensitivity to cisplatin in intrahepatic cholangiocarcinoma. <i>International Journal of Oncology</i> , 2018, 52, 1235-1245.	3.2	14
120	Upregulated expression of HOXB7 in intrahepatic cholangiocarcinoma is associated with tumor cell metastasis and poor prognosis. <i>Laboratory Investigation</i> , 2019, 99, 736-748.	3.9	14
121	MiR-152 May Silence Translation of CaMK II and Induce Spontaneous Immune Tolerance in Mouse Liver Transplantation. <i>PLoS ONE</i> , 2014, 9, e105096.	2.5	14
122	BCL6B expression in hepatocellular carcinoma and its efficacy in the inhibition of liver damage and fibrogenesis. <i>Oncotarget</i> , 2015, 6, 20252-20265.	2.1	14
123	The distinct responsiveness of cytokeratin 19-positive hepatocellular carcinoma to regorafenib. <i>Cell Death and Disease</i> , 2021, 12, 1084.	6.4	14
124	Expression and Clinical Significance of the Novel Long Noncoding RNA ZNF674-AS1 in Human Hepatocellular Carcinoma. <i>BioMed Research International</i> , 2016, 2016, 1-5.	2.0	13
125	miRNA profiles in livers with different mass deficits after partial hepatectomy and miR-106b~25 cluster accelerating hepatocyte proliferation in rats. <i>Scientific Reports</i> , 2016, 6, 31267.	3.4	13
126	MSC-triggered metabolomic alterations in liver-resident immune cells isolated from CCl4-induced mouse ALI model. <i>Experimental Cell Research</i> , 2019, 383, 111511.	2.6	13

#	ARTICLE	IF	CITATIONS
127	Multiple novel hepatocellular carcinoma signature genes are commonly controlled by the master pluripotency factor OCT4. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 279-295.	4.3	13
128	Nanoparticle formulation of mycophenolate mofetil achieves enhanced efficacy against hepatocellular carcinoma by targeting tumour-associated fibroblast. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3511-3523.	3.6	13
129	Asialoglycoprotein Receptor 1 Functions as a Tumor Suppressor in Liver Cancer via Inhibition of STAT3. <i>Cancer Research</i> , 2022, 82, 3987-4000.	0.9	13
130	Evaluation of hepatitis B viral replication and proteomic analysis of HepG2.2.15 cell line after knockdown of HBx. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2011, 10, 295-302.	1.4	12
131	Nanosecond pulsed electric field (nsPEF) enhance cytotoxicity of cisplatin to hepatocellular cells by microdomain disruption on plasma membrane. <i>Experimental Cell Research</i> , 2016, 346, 233-240.	2.6	12
132	The association between donor genetic variations in one-carbon metabolism pathway genes and hepatitis B recurrence after liver transplantation. <i>Gene</i> , 2018, 663, 121-125.	2.3	12
133	Survival comparison between primary hepatic neuroendocrine neoplasms and primary pancreatic neuroendocrine neoplasms and the analysis on prognosis-related factors. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019, 18, 538-545.	1.4	12
134	Diagnostic Value of Preoperative Needle Biopsy for Tumor Grading Assessment in Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0144216.	2.5	12
135	Triiodothyronine enhances liver regeneration after living donor liver transplantation in rats. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 806-814.	2.7	11
136	Partial Inhibition of HO-1 Attenuates HMP-Induced Hepatic Regeneration against Liver Injury in Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-11.	4.1	11
137	Mixed adenoendocrine carcinoma in the extrahepatic biliary tract: A case report and literature review. <i>Oncology Letters</i> , 2019, 18, 1585-1596.	1.8	11
138	MRC-5 Cancer-associated Fibroblasts Influence Production of Cancer Stem Cell Markers and Inflammation-associated Cell Surface Molecules, in Liver Cancer Cell Lines. <i>International Journal of Medical Sciences</i> , 2019, 16, 1157-1170.	2.6	11
139	The chromosome 19 microRNA cluster, regulated by promoter hypomethylation, is associated with tumour burden and poor prognosis in patients with hepatocellular carcinoma. <i>Journal of Cellular Physiology</i> , 2020, 235, 6103-6112.	4.2	11
140	Stereotactic body radiation therapy versus radiofrequency ablation in patients with small hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 623-630.	1.2	11
141	DNA methylation of SOCS1/2/3 predicts hepatocellular carcinoma recurrence after liver transplantation. <i>Molecular Biology Reports</i> , 2020, 47, 1773-1782.	2.4	11
142	Schwannoma in the hepatoduodenal ligament: A case report and literature review. <i>World Journal of Gastroenterology</i> , 2016, 22, 10260.	3.4	11
143	Sperm associated antigen 4 promotes SREBP1-mediated de novo lipogenesis via interaction with lamin A/C and contributes to tumor progression in hepatocellular carcinoma. <i>Cancer Letters</i> , 2022, 536, 215642.	7.3	11
144	Targeting anillin inhibits tumorigenesis and tumor growth in hepatocellular carcinoma via impairing cytokinesis fidelity. <i>Oncogene</i> , 2022, 41, 3118-3130.	5.9	11

#	ARTICLE	IF	CITATIONS
145	IL-15 is decreased upon CsA and FK506 treatment of acute rejection following heart transplantation in mice. <i>Molecular Medicine Reports</i> , 2015, 11, 37-42.	2.5	10
146	Protein Profiles of Pretransplant Grafts Predict Early Allograft Dysfunction After Liver Transplantation From Donation After Circulatory Death. <i>Transplantation</i> , 2020, 104, 79-89.	1.1	10
147	The Similar Effects of miR-512-3p and miR-519a-2-5p on the Promotion of Hepatocellular Carcinoma: Different Tunes Sung With Equal Skill. <i>Frontiers in Oncology</i> , 2020, 10, 1244.	2.9	10
148	Macrovascular Endothelial Cells Enhance the Motility of Liver Cancer Cells by Up-regulation of MMP-3, Activation of Integrin/FAK Signaling Pathway and Induction of Non-classical Epithelial-mesenchymal Transition. <i>Journal of Cancer</i> , 2020, 11, 2044-2059.	2.6	10
149	Identification of HO-1 as a novel biomarker for graft acute cellular rejection and prognosis prediction after liver transplantation. <i>Annals of Translational Medicine</i> , 2020, 8, 221-221.	1.7	10
150	MicroRNA-424 expression predicts tumor recurrence in patients with hepatocellular carcinoma following liver transplantation. <i>Oncology Letters</i> , 2018, 15, 9126-9132.	1.8	9
151	Revival of a potent therapeutic maytansinoid agent using a strategy that combines covalent drug conjugation with sequential nanoparticle assembly. <i>International Journal of Pharmaceutics</i> , 2019, 556, 159-171.	5.4	9
152	The effect of secondary cholestasis on the CD68-positive and CD163-positive macrophage population, cellular proliferation, and apoptosis in rat testis. <i>Journal of Reproductive Immunology</i> , 2015, 110, 36-47.	2.0	8
153	Preoperative risk stratification for early recurrence of HBV-related hepatocellular carcinoma after deceased donor liver transplantation: a five-eight model development and validation. <i>BMC Cancer</i> , 2019, 19, 1136.	2.6	8
154	Delivery of microRNA-33 Antagomirs by Mesoporous Silica Nanoparticles to Ameliorate Lipid Metabolic Disorders. <i>Frontiers in Pharmacology</i> , 2020, 11, 921.	3.6	8
155	A two-circular RNA signature of donor circFOXN2 and circNECTIN3 predicts early allograft dysfunction after liver transplantation. <i>Annals of Translational Medicine</i> , 2020, 8, 94-94.	1.7	8
156	Molecular phenotypes reveal heterogeneous engraftments of patient-derived hepatocellular carcinoma xenografts. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2021, 33, 470-479.	2.5	8
157	Targeting WEE1 by adavosertib inhibits the malignant phenotypes of hepatocellular carcinoma. <i>Biochemical Pharmacology</i> , 2021, 188, 114494.	4.6	8
158	First case report of isolated penile mucormycosis in a liver transplantation recipient. <i>International Journal of Infectious Diseases</i> , 2014, 29, 208-210.	3.3	7
159	Galectin-1 attenuates hepatic ischemia reperfusion injury in mice. <i>International Immunopharmacology</i> , 2019, 77, 105997.	3.8	7
160	Metabonomic Profile of Macrosteatotic Allografts for Orthotopic Liver Transplantation in Patients With Initial Poor Function: Mechanistic Investigation and Prognostic Prediction. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 826.	3.8	7
161	Combination of HSP90 and autophagy inhibitors promotes hepatocellular carcinoma apoptosis following incomplete thermal ablation. <i>Molecular Medicine Reports</i> , 2020, 22, 337-343.	2.5	7
162	STAT5A modulates CDYL2/SLC7A6 pathway to inhibit the proliferation and invasion of hepatocellular carcinoma by targeting to mTORC1. <i>Oncogene</i> , 2022, 41, 2492-2504.	5.9	7

#	ARTICLE	IF	CITATIONS
163	Differences in antiproliferative effect of STAT3 inhibition in HCC cells with versus without HBV expression. <i>Biochemical and Biophysical Research Communications</i> , 2015, 461, 513-518.	2.2	6
164	14-3-3 β downregulation suppresses ICC metastasis via impairing migration, invasion, and anoikis resistance of ICC cells. <i>Cancer Biomarkers</i> , 2017, 19, 313-325.	1.7	6
165	A risk assessment model of acute liver allograft rejection by genetic polymorphism of <i>CD276</i> . <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e689.	1.3	6
166	Graft protection of the liver by hypothermic machine perfusion involves recovery of graft regeneration in rats. <i>Journal of International Medical Research</i> , 2019, 47, 427-437.	1.0	6
167	CR6-interacting factor 1 inhibits invasiveness by suppressing TGF- β -mediated epithelial-mesenchymal transition in hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 94759-94768.	2.1	6
168	Synchronous occurrence of a hepatic myelolipoma and two hepatocellular carcinomas. <i>World Journal of Gastroenterology</i> , 2016, 22, 9654.	3.4	6
169	Cytokine and human leukocyte antigen (HLA) profile for graft-versus-host disease (GVHD) after organ transplantation. <i>European Journal of Medical Research</i> , 2016, 21, 38.	2.2	5
170	B-Cell Receptor-Associated Protein 31 Promotes Metastasis via AKT/ β -Catenin/Snail Pathway in Hepatocellular Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 656151.	3.6	5
171	CEUS-Based Radiomics Can Show Changes in Protein Levels in Liver Metastases After Incomplete Thermal Ablation. <i>Frontiers in Oncology</i> , 2021, 11, 694102.	2.9	5
172	Mitofusin-2 mediated mitochondrial Ca ²⁺ uptake 1/2 induced liver injury in rat remote ischemic preconditioning liver transplantation and alpha mouse liver-12 hypoxia cell line models. <i>World Journal of Gastroenterology</i> , 2017, 23, 6995-7008.	3.4	5
173	MHC-mismatched mice liver transplantation promotes tumor growth in liver graft. <i>Cancer Letters</i> , 2014, 351, 162-171.	7.3	4
174	Human heat shock protein 27 exacerbates ischemia reperfusion injury in rats by reducing the number of T regulatory cells. <i>Molecular Medicine Reports</i> , 2014, 9, 1998-2002.	2.5	3
175	TFCP2 Genetic Polymorphism Is Associated with Predisposition to and Transplant Prognosis of Hepatocellular Carcinoma. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-8.	1.5	3
176	AG-1024 Sensitizes Sorafenib-Resistant Hepatocellular Carcinoma Cells to Sorafenib via Enhancing G1/S Arrest. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 1049-1059.	2.1	3
177	The effect of SphK1/S1P signaling pathway on hepatic sinus microcirculation in rats with hepatic ischemia-reperfusion injury. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2022, 21, 94-98.	1.4	3
178	Prediction of Early Recurrence of Hepatocellular Carcinoma in Patients with Cirrhosis Who Had Received Deceased Donor Liver Transplantation: A Multicenter Study. <i>Annals of Transplantation</i> , 2019, 24, 489-498.	1.0	3
179	Polyploidy Spectrum Correlates with Immunophenotype and Shapes Hepatocellular Carcinoma Recurrence Following Liver Transplantation. <i>Journal of Inflammation Research</i> , 2022, Volume 15, 217-233.	3.5	3
180	A pan-cancer analysis of the oncogenic role of Holliday junction recognition protein in human tumors. <i>Open Medicine (Poland)</i> , 2022, 17, 317-328.	1.4	3

#	ARTICLE	IF	CITATIONS
181	Liver transplantation for Hepatocellular Carcinoma: A prognostic model incorporating pretransplant inflammatory cytokines. <i>Cytokine</i> , 2022, 153, 155847.	3.2	3
182	Infusion of nonmyeloablative bone marrow alleviates acute rejection reaction in liver allotransplantation. <i>Journal of Zhejiang University: Science B</i> , 2005, 6, 1188-1194.	2.9	2
183	A promising ex vivo liver protection strategy: machine perfusion and repair. <i>Hepatobiliary Surgery and Nutrition</i> , 2019, 8, 142-143.	1.2	2
184	Recipient gender and body mass index are associated with early acute rejection in donation after cardiac death liver transplantation. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 100004.	1.6	2
185	Multi-Omics Analysis Reveals Disturbance of Nanosecond Pulsed Electric Field in the Serum Metabolic Spectrum and Gut Microbiota. <i>Frontiers in Microbiology</i> , 2021, 12, 649091.	3.6	2
186	Polymorphisms of FGFR1 in HBV-related hepatocellular carcinoma. <i>Tumor Biology</i> , 2015, 36, 8881-8886.	1.7	1
187	Methylation site <i>APC</i> 112043544 as a potential biomarker for post-transplant hepatocellular carcinoma recurrence. <i>Future Oncology</i> , 2022, 18, 2401-2413.	2.4	1
188	RapaLink-1 outperforms rapamycin in alleviating allogeneic graft rejection by inhibiting the mTORC1-4E-BP1 pathway in mice. <i>International Immunopharmacology</i> , 2023, 125, 111172.	3.8	1
189	Therapeutic efficacy and safety of S-1-based combination therapy compare with S-1 monotherapy following gemcitabine failure in pancreatic cancer: a meta-analysis. <i>Scientific Reports</i> , 2016, 6, 36944.	3.4	0
190	Prognostic value of Rho GDP dissociation inhibitors in patients with hepatocellular carcinoma following liver transplantation. <i>Oncology Letters</i> , 2017, 14, 1395-1402.	1.8	0
191	Implementing an innovated liver ex-situ machine perfusion technology: The 2018 Joint International Congress of ILTS, ELITA and LICAGE. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 283-285.	1.4	0
192	Combined kidney-liver perfusion enhances the proliferation effects of hypothermic perfusion on liver grafts via upregulation of IL6/Stat3 signaling. <i>Molecular Medicine Reports</i> , 2019, 20, 1663-1671.	2.5	0
193	Synergistic interaction between thioredoxin inhibitor 1-methylpropyl 2-imidazolyl disulfide and sorafenib in liver cancer cells. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2020, 19, 295-298.	1.4	0
194	Generation of ZJU003-A, an induced pluripotent stem cell line from a Wilson's disease patient carrying a c.180_181del mutation in ATP7B gene. <i>Stem Cell Research</i> , 2020, 46, 101873.	0.7	0
195	The immune profiles and minimizing tacrolimus strategy for long-term survival recipients after liver transplantation. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2021, 20, 190-192.	1.4	0
196	Blocking CX3CR1+ Tumor-associated Macrophages Enhances the Efficacy of Anti-PD-1 Therapy in Hepatocellular Carcinoma. <i>Cancer Immunology Research</i> , 0, , .	3.3	0